



# Accuracy and strength in every case

Aquasil Ultra+ material lets you capture consistently precise marginal detail.

In one study, 89% of impressions had one or more observable errors. 50% of those are voids and tears at the margin, which can compromise final crown fit and long-term clinical success<sup>1</sup>.

# Expect uncompromising performance where it counts, intraorally

Aquasil Ultra+ impression material delivers hydrophilicity and tear strength where they matter most, while you're working on your patient. Matched with equally important precision delivery and speed, Aquasil Ultra+ impression material delivers for all your cases, not just the ideal ones.

- Leading intraoral hydrophilicity means improved accuracy in the presence of natural hydration
- The highest intraoral and 24-hour tear strength available reduces risk of voids and tears at the margin, even in thin cross-sections
- Increased precision and ergonomics with digit<sup>®</sup> Targeted Delivery System gets clinicians 34% closer to the prepared tooth for easier placement and visibility
- Rigid tray material for double-arch impression trays to reduce threat of distortion

### **Tips for Success**

- Always start by bleeding the cartridge
- Ensure adequate tissue management before taking the final impression
- · Do not desiccate the prepared tooth
- Get close to the prep with a delivery system that allows for improved precision placement and ergonomics
- Start syringing interproximally, keeping the mixing tip submerged in the material and pushing the material forward around the prepared tooth
- Finish syringing past the starting point and onto the occlusal surface of an adjacent tooth to help prevent air bubbles
- Once seated, stabilize the impression to prevent patient movement
- Know your work time—seating an impression after work time can cause distortion
- Verify proper occlusion with a double arch tray to help ensure a better fit

	INTRAORAL HYDROPHILICITY (2" @80% RH)	CURED FILM HYDROPHILICITY (5" @50% RH)	INTRAORAL TEAR STRENGTH (PSI @ .265mm thickness)	24 HOUR TEAR STRENGTH (PSI @ .265mm thickness)
Aquasil Ultra+	15°	5°	607	678
Imprint <sup>™</sup> 4	19°	6°	441	539
Take 1 <sup>™</sup> Advanced <sup>™</sup>	72°	88°	196	338
Exafast™ NDS	68°	66°	242	273
Flexitime®	55°	58°	291	399
Imprint™ 3	70°	43°	505	614
Impregum™	49°	54°	165	259





## Ordering Information (Additional products available)

#### **STARTER KITS**

#### 678690 SINGLE-UNIT PROCEDURE INTRODUCTORY KIT

2 Cartridges Rigid Fast Set (50mL each)

1 Cartridge LV Fast Set (50mL)

1 Cartridge XLV Fast Set (50mL)

6 First Bite® Disposable Impression Trays - Half Arch

1 Bottle Caulk® Tray Adhesive (14mL) 1 digit® LV/XLV Fast Set Evaluator Kit 12 Mixing Tips and 6 Intraoral Tips

#### **RECOMMENDED PRODUCTS**

678645 digit® XLV Fast Set Small Cartridge Refill

50 Small Unit Doses, 50 Mixing Tips, 50 Intraoral Tips

678678 50mL Rigid Fast Set Cartridge Refill

4 Cartridges (50mL ea), 12 Mixing Tips

OR

678688 DECA™ Rigid Fast Set Standard Pack

2 Cartridges (380mL ea), 20 Dynamic Mixing Tips,

1 Bayonet Locking Ring

#### **ADDITIONAL REFILL OPTIONS**

#### PRECISION DELIVERY

678642 digit® LV Fast Set Small Cartridge Refill

50 Small Unit Doses, 50 Mixing Tips, 50 Intraoral Tips

#### **MACHINE DELIVERY (DECA™ Cartridge)**

678684 Heavy Fast Set Standard Pack

2 Cartridges (380mL ea), 20 Dynamic Mixing Tips,

1 Bayonet Locking Ring

678684-3 Heavy Fast Set Economy Pack (3 Standard Packs)

678688-3 **Rigid Fast Set Economy Pack** (3 Standard Packs)

#### **CONVENTIONAL 50ML DELIVERY**

678670 XLV Fast Set 4-Pack Cartridge Refill

4 Cartridges (50mL ea), 12 Mixing Tips, 6 Intraoral Tips

678672 LV Fast Set 4-Pack Cartridge Refill

4 Cartridges (50mL ea), 12 Mixing Tips, 6 Intraoral Tips

678676 Heavy Fast Set 4-Pack Cartridge Refill

4 Cartridges (50mL ea), 12 Mixing Tips

678626 Heavy Fast Set Bulk Refill 24 Cartridges (50mL ea)

678627 **Rigid Fast Set Bulk Refill** 24 Cartridges (50mL ea)



