

# Combinations of titanium bases and materials in the CEREC software 5.2.2

This overview indicates which combinations of titanium bases and materials can be selected in the CEREC software 5.2.2 for various regions.

⊕ indicates that this combination is available.

⊖ indicates that this combination is NOT available. Irrespective of this, individual titanium bases and materials may not be available.

All countries are divided into 11 regions. Click on the region or scroll down to find the table which applies to your country.

**Region 1:**

USA

**Region 2:**

Germany

**Region 3:**

Europe (CE mark countries) excluding Germany

**Region 4:**

China

**Region 5:**

Taiwan

**Region 6:**

Russia

**Region 7:**

Peru

**Region 8:**

Malaysia, Mexico, Singapore, Thailand, Vietnam

**Region 9:**

Japan

**Region 10:**

















South Korea

**Region 11:**

all other countries not yet mentioned

[dentsplysirona.com](https://dentsplysirona.com)

Implant system		Titanium base				Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS	
<b>Dentsply Sirona Implants</b>												
<b>Astra Tech Implant EV</b>	3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	-	-	+	-	-	-	
	4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	-	-	+	-	-	-	
	4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	-	-	+	-	-	-	
	5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	-	-	+	-	-	-	
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	-	-	+	-	-	+	
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	-	-	+	-	-	+	
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	-	-	+	-	-	+	
	3.8	TiBase FX 3.8 S	6282441	S	+	-	-	+	-	-	+	
	4.5	TiBase FX 4.5 L	6282458	L	+	-	-	+	-	-	+	
	5.5	TiBase FX 5.5 L	6282466	L	+	-	-	+	-	-	+	
<b>BioHorizons</b>												
<b>Internal connection</b>	3.0	TiBase BH 3.0 S	6532779	S	+	-	-	+	-	-	-	
	3.5	TiBase BH 3.5 L	6532894	L	+	-	-	+	-	-	-	
	4.5	TiBase BH 4.5 L	6532951	L	+	-	-	+	-	-	-	
	5.7	TiBase BH 5.7 L	6536242	L	+	-	-	+	-	-	-	
<b>Nobel Biocare</b>												
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	-	-	+	-	-	+	
	RP	TiBase NB RS 4.3 L	6282482	L	+	-	-	+	-	-	+	
	WP	TiBase NB RS 5.0 L	6282490	L	+	-	-	+	-	-	+	
	6.0	TiBase NB RS 6.0 L	6282508	L	+	-	-	+	-	-	+	
<b>Nobel Active, NobelReplace Conical Connection</b>	NP	TiBase NB A 4.5 L	6308188	L	+	-	-	+	-	-	+	
	RP	TiBase NB A 5.0 L	6308253	L	+	-	-	+	-	-	+	
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	-	-	+	-	-	+	
	RP	TiBase NB B 4.1 L	6282524	L	+	-	-	+	-	-	+	

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	-	-	+	-	-	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	-	-	+	-	-	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	-	-	+	+	-	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	-	-	+	+	-	+
<b>Thommen Medical</b>											
<b>Element, Contact</b>	 3,5	TiBase TM 3.5 S	6531854	S	+	-	-	+	-	-	-
	 4	TiBase TM 4 S	6532829	S	+	-	-	+	-	-	-
	 4,5	TiBase TM 4.5 S	6532837	S	+	-	-	+	-	-	-
	 5	TiBase TM 5 S	6544360	S	+	-	-	+	-	-	-
	 6	TiBase TM 6 S	6544378	S	+	-	-	+	-	-	-
<b>Osstem / Hiossen</b>											
<b>Osstem TS (USA: Hiossen ET)</b>	 Mini	TiBase O TS 3.5 L	6527035	L	+	-	-	+	-	-	-
	 Regular	TiBase O TS 4.0 L	6527043	L	+	-	-	+	-	-	-
<b>Zimmer /Biomet</b>											
<b>External hex</b>	 3,4	TiBase B O 3.4 L	6282557	L	+	-	-	+	-	-	+
	 4,1	TiBase B O 4.1 L	6282565	L	+	-	-	+	-	-	+
	 5,0	TiBase B O 5.0 L	6282573	L	+	-	-	+	-	-	+
<b>Certain</b>	 3,4	TiBase B C 3.4 S	6308048	S	+	-	-	+	+	-	+
	 4,1	TiBase B C 4.1 L	6308097	L	+	-	-	+	+	-	+
	 5,0	TiBase B C 5.0 L	6308121	L	+	-	-	+	+	-	+
<b>Tapered Screw-Vent</b>	 3,5	TiBase Z TSV 3.5 L	6282581	L	+	-	-	+	-	-	+
	 4,5	TiBase Z TSV 4.5 L	6282599	L	+	-	-	+	-	-	+
	 5,7	TiBase Z TSV 5.7 L	6282607	L	+	-	-	+	-	-	+

















Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	-	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	-	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	-	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	-	-	-	+	-	-	-
	RN (4,8 mm)	RN Variobase C	220.019	L	-	-	-	+	-	-	-
	WN (6,5 mm)	WN Variobase C	220.020	L	-	-	-	+	-	-	-
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	-	-
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	-	-
<b>BLX</b>	RB/WB	RB/WB Variobase C 3.8	624.981	S	-	-	-	+	-	-	-
	RB/WB	RB/WB Variobase C 4.5	624.982	L	-	-	-	+	-	-	-
	WB	WB Variobase C 5.5	624.983	L	-	-	-	+	-	-	-

Implant system		Titanium base				Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS	
Camlog (Camlog, Conelog, iSy)												
Camlog	■	3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	-	-	+	-	-	-
	■	3.8	CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	-	-	+	-	-	-
	■	4.3	CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	-	-	+	-	-	-
	■	5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	-	-	+	-	-	-
	■	6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	-	-	+	-	-	-
Conelog	■	3.3	CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 0.8 mm	C2242.3308	S	+	-	-	+	-	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 2.0 mm	C2242.3320	S	+	-	-	+	-	-	-
	■	3.8	CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 0.8 mm	C2242.3808	S	+	-	-	+	-	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 2.0 mm	C2242.3820	S	+	-	-	+	-	-	-
	■	4.3	CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 0.8 mm	C2242.4308	S	+	-	-	+	-	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 2.0 mm	C2242.4320	S	+	-	-	+	-	-	-
	■	5.0	CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 0.8 mm	C2242.5008	L	+	-	-	+	-	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 2.0 mm	C2242.5020	L	+	-	-	+	-	-	-
iSy	■	4.5	iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 0.8 mm	P2244.4408	S	+	-	-	+	-	-	-
			iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 2.0 mm	P2244.4420	S	+	-	-	+	-	-	-
	■	5.2	iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 0.8 mm	P2244.5008	L	+	-	-	+	-	-	-
			iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 2.0 mm	P2244.5020	L	+	-	-	+	-	-	-

# Region 2: Germany

# Sirona TiBase

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Dentsply Sirona Implants</b>											
<b>Astra Tech Implant EV</b>	3	TiBase AT EV 3.0 GH1 S	6586304	S	+	+	+	+	+	+	+
	3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	+	+	+	+	+	+
	4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	+	+	+	+	+	+
	4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	+	+	+	+	+	+
	5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	+	+	+	+	+	+
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	+	+	+	+	+	+
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	+	+	+	+	+	+
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	+	+	+	+	+	+
	3.8	TiBase FX 3.8 S	6282441	S	+	+	+	+	+	+	+
	4.5	TiBase FX 4.5 L	6282458	L	+	+	+	+	+	+	+
	5.5	TiBase FX 5.5 L	6282466	L	+	+	+	+	+	+	+
<b>Ankylos</b>	C/X	TiBase ANK C/ GH1 S	6586528	S	+	+	+	+	+	+	+
		TiBase ANK C/ GH2 S	6586536	S	+	+	+	+	+	+	+
		TiBase ANK /X GH1 S	6586544	S	+	+	+	+	+	+	+
		TiBase ANK /X GH2 S	6586551	S	+	+	+	+	+	+	+
<b>BioHorizons</b>											
<b>Internal connection</b>	3.0	TiBase BH 3.0 S	6532779	S	+	+	-	+	+	+	+
	3.5	TiBase BH 3.5 L	6532894	L	+	+	-	+	+	+	+
	4.5	TiBase BH 4.5 L	6532951	L	+	+	-	+	+	+	+
	5.7	TiBase BH 5.7 L	6536242	L	+	+	-	+	+	+	+
<b>Nobel Biocare</b>											
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	+	-	+	+	+	+
	RP	TiBase NB RS 4.3 L	6282482	L	+	+	-	+	+	+	+
	WP	TiBase NB RS 5.0 L	6282490	L	+	+	-	+	+	+	+
	6.0	TiBase NB RS 6.0 L	6282508	L	+	+	-	+	+	+	+
<b>Nobel Active, NobelReplace Conical Connection</b>	NP	TiBase NB A 4.5 L	6308188	L	+	+	-	+	+	+	+
	RP	TiBase NB A 5.0 L	6308253	L	+	+	-	+	+	+	+
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	+	-	+	+	+	+
	RP	TiBase NB B 4.1 L	6282524	L	+	+	-	+	+	+	+

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	+	-	+	+	+	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	+	-	+	+	+	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	+	-	+	+	+	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	+	-	+	+	+	+
<b>Thommen Medical</b>											
<b>Element, Contact</b>	 3,5	TiBase TM 3.5 S	6531854	S	+	+	-	+	+	+	+
	 4	TiBase TM 4 S	6532829	S	+	+	-	+	+	+	+
	 4,5	TiBase TM 4.5 S	6532837	S	+	+	-	+	+	+	+
	 5	TiBase TM 5 S	6544360	S	+	+	-	+	+	+	+
	 6	TiBase TM 6 S	6544378	S	+	+	-	+	+	+	+
<b>Osstem / Hiossen</b>											
<b>Osstem TS (USA: Hiossen ET)</b>	 Mini	TiBase O TS 3.5 L	6527035	L	+	+	-	+	+	+	+
	 Regular	TiBase O TS 4.0 L	6527043	L	+	+	-	+	+	+	+
<b>Zimmer /Biomet</b>											
<b>External hex</b>	 3,4	TiBase B O 3.4 L	6282557	L	+	+	-	+	+	+	+
	 4,1	TiBase B O 4.1 L	6282565	L	+	+	-	+	+	+	+
	 5,0	TiBase B O 5.0 L	6282573	L	+	+	-	+	+	+	+
<b>Certain</b>	 3,4	TiBase B C 3.4 S	6308048	S	+	+	-	+	+	+	+
	 4,1	TiBase B C 4.1 L	6308097	L	+	+	-	+	+	+	+
	 5,0	TiBase B C 5.0 L	6308121	L	+	+	-	+	+	+	+
<b>Tapered Screw-Vent</b>	 3,5	TiBase Z TSV 3.5 L	6282581	L	+	+	-	+	+	+	+
	 4,5	TiBase Z TSV 4.5 L	6282599	L	+	+	-	+	+	+	+
	 5,7	TiBase Z TSV 5.7 L	6282607	L	+	+	-	+	+	+	+





# Region 2: Germany

# Third Party Titanium Bases

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	+	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	+	-	-	+	-	-	-
	RN (4,8 mm)	RN Variobase C	220.019	L	+	-	-	+	-	-	-
	WN (6,5 mm)	WN Variobase C	220.020	L	+	-	-	+	-	-	-
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	-	-
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	-	-
<b>BLX</b>	RB/WB	RB/WB Variobase C 3.8	624.981	S	+	+	-	+	-	-	-
	RB/WB	RB/WB Variobase C 4.5	624.982	L	+	+	-	+	-	-	-
	WB	WB Variobase C 5.5	624.983	L	+	+	-	+	-	-	-
<b>TLX</b>	NT	NT Variobase C, TAN	370.205	S	+	+	-	+	-	-	-
	RT	RT Variobase C, TAN	371.205	L	+	+	-	+	-	-	-
	WT	WT Variobase C, TAN	372.205	L	+	+	-	+	-	-	-



Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
Camlog (Camlog, Conelog, iSy)											
Camlog	3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	+	-	+	+	+	+
		CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	+	-	+	+	+	+
	3.8	CAMLOG® Titanium base CAD/CAM PS, for Ø 3.8 mm, GH 0.8	K2210.3808	S	+	+	-	+	+	+	+
		CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	+	-	+	+	+	+
	4.3	CAMLOG® Titanium base CAD/CAM PS, for Ø 4.3 mm, GH 0.8	K2210.4308	S	+	+	-	+	+	+	+
		5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	+	-	+	+	+
	CAMLOG® Titanium base CAD/CAM PS, for Ø 5.0 mm, GH 0.8		K2210.5008	L	+	+	-	+	+	+	+
6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	+	-	+	+	+	+	
Conelog	3.3	CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 0.8 mm	C2242.3308	S	+	+	-	+	+	+	+
		CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 2.0 mm	C2242.3320	S	+	+	-	+	+	+	+
	3.8	CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 0.8 mm	C2242.3808	S	+	+	-	+	+	+	+
		CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 2.0 mm	C2242.3820	S	+	+	-	+	+	+	+
	4.3	CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 0.8 mm	C2242.4308	S	+	+	-	+	+	+	+
		CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 2.0 mm	C2242.4320	S	+	+	-	+	+	+	+
	5.0	CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 0.8 mm	C2242.5008	L	+	+	-	+	+	+	+
		CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 2.0 mm	C2242.5020	L	+	+	-	+	+	+	+
iSy	4.5	iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 0.8 mm	P2244.4408	S	+	+	-	+	+	+	+
		iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 2.0 mm	P2244.4420	S	+	+	-	+	+	+	+
	5.2	iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 0.8 mm	P2244.5008	L	+	+	-	+	+	+	+
		iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 2.0 mm	P2244.5020	L	+	+	-	+	+	+	+

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA		
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS	
<b>Alphatech</b>												
<b>Tube Line</b>	 D3.4	Titanbasis 3,4	350686	S	+	-	-	+	+	+	+	
	 D3.8	Titanbasis 3,8	350687	S	+	-	-	+	+	+	+	
	 D4.3	Titanbasis 3,8/4,3 P-Switch		350689	L	+	-	-	+	+	+	+
		Titanbasis 4,3		350688	L	+	-	-	+	+	+	+
	 D5.0	Titanbasis 5,0	350691	L	+	-	-	+	+	+	+	

















# Region 3: Europe (CE mark countries) excluding Germany

# Sirona TiBase

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Dentsply Sirona Implants</b>											
<b>Astra Tech Implant EV</b>	3	TiBase AT EV 3.0 GH1 S	6586304	S	+	+	+	+	+	+	+
	3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	+	+	+	+	+	+
	4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	+	+	+	+	+	+
	4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	+	+	+	+	+	+
	5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	+	+	+	+	+	+
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	+	+	+	+	+	+
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	+	+	+	+	+	+
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	+	+	+	+	+	+
	3.8	TiBase FX 3.8 S	6282441	S	+	+	+	+	+	+	+
	4.5	TiBase FX 4.5 L	6282458	L	+	+	+	+	+	+	+
	5.5	TiBase FX 5.5 L	6282466	L	+	+	+	+	+	+	+
<b>Ankylos</b>	C/X	TiBase ANK C/ GH1 S	6586528	S	+	+	+	+	+	+	+
		TiBase ANK C/ GH2 S	6586536	S	+	+	+	+	+	+	+
		TiBase ANK /X GH1 S	6586544	S	+	+	+	+	+	+	+
		TiBase ANK /X GH2 S	6586551	S	+	+	+	+	+	+	+
<b>BioHorizons</b>											
<b>Internal connection</b>	3.0	TiBase BH 3.0 S	6532779	S	+	+	-	+	+	+	+
	3.5	TiBase BH 3.5 L	6532894	L	+	+	-	+	+	+	+
	4.5	TiBase BH 4.5 L	6532951	L	+	+	-	+	+	+	+
	5.7	TiBase BH 5.7 L	6536242	L	+	+	-	+	+	+	+
<b>Nobel Biocare</b>											
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	+	-	+	+	+	+
	RP	TiBase NB RS 4.3 L	6282482	L	+	+	-	+	+	+	+
	WP	TiBase NB RS 5.0 L	6282490	L	+	+	-	+	+	+	+
	6.0	TiBase NB RS 6.0 L	6282508	L	+	+	-	+	+	+	+
<b>Nobel Active, NobelReplace Conical Connection</b>	NP	TiBase NB A 4.5 L	6308188	L	+	+	-	+	+	+	+
	RP	TiBase NB A 5.0 L	6308253	L	+	+	-	+	+	+	+
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	+	-	+	+	+	+
	RP	TiBase NB B 4.1 L	6282524	L	+	+	-	+	+	+	+

# Region 3: Europe (CE mark countries) excluding Germany

Sirona TiBase

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	+	-	+	+	+	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	+	-	+	+	+	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	+	-	+	+	+	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	+	-	+	+	+	+
<b>Thommen Medical</b>											
<b>Element, Contact</b>	 3,5	TiBase TM 3.5 S	6531854	S	+	+	-	+	+	+	+
	 4	TiBase TM 4 S	6532829	S	+	+	-	+	+	+	+
	 4,5	TiBase TM 4.5 S	6532837	S	+	+	-	+	+	+	+
	 5	TiBase TM 5 S	6544360	S	+	+	-	+	+	+	+
	 6	TiBase TM 6 S	6544378	S	+	+	-	+	+	+	+
<b>Osstem / Hiossen</b>											
<b>Osstem TS (USA: Hiossen ET)</b>	 Mini	TiBase O TS 3.5 L	6527035	L	+	+	-	+	+	+	+
	 Regular	TiBase O TS 4.0 L	6527043	L	+	+	-	+	+	+	+
<b>Zimmer /Biomet</b>											
<b>External hex</b>	 3,4	TiBase B O 3.4 L	6282557	L	+	+	-	+	+	+	+
	 4,1	TiBase B O 4.1 L	6282565	L	+	+	-	+	+	+	+
	 5,0	TiBase B O 5.0 L	6282573	L	+	+	-	+	+	+	+
<b>Certain</b>	 3,4	TiBase B C 3.4 S	6308048	S	+	+	-	+	+	+	+
	 4,1	TiBase B C 4.1 L	6308097	L	+	+	-	+	+	+	+
	 5,0	TiBase B C 5.0 L	6308121	L	+	+	-	+	+	+	+
<b>Tapered Screw-Vent</b>	 3,5	TiBase Z TSV 3.5 L	6282581	L	+	+	-	+	+	+	+
	 4,5	TiBase Z TSV 4.5 L	6282599	L	+	+	-	+	+	+	+
	 5,7	TiBase Z TSV 5.7 L	6282607	L	+	+	-	+	+	+	+

# Region 3: Europe (CE mark countries) excluding Germany

# Third Party Titanium Bases

















Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	+	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	+	-	-	+	-	+	+
	RN (4,8 mm)	RN Variobase C	220.019	L	+	-	-	+	-	+	+
	WN (6,5 mm)	WN Variobase C	220.020	L	+	-	-	+	-	+	+
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	+	+
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	+	+
<b>BLX</b>	RB/WB	RB/WB Variobase C 3.8	624.981	S	+	+	-	+	-	-	-
	RB/WB	RB/WB Variobase C 4.5	624.982	L	+	+	-	+	-	-	-
	WB	WB Variobase C 5.5	624.983	L	+	+	-	+	-	-	-
<b>TLX</b>	NT	NT Variobase C, TAN	370.205	S	+	+	-	+	-	-	-
	RT	RT Variobase C, TAN	371.205	L	+	+	-	+	-	-	-
	WT	WT Variobase C, TAN	372.205	L	+	+	-	+	-	-	-

# Region 3: Europe (CE mark countries) excluding Germany

# Third Party Titanium Bases

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Camlog (Camlog, Conelog, iSy)</b>											
<b>Camlog</b>	■ 3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	+	-	+	+	+	+
	■ 3.8	CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	+	-	+	+	+	+
		CAMLOG® Titanium base CAD/CAM PS, for Ø 3.8 mm, GH 0.8	K2210.3808	S	+	+	-	+	+	+	+
	■ 4.3	CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	+	-	+	+	+	+
		CAMLOG® Titanium base CAD/CAM PS, for Ø 4.3 mm, GH 0.8	K2210.4308	S	+	+	-	+	+	+	+
	■ 5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	+	-	+	+	+	+
		CAMLOG® Titanium base CAD/CAM PS, for Ø 5.0 mm, GH 0.8	K2210.5008	L	+	+	-	+	+	+	+
■ 6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	+	-	+	+	+	+	
<b>Conelog</b>	■ 3.3	CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 0.8 mm	C2242.3308	S	+	+	-	+	+	+	+
		CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 2.0 mm	C2242.3320	S	+	+	-	+	+	+	+
	■ 3.8	CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 0.8 mm	C2242.3808	S	+	+	-	+	+	+	+
		CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 2.0 mm	C2242.3820	S	+	+	-	+	+	+	+
	■ 4.3	CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 0.8 mm	C2242.4308	S	+	+	-	+	+	+	+
		CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 2.0 mm	C2242.4320	S	+	+	-	+	+	+	+
	■ 5.0	CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 0.8 mm	C2242.5008	L	+	+	-	+	+	+	+
		CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 2.0 mm	C2242.5020	L	+	+	-	+	+	+	+
<b>iSy</b>	4.5	iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 0.8 mm	P2244.4408	S	+	+	-	+	+	+	+
		iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 2.0 mm	P2244.4420	S	+	+	-	+	+	+	+
	5.2	iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 0.8 mm	P2244.5008	L	+	+	-	+	+	+	+
		iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 2.0 mm	P2244.5020	L	+	+	-	+	+	+	+

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Dentsply Sirona Implants</b>											
<b>Astra Tech Implant EV</b>	3	TiBase AT EV 3.0 GH1 S	6586304	S	+	+	+	+	+	+	+
	3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	+	+	+	+	+	+
	4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	+	+	+	+	+	+
	4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	+	+	+	+	+	+
	5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	+	+	+	+	+	+
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	+	+	+	+	+	+
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	+	+	+	+	+	+
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	+	+	+	+	+	+
	3.8	TiBase FX 3.8 S	6282441	S	+	+	+	+	+	+	+
	4.5	TiBase FX 4.5 L	6282458	L	+	+	+	+	+	+	+
	5.5	TiBase FX 5.5 L	6282466	L	+	+	+	+	+	+	+
<b>Ankylos</b>	C/X	TiBase ANK C/ GH1 S	6586528	S	+	+	+	+	+	+	+
		TiBase ANK C/ GH2 S	6586536	S	+	+	+	+	+	+	+
		TiBase ANK /X GH1 S	6586544	S	+	+	+	+	+	+	+
		TiBase ANK /X GH2 S	6586551	S	+	+	+	+	+	+	+
<b>BioHorizons</b>											
<b>Internal connection</b>	3.0	TiBase BH 3.0 S	6532779	S	+	+	-	+	+	+	+
	3.5	TiBase BH 3.5 L	6532894	L	+	+	-	+	+	+	+
	4.5	TiBase BH 4.5 L	6532951	L	+	+	-	+	+	+	+
	5.7	TiBase BH 5.7 L	6536242	L	+	+	-	+	+	+	+
<b>Nobel Biocare</b>											
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	+	-	+	+	+	+
	RP	TiBase NB RS 4.3 L	6282482	L	+	+	-	+	+	+	+
	WP	TiBase NB RS 5.0 L	6282490	L	+	+	-	+	+	+	+
	6.0	TiBase NB RS 6.0 L	6282508	L	+	+	-	+	+	+	+
<b>Nobel Active, NobelReplace Conical Connection</b>	NP	TiBase NB A 4.5 L	6308188	L	+	+	-	+	+	+	+
	RP	TiBase NB A 5.0 L	6308253	L	+	+	-	+	+	+	+
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	+	-	+	+	+	+
	RP	TiBase NB B 4.1 L	6282524	L	+	+	-	+	+	+	+






Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	+	-	+	+	+	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	+	-	+	+	+	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	+	-	+	+	+	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	+	-	+	+	+	+
<b>Thommen Medical</b>											
<b>Element, Contact</b>	 3,5	TiBase TM 3.5 S	6531854	S	+	+	-	+	+	+	+
	 4	TiBase TM 4 S	6532829	S	+	+	-	+	+	+	+
	 4,5	TiBase TM 4.5 S	6532837	S	+	+	-	+	+	+	+
	 5	TiBase TM 5 S	6544360	S	+	+	-	+	+	+	+
	 6	TiBase TM 6 S	6544378	S	+	+	-	+	+	+	+
<b>Osstem / Hiossen</b>											
<b>Osstem TS (USA: Hiossen ET)</b>	 Mini	TiBase O TS 3.5 L	6527035	L	+	+	-	+	+	+	+
	 Regular	TiBase O TS 4.0 L	6527043	L	+	+	-	+	+	+	+
<b>Zimmer /Biomet</b>											
<b>External hex</b>	 3,4	TiBase B O 3.4 L	6282557	L	+	+	-	+	+	+	+
	 4,1	TiBase B O 4.1 L	6282565	L	+	+	-	+	+	+	+
	 5,0	TiBase B O 5.0 L	6282573	L	+	+	-	+	+	+	+
<b>Certain</b>	 3,4	TiBase B C 3.4 S	6308048	S	+	+	-	+	+	+	+
	 4,1	TiBase B C 4.1 L	6308097	L	+	+	-	+	+	+	+
	 5,0	TiBase B C 5.0 L	6308121	L	+	+	-	+	+	+	+
<b>Tapered Screw-Vent</b>	 3,5	TiBase Z TSV 3.5 L	6282581	L	+	+	-	+	+	+	+
	 4,5	TiBase Z TSV 4.5 L	6282599	L	+	+	-	+	+	+	+
	 5,7	TiBase Z TSV 5.7 L	6282607	L	+	+	-	+	+	+	+



















# Region 4: China

# Third Party Titanium Bases

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	+	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	+	-	-	+	-	-	-
	RN (4,8 mm)	RN Variobase C	220.019	L	+	-	-	+	-	-	-
	WN (6,5 mm)	WN Variobase C	220.020	L	+	-	-	+	-	-	-
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	-	-
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	-	-
<b>BLX</b>	RB/WB	RB/WB Variobase C 3.8	624.981	S	+	+	-	+	-	-	-
	RB/WB	RB/WB Variobase C 4.5	624.982	L	+	+	-	+	-	-	-
	WB	WB Variobase C 5.5	624.983	L	+	+	-	+	-	-	-

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
Camlog (Camlog, Conelog, iSy)											
Camlog	 3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	+	-	+	+	+	+
	 3.8	CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	+	-	+	+	+	+
	 4.3	CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	+	-	+	+	+	+
	 5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	+	-	+	+	+	+
	 6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	+	-	+	+	+	+

















Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Dentsply Sirona Implants</b>											
<b>Astra Tech Implant EV</b>	3	TiBase AT EV 3.0 GH1 S	6586304	S	+	+	+	+	+	+	+
	3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	+	+	+	+	+	+
	4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	+	+	+	+	+	+
	4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	+	+	+	+	+	+
	5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	+	+	+	+	+	+
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	+	+	+	+	+	+
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	+	+	+	+	+	+
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	+	+	+	+	+	+
	3.8	TiBase FX 3.8 S	6282441	S	+	+	+	+	+	+	+
	4.5	TiBase FX 4.5 L	6282458	L	+	+	+	+	+	+	+
	5.5	TiBase FX 5.5 L	6282466	L	+	+	+	+	+	+	+
<b>Ankylos</b>	C/X	TiBase ANK C/ GH1 S	6586528	S	+	+	+	+	+	+	+
		TiBase ANK C/ GH2 S	6586536	S	+	+	+	+	+	+	+
		TiBase ANK /X GH1 S	6586544	S	+	+	+	+	+	+	+
		TiBase ANK /X GH2 S	6586551	S	+	+	+	+	+	+	+
<b>BioHorizons</b>											
<b>Internal connection</b>	3.0	TiBase BH 3.0 S	6532779	S	+	+	-	+	+	+	+
	3.5	TiBase BH 3.5 L	6532894	L	+	+	-	+	+	+	+
	4.5	TiBase BH 4.5 L	6532951	L	+	+	-	+	+	+	+
	5.7	TiBase BH 5.7 L	6536242	L	+	+	-	+	+	+	+
<b>Nobel Biocare</b>											
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	+	-	+	+	+	+
	RP	TiBase NB RS 4.3 L	6282482	L	+	+	-	+	+	+	+
	WP	TiBase NB RS 5.0 L	6282490	L	+	+	-	+	+	+	+
	6.0	TiBase NB RS 6.0 L	6282508	L	+	+	-	+	+	+	+
<b>Nobel Active, NobelReplace Conical Connection</b>	NP	TiBase NB A 4.5 L	6308188	L	+	+	-	+	+	+	+
	RP	TiBase NB A 5.0 L	6308253	L	+	+	-	+	+	+	+
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	+	-	+	+	+	+
	RP	TiBase NB B 4.1 L	6282524	L	+	+	-	+	+	+	+

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	+	-	+	+	+	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	+	-	+	+	+	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	+	-	+	+	+	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	+	-	+	+	+	+
<b>Thommen Medical</b>											
<b>Element, Contact</b>	 3,5	TiBase TM 3.5 S	6531854	S	+	+	-	+	+	+	+
	 4	TiBase TM 4 S	6532829	S	+	+	-	+	+	+	+
	 4,5	TiBase TM 4.5 S	6532837	S	+	+	-	+	+	+	+
	 5	TiBase TM 5 S	6544360	S	+	+	-	+	+	+	+
	 6	TiBase TM 6 S	6544378	S	+	+	-	+	+	+	+
<b>Osstem / Hiossen</b>											
<b>Osstem TS (USA: Hiossen ET)</b>	 Mini	TiBase O TS 3.5 L	6527035	L	+	+	-	+	+	+	+
	 Regular	TiBase O TS 4.0 L	6527043	L	+	+	-	+	+	+	+
<b>Zimmer /Biomet</b>											
<b>External hex</b>	 3,4	TiBase B O 3.4 L	6282557	L	+	+	-	+	+	+	+
	 4,1	TiBase B O 4.1 L	6282565	L	+	+	-	+	+	+	+
	 5,0	TiBase B O 5.0 L	6282573	L	+	+	-	+	+	+	+
<b>Certain</b>	 3,4	TiBase B C 3.4 S	6308048	S	+	+	-	+	+	+	+
	 4,1	TiBase B C 4.1 L	6308097	L	+	+	-	+	+	+	+
	 5,0	TiBase B C 5.0 L	6308121	L	+	+	-	+	+	+	+
<b>Tapered Screw-Vent</b>	 3,5	TiBase Z TSV 3.5 L	6282581	L	+	+	-	+	+	+	+
	 4,5	TiBase Z TSV 4.5 L	6282599	L	+	+	-	+	+	+	+
	 5,7	TiBase Z TSV 5.7 L	6282607	L	+	+	-	+	+	+	+

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	+	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	+	-	-	+	-	-	-
	RN (4,8 mm)	RN Variobase C	220.019	L	+	-	-	+	-	-	-
	WN (6,5 mm)	WN Variobase C	220.020	L	+	-	-	+	-	-	-
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	-	-
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	-	-
<b>BLX</b>	RB/WB	RB/WB Variobase C 3.8	624.981	S	+	+	-	+	-	-	-
	RB/WB	RB/WB Variobase C 4.5	624.982	L	+	+	-	+	-	-	-
	WB	WB Variobase C 5.5	624.983	L	+	+	-	+	-	-	-
<b>TLX</b>	NT	NT Variobase C, TAN	370.205	S	+	+	-	+	-	-	-
	RT	RT Variobase C, TAN	371.205	L	+	+	-	+	-	-	-
	WT	WT Variobase C, TAN	372.205	L	+	+	-	+	-	-	-

Implant system		Titanium base				Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS	
<b>Camlog (Camlog, Conelog, iSy)</b>												
<b>Camlog</b>	■ 3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	+	-	+	+	-	-	
	■ 3.8	CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	+	-	+	+	-	-	
	■ 4.3	CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	+	-	+	+	-	-	
	■ 5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	+	-	+	+	-	-	
	■ 6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	+	-	+	+	-	-	
<b>Conelog</b>	■ 3.3	CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 0.8 mm	C2242.3308	S	+	+	-	+	+	-	-	
		CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 2.0 mm	C2242.3320	S	+	+	-	+	+	-	-	
	■ 3.8	CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 0.8 mm	C2242.3808	S	+	+	-	+	+	-	-	
		CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 2.0 mm	C2242.3820	S	+	+	-	+	+	-	-	
	■ 4.3	CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 0.8 mm	C2242.4308	S	+	+	-	+	+	-	-	
		CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 2.0 mm	C2242.4320	S	+	+	-	+	+	-	-	
	■ 5.0	CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 0.8 mm	C2242.5008	L	+	+	-	+	+	-	-	
		CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 2.0 mm	C2242.5020	L	+	+	-	+	+	-	-	
<b>iSy</b>	4.5	iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 0.8 mm	P2244.4408	S	+	+	-	+	+	-	-	
		iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 2.0 mm	P2244.4420	S	+	+	-	+	+	-	-	
	5.2	iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 0.8 mm	P2244.5008	L	+	+	-	+	+	-	-	
		iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 2.0 mm	P2244.5020	L	+	+	-	+	+	-	-	

















Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Dentsply Sirona Implants</b>											
<b>Astra Tech Implant EV</b>	3	TiBase AT EV 3.0 GH1 S	6586304	S	+	+	+	+	+	+	+
	3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	+	+	+	+	+	+
	4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	+	+	+	+	+	+
	4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	+	+	+	+	+	+
	5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	+	+	+	+	+	+
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	+	+	+	+	+	+
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	+	+	+	+	+	+
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	+	+	+	+	+	+
	3.8	TiBase FX 3.8 S	6282441	S	+	+	+	+	+	+	+
	4.5	TiBase FX 4.5 L	6282458	L	+	+	+	+	+	+	+
	5.5	TiBase FX 5.5 L	6282466	L	+	+	+	+	+	+	+
<b>Ankylos</b>	C/X	TiBase ANK C/ GH1 S	6586528	S	+	+	+	+	+	+	+
		TiBase ANK C/ GH2 S	6586536	S	+	+	+	+	+	+	+
		TiBase ANK /X GH1 S	6586544	S	+	+	+	+	+	+	+
		TiBase ANK /X GH2 S	6586551	S	+	+	+	+	+	+	+
<b>BioHorizons</b>											
<b>Internal connection</b>	3.0	TiBase BH 3.0 S	6532779	S	+	+	-	+	+	+	+
	3.5	TiBase BH 3.5 L	6532894	L	+	+	-	+	+	+	+
	4.5	TiBase BH 4.5 L	6532951	L	+	+	-	+	+	+	+
	5.7	TiBase BH 5.7 L	6536242	L	+	+	-	+	+	+	+
<b>Nobel Biocare</b>											
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	+	-	+	+	+	+
	RP	TiBase NB RS 4.3 L	6282482	L	+	+	-	+	+	+	+
	WP	TiBase NB RS 5.0 L	6282490	L	+	+	-	+	+	+	+
	6.0	TiBase NB RS 6.0 L	6282508	L	+	+	-	+	+	+	+
<b>Nobel Active, NobelReplace Conical Connection</b>	NP	TiBase NB A 4.5 L	6308188	L	+	+	-	+	+	+	+
	RP	TiBase NB A 5.0 L	6308253	L	+	+	-	+	+	+	+
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	+	-	+	+	+	+
	RP	TiBase NB B 4.1 L	6282524	L	+	+	-	+	+	+	+

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	+	-	+	+	+	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	+	-	+	+	+	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	+	-	+	+	+	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	+	-	+	+	+	+
<b>Thommen Medical</b>											
<b>Element, Contact</b>	 3,5	TiBase TM 3.5 S	6531854	S	+	+	-	+	+	+	+
	 4	TiBase TM 4 S	6532829	S	+	+	-	+	+	+	+
	 4,5	TiBase TM 4.5 S	6532837	S	+	+	-	+	+	+	+
	 5	TiBase TM 5 S	6544360	S	+	+	-	+	+	+	+
	 6	TiBase TM 6 S	6544378	S	+	+	-	+	+	+	+
<b>Osstem / Hiossen</b>											
<b>Osstem TS (USA: Hiossen ET)</b>	 Mini	TiBase O TS 3.5 L	6527035	L	+	+	-	+	+	+	+
	 Regular	TiBase O TS 4.0 L	6527043	L	+	+	-	+	+	+	+
<b>Zimmer /Biomet</b>											
<b>External hex</b>	 3,4	TiBase B O 3.4 L	6282557	L	+	+	-	+	+	+	+
	 4,1	TiBase B O 4.1 L	6282565	L	+	+	-	+	+	+	+
	 5,0	TiBase B O 5.0 L	6282573	L	+	+	-	+	+	+	+
<b>Certain</b>	 3,4	TiBase B C 3.4 S	6308048	S	+	+	-	+	+	+	+
	 4,1	TiBase B C 4.1 L	6308097	L	+	+	-	+	+	+	+
	 5,0	TiBase B C 5.0 L	6308121	L	+	+	-	+	+	+	+
<b>Tapered Screw-Vent</b>	 3,5	TiBase Z TSV 3.5 L	6282581	L	+	+	-	+	+	+	+
	 4,5	TiBase Z TSV 4.5 L	6282599	L	+	+	-	+	+	+	+
	 5,7	TiBase Z TSV 5.7 L	6282607	L	+	+	-	+	+	+	+



Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	+	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	+	-	-	+	-	-	-
	RN (4,8 mm)	RN Variobase C	220.019	L	+	-	-	+	-	-	-
	WN (6,5 mm)	WN Variobase C	220.020	L	+	-	-	+	-	-	-
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	-	-
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	-	-
<b>BLX</b>	RB/WB	RB/WB Variobase C 3.8	624.981	S	+	+	-	+	-	-	-
	RB/WB	RB/WB Variobase C 4.5	624.982	L	+	+	-	+	-	-	-
	WB	WB Variobase C 5.5	624.983	L	+	+	-	+	-	-	-
<b>TLX</b>	NT	NT Variobase C, TAN	370.205	S	+	+	-	+	-	-	-
	RT	RT Variobase C, TAN	371.205	L	+	+	-	+	-	-	-
	WT	WT Variobase C, TAN	372.205	L	+	+	-	+	-	-	-

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Dentsply Sirona Implants</b>											
<b>Astra Tech Implant EV</b>	3	TiBase AT EV 3.0 GH1 S	6586304	S	+	+	+	+	+	+	+
	3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	+	+	+	+	+	+
	4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	+	+	+	+	+	+
	4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	+	+	+	+	+	+
	5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	+	+	+	+	+	+
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	+	+	+	+	+	+
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	+	+	+	+	+	+
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	+	+	+	+	+	+
	3.8	TiBase FX 3.8 S	6282441	S	+	+	+	+	+	+	+
	4.5	TiBase FX 4.5 L	6282458	L	+	+	+	+	+	+	+
	5.5	TiBase FX 5.5 L	6282466	L	+	+	+	+	+	+	+
<b>Ankylos</b>	C/X	TiBase ANK C/ GH1 S	6586528	S	+	+	+	+	+	+	+
		TiBase ANK C/ GH2 S	6586536	S	+	+	+	+	+	+	+
		TiBase ANK /X GH1 S	6586544	S	+	+	+	+	+	+	+
		TiBase ANK /X GH2 S	6586551	S	+	+	+	+	+	+	+
<b>BioHorizons</b>											
<b>Internal connection</b>	3.0	TiBase BH 3.0 S	6532779	S	+	+	-	+	+	+	+
	3.5	TiBase BH 3.5 L	6532894	L	+	+	-	+	+	+	+
	4.5	TiBase BH 4.5 L	6532951	L	+	+	-	+	+	+	+
	5.7	TiBase BH 5.7 L	6536242	L	+	+	-	+	+	+	+
<b>Nobel Biocare</b>											
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	+	-	+	+	+	+
	RP	TiBase NB RS 4.3 L	6282482	L	+	+	-	+	+	+	+
	WP	TiBase NB RS 5.0 L	6282490	L	+	+	-	+	+	+	+
	6.0	TiBase NB RS 6.0 L	6282508	L	+	+	-	+	+	+	+
<b>Nobel Active, NobelReplace Conical Connection</b>	NP	TiBase NB A 4.5 L	6308188	L	+	+	-	+	+	+	+
	RP	TiBase NB A 5.0 L	6308253	L	+	+	-	+	+	+	+
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	+	-	+	+	+	+
	RP	TiBase NB B 4.1 L	6282524	L	+	+	-	+	+	+	+

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	+	-	+	+	+	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	+	-	+	+	+	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	+	-	+	+	+	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	+	-	+	+	+	+
<b>Thommen Medical</b>											
<b>Element, Contact</b>	 3,5	TiBase TM 3.5 S	6531854	S	+	+	-	+	+	+	+
	 4	TiBase TM 4 S	6532829	S	+	+	-	+	+	+	+
	 4,5	TiBase TM 4.5 S	6532837	S	+	+	-	+	+	+	+
	 5	TiBase TM 5 S	6544360	S	+	+	-	+	+	+	+
	 6	TiBase TM 6 S	6544378	S	+	+	-	+	+	+	+
<b>Osstem / Hiossen</b>											
<b>Osstem TS (USA: Hiossen ET)</b>	 Mini	TiBase O TS 3.5 L	6527035	L	+	+	-	+	+	+	+
	 Regular	TiBase O TS 4.0 L	6527043	L	+	+	-	+	+	+	+
<b>Zimmer /Biomet</b>											
<b>External hex</b>	 3,4	TiBase B O 3.4 L	6282557	L	+	+	-	+	+	+	+
	 4,1	TiBase B O 4.1 L	6282565	L	+	+	-	+	+	+	+
	 5,0	TiBase B O 5.0 L	6282573	L	+	+	-	+	+	+	+
<b>Certain</b>	 3,4	TiBase B C 3.4 S	6308048	S	+	+	-	+	+	+	+
	 4,1	TiBase B C 4.1 L	6308097	L	+	+	-	+	+	+	+
	 5,0	TiBase B C 5.0 L	6308121	L	+	+	-	+	+	+	+
<b>Tapered Screw-Vent</b>	 3,5	TiBase Z TSV 3.5 L	6282581	L	+	+	-	+	+	+	+
	 4,5	TiBase Z TSV 4.5 L	6282599	L	+	+	-	+	+	+	+
	 5,7	TiBase Z TSV 5.7 L	6282607	L	+	+	-	+	+	+	+

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	+	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	+	-	-	+	-	-	-
	RN (4,8 mm)	RN Variobase C	220.019	L	+	-	-	+	-	-	-
	WN (6,5 mm)	WN Variobase C	220.020	L	+	-	-	+	-	-	-
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	-	-
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	-	-

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA		
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS	
Camlog (Camlog, Conelog, iSy)												
Camlog	■	3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	+	-	+	+	-	-
	■	3.8	CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	+	-	+	+	-	-
			CAMLOG® Titanium base CAD/CAM PS, for Ø 3.8 mm, GH 0.8	K2210.3808	S	+	+	-	+	+	-	-
	■	4.3	CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	+	-	+	+	-	-
			CAMLOG® Titanium base CAD/CAM PS, for Ø 4.3 mm, GH 0.8	K2210.4308	S	+	+	-	+	+	-	-
	■	5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	+	-	+	+	-	-
			CAMLOG® Titanium base CAD/CAM PS, for Ø 5.0 mm, GH 0.8	K2210.5008	L	+	+	-	+	+	-	-
■	6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	+	-	+	+	-	-	
Conelog	■	3.3	CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 0.8 mm	C2242.3308	S	+	+	-	+	+	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 2.0 mm	C2242.3320	S	+	+	-	+	+	-	-
	■	3.8	CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 0.8 mm	C2242.3808	S	+	+	-	+	+	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 2.0 mm	C2242.3820	S	+	+	-	+	+	-	-
	■	4.3	CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 0.8 mm	C2242.4308	S	+	+	-	+	+	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 2.0 mm	C2242.4320	S	+	+	-	+	+	-	-
	■	5.0	CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 0.8 mm	C2242.5008	L	+	+	-	+	+	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 2.0 mm	C2242.5020	L	+	+	-	+	+	-	-
iSy	4.5	iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 0.8 mm	P2244.4408	S	+	+	-	+	+	-	-	
		iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 2.0 mm	P2244.4420	S	+	+	-	+	+	-	-	
	5.2	iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 0.8 mm	P2244.5008	L	+	+	-	+	+	-	-	
		iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 2.0 mm	P2244.5020	L	+	+	-	+	+	-	-	

















# Region 8: Malaysia, Mexico, Singapore, Thailand, Vietnam

# Sirona TiBase

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Dentsply Sirona Implants</b>											
<b>Astra Tech Implant EV</b>	3	TiBase AT EV 3.0 GH1 S	6586304	S	+	+	+	+	+	+	+
	3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	+	+	+	+	+	+
	4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	+	+	+	+	+	+
	4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	+	+	+	+	+	+
	5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	+	+	+	+	+	+
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	+	+	+	+	+	+
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	+	+	+	+	+	+
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	+	+	+	+	+	+
	3.8	TiBase FX 3.8 S	6282441	S	+	+	+	+	+	+	+
	4.5	TiBase FX 4.5 L	6282458	L	+	+	+	+	+	+	+
	5.5	TiBase FX 5.5 L	6282466	L	+	+	+	+	+	+	+
<b>Ankylos</b>	C/X	TiBase ANK C/ GH1 S	6586528	S	+	+	+	+	+	+	+
		TiBase ANK C/ GH2 S	6586536	S	+	+	+	+	+	+	+
		TiBase ANK /X GH1 S	6586544	S	+	+	+	+	+	+	+
		TiBase ANK /X GH2 S	6586551	S	+	+	+	+	+	+	+
<b>BioHorizons</b>											
<b>Internal connection</b>	3.0	TiBase BH 3.0 S	6532779	S	+	+	-	+	+	+	+
	3.5	TiBase BH 3.5 L	6532894	L	+	+	-	+	+	+	+
	4.5	TiBase BH 4.5 L	6532951	L	+	+	-	+	+	+	+
	5.7	TiBase BH 5.7 L	6536242	L	+	+	-	+	+	+	+
<b>Nobel Biocare</b>											
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	+	-	+	+	+	+
	RP	TiBase NB RS 4.3 L	6282482	L	+	+	-	+	+	+	+
	WP	TiBase NB RS 5.0 L	6282490	L	+	+	-	+	+	+	+
	6.0	TiBase NB RS 6.0 L	6282508	L	+	+	-	+	+	+	+
<b>Nobel Active, NobelReplace Conical Connection</b>	NP	TiBase NB A 4.5 L	6308188	L	+	+	-	+	+	+	+
	RP	TiBase NB A 5.0 L	6308253	L	+	+	-	+	+	+	+
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	+	-	+	+	+	+
	RP	TiBase NB B 4.1 L	6282524	L	+	+	-	+	+	+	+

# Region 8: Malaysia, Mexico, Singapore, Thailand, Vietnam

Sirona TiBase

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	+	-	+	+	+	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	+	-	+	+	+	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	+	-	+	+	+	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	+	-	+	+	+	+
<b>Thommen Medical</b>											
<b>Element, Contact</b>	 3,5	TiBase TM 3.5 S	6531854	S	+	+	-	+	+	+	+
	 4	TiBase TM 4 S	6532829	S	+	+	-	+	+	+	+
	 4,5	TiBase TM 4.5 S	6532837	S	+	+	-	+	+	+	+
	 5	TiBase TM 5 S	6544360	S	+	+	-	+	+	+	+
	 6	TiBase TM 6 S	6544378	S	+	+	-	+	+	+	+
<b>Osstem / Hiossen</b>											
<b>Osstem TS (USA: Hiossen ET)</b>	 Mini	TiBase O TS 3.5 L	6527035	L	+	+	-	+	+	+	+
	 Regular	TiBase O TS 4.0 L	6527043	L	+	+	-	+	+	+	+
<b>Zimmer /Biomet</b>											
<b>External hex</b>	 3,4	TiBase B O 3.4 L	6282557	L	+	+	-	+	+	+	+
	 4,1	TiBase B O 4.1 L	6282565	L	+	+	-	+	+	+	+
	 5,0	TiBase B O 5.0 L	6282573	L	+	+	-	+	+	+	+
<b>Certain</b>	 3,4	TiBase B C 3.4 S	6308048	S	+	+	-	+	+	+	+
	 4,1	TiBase B C 4.1 L	6308097	L	+	+	-	+	+	+	+
	 5,0	TiBase B C 5.0 L	6308121	L	+	+	-	+	+	+	+
<b>Tapered Screw-Vent</b>	 3,5	TiBase Z TSV 3.5 L	6282581	L	+	+	-	+	+	+	+
	 4,5	TiBase Z TSV 4.5 L	6282599	L	+	+	-	+	+	+	+
	 5,7	TiBase Z TSV 5.7 L	6282607	L	+	+	-	+	+	+	+






Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	+	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	+	-	-	+	-	-	-
	RN (4,8 mm)	RN Variobase C	220.019	L	+	-	-	+	-	-	-
	WN (6,5 mm)	WN Variobase C	220.020	L	+	-	-	+	-	-	-
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	-	-
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	-	-
<b>BLX</b>	RB/WB	RB/WB Variobase C 3.8	624.981	S	+	+	-	+	-	-	-
	RB/WB	RB/WB Variobase C 4.5	624.982	L	+	+	-	+	-	-	-
	WB	WB Variobase C 5.5	624.983	L	+	+	-	+	-	-	-



Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Camlog (Camlog, Conelog, iSy)</b>											
<b>Camlog</b>	■ 3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	+	-	+	+	-	-
	■ 3.8	CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	+	-	+	+	-	-
		CAMLOG® Titanium base CAD/CAM PS, for Ø 3.8 mm, GH 0.8	K2210.3808	S	+	+	-	+	+	-	-
	■ 4.3	CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	+	-	+	+	-	-
		CAMLOG® Titanium base CAD/CAM PS, for Ø 4.3 mm, GH 0.8	K2210.4308	S	+	+	-	+	+	-	-
	■ 5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	+	-	+	+	-	-
		CAMLOG® Titanium base CAD/CAM PS, for Ø 5.0 mm, GH 0.8	K2210.5008	L	+	+	-	+	+	-	-
■ 6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	+	-	+	+	-	-	
<b>Conelog</b>	■ 3.3	CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 0.8 mm	C2242.3308	S	+	+	-	+	+	-	-
		CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 2.0 mm	C2242.3320	S	+	+	-	+	+	-	-
	■ 3.8	CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 0.8 mm	C2242.3808	S	+	+	-	+	+	-	-
		CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 2.0 mm	C2242.3820	S	+	+	-	+	+	-	-
	■ 4.3	CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 0.8 mm	C2242.4308	S	+	+	-	+	+	-	-
		CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 2.0 mm	C2242.4320	S	+	+	-	+	+	-	-
	■ 5.0	CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 0.8 mm	C2242.5008	L	+	+	-	+	+	-	-
		CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 2.0 mm	C2242.5020	L	+	+	-	+	+	-	-
<b>iSy</b>	4.5	iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 0.8 mm	P2244.4408	S	+	+	-	+	+	-	-
		iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 2.0 mm	P2244.4420	S	+	+	-	+	+	-	-
	5.2	iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 0.8 mm	P2244.5008	L	+	+	-	+	+	-	-
		iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 2.0 mm	P2244.5020	L	+	+	-	+	+	-	-

# Region 9: Japan

# Sirona TiBase

Implant system		Titanium base				Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS	
<b>Dentsply Sirona Implants</b>												
<b>Astra Tech Implant EV</b>		3	TiBase AT EV 3.0 GH1 S	6586304	S	+	+	-	+	+	+	+
		3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	+	-	+	+	+	+
		4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	+	-	+	+	+	+
		4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	+	-	+	+	+	+
		5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	+	-	+	+	+	+






Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA		
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS	
Camlog (Camlog, Conelog, iSy)												
<b>Camlog</b>	■	3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	+	-	+	+	-	-
	■	3.8	CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	+	-	+	+	-	-
	■	4.3	CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	+	-	+	+	-	-
	■	5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	+	-	+	+	-	-
	■	6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	+	-	+	+	-	-
<b>Conelog</b>	■	3.3	CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 0.8 mm	C2242.3308	S	+	+	-	+	+	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 2.0 mm	C2242.3320	S	+	+	-	+	+	-	-
	■	3.8	CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 0.8 mm	C2242.3808	S	+	+	-	+	+	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 2.0 mm	C2242.3820	S	+	+	-	+	+	-	-
	■	4.3	CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 0.8 mm	C2242.4308	S	+	+	-	+	+	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 2.0 mm	C2242.4320	S	+	+	-	+	+	-	-
	■	5.0	CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 0.8 mm	C2242.5008	L	+	+	-	+	+	-	-
			CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 2.0 mm	C2242.5020	L	+	+	-	+	+	-	-

# Region 10: South Korea

# Sirona TiBase

Implant system		Titanium base			Dentsply Sirona			Ivoclar	VITA		
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Dentsply Sirona Implants</b>											
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	+	+	+	+	+	+
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	+	+	+	+	+	+
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	+	+	+	+	+	+
	3.8	TiBase FX 3.8 S	6282441	S	+	+	+	+	+	+	+
	4.5	TiBase FX 4.5 L	6282458	L	+	+	+	+	+	+	+
	5.5	TiBase FX 5.5 L	6282466	L	+	+	+	+	+	+	+
<b>Nobel Biocare</b>											
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	+	-	+	+	+	+
	RP	TiBase NB RS 4.3 L	6282482	L	+	+	-	+	+	+	+
	WP	TiBase NB RS 5.0 L	6282490	L	+	+	-	+	+	+	+
	6.0	TiBase NB RS 6.0 L	6282508	L	+	+	-	+	+	+	+
<b>Nobel Active, NobelReplace Conical Connection</b>	NP	TiBase NB A 4.5 L	6308188	L	+	+	-	+	+	+	+
	RP	TiBase NB A 5.0 L	6308253	L	+	+	-	+	+	+	+
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	+	-	+	+	+	+
	RP	TiBase NB B 4.1 L	6282524	L	+	+	-	+	+	+	+
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	+	-	+	+	+	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	+	-	+	+	+	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	+	-	+	+	+	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	+	-	+	+	+	+
<b>Zimmer /Biomet</b>											
<b>External hex</b>	3.4	TiBase B O 3.4 L	6282557	L	+	+	-	+	+	+	+
	4.1	TiBase B O 4.1 L	6282565	L	+	+	-	+	+	+	+
	5.0	TiBase B O 5.0 L	6282573	L	+	+	-	+	+	+	+
<b>Tapered Screw-Vent</b>	3,5	TiBase Z TSV 3.5 L	6282581	L	+	+	-	+	+	+	+
	4,5	TiBase Z TSV 4.5 L	6282599	L	+	+	-	+	+	+	+
	5,7	TiBase Z TSV 5.7 L	6282607	L	+	+	-	+	+	+	+

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	+	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	+	-	-	+	-	-	-
	RN (4,8 mm)	RN Variobase C	220.019	L	+	-	-	+	-	-	-
	WN (6,5 mm)	WN Variobase C	220.020	L	+	-	-	+	-	-	-
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	-	-
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	-	-
<b>BLX</b>	RB/WB	RB/WB Variobase C 3.8	624.981	S	+	+	-	+	-	-	-
	RB/WB	RB/WB Variobase C 4.5	624.982	L	+	+	-	+	-	-	-
	WB	WB Variobase C 5.5	624.983	L	+	+	-	+	-	-	-

















Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
Camlog (Camlog, Conelog, iSy)											
Camlog	 3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	+	-	+	+	-	-
	 3.8	CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	+	-	+	+	-	-
	 4.3	CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	+	-	+	+	-	-
	 5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	+	-	+	+	-	-
	 6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	+	-	+	+	-	-

# Region 11: all other countries not yet mentioned

# Sirona TiBase

Implant system		Titanium base				Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS	
<b>Dentsply Sirona Implants</b>												
<b>Astra Tech Implant EV</b>	3	TiBase AT EV 3.0 GH1 S	6586304	S	+	+	+	+	+	+	+	
	3.6	TiBase AT EV 3.6 GH1 S	6586312	S	+	+	+	+	+	+	+	
	4.2	TiBase AT EV 4.2 GH1 L	6586320	L	+	+	+	+	+	+	+	
	4.8	TiBase AT EV 4.8 GH1 L	6586338	L	+	+	+	+	+	+	+	
	5.4	TiBase AT EV 5.4 GH1 L	6586346	L	+	+	+	+	+	+	+	
<b>AstraTech Osseospeed TX</b>	3.5 / 4.0	TiBase AT OS 3.5/4.0 L	6282532	L	+	+	+	+	+	+	+	
	4.5 / 5.0	TiBase AT OS 4.5/5.0 L	6282540	L	+	+	+	+	+	+	+	
<b>Frialit / Xive</b>	3.4	TiBase FX 3.4 S	6282433	S	+	+	+	+	+	+	+	
	3.8	TiBase FX 3.8 S	6282441	S	+	+	+	+	+	+	+	
	4.5	TiBase FX 4.5 L	6282458	L	+	+	+	+	+	+	+	
	5.5	TiBase FX 5.5 L	6282466	L	+	+	+	+	+	+	+	
<b>Ankylos</b>	C/X	TiBase ANK C/ GH1 S	6586528	S	+	+	+	+	+	+	+	
		TiBase ANK C/ GH2 S	6586536	S	+	+	+	+	+	+	+	
		TiBase ANK /X GH1 S	6586544	S	+	+	+	+	+	+	+	
		TiBase ANK /X GH2 S	6586551	S	+	+	+	+	+	+	+	
<b>BioHorizons</b>												
<b>Internal connection</b>	3.0	TiBase BH 3.0 S	6532779	S	+	+	-	+	+	+	+	
	3.5	TiBase BH 3.5 L	6532894	L	+	+	-	+	+	+	+	
	4.5	TiBase BH 4.5 L	6532951	L	+	+	-	+	+	+	+	
	5.7	TiBase BH 5.7 L	6536242	L	+	+	-	+	+	+	+	
<b>Nobel Biocare</b>												
<b>Replace, Replace Select</b>	NP	TiBase NB RS 3.5 L	6282474	L	+	+	-	+	+	+	+	
	RP	TiBase NB RS 4.3 L	6282482	L	+	+	-	+	+	+	+	
	WP	TiBase NB RS 5.0 L	6282490	L	+	+	-	+	+	+	+	
	6.0	TiBase NB RS 6.0 L	6282508	L	+	+	-	+	+	+	+	
<b>Nobel Active</b>	NP	TiBase NB A 4.5 L	6308188	L	+	+	-	+	+	+	+	
<b>NobelReplace Conical Connection</b>	RP	TiBase NB A 5.0 L	6308253	L	+	+	-	+	+	+	+	
<b>Brånemark, NobelSpeedy Groovy</b>	NP	TiBase NB B 3.4 L	6282516	L	+	+	-	+	+	+	+	
	RP	TiBase NB B 4.1 L	6282524	L	+	+	-	+	+	+	+	

# Region 11: all other countries not yet mentioned

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Straumann</b>											
<b>Tissue Level</b>	RN (4,8 mm)	TiBase SSO 4.8 L	6284249	L	+	+	-	+	+	+	+
	WN (6,5 mm)	TiBase SSO 6.5 L	6284256	L	+	+	-	+	+	+	+
<b>Bone Level</b>	NC (3,3 mm)	TiBase S BL 3.3 L	6308154	L	+	+	-	+	+	+	+
	RC (4,1 mm / 4,8 mm)	TiBase S BL 4.1 L	6308337	L	+	+	-	+	+	+	+
<b>Thommen Medical</b>											
<b>Element, Contact</b>	 3,5	TiBase TM 3.5 S	6531854	S	+	+	-	+	+	+	+
	 4	TiBase TM 4 S	6532829	S	+	+	-	+	+	+	+
	 4,5	TiBase TM 4.5 S	6532837	S	+	+	-	+	+	+	+
	 5	TiBase TM 5 S	6544360	S	+	+	-	+	+	+	+
	 6	TiBase TM 6 S	6544378	S	+	+	-	+	+	+	+
<b>Osstem / Hiossen</b>											
<b>Osstem TS (USA: Hiossen ET)</b>	 Mini	TiBase O TS 3.5 L	6527035	L	+	+	-	+	+	+	+
	 Regular	TiBase O TS 4.0 L	6527043	L	+	+	-	+	+	+	+
<b>Zimmer /Biomet</b>											
<b>External hex</b>	 3,4	TiBase B O 3.4 L	6282557	L	+	+	-	+	+	+	+
	 4,1	TiBase B O 4.1 L	6282565	L	+	+	-	+	+	+	+
	 5,0	TiBase B O 5.0 L	6282573	L	+	+	-	+	+	+	+
<b>Certain</b>	 3,4	TiBase B C 3.4 S	6308048	S	+	+	-	+	+	+	+
	 4,1	TiBase B C 4.1 L	6308097	L	+	+	-	+	+	+	+
	 5,0	TiBase B C 5.0 L	6308121	L	+	+	-	+	+	+	+
<b>Tapered Screw-Vent</b>	 3,5	TiBase Z TSV 3.5 L	6282581	L	+	+	-	+	+	+	+
	 4,5	TiBase Z TSV 4.5 L	6282599	L	+	+	-	+	+	+	+
	 5,7	TiBase Z TSV 5.7 L	6282607	L	+	+	-	+	+	+	+



# Region 11: all other countries not yet mentioned

# Third Party Titanium Bases

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>M.I.S</b>											
<b>C1 Conical Connection</b>	NP	CN-TB001 C1 NP GH 0.5	CN-TB001	L	+	-	-	+	-	-	-
		CN-TB015 C1 NP GH 1.5	CN-TB015	L	+	-	-	+	-	-	-
		CN-TB030 C1 NP GH 3	CN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection</b>	NP	VN-TB001 V3 NP GH 0.5	VN-TB001	L	+	-	-	+	-	-	-
		VN-TB015 V3 NP GH 1.5	VN-TB015	L	+	-	-	+	-	-	-
		VN-TB030 V3 NP GH 3	VN-TB030	L	+	-	-	+	-	-	-
<b>V3 Conical Connection, C1 Conical Connection</b>	SP	CS-TB001 SP GH 0.5	CS-TB001	L	+	-	-	+	-	-	-
		CS-TB015 SP GH 1.5	CS-TB015	L	+	-	-	+	-	-	-
		CS-TB030 SP GH 3	CS-TB030	L	+	-	-	+	-	-	-
<b>C1 Conical Connection</b>	WP	CW-TB001 C1 WP GH 0.5	CW-TB001	L	+	-	-	+	-	-	-
		CW-TB015 C1 WP GH 1.5	CW-TB015	L	+	-	-	+	-	-	-
		CW-TB030 C1 WP GH 3	CW-TB030	L	+	-	-	+	-	-	-
<b>Internal hex implants</b>	NP	MN-TB001 INT HEX NP GH 0.5	MN-TB001	L	+	-	-	+	-	-	-
		MN-TBC15 INT HEX NP GH 1.5	MN-TBC15	L	+	-	-	+	-	-	-
		MN-TBC30 INT HEX NP GH 3	MN-TBC30	L	+	-	-	+	-	-	-
	SP	MD-TB001 INT HEX SP GH 0.5	MD-TB001	L	+	-	-	+	-	-	-
		MD-TBC15 INT HEX SP GH 1.5	MD-TBC15	L	+	-	-	+	-	-	-
		MD-TBC30 INT HEX SP GH 3	MD-TBC30	L	+	-	-	+	-	-	-
	WP	MW-TB001 INT HEX WP GH 0.5	MW-TB001	L	+	-	-	+	-	-	-
		MW-TBC15 INT HEX WP GH 1.5	MW-TBC15	L	+	-	-	+	-	-	-
		MW-TBC30 INT HEX WP H 3	MW-TBC30	L	+	-	-	+	-	-	-
<b>Straumann</b>											
<b>Tissue Level</b>	NNC (3,5 mm)	NNC Variobase C 3.5	220.018	S	+	-	-	+	-	-	-
	RN (4,8 mm)	RN Variobase C	220.019	L	+	-	-	+	-	-	-
	WN (6,5 mm)	WN Variobase C	220.020	L	+	-	-	+	-	-	-
<b>Bone Level</b>	NC (3,3 mm)	NC Variobase C 3.3	220.043	S	+	-	-	+	-	-	-
	RC (4,1 mm / 4,8 mm)	RC Variobase C 4.1	220.044	L	+	-	-	+	-	-	-
<b>BLX</b>	RB/WB	RB/WB Variobase C 3.8	624.981	S	+	+	-	+	-	-	-
	RB/WB	RB/WB Variobase C 4.5	624.982	L	+	+	-	+	-	-	-
	WB	WB Variobase C 5.5	624.983	L	+	+	-	+	-	-	-
<b>TLX</b>	NT	NT Variobase C, TAN	370.205	S	+	+	-	+	-	-	-
	RT	RT Variobase C, TAN	371.205	L	+	+	-	+	-	-	-
	WT	WT Variobase C, TAN	372.205	L	+	+	-	+	-	-	-

# Region 11: all other countries not yet mentioned

# Third Party Titanium Bases

Implant system		Titanium base			Dentsply Sirona			Ivoclar		VITA	
Manufacturer / Line	Platform	Name	REF	Size	inCoris ZI meso	CEREC Zirconia meso	CEREC Tessera Abutment	IPS e.max CAD	Telio CAD	CAD-Temp IS	ENAMIC IS
<b>Camlog (Camlog, Conelog, iSy)</b>											
<b>Camlog</b>	■ 3.3	CAMLOG® Titanium base CAD/CAM, for Ø 3.3 mm	K2244.3348	S	+	+	-	+	+	-	-
	■ 3.8	CAMLOG® Titanium base CAD/CAM, for Ø 3.8 mm	K2244.3848	S	+	+	-	+	+	-	-
		CAMLOG® Titanium base CAD/CAM PS, for Ø 3.8 mm, GH 0.8	K2210.3808	S	+	+	-	+	+	-	-
	■ 4.3	CAMLOG® Titanium base CAD/CAM, for Ø 4.3 mm	K2244.4348	S	+	+	-	+	+	-	-
		CAMLOG® Titanium base CAD/CAM PS, for Ø 4.3 mm, GH 0.8	K2210.4308	S	+	+	-	+	+	-	-
	■ 5.0	CAMLOG® Titanium base CAD/CAM, for Ø 5.0 mm	K2244.5048	L	+	+	-	+	+	-	-
		CAMLOG® Titanium base CAD/CAM PS, for Ø 5.0 mm, GH 0.8	K2210.5008	L	+	+	-	+	+	-	-
■ 6.0	CAMLOG® Titanium base CAD/CAM, for Ø 6.0 mm	K2244.6048	L	+	+	-	+	+	-	-	
<b>Conelog</b>	■ 3.3	CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 0.8 mm	C2242.3308	S	+	+	-	+	+	-	-
		CONELOG® Titanium base CAD/CAM, for Ø 3.3 mm, GH 2.0 mm	C2242.3320	S	+	+	-	+	+	-	-
	■ 3.8	CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 0.8 mm	C2242.3808	S	+	+	-	+	+	-	-
		CONELOG® Titanium base CAD/CAM, for Ø 3.8 mm, GH 2.0 mm	C2242.3820	S	+	+	-	+	+	-	-
	■ 4.3	CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 0.8 mm	C2242.4308	S	+	+	-	+	+	-	-
		CONELOG® Titanium base CAD/CAM, for Ø 4.3 mm, GH 2.0 mm	C2242.4320	S	+	+	-	+	+	-	-
	■ 5.0	CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 0.8 mm	C2242.5008	L	+	+	-	+	+	-	-
		CONELOG® Titanium base CAD/CAM, for Ø 5.0 mm, GH 2.0 mm	C2242.5020	L	+	+	-	+	+	-	-
<b>iSy</b>	4.5	iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 0.8 mm	P2244.4408	S	+	+	-	+	+	-	-
		iSy® Titanium base CAD/CAM, Ø 4.5 mm, GH 2.0 mm	P2244.4420	S	+	+	-	+	+	-	-
	5.2	iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 0.8 mm	P2244.5008	L	+	+	-	+	+	-	-
		iSy® Titanium base CAD/CAM, Ø 5.2 mm, GH 2.0 mm	P2244.5020	L	+	+	-	+	+	-	-