

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.06.2013

Version number 2



Revision: 19.06.2013

### 1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Poly-F Plus**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation** Zinc polycarboxylate cement
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
DENTSPLY DeTrey GmbH  
De-Trey-Str. 1  
D-78467 Konstanz  
GERMANY  
Tel.: +49-(0)7531-583-0  
Fax: +49-(0)7531-583-104  
email: KonstanzDEU.info-sdb@dentsply.com
- **Further information obtainable from:**
  - Departement Analytical Research / Research & Development for technical information
  - Departement Marketing & Sales for distribution of the safety data sheets
- **1.4 Emergency telephone number:** +49-(0)7531-583-0 8:00 - 17:00 (GMT + 1:00)

### 2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
C; Corrosive  
R34: Causes burns.  
N; Dangerous for the environment  
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to EU guidelines:**  
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials
- **Code letter and hazard designation of product:**

C Corrosive

N Dangerous for the environment
- **Hazard-determining components of labelling:**  
Polycarboxylic acid
- **Risk phrases:**  
34 Causes burns.  
50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Safety phrases:**  
20 When using do not eat or drink.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.06.2013

Version number 2

Revision: 19.06.2013

**Trade name: Poly-F Plus**

(Contd. of page 1)

- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- 57 Use appropriate container to avoid environmental contamination.
- 60 This material and its container must be disposed of as hazardous waste.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.










· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **3.2 Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 1314-13-2 EINECS: 215-222-5	zinc oxide  N R50/53 	50-100%
	Polycarboxylic acid  C R34 	10-25%
CAS: 1309-48-4 EINECS: 215-171-9	magnesium oxide substance with a Community workplace exposure limit	2.5-10%
CAS: 7783-47-3 EINECS: 231-999-3	tin difluoride  Xn R22;  Xi R38-41  Eye Dam. 1, H318;  Acute Tox. 4, H302;  Skin Irrit. 2, H315	2.5-10%

· **Additional information** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

· **4.1 Description of first aid measures**

· **General information** Immediately remove any clothing soiled by the product.

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.06.2013

Version number 2

Revision: 19.06.2013

**Trade name: Poly-F Plus**

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** Self-contained respiratory protective device.

### 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Avoid formation of dust.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **7.1 Precautions for safe handling**  
Thorough dedusting.  
Observe normal care for working with chemicals.
- **Handling** Product is intended for dental use only.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· <b>Ingredients with limit values that require monitoring at the workplace:</b>	
<b>1309-48-4 magnesium oxide</b>	
WEL	Long-term value: 10* 4** mg/m <sup>3</sup> (as Mg) *inhalable dust **fume and respirable dust
<b>7783-47-3 tin difluoride</b>	
WEL	Short-term value: 4 mg/m <sup>3</sup> Long-term value: 2 mg/m <sup>3</sup> as Sn
· <b>Additional information:</b> The lists valid during the making were used as basis.	



(Contd. on page 4)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.06.2013

Version number 2

Revision: 19.06.2013

**Trade name: Poly-F Plus**

(Contd. of page 3)

- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Safety glasses



Tightly sealed goggles.

- **Body protection:** Protective work clothing.

## 9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Powder
<b>Colour:</b>	Yellowish
<b>Odour:</b>	Odourless
<b>Odour threshold:</b>	Not determined.

· <b>pH-value:</b>	3.2-4.5 (10% in water)
--------------------	------------------------

- **Change in condition**

<b>Melting point/Melting range:</b>	undetermined
<b>Boiling point/Boiling range:</b>	undetermined

· <b>Flash point:</b>	Not applicable
-----------------------	----------------

· <b>Flammability (solid, gaseous)</b>	Not determined.
----------------------------------------	-----------------

(Contd. on page 5)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.06.2013

Version number 2

Revision: 19.06.2013

**Trade name: Poly-F Plus**

(Contd. of page 4)

· <b>Ignition temperature:</b>	
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapour pressure:</b>	Not applicable.
· <b>Density:</b>	Not determined
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Partly soluble
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>dynamic:</b>	Not applicable.
<b>kinematic:</b>	Not applicable.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Solids content:</b>	100.0 %
· <b>9.2 Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

## 11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values relevant for classification:</b>		
<b>1314-13-2 zinc oxide</b>		
Oral	LD50	>5000 mg/kg (rat)
<b>Polycarboxylic acid</b>		
Oral	LD50	2500 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.06.2013

Version number 2

Revision: 19.06.2013

**Trade name: Poly-F Plus**

(Contd. of page 5)

- **on the eye:**

- Strong caustic effect.

- Irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

Corrosive

Swallowing will lead to a burning respectively to a caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

## 12 Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

- 1314-13-2 zinc oxide**

EC50/48h	0.098 mg/L (daphnia)
LC50/96h	1.1 mg/l (fish)

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **Ecotoxic effects:**

- **Remark:** Very toxic for fish

- **Additional ecological information:**

- **General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

18 01 06*	chemicals consisting of or containing dangerous substances
-----------	------------------------------------------------------------

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

GB

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.06.2013




Version number 2

Revision: 19.06.2013

Trade name: Poly-F Plus

(Contd. of page 6)

### 14 Transport information

· 14.1 UN-Number	UN1759
· ADR, IMDG, IATA	
· 14.2 UN proper shipping name	1759 CORROSIVE SOLID, N.O.S. (Polycarboxylic acid , zinc oxide), ENVIRONMENTALLY HAZARDOUS
· ADR	
· IMDG	CORROSIVE SOLID, N.O.S. (Polycarboxylic acid , zinc oxide), MARINE POLLUTANT
· IATA	CORROSIVE SOLID, N.O.S. (Polycarboxylic acid , zinc oxide)
· 14.3 Transport hazard class(es)	
· ADR	
	
· Class	8 (C10) Corrosive substances.
· Label	8
· IMDG	
	
· Class	8 Corrosive substances.
· Label	8
· IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	II
· ADR, IMDG, IATA	
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: zinc oxide
· Marine pollutant:	Yes
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

(Contd. on page 8)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 19.06.2013

Version number 2

Revision: 19.06.2013

**Trade name: Poly-F Plus**

(Contd. of page 7)

**· Transport/Additional information:****· ADR****· Limited quantities (LQ)**

1 kg

**· Transport category**

2

**· Tunnel restriction code**

E

**15 Regulatory information****· 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

*The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer.*

*For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.*

**· Relevant phrases**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R22 Harmful if swallowed.

R34 Causes burns.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**· Department issuing MSDS:** Analytical Research**· Contact:** HotLine for urgent technical support: +49-7531-583-333**· \* Data compared to the previous version altered.**

GB