

**ASTRA TECH  
IMPLANT SYSTEM**

# Product catalog

ASTRA TECH Implant System™ EV



**DENSPLY  
IMPLANTS**



# ASTRA TECH IMPLANT SYSTEM

## CONTENTS

### Overview

---

Product overview 3.0	4
Product overview 3.6	6
Product overview 4.2	8
Product overview 4.8	10
Product overview 5.4	12

### Surgery

---

Implants – OsseoSpeed™ EV	16
Cover screws	17
Healing abutments – HealDesign™ EV/Healing Uni EV	18

### Prosthetics

---

#### Temporization

TempDesign™ EV/TempAbutment EV – implant level	21
Abutment screws	21

#### Cement-retained restorations

TiDesign™ EV	22
ZirDesign™ EV	23
CastDesign™ EV	23
Impression and laboratory components – implant level	24
Direct Abutment™ EV	26

#### Screw-retained restorations

Uni Abutment EV	28
Angled Abutment EV	29

#### Attachment retained restorations

Locator™ EV	31
Ball Abutment EV	33

### Instruments

---

Surgical tray	35
Drills	36
Surgical instruments	40
Surgical units	42
Restorative instruments	43
Laboratory products	45

### Appendix

---

Index: order by reference number	46
Index: alphabetical order	49
Torque guide	51
Explanation of the symbols on labels and instructions for use	51

All products are subject to change without notice. All products may not be regulatory cleared/released/licensed in all markets. Please contact your local DENTSPLY Implants representative for current product assortment and availability.

To improve readability for our customers, DENTSPLY Implants does not use ® or ™ in body copy. However, DENTSPLY Implants does not waive any right to the trademark and nothing herein shall be interpreted to the contrary.


All trademarks and company names are the property of their respective owners.

Product illustrations are not to scale.

# Product overview

3.0

GREEN



## Implants

OsseoSpeed™ EV  
3.0 S



- 8 mm 25212
- 9 mm 25213
- 11 mm 25214
- 13 mm 25215
- 15 mm 25216

## Cover screw



- 0 mm 25280

## Healing abutments

HealDesign™ EV 3.0



- Ø 3.5 3.5 mm 25298
- Ø 3.5 4.5 mm 25297
- Ø 3.5 6.5 mm 25795

Healing Uni EV 3.0



- Ø 4 2 mm 25574
- Ø 4 3 mm 25575
- Ø 4 4 mm 25576
- Ø 4 6 mm 25577

## Cement-retained


### Temporary abutments

TempDesign™ EV



- Ø 6 5 mm 25503

Temp Abutment EV



- Ø 3.3 1 mm 25508

### Abutments

TiDesign™ EV 3.0



- Ø 4.0 2.5 mm 25330
- Ø 4.0 1.5 mm 25331
- Ø 4.0 15° 1.5 mm 25332

ATLANTIS™ abutments

○ Patient-specific  
abutments



## Screw-retained

### Abutments

Uni Abutment EV 3.0



- 2 mm 25555
- 3 mm 25556
- 5 mm 25557

ATLANTIS™ Crown  
Abutment

○ Patient-specific  
abutments

### Healing caps

Uni Abutment EV  
Heal Cap



- Ø 4.3 25616
- Ø 5.5 25617









### Abutment










Uni Abutment EV  
Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

NOTE: ATLANTIS patient-specific prosthetic solutions available.  
Speak with your local DENTSPLY Implants representative for more information.


<p><b>Direct Abutment™ EV 3.0</b></p>  <p>             Ø 3.3 1 mm 25361              Ø 3.3 2 mm 25362              Ø 3.3 3 mm 25363         </p> <p><b>Direct EV API™</b></p>  <p>Ø 3.3 25346</p>	<p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Long 25513</p> <p><b>Implant Transfer EV</b></p>  <p>Long 25534</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>25523</p>	<p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25476 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25528</p> <p><b>Implant Replica EV</b></p>  <p>25543</p>
---	---	--

<p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>             Short 25643              Intermediate 25644              Long 25645         </p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>ATLANTIS™ ISUS implant suprastructures</b></p> 	<p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p>
---	---	--	--

# Product overview

3.6

PURPLE



## Implants

### OsseoSpeed™ EV 3.6 S



- 6 mm 25221
- 8 mm 25222
- 9 mm 25223
- 11 mm 25224
- 13 mm 25225
- 15 mm 25226
- 17 mm 25227

### Cover screw



- 0 mm 25281

## Healing abutments

### HealDesign™ EV 3.6



- Ø 4 3.5 mm 25300
- Ø 4 4.5 mm 25299
- Ø 4 6.5 mm 25796
- △ Ø 5 3.5 mm 25301

### Healing Uni EV 3.6



- Ø 4 2 mm 25285
- Ø 4 3 mm 25578
- Ø 4 4 mm 25286
- Ø 4 6 mm 25287

## Cement-retained


### Temporary abutments

#### TempDesign™ EV



- Ø 7.5 mm 25504

#### Temp Abutment EV



- Ø 4.0 1 mm 25509

### Abutments

#### TiDesign™ EV 3.6



- Ø 4.5 2.5 mm 25334
- Ø 4.5 20° 1.5 mm 25335
- △ Ø 5.5 1.5 mm 25333

#### CastDesign™ EV 3.6



- Ø 4.1 1 mm 25326

#### ZirDesign™ EV 3.6



- Ø 4.5 2.5 mm 25316
- Ø 4.5 20° 1.5 mm 25317
- △ Ø 5.5 1.5 mm 25315

#### ATLANTIS™ abutments

○ Patient-specific abutments



## Screw-retained

### Abutments

#### Uni Abutment EV 3.6



- 1 mm 25558   3 mm 25560
- 2 mm 25559   5 mm 25561

#### Angled Abutment EV 3.6 20°



- Ø 4.2 1 mm 25619
- Ø 4.2 2 mm 25620
- Ø 4.2 1 mm 25621
- Ø 4.2 2 mm 25622

○ ATLANTIS™ Crown Abutment  
○ Patient-specific abutments

### Healing caps

#### Uni Abutment EV Heal Cap



- Ø 4.3 25616
- Ø 5.5 25617

#### Angled Abutment EV Heal Cap



25650

### Abutment

#### Uni Abutment EV Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

#### Angled Abutment EV Pick-up



25651

## Attachment-retained

### Abutments

#### Locator™ Abutment EV 3.6



- 1 mm 25657
- 2 mm 25658
- 3 mm 25659
- 4 mm 25660
- 5 mm 25661

#### Ball Abutment EV 3.6



- 1 mm 25684
- 2 mm 25685
- 3 mm 25686
- 4 mm 25687
- 5 mm 25688
- 7 mm 25689

### Abutment impressions

#### Dalbo Plus Duplicating Aid
























25827











#### Locator™ Abutment Pick-up



24484

<p><b>Direct Abutment™ EV 3.6</b></p>  <p>Ø 4 1 mm 25364 Ø 4 2 mm 25365 Ø 4 3 mm 25366</p> <p><b>Direct EV API™</b></p>  <p>Ø 4 25347</p>	<p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 25516 Long 25515</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25535 Long 25536</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>25524</p>	<p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25477 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25528</p> <p><b>Implant Replica EV</b></p>  <p>25544</p>
---	---	--


<p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>ATLANTIS™ ISUS implant suprastructures</b></p> 	<p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p>
--	---	--	--

<p><b>Replicas</b></p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p>	<p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Dalbo Plus Lamellae retention Insert E</b></p>  <p>25844</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert – Male</b></p>  <p>Blue 24488 Pink 24487 Clear 24486</p> <p><b>Locator™ Insert – Extended Range Male</b></p>  <p>Grey 25679 Red 24492 Orange 25843 Green 24489</p>	<p><b>OD Cylinder EV</b></p>  <p>25638</p> <p><b>Round Bar</b></p>  <p>22362</p> <p><b>Rider, Round Bar</b></p>  <p>22363</p>
--	--	--

# Product overview

4.2

YELLOW



## Implants

OsseoSpeed™ EV  
4.2 S



6 mm 25231  
8 mm 25232  
9 mm 25233  
11 mm 25234  
13 mm 25235  
15 mm 25236  
17 mm 25237

OsseoSpeed™ EV  
4.2 C



8 mm 25262  
9 mm 25263  
11 mm 25264  
13 mm 25265  
15 mm 25266  
17 mm 25267

## Cover screw



0 mm 25282

## Healing abutments

HealDesign™ EV 4.2



○ Ø 5 3.5 mm 25501  
○ Ø 5 4.5 mm 25302  
○ Ø 5 6.5 mm 25797

△ Ø 5 3.5 mm 25303  
△ Ø 6.5 3.5 mm 25304

Healing Uni EV 4.2



○ Ø 4 2 mm 25288  
○ Ø 4 3 mm 25579  
○ Ø 4 4 mm 25289  
○ Ø 4 6 mm 25290

## Cement-retained

### Temporary abutments

TempDesign™ EV



Ø 9 5 mm 25505

Temp Abutment EV



Ø 4.5 1 mm 25510

### Abutments

TiDesign™ EV 4.2



○ Ø 5.5 2.5 mm 25338  
○ Ø 5.5 20° 1.5 mm 25339  
△ Ø 5.5 1.5 mm 25336  
△ Ø 7.0 1.5 mm 25337

CastDesign™ EV 4.2



Ø 4.1 1 mm 25327

ZirDesign™ EV 4.2



○ Ø 5.5 2.5 mm 25320  
○ Ø 5.5 20° 1.5 mm 25321  
△ Ø 5.5 1.5 mm 25318  
△ Ø 7.0 1.5 mm 25319

ATLANTIS™ abutments

○ Patient-specific abutments



## Screw-retained

### Abutments

Uni Abutment EV 4.2



1 mm 25562   3 mm 25564  
2 mm 25563   5 mm 25565

Angled Abutment EV 4.2 20°



○ Ø 4.2 1 mm 25625  
○ Ø 4.2 2 mm 25626  
○ Ø 4.2 1 mm 25627  
○ Ø 4.2 2 mm 25628

○ ATLANTIS™ Crown Abutment  
○ Patient-specific abutments

### Healing caps

Uni Abutment EV  
Heal Cap



Ø 4.3 25616  
Ø 5.5 25617

Angled Abutment EV  
Heal Cap



25650

### Abutment

Uni Abutment EV  
Pick-up



Ø 4.3 25641  
Ø 5.5 25642

Angled Abutment EV  
Pick-up



25651

## Attachment-retained

### Abutments

Locator™ Abutment  
EV 4.2



1 mm 25662  
2 mm 25663  
3 mm 25664  
4 mm 25665  
5 mm 25666

Ball Abutment EV 4.2



1 mm 25690  
2 mm 25691  
3 mm 25692  
4 mm 25693  
5 mm 25694  
7 mm 25695

### Abutment impressions

Dalbo Plus Duplicating Aid
























25827











Locator™ Abutment Pick-up



24484

<p><b>Direct Abutment™ EV 4.2</b></p>  <p>             Ø 5 1 mm 25367              Ø 5 2 mm 25368              Ø 5 3 mm 25369              Ø 6 1 mm 25494              Ø 6 2 mm 25495              Ø 6 3 mm 25496         </p> <p><b>Direct EV API™</b></p>  <p>             Ø 5 25348              Ø 6 25349         </p>	<p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 25518 Long 25517</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25537 Long 25538</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>25525</p>	<p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25478 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica EV</b></p>  <p>25545</p>
--	---	--


<p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>ATLANTIS™ ISUS implant suprastructures</b></p> 	<p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p>
--	---	--	--

<p><b>Replicas</b></p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p>	<p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Dalbo Plus Lamellae retention Insert E</b></p>  <p>25844</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert – Male</b></p>  <p>Blue 24488 Pink 24487 Clear 24486</p> <p><b>Locator™ Insert – Extended Range Male</b></p>  <p>Grey 25679 Red 24492 Orange 25843 Green 24489</p>	<p><b>OD Cylinder EV</b></p>  <p>25638</p> <p><b>Round Bar</b></p>  <p>22362</p> <p><b>Rider, Round Bar</b></p>  <p>22363</p>
--	--	--

# Product overview

4.8

BLUE



## Implants

**OsseoSpeed™ EV 4.8 S**



6 mm 25241  
8 mm 25242  
9 mm 25243  
11 mm 25244  
13 mm 25245  
15 mm 25246  
17 mm 25247

**OsseoSpeed™ EV 4.8 C**



8 mm 25272  
9 mm 25273  
11 mm 25274  
13 mm 25275  
15 mm 25276  
17 mm 25277

## Cover screw



0 mm 25283

## Healing abutments

**HealDesign™ EV 4.8**



○ Ø 5 3.5 mm 25502  
○ Ø 6.5 4.5 mm 25306  
○ Ø 6.5 6.5 mm 25798  
△ Ø 5 3.5 mm 25305  
△ Ø 6.5 3.5 mm 25307

**Healing Uni EV 4.8**



○ Ø 4 2 mm 25291  
○ Ø 4 3 mm 25580  
○ Ø 4 4 mm 25292  
○ Ø 4 6 mm 25293

## Cement-retained

### Temporary abutments

**TempDesign™ EV**



Ø 10 5 mm 25506

**Temp Abutment EV**



Ø 5.0 1 mm 25511

### Abutments

**TiDesign™ EV 4.8**



○ Ø 7.0 2.5 mm 25342  
○ Ø 5.5 20° 1.5 mm 25343  
△ Ø 5.5 1.5 mm 25340  
△ Ø 7.0 1.5 mm 25341

**ZirDesign™ EV 4.8**



○ Ø 7.0 2.5 mm 25324  
○ Ø 5.5 20° 1.5 mm 25325  
△ Ø 5.5 1.5 mm 25322  
△ Ø 7.0 1.5 mm 25323

**CastDesign™ EV 4.8**



Ø 5.1 1 mm 25328

**ATLANTIS™ abutments**

○ Patient-specific abutments



## Screw-retained

### Abutments

**Uni Abutment EV 4.8**



1 mm 25566 3 mm 25568  
2 mm 25567 5 mm 25569

**Angled Abutment EV 4.8 20°**



○ Ø 4.2 1 mm 25631  
○ Ø 4.2 2 mm 25632  
○ Ø 4.2 1 mm 25633  
○ Ø 4.2 2 mm 25634

○ **ATLANTIS™ Crown Abutment**  
○ Patient-specific abutments

### Healing caps

**Uni Abutment EV Heal Cap**



Ø 4.3 25616  
Ø 5.5 25617

**Angled Abutment EV Heal Cap**



25650

### Abutment

**Uni Abutment EV Pick-up**



Ø 4.3 25641  
Ø 5.5 25642

**Angled Abutment EV Pick-up**



25651

## Attachment-retained

### Abutments

**Locator™ Abutment EV 4.8**



1 mm 25667  
2 mm 25668  
3 mm 25669  
4 mm 25670  
5 mm 25671

**Ball Abutment EV 4.8**



1 mm 25696  
2 mm 25697  
3 mm 25698  
4 mm 25699  
5 mm 25700  
7 mm 25701

### Abutment impressions

**Dalbo Plus Duplicating Aid**
























25827











**Locator™ Abutment Pick-up**



24484

<p><b>Direct Abutment™ EV 4.8</b></p>  <p>             Ø 5 1 mm 25370              Ø 5 2 mm 25371              Ø 5 3 mm 25372              Ø 6 1 mm 25497              Ø 6 2 mm 25498              Ø 6 3 mm 25499         </p> <p><b>Direct EV API™</b></p>  <p>             Ø 5 25348              Ø 6 25349         </p>	<p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 25520 Long 25519</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25539 Long 25540</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>25526</p>	<p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25479 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica EV</b></p>  <p>25546</p>
--	---	--


<p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>ATLANTIS™ ISUS implant suprastructures</b></p> 	<p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p>
--	---	--	--

<p><b>Replicas</b></p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p>	<p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Dalbo Plus Lamellae retention Insert E</b></p>  <p>25844</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert – Male</b></p>  <p>Blue 24488 Pink 24487 Clear 24486</p> <p><b>Locator™ Insert – Extended Range Male</b></p>  <p>Grey 25679 Red 24492 Orange 25843 Green 24489</p>	<p><b>OD Cylinder EV</b></p>  <p>25638</p> <p><b>Round Bar</b></p>  <p>22362</p> <p><b>Rider, Round Bar</b></p>  <p>22363</p>
--	--	--

# Product overview

5.4

**BROWN**



## Implants

**OsseoSpeed™ EV 5.4 S**



- 6 mm 25251
- 8 mm 25252
- 9 mm 25253
- 11 mm 25254
- 13 mm 25255
- 15 mm 25256


## Cover screw



0 mm 25284

## Healing abutments

**HealDesign™ EV 5.4**



- Ø 6.5 3.5 mm 25309
- Ø 6.5 4.5 mm 25308
- Ø 6.5 6.5 mm 25799

**Healing Uni EV 5.4**



- Ø 4 2 mm 25294
- Ø 4 3 mm 25581
- Ø 4 4 mm 25295
- Ø 4 6 mm 25296

## Cement-retained

### Temporary abutments

**TempDesign™ EV**



Ø 10 5 mm 25507

**Temp Abutment EV**



Ø 5.5 1 mm 25512

### Abutments

**TiDesign™ EV 5.4**



- Ø 7.0 2.5 mm 25344
- Ø 7.0 1.5 mm 25345

**CastDesign™ EV 5.4**



Ø 5.1 1 mm 25329

**ATLANTIS™ abutments**

○ Patient-specific abutments



## Screw-retained

### Abutments

**Uni Abutment EV 5.4**



- 1 mm 25570
- 2 mm 25571
- 3 mm 25572
- 5 mm 25573

**ATLANTIS™ Crown Abutment**

○ Patient-specific abutments

### Healing caps

**Uni Abutment EV Heal Cap**



- Ø 4.3 25616
- Ø 5.5 25617









### Abutment










**Uni Abutment EV Pick-up**



- Ø 4.3 25641
- Ø 5.5 25642

NOTE: ATLANTIS patient-specific prosthetic solutions available.  
Speak with your local DENTSPLY Implants representative for more information.

<p><b>Direct Abutment™ EV 5.4</b></p>  <p>             Ø 6 1 mm 25373              Ø 6 2 mm 25374              Ø 6 3 mm 25375         </p> <p><b>Direct EV API™</b></p>  <p>Ø 6 25349</p>	<p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 25522</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25541 Long 25542</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>25527</p>	<p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25480 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica EV</b></p>  <p>25547</p>
---	--	---

<p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>ATLANTIS™ ISUS implant suprastructures</b></p> 	<p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p>
---	---	--	--

# Introduction




The design philosophy of the ASTRA TECH Implant System EV is based on the natural dentition utilizing a site-specific, crown-down approach supported by an intuitive surgical protocol and a simple prosthetic workflow.

The implant assortment provides versatility for meeting the needs of each individual site. This is further supported by corresponding restorative components designed for optimized soft tissue management and long-term function and esthetics.



Recommended implant size(s) in relation to tooth position, provided there is sufficient bone volume and space in relation to the adjacent dentition.



The foundation of this evolutionary step remains the unique **ASTRA TECH Implant System BioManagement Complex™**, well-documented for its long-term marginal bone maintenance and esthetic results.

## DENTSPLY Implants warranty program\* — We have you covered

IMPLANTS AND COMPONENTS



LIFETIME

ZIRCONIA



5-YEAR

INSTRUMENTS



3-YEAR

\*For full terms and conditions, refer to the "Implant Systems Warranty" flyer.

# Surgery


## Versatile implant assortment

OsseoSpeed EV implants are available in a versatile range of shapes, diameters and lengths for all indications, including situations with limited space and/or bone quantity.



## Flexible drilling protocol that allows for preferred primary stability

The drilling procedure is made easy by using color-coding and a simple numbering system.



## Site-specific components

Including round and triangular healing abutments.



## Color-coded assortment

Each implant-abutment connection size is identified by a specific color, which is used consistently throughout the system. The color is applied directly to components and instruments, as well as on packaging and informational material, where appropriate.



Three peel-off labels are provided for the patient's treatment record and for communicating with the restorative team.

For specific procedural details, please refer to the respective manual.

# Implants

## OsseoSpeed™ EV

Titanium, sterile


OsseoSpeed EV implants are available in a versatile range of shapes, diameters and lengths for all indications, including situations with limited space and/or bone quantity.

S = Straight


C = Conical



Specific colors have been assigned to the different implant-abutment connection sizes, which are consistently used throughout the system.



- Implants for all indications in both the anterior and posterior region.
- For further details – see Instructions for use or Surgical manual.
- All our implants are made of commercially pure titanium, grade 4.
- OsseoSpeed surface treatment over the entire implant to the top of the first MicroThread.
- For conical implants the body portion is 0.6 mm narrower.



### 3.0 OsseoSpeed™ EV 3.0 S



Ø mm		3.0	3.0	3.0	3.0	3.0
Length mm		8	9	11	13	15
Order no.		25212	25213	25214	25215	25216

### 3.6 OsseoSpeed™ EV 3.6 S



Ø mm	3.6	3.6	3.6	3.6	3.6	3.6	3.6
Length mm	6	8	9	11	13	15	17
Order no.	25221	25222	25223	25224	25225	25226	25227

### 4.2 OsseoSpeed™ EV 4.2 S



Ø mm	4.2	4.2	4.2	4.2	4.2	4.2	4.2
Length mm	6	8	9	11	13	15	17
Order no.	25231	25232	25233	25234	25235	25236	25237

### 4.2 OsseoSpeed™ EV 4.2 C



Ø mm		4.2	4.2	4.2	4.2	4.2	4.2
Body Ø mm		3.6	3.6	3.6	3.6	3.6	3.6
Length mm		8	9	11	13	15	17
Order no.		25262	25263	25264	25265	25266	25267

**4.8 OsseoSpeed™ EV 4.8 S**



Ø mm	4.8	4.8	4.8	4.8	4.8	4.8	4.8
Length mm	6	8	9	11	13	15	17
Order no.	25241	25242	25243	25244	25245	25246	25247

**4.8 OsseoSpeed™ EV 4.8 C**



Ø mm		4.8	4.8	4.8	4.8	4.8	4.8
Body Ø mm		4.2	4.2	4.2	4.2	4.2	4.2
Length mm		8	9	11	13	15	17
Order no.		25272	25273	25274	25275	25276	25277

**5.4 OsseoSpeed™ EV 5.4 S**



Ø mm	5.4	5.4	5.4	5.4	5.4	5.4
Length mm	6	8	9	11	13	15
Order no.	25251	25252	25253	25254	25255	25256

**Cover Screw EV**



Order no.	25280	25281	25282	25283	25284
-----------	-------	-------	-------	-------	-------

**Cover Screw EV**  
Titanium, sterile





# Healing abutments

## HealDesign™ EV

Titanium, sterile

- For soft tissue sculpturing during the healing phase
- Can be used for both one- and two-stage surgery
- Design is primarily matched to TiDesign EV and ZirDesign EV abutments
- Heights and diameters are harmonized with the permanent abutments as well as with the tooth position
  - Round shapes are primarily indicated for posterior anatomies.
  - △ Triangular shapes are designed for anterior implant sites and mimic the specific shape for incisors and canines. Triangular HealDesign™ EV is a two-piece abutment.
- Marked with diameter and height



### 3.0 HealDesign™ EV 3.0



∅ mm	3.5	3.5	3.5
Height mm	3.5	4.5	6.5
Order no.	25298	25297	25795

### 3.6 HealDesign™ EV 3.6



∅ mm	4	4	4	5
Height mm	3.5	4.5	6.5	3.5
Order no.	25300	25299	25796	25301

### 4.2 HealDesign™ EV 4.2



∅ mm	5	5	5	5	6.5
Height mm	3.5	4.5	6.5	3.5	3.5
Order no.	25501	25302	25797	25303	25304

### 4.8 HealDesign™ EV 4.8



∅ mm	5	6.5	6.5	5	6.5
Height mm	3.5	4.5	6.5	3.5	3.5
Order no.	25502	25306	25798	25305	25307

### 5.4 HealDesign™ EV 5.4



∅ mm	6.5	6.5	6.5
Height mm	3.5	4.5	6.5
Order no.	25309	25308	25799

### 3.0 Healing Uni EV 3.0



A - Ø mm	4	4	4	4
Height mm	2	3	4	6
Order no.	25574	25575	25576	25577

### 3.6 Healing Uni EV 3.6



A - Ø mm	4	4	4	4
Height mm	2	3	4	6
Order no.	25285	25578	25286	25287

### 4.2 Healing Uni EV 4.2



A - Ø mm	4	4	4	4
Height mm	2	3	4	6
Order no.	25288	25579	25289	25290

### 4.8 Healing Uni EV 4.8



A - Ø mm	4	4	4	4
B - Ø mm	4.3	4.3	4.3	4.3
Height mm	2	3	4	6
Order no.	25291	25580	25292	25293

### 5.4 Healing Uni EV 5.4




A - Ø mm	4	4	4	4
B - Ø mm	4.8	4.8	4.8	4.8
Height mm	2	3	4	6
Order no.	25294	25581	25295	25296

### Healing Uni EV

Titanium, sterile

- Promotes soft tissue sculpturing primarily for Uni Abutment EV
- Laser etched bands for gauging
- Marked with height



# Prosthetics

## Site-specific restorative components

Including round and triangular options.



## Self-guiding impression components

Supports all indexing options; one-position-only, six positions and index free.

## One system – one torque

All final abutments are designed for one tightening torque value of 25 Ncm for simplicity.



## One interface – three indexing solutions



One-position-only

Six-position

Index free

The interface design allows for a number of indexing options depending on the component selected, including a unique one-position-only for ATLANTIS patient-specific abutments.

For specific procedural details, please refer to the respective manual.

# Temporary abutments


## TempDesign™ EV




Ø mm	6	7	9	10	10
Margin height mm	5	5	5	5	5
Vert. height mm	10	12	12	12	10
Order no.	25503	25504	25505	25506	25507

## TempDesign™ EV

Titanium-PEEK-plastic, non-sterile, delivered with an abutment screw

- Anatomically pre-designed for reduction technique
- For both screw- and cement-retained restorations
- Can be processed at the laboratory or chairside
- Temporary use; max 180 days
- Screw-retained restorations, limited to single-tooth only
-  Indexed abutments will seat in six available positions.




## Temp Abutment EV




Ø mm	3.3	4.0	4.5	5.0	5.5
Margin height mm	1	1	1	1	1
Vert. height mm	9	9	9	9	9
Order no.	25508	25509	25510	25511	25512

## Temp Abutment EV

Titanium, non-sterile, delivered with an abutment screw

- Designed for build-up technique
- For large, multi-unit restorations and/or long-term temporization
- Primarily processed in the laboratory
- Cement-retained restorations, all positions in the mouth
- Screw-retained restorations, limited to single-tooth only
-  Indexed abutments will seat in six available positions.



## Abutment Screw EV



Order no.	M1.4 25203	M1.6 25204	M1.8 25205	M2.0 25206	M2.0 25207
-----------	---------------	---------------	---------------	---------------	---------------

## Abutment Screw EV

Titanium, non-sterile


**Note:** A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments. To order additional screws, refer to Abutment Screw EV section to the left.

# Cement-retained restorations


## TiDesign™ EV

Titanium, non-sterile,  
delivered with an abutment screw

- Round – design for the majority of restorative situations
- ▲ Triangular – primarily for incisors and canines with triangular shape; low margin of 1.5 mm above implant level
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
- ☉ Indexed abutments will seat in six available positions.
- Marked with Ø



A = buccal height  
B = lingual height



**Note:** A corresponding Abutment Screw EV is included with every two-piece final abutment. To order additional screws, refer to Abutment Screw EV section (p.21).

### 3.0 TiDesign™ EV 3.0




Ø mm	4	4	4
A – height bucc mm	2.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5
Vertical height mm	8	7	7
Order no.	25330	25331	25332

### 3.6 TiDesign™ EV 3.6




Ø mm	4.5	4.5	5.5
A – height bucc mm	2.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5
Vertical height mm	10	9	9
Order no.	25334	25335	25333

### 4.2 TiDesign™ EV 4.2



Ø mm	5.5	5.5	5.5	7
A – height bucc mm	2.5	1.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5	2.5
Vertical height mm	10	9	9	9
Order no.	25338	25339	25336	25337

### 4.8 TiDesign™ EV 4.8



Ø mm	7	5.5	5.5	7
A – height bucc mm	2.5	1.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5	2.5
Vertical height mm	10	9	9	9
Order no.	25342	25343	25340	25341

### 5.4 TiDesign™ EV 5.4



Ø mm	7	7
A – height bucc mm	2.5	1.5
B – height ling mm	3.5	2.5
Vertical height mm	10	9
Order no.	25344	25345

**3.6 ZirDesign™ EV 3.6**



Ø mm	4.5	4.5	5.5
A – height bucc mm	2.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5
Vertical height mm	10	9	9
Order no.	25316	25317	25315

**4.2 ZirDesign™ EV 4.2**



Ø mm	5.5	5.5	5.5	7
A – height bucc mm	2.5	1.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5	2.5
Vertical height mm	10	9	9	9
Order no.	25320	25321	25318	25319

**4.8 ZirDesign™ EV 4.8**



Ø mm	7	5.5	5.5	7
A – height bucc mm	2.5	1.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5	2.5
Vertical height mm	10	9	9	9
Order no.	25324	25325	25322	25323

**CastDesign™ EV**




Ø mm	4.1	4.1	5.1	5.1
Height mm	1	1	1	1
Vertical height mm	11	11	11	11
Order no.	25326	25327	25328	25329

**ZirDesign™ EV**

Zirconia, non-sterile, delivered with an abutment screw

- ○ Round – design for the majority of restorative situations
- △ Triangular – primarily for incisors and canines with triangular shape; low margin of 1.5 mm above implant level
- ◡ Angled design for offset situations compensating for implants in a restoratively unfavorable position
- ⊙ Indexed abutments will seat in six available positions.



A = buccal height  
B = lingual height




**CastDesign™ EV**

Metal Base: Au 60%, Pd 20%, Pt 19%, Ir 1%  
Cylinder: PMMA burnout plastic  
Non-sterile, delivered with an abutment screw

For cases that require angulation corrections up to 30° using regular wax-up and cast-to techniques

- Cement-retained restorations, all positions in the mouth
- Screw-retained restorations, limited to single-tooth only
- ⊙ Indexed abutments will seat in six available positions.





# Impression and laboratory components – implant-level

## Implant Pick-Up EV / Implant Pick-Up Design EV

Titanium, non-sterile


- Self-guiding positioning
- Designed with hex at the pin head
- Possibilities to capture the exact soft tissue shape for best possible esthetic results
- Supports all indexing options; one-position-only, six position and indexed free




## Implant Transfer EV

Titanium, non-sterile

- Self-guiding positioning
- Must be repositioned in the unique site in the impression
- Designed with a hex at the pin head



## Implant Pick-Up EV, Short



$\varnothing$ mm		4.6	4.6	4.6	5.4
Height mm		16.5	16.5	16.5	16.5
Order no.		25516	25518	25520	25522

## Implant Pick-Up EV, Long



$\varnothing$ mm	3.8	4.6	4.6	4.6
Height mm	22	22	22	22
Order no.	25513	25515	25517	25519

## Implant Pick-Up Design EV



$\varnothing$ mm	3.0	3.6	4.2	4.8	5.4
Height mm	22	22	22	22	22
Order no.	25523	25524	25525	25526	25527

## Implant Transfer EV, Short



$\varnothing$ mm		3.6	4.2	4.8	5.4
Height mm		11	11	11	11
Order no.		25535	25537	25539	25541

### Implant Transfer EV, Long



Ø mm	3.5	3.6	4.2	4.8	5.4
Height mm	14	14	14	14	14
Order no.	25534	25536	25538	25540	25542

### Implant Replica EV



Height mm	16.5	16.5	16.5	16.5	16.5
Order no.	25543	25544	25545	25546	25547

### Implant Replica EV

Titanium, non-sterile

Adjustment of apex allow for removal of replica from master model without need for sectioning

### Lab Abutment Screw EV



Order no.	25476	25477	25478	25479	25480
-----------	-------	-------	-------	-------	-------


### Lab Abutment Screw EV

Titanium, non-sterile

QTY 3

Designed for use with Implant Replica EV only

### Lab Pin Design EV



Height mm	25	25
Order no.	25528	25530

### Lab Pin Design EV


Stainless steel, non-sterile


- For maintenance of screw access channel during the laboratory procedure
- Friction fit to the Lab Abutment Screw EV screw hole

# Cement-retained restorations

## Direct Abutment™ EV

Titanium, sterile

- Sold separately; not included in the Direct EV API™ kit
-  Index-free abutments will be seated in any rotational position.
- Marked with Ø



## Direct Driver EV Ø3.3 Ø4

Stainless steel, non-sterile

Required for carrying and installation of Direct Abutment EV Ø 3.3 and Ø 4.0 only.

## Hex Driver EV

Stainless steel, non-sterile

Use the Hex Driver EV for the Ø 5.0 and Ø 6.0 Direct Abutment™ EV.

### 3.0 Direct Abutment™ EV 3.0



Ø mm	3.3	3.3	3.3
Margin height mm	1	2	3
Vert. height mm	6	7	8
Order no.	25361	25362	25363

### 3.6 Direct Abutment™ EV 3.6



Ø mm	4.0	4.0	4.0
Margin height mm	1	2	3
Vert. height mm	6	7	8
Order no.	25364	25365	25366

## Direct Driver EV Ø3.3 Ø4



Length mm	26
Order no.	25764

### 4.2 Direct Abutment™ EV 4.2



Ø mm	5.0	5.0	5.0	6.0	6.0	6.0
Margin height mm	1	2	3	1	2	3
Vert. height mm	6	7	8	6	7	8
Order no.	25367	25368	25369	25494	25495	25496

### 4.8 Direct Abutment™ EV 4.8



Ø mm	5.0	5.0	5.0	6.0	6.0	6.0
Margin height mm	1	2	3	1	2	3
Vert. height mm	6	7	8	6	7	8
Order no.	25370	25371	25372	25497	25498	25499

### 5.4 Direct Abutment™ EV 5.4



Ø mm	6.0	6.0	6.0
Margin height mm	1	2	3
Vert. height mm	6	7	8
Order no.	25373	25374	25375

### Direct EV API™



Ø mm	3.3	4	5	6
Order no.	25346	25347	25348	25349

### Direct Abutment™ EV HealCap



Ø mm	3.3	4	5	6
Order no.	25310	25311	25312	25313

### Direct Abutment™ EV Pick-Up



Ø mm	3.3	4	5	6
Order no.	25396	25397	25398	25399

### Direct Abutment™ EV Replica




Ø mm	3.3	4	5	6
Order no.	25401	25402	25403	25404

### Direct Abutment™ EV Burnout Cap



Ø mm	3.3	4	5	6
Order no.	25406	25407	25408	25409

### Direct EV API™ Non-sterile



Contains all corresponding components for working with the Direct Abutment™ EV

- Two compartments for clinical and laboratory components respectively
- Direct Abutment™ EV must be ordered separately

### Direct Abutment™ EV HealCap

Polycarbonate plastic, non-sterile

- Temporary use; maximum 30 days

### Direct Abutment™ EV Pick-Up

Polypropylene plastic, non-sterile

- DA EV Pick-Up Ø3.3 and Ø6 – transparent
- DA EV Pick-Up Ø4 – white
- DA EV Pick-Up Ø5 – grey

### Direct Abutment™ EV Replica

Titanium, non-sterile


### Direct Abutment™ EV Burnout Cap


PMMA Burn-out Plastic, non-sterile

# Screw-retained restorations

## Uni Abutment EV

Titanium, sterile

- Supporting multiple unit restorations only
- Design facilitates non-parallel implant situations up to 66°
- Same top cone for platforms
-  Index-free abutments will be seated in any rotational position
- Uni Driver EV required for carrying, installation and removal



### 3.0 Uni Abutment EV 3.0



A/B – Ø mm		3.6	3.6	3.6
Height mm		2	3	5
Vertical height mm		3.2	4.2	6.2
Order no.		25555	25556	25557

### 3.6 Uni Abutment EV 3.6



A/B – Ø mm	3.6	3.6	3.6	3.6
Height mm	1	2	3	5
Vertical height mm	2.2	3.2	4.2	6.2
Order no.	25558	25559	25560	25561

### 4.2 Uni Abutment EV 4.2



A/B – Ø mm	3.6	3.6	3.6	3.6
Height mm	1	2	3	5
Vertical height mm	2.2	3.2	4.2	6.2
Order no.	25562	25563	25564	25565

### 4.8 Uni Abutment EV 4.8



A – Ø mm	3.6	3.6	3.6	3.6
B – Ø mm	4.3	4.3	4.3	4.3
Height mm	1	2	3	5
Vertical height mm	2.2	3.2	4.2	6.2
Order no.	25566	25567	25568	25569

### 5.4 Uni Abutment EV 5.4



A – Ø mm	3.6	3.6	3.6	3.6
B – Ø mm	4.8	4.8	4.8	4.8
Height mm	1	2	3	5
Vertical height mm	2.2	3.2	4.2	6.2
Order no.	25570	25571	25572	25573

## Uni Driver EV

Stainless steel, non-sterile

- For placing and removing Uni Abutment EV
- Use with restorative driver handle and Torque Wrench EV, p.41
- If removal torque exceed 45 Ncm the surgical driver handle should be used




Uni Abutment EV	Heal Cap	Heal Cap	Pick-Up	Pick-Up	Transfer
Ø mm	4.3	5.5	4.3	5.5	4.7
Vert. height mm	4.4	4.4	17.6	17.6	9.7
Order no.	25616	25617	25641	25642	25646

### Uni Abutment EV Heal Cap


Titanium, sterile, one-piece

- Marked with diameter



### Uni Abutment EV Pick-Up and Transfer

Stainless steel, non-sterile, two-piece



Uni Abutment EV	Replica	Temporary Cylinder	Semi-Burnout Cylinder	Burnout Cylinder	Uni Driver EV	
Ø mm	3.6	4.4	4.4	4.2	Length mm	21.5
Order no.	25615	25648	25647	25649	Order no.	25708

### Uni Abutment EV Replica

Stainless steel, non-sterile, one-piece

**Temporary Cylinder** Titanium, non-sterile

### Semi-Burnout Cylinder

Metal Base: Au 60%, Pd 20%, Pt 19%, Ir 1%  
Cylinder: PMMA burnout plastic, non-sterile

### Burnout Cylinder

PMMA burnout plastic, non-sterile

**Note:** Bridge screws needs to be ordered separately.

### Bridge Screw EV      Lab Bridge Screw EV



	M1.8	M1.8
Screw head height mm	1.6	1.6
Screw head Ø mm	2.35	2.35
Order no.	25481	25656

### Bridge Screw EV

Titanium, non-sterile

- M1.8, anodized (light blue); hex only

### Lab Bridge Screw EV

Titanium, non-sterile  
QTY 3

Lab Abutment Pin EV	Short	Intermediate	Long
Length mm	14	18	22
Order no.	25643	25644	25645

### Lab Abutment Pin EV



Stainless steel, non-sterile


- For maintenance of screw access channel
- Fits the Uni Abutment EV Replica

# Screw-retained restorations

## Angled Abutment EV

Titanium, sterile,  
delivered with an abutment screw

- Supporting multiple unit restorations only
- Same top cone for platforms
-  Indexed abutments will seat in six available positions.
-  Index-free abutments will be seated in any rotational position.



**Note:** A corresponding abutment screw is included with every Angled Abutment EV. To order additional screws, refer to Abutment Screw EV section (p.21).

### 3.6 Angled Abutment EV 3.6, 20°



Margin height mm	1	2	1	2
Vertical height mm	6	7	6	7
Order no.	25619	25620	25621	25622

### 4.2 Angled Abutment EV 4.2, 20°



Margin height mm	1	2	1	2
Vertical height mm	6	7	6	7
Order no.	25625	25626	25627	25628

### 4.8 Angled Abutment EV 4.8, 20°



Margin height mm	1	2	1	2
Vertical height mm	6	7	6	7
Order no.	25631	25632	25633	25634

## Angled Abutment EV HealCap

Titanium, sterile, two-piece

## Angled Abutment EV Pick-Up

Stainless steel, non-sterile, two-piece

## Angled Abutment EV Replica

Stainless steel, non-sterile

### Angled Abutment EV

### Heal Cap

### Pick-Up

### Replica



Vertical height mm	9	12	17
Order no.	25650	25651	25652

## Temporary Cylinder

Titanium, non-sterile

## Semi-Burnout Cylinder

Metal Base: Au 60%, Pd 20%, Pt 19%, Ir 1%  
Cylinder: PMMA burnout plastic, non-sterile

## Burnout Cylinder

PMMA burnout plastic, non-sterile

**Note:** Bridge screws needs to be ordered separately.

### Angled Abutment EV

### Temporary Cylinder

### Semi-Burnout Cylinder

### Burnout Cylinder



Order no.	25654	25653	25655
-----------	-------	-------	-------

# Attachment-retained restorations

## 3.6 Locator™ Abutment EV 3.6



A – Ø mm	3.86	3.86	3.86	3.86	3.86
B – Ø mm	3.7	3.7	3.7	3.7	3.7
Height mm	1	2	3	4	5
Order no.	25657	25658	25659	25660	25661

## 4.2 Locator™ Abutment EV 4.2



A – Ø mm	3.85	3.85	3.85	3.85	3.85
B – Ø mm	3.7	3.7	3.7	3.7	3.7
Height mm	1	2	3	4	5
Order no.	25662	25663	25664	25665	25666


## 4.8 Locator™ Abutment EV 4.8




A – Ø mm	3.85	3.85	3.85	3.85	3.85
B – Ø mm	4.3	4.3	4.3	4.3	4.3
Height mm	1	2	3	4	5
Order no.	25667	25668	25669	25670	25671


### Locator™ Abutment EV

Titanium, TiN, coated non-sterile

- Locator Core Tool required
-  Index-free abutments will be seated in any rotational position.



### Locator™ Abutment Pick-up Abutment Replica Driver Core Tool



Total length mm			23	
Order no.	24484	24485	25766	24482

### Locator™ Core Tool

Stainless steel, non-sterile

Includes plastic holder/sleeve for manual placement of the abutment.

### Locator™ Abutment Pick-up

Aluminum, non-sterile

### Locator™ Abutment Replica

Aluminum, non-sterile

# Attachment-retained restorations

## Locator™ Process Kit

QTY 2 sets

## Locator™ Process Kit



Order no. 24483

## Locator™ Insert – Male

Nylon non-sterile

The clear, pink and blue insert retention parts allow for a divergence of up to 10° for a single implant and 20° between implants.

QTY 4

## Locator™ Insert Male

Blue



Pink



Clear



	Blue	Pink	Clear
Grams	680	1361	2268
Retention force, kg	0.7	1.4	2.3
Order no.	24488	24487	24486

## Locator™ Insert – Extended Range Male

Nylon non-sterile

The grey, red, orange and green inserts permit a divergence of 10–20° for a single implant and up to 40° between implants. The grey insert is used temporary during long-term treatment for protecting the abutments.

QTY 4

## Locator™ Insert Extended Range Male

Grey



Red



Orange




Green




	Grey	Red	Orange	Green
Grams	0	226-680	907	1361-1814
Retention force, kg	0	0.5	0.9	1.8
Order no.	25679	24492	25843	24489

## Ball Abutment EV

Titanium, sterile

- Diameter of the ball is 2.25 mm
-  Index-free abutments will be seated in any rotational position.



### 3.6 Ball Abutment EV 3.6



	3.6	3.6	3.6	3.6	3.6	3.6
A/B Ø mm	3.6	3.6	3.6	3.6	3.6	3.6
Height mm	1	2	3	4	5	7
Vert. height mm	3.9	4.9	5.9	6.9	7.9	9.9
Order no.	25684	25685	25686	25687	25688	25689

### 4.2 Ball Abutment EV 4.2



	4.2	4.2	4.2	4.2	4.2	4.2
A/B Ø mm	3.6	3.6	3.6	3.6	3.6	3.6
Height mm	1	2	3	4	5	7
Vert. height mm	3.9	4.9	5.9	6.9	7.9	9.9
Order no.	25690	25691	25692	25693	25694	25695

**4.8 Ball Abutment EV 4.8**



A Ø mm	3.6	3.6	3.6	3.6	3.6	3.6
B Ø mm	4.3	4.3	4.3	4.3	4.3	4.3
Height mm	1	2	3	4	5	7
Vert. height mm	3.9	4.9	5.9	6.9	7.9	9.9
Order no.	25696	25697	25698	25699	25700	25701

**Ball Abutment EV Replica**



Order no.	25826
-----------	-------

**Ball Abutment Driver EV**



Total length	22.7
Order no.	25768

**Ball Abutment EV Replica**  
Stainless steel, non-sterile

**Ball Abutment Driver EV**  
Stainless steel, non-sterile

Ball Abutment Driver EV required for carrying installation and removal.

**Dalbo Plus**

**Female Part TE Basic, complete**



**Duplicating Aid**



**Lamellae retention Insert E**



**Screwdriver/Activator**



Order no.	25834	25827	25844	25835
-----------	-------	-------	-------	-------

**Dalbo Plus Female Part Basic**

Titanium – gold alloy, non-sterile

- Gold alloy helps to eliminate wear on the Ball Abutment
- Adjust retention with the Activator Tool

**Dalbo Plus Duplicating Aid**

Plastic, non-sterile

**Dalbo Plus Screwdriver/Activator**

Stainless steel, non-sterile

**OD Cylinder EV**



**Round Bar**



**Rider, Round Bar**



Order no.	25638	22362	22363
-----------	-------	-------	-------

**OD Cylinder EV**

Material: Au 68.6%, Ag 11.85%, Cu 10.6%, Pd 3.95%, Zn 2.5%, Pt 2.45%, Ir 0.05%  
Non-sterile

**Round Bar**

Material: Au 67%, Ag 13.6%, Cu 11.2%, Pt 8.8%, Zn 0.2%, Ni <0.1%, Be <0.02%, Cd <0.02%  
Non-sterile

**Rider, Round Bar**

Material: Au 60%, Ag 22%, Cu 12.5%, Pd 4%, Zn <0.75%, Ir <0.75%  
Non-sterile

# Instruments

## One surgical tray – three overlay options

The surgical tray design with three interchangeable overlays allows for adaption of tray content according to your clinical preferences.



## Drills with excellent cutting properties

Multiple-use drills delivered in sterile packaging for the option of single-use. In addition to the diameter, all drills shafts are color-coded and marked with a number/letter for easy identification and reference.



## Versatile torque wrench design

Few parts and designed for easy handling and cleaning procedures. Interchangeable driver handles for versatile surgical and restorative needs.



A user-friendly packaging designed for easy handling.

# Surgical tray

Large Tray EV, shown with Overlay 1



**One surgical tray – three overlay options**  
 Tray design with three interchangeable overlays allows for adaptation of tray content according to your clinical preferences. Color-coded and intuitive layout. PPSU plastic, silicone holders, non-sterile

## Overlay 1

- Streamlined content for the most commonly used straight implants.



## Overlay 2

- Designed to accommodate the complete range of diameters for straight and conical implants.




## Overlay 3


- Supports the full implant assortment including short and OsseoSpeed Profile EV implants.



## Overlay 2



## Overlay 3



	Large Tray EV (without overlay)	Overlay 1	Overlay 2	Overlay 3
Order no.	25769	25721	25722	25723

# Drills

## Drills EV

Stainless steel, TiN-coated

- Laser-etched depth indication lines
- Delivered sterile
- Multiple-use except for Precision Drill EV, which is single-use only
- Marked with drill diameter and corresponding number/letter
- Drills for spongy preparation are color-coded white (1) – (6)


**Note:** Precision Drill EV is extremely sharp and should never be handled manually once out of its package



## Drilling depth

The drilling depth is measured from the widest part of the drill tip up to the indication line.

Additional tip depth is maximum 1.0 mm regardless of the drill diameter.



## Guide Drill EV

## Precision Drill EV

## Twist Drill EV, 6-13

## Twist Drill EV, 6-17



Ø mm	n/a	n/a	1.9	1.9
Order no.	25160	25161	25163	25162

## Step Drill EV, 6-13 mm

(2)

(3)

(4)

(5)

(6)



Ø mm	1.9/2.5	2.5/3.1	3.1/3.7	3.7/4.3	4.3/4.9
Order no.	25165	25169	25173	25177	25181

## Step Drill EV, 6-17 mm

(2)

(3)

(4)


(5)

(6)



Ø mm	1.9/2.5	2.5/3.1	3.1/3.7	3.7/4.3	4.3/4.9
Order no.	25164	25168	25172	25176	25180

### A – Cortical Drill EV



Ø mm	2.5/2.7	3.1/3.3	3.7/3.9	4.3/4.5	4.9/5.1
Order no.	25423	25488	25490	25492	25431


### Cortical bone preparation – straight implants

Used for the preparation of the cortical layer to reduce pressure in the bone around the implant neck.


- Cortical bone preparation drills color-coded according to implant-abutment connection.
- Color: corresponds to implant size
- Markings: diameter and drill letter
- **A** – thin cortical bone < 2 mm
- **B** – thick cortical bone ≥ 2 mm
- Length: one option

**Note:** There are separate cortical drills specific for the 6 mm implant.

### B – Cortical Drill EV



Ø mm	2.5/3.0	3.1/3.6	3.7/4.2	4.3/4.8	4.9/5.4
Order no.	25193	25195	25197	25199	25201



### A 6mm – Cortical Drill EV





Ø mm		3.1/3.3	3.7/3.9	4.3/4.5	4.9/5.1
Order no.		25487	25412	25420	25422



# Drills

## B 6mm – Cortical Drill EV

	3.6	4.2	4.8	5.4
Ø mm	3.1/3.6	3.7/4.2	4.3/4.8	4.9/5.4
Order no.	25411	25419	25421	25424

### Cortical bone preparation – conical implants

Used for the preparation of the cortical layer to reduce pressure in the bone around the implant neck.


Apical border of the indication line indicates the minimum depth needed to fit the implant.

- A** In thin cortex, drill to the apical border of the depth indication line.
- B** In thick cortex, drill to the full depth of the depth indication line.


Make sure enough depth is provided for the entire implant.

- Color: corresponds to implant
- Markings: diameter and drill letter
- Length: one option

## A/B – Conical Drill EV



	3.1/4.2	3.7/4.8
Ø mm	3.1/4.2	3.7/4.8
Order no.	25188	25190



# Optional drills

## V – Twist Drill EV, 6–17 mm


					
	3.0	3.6	4.2	4.8	5.4
Ø mm	2.5	3.1	3.7	4.3	4.9
Order no.	25780	25781	25782	25783	25784

**Additional osteotomy preparation**  
If deemed necessary, additional preparation can be performed with either of the following drills:






### V Twist Drill EV

- Use to widen the apical portion of the osteotomy
- Long version only

**Note:** For conical implants, color refers to the diameter of the implants.




## X – Step Drill EV, 6–13 mm

					
	3.0	3.6	4.2	4.8	5.4
Ø mm	2.5/2.85	3.1/3.45	3.7/4.05	4.3/4.65	4.9/5.25
Order no.	25482	25483	25484	25485	25486

### X Step Drill EV

- Use to widen both the apical and body portion of the osteotomy
- Short version only

**Note:** For conical implants, color refers to the diameter of the implants.




# Surgical instruments

## Implant Driver EV

Stainless steel, non-sterile

- For picking up and installing implant.
- Marked with depth and diameter
- Dimple to facilitate correct positioning

**Note:** For use with Contra Angle or Torque Wrench EV Surgical Driver Handle




## Implant Driver EV Short



	3.6	4.2	4.8	5.4
Total length mm	23.5	23.6	23.8	23.7
Order no.	25378	25380	25382	25384


## Implant Driver EV Long



	3.0	3.6	4.2	4.8	5.4
Total length mm	33.6	33.7	33.8	34.0	33.9
Order no.	25377	25379	25381	25383	25385

## Direction Indicator EV

- For use after drill ① and drill ③



## Direction Indicator EV



Order no.	25765
-----------	-------

## Drill Extension EV



Order no.	25202
-----------	-------

## Implant Depth Gauge EV



Order no.	25710
-----------	-------

## Drill Extension EV

Titanium, non-sterile

**Note:** Not to be used in combination with torque transferring instruments such as implant drivers.

## Implant Depth Gauge EV

Titanium, non-sterile

- One side corresponds to implant lengths 6–17 mm
- One side is measuring probe with 0–15 mm markings

## Titanium Bowl

Titanium



Order no.	22137
-----------	-------


## Forceps

Titanium



Length	94 mm
Order no.	22437

**Torque Wrench EV**



Order no.	25774	25775
-----------	-------	-------

**Torque Wrench EV Surgical Driver Handle**



**Torque Wrench EV**

Stainless steel, non-sterile

Use together with Surgical Driver Handle for implant installation and adjustment of implant position

**Torque Wrench EV Surgical Driver Handle**

Stainless steel, non-sterile

**Hex Driver EV Machine**

**Short**



**Intermediate**



**Long**



**Hex Driver EV Machine**

Stainless steel, non-sterile

For use with Contra Angle or Torque Wrench EV Surgical Driver Handle or Torque Wrench EV Restorative Driver Handle

Total length mm	20	24	35
Order no.	25790	25727	25728

**Hex Driver EV Manual**

**Short**



**Intermediate**



**Long**



**Hex Driver EV Manual**

Stainless steel, non-sterile

Total length mm	20	31	38
Order no.	25771	25772	25773

**Mucosal Punch EV**



**Mucosal Punch EV**

Sterile  
Single use only  
QTY 5

Ø	3.5	4	4.5	5	5.5	6.5
Order no.	25711	25712	25713	25714	25715	25731

# Surgical units

## Implant unit includes:

- Control unit
- Foot control
- Motor with 1.8 m cable including 5 clips
- Main cable
- Motor support
- Stand
- Locking pins
- Irrigation tubing (QTY 3), disposable for single patient use.

**Note:** Contra Angle must be purchased separately.

## 20:1 Contra Angle for Implant Unit and for ImplantMED Drill Unit

**Note:** Be sure to pay attention to the correct contra angle adjustment of your drive unit.

## Disposable Irrigation Set, W&H

Includes pump segment. 2.2 m, sterile for ImplantMED and recommended for Implant Unit. QTY 6

**Irrigation Tube, W&H**, disposable 2.2 m, sterile for ElcoMED 100 and ImplantMED. QTY 10

## Suction Tube

Medena  
Ø 5.5 mm/8 mm, 2.0m, QTY 100  
Single-use, sterile.

Medena  
Ø 5.5 mm/8 mm, 2.0m, QTY 100  
Single-use, sterile.

Medena  
Ø 5.5 mm/8 mm, 2.0m, QTY 100  
Including double bent suction tip.  
Single-use, sterile.

## Bone Trap™

- Simplifies the procedure of collecting and using autologous bone
- Disposable and delivered sterile

## Implant Unit

SI 915  
115 V



Order no. 24360

SI 923  
230 V



Order no. 24412

## Contra Angle W&H

WS-75 E/KM



Can be dismantled

Order no. 22903

WI-75 E/KM



Cannot be dismantled

Order no. 24350

## Irrigation Set



Order no. 22176

## Irrigation Tube



Order no. 22177

## Suction Tube

Medena  
2.0m



Order no. 68108

Medena  
3.5m

Medena 2.0m with  
double bent suction tip



Order no. 68130

Order no. 68118

## Radiographic Implant Guides EV



Order no. 25500

## Bone Trap™



Order no. 22179

# Restorative instruments

## Hex Driver EV Manual

Short



Intermediate



Long



**Hex Driver EV Manual**  
Stainless steel, non-sterile

Total length mm	20	31	38
Order no.	25771	25772	25773

## Hex Driver EV Machine

Short



Intermediate



Long



**Hex Driver EV Machine**  
Stainless steel, non-sterile  
For use with Contra Angle or Torque Wrench EV Surgical Driver Handle or Torque Wrench EV Restorative Driver Handle

Total length mm	20	24	35
Order no.	25790	25727	25728

**Direct Driver EV Ø3.3  
Ø4**



**Uni Driver EV**



**Locator™ Driver EV**



**Direct Driver EV**  
Stainless steel, non-sterile  
Required for carrying and installation of Direct Abutment EV Ø3.3 and Ø4

**Uni Driver EV**  
Stainless steel, non-sterile  
For placement and removal of Uni Abutment EV

**Locator™ Driver EV**  
Stainless steel, non-sterile  
For placement and removal of Locator abutments

Total length mm	26	21.5	23
Order no.	25764	25708	25766

**Ball Abutment Driver EV**



**Dalbo Plus Screwdriver/Activator**



**Locator™ Core Tool**



**Ball Abutment Driver EV**  
Stainless steel, non-sterile  
For placement and removal of Ball Abutment EV  
Direct, Uni, Locator and Ball Abutment drivers fit Torque Wrench EV driver handles.

**Dalbo Plus Screwdriver/Activator**  
Stainless steel, non-sterile

**Locator™ Core Tool**  
Stainless steel, non-sterile  
Includes plastic holder/sleeve for manual placement of the abutment


Total length mm	22.7		
Order no.	25768	25835	24482

# Restorative instruments

## Abutment Depth Gauge EV

Titanium, non-sterile

- Laser etched bands for measuring mucosal height over the implant in millimeters.
- Waist at 4–5 mm indication for better visual orientation.




## Abutment Depth Gauge EV



Order no. 25792



Order no. 25793



Order no. 25726

## Torque Wrench EV

Stainless steel, non-sterile

Use together with a restorative driver handle for tightening of abutment and/or bridge screw.

## Torque Wrench EV



Order no. 25774

## Torque Wrench EV Restorative Handles

Stainless steel, non-sterile

### 4x4 Low

For compatibility for instruments with a square connection 4 x 4 mm

## Torque Wrench EV Restorative Driver Handle

Low

4x4 Low



Order no. 25776

25777

25730

# Laboratory products

## Lab Abutment Screw EV



Order no.	25476	25477	25478	25479	25480
-----------	-------	-------	-------	-------	-------

## Lab Abutment Screw EV

Titanium, non-sterile  
QTY 3

Designed for use with  
Implant Replica EV only

## Lab Pin Design EV



3.0 3.6 4.2 4.8 5.4

Ø mm	3.0/3.6	4.2/4.8/5.4
Height mm	25	25
Order no.	25528	25530

## Lab Pin Design EV

Stainless steel, non-sterile

- For maintenance of screw access channel during the laboratory procedure
- Friction fit to the Lab Abutment Screw EV screw hole

## Lab Abutment Pin EV

Short Intermediate Long



Length mm	14	18	22
Order no.	25643	25644	25645

## Lab Bridge Screw EV



Screw head height mm	1.6
Screw head Ø mm	2.35
Order no.	25656

## Lab Abutment Pin EV

Stainless steel, non-sterile

- For maintenance of screw access channel
- Fits the UniAbutment EV Replica

## Lab Bridge Screw EV

Titanium, non-sterile  
QTY 3

## Grinding Handle



Order no.	22740
-----------	-------

## Polishing Protector Uni EV



Order no.	25778
-----------	-------

## Polishing Protector Uni EV

Stainless steel, non-sterile  
QTY 3

# Index

## Order by reference number

REF		page
22137	Titanium Bowl	40
22176	Disposable Irrigation Set	42
22177	Irrigation Tubing 2.2 m Sterile	42
22179	BoneTrap	42
22362	Round Bar	7, 9, 11, 33
22363	Rider, Round Bar	7, 9, 11, 33
22437	Forceps – 94 mm	40
22740	Grinding Handle	45
22903	Contra Angle W&H WS-75 E/KM AE	42
24350	Contra Angle W&H WI-75 E/KM	42
24360	Implant Unit SI-915, 115 V	42
24412	Implant Unit SI-923, 230 V	42
24482	Locator Core Tool	31, 43
24483	Locator Process Kit	7, 9, 11, 32
24484	Locator Abutment Pick-up	6, 8, 10, 31
24485	Locator Abutment Replica	7, 9, 11, 31
24486	Locator Insert Clear	7, 9, 11, 32
24487	Locator Insert Pink	7, 9, 11, 33
24488	Locator Insert Blue	7, 9, 11, 34
24489	Locator Insert Green	7, 9, 11, 35
24492	Locator Insert Red	7, 9, 11, 36
25160	Guide Drill EV	36
25161	Precision Drill EV	36
25162	1 – Twist Drill EV Ø 1.9, 6–17 mm	36
25163	1 – Twist Drill EV Ø 1.9, 6–13 mm	36
25164	2 – Step Drill EV Ø 1.9/2.5, 6–17 mm	36
25165	2 – Step Drill EV Ø 1.9/2.5, 6–13 mm	36
25168	3 – Step Drill EV Ø 2.5/3.1, 6–17 mm	36
25169	3 – Step Drill EV Ø 2.5/3.1, 6–13 mm	36
25172	4 – Step Drill EV Ø 3.1/3.7, 6–17 mm	36
25173	4 – Step Drill EV Ø 3.1/3.7, 6–13 mm	36
25176	5 – Step Drill EV Ø 3.7/4.3, 6–17 mm	36
25177	5 – Step Drill EV Ø 3.7/4.3, 6–13 mm	36
25180	6 – Step Drill EV Ø 4.3/4.9, 6–17 mm	36
25181	6 – Step Drill EV Ø 4.3/4.9, 6–13 mm	36
25188	A/B – Conical Drill EV Ø 3.1/4.2	38
25190	A/B – Conical Drill EV Ø 3.7/4.8	38
25193	B – Cortical Drill EV Ø 2.5/3.0	37
25195	B – Cortical Drill EV Ø 3.1/3.6	37
25197	B – Cortical Drill EV Ø 3.7/4.2	37
25199	B – Cortical Drill EV Ø 4.3/4.8	37
25201	B – Cortical Drill EV Ø 4.9/5.4	37
25202	Drill Extention EV	40
25203	Abutment Screw EV 3.0	21
25204	Abutment Screw EV 3.6	21
25205	Abutment Screw EV 4.2	21
25206	Abutment Screw EV 4.8	21
25207	Abutment Screw EV 5.4	21
25212	OsseoSpeed™ EV 3.0 S – 8 mm	4, 16
25213	OsseoSpeed™ EV 3.0 S – 9 mm	4, 16
25214	OsseoSpeed™ EV 3.0 S – 11 mm	4, 16
25215	OsseoSpeed™ EV 3.0 S – 13 mm	4, 16
25216	OsseoSpeed™ EV 3.0 S – 15 mm	4, 16
25221	OsseoSpeed™ EV 3.6 S – 6 mm	6, 16
25222	OsseoSpeed™ EV 3.6 S – 8 mm	6, 16
25223	OsseoSpeed™ EV 3.6 S – 9 mm	6, 16
25224	OsseoSpeed™ EV 3.6 S – 11 mm	6, 16
25225	OsseoSpeed™ EV 3.6 S – 13 mm	6, 16
25226	OsseoSpeed™ EV 3.6 S – 15 mm	6, 16
25227	OsseoSpeed™ EV 3.6 S – 17 mm	6, 16
25231	OsseoSpeed™ EV 4.2 S – 6 mm	8, 16
25232	OsseoSpeed™ EV 4.2 S – 8 mm	8, 16
25233	OsseoSpeed™ EV 4.2 S – 9 mm	8, 16
25234	OsseoSpeed™ EV 4.2 S – 11 mm	8, 16
25235	OsseoSpeed™ EV 4.2 S – 13 mm	8, 16
25236	OsseoSpeed™ EV 4.2 S – 15 mm	8, 16
25237	OsseoSpeed™ EV 4.2 S – 17 mm	8, 16
25241	OsseoSpeed™ EV 4.8 S – 6 mm	10, 17
25242	OsseoSpeed™ EV 4.8 S – 8 mm	10, 17
25243	OsseoSpeed™ EV 4.8 S – 9 mm	10, 17
25244	OsseoSpeed™ EV 4.8 S – 11 mm	10, 17
25245	OsseoSpeed™ EV 4.8 S – 13 mm	10, 17
25246	OsseoSpeed™ EV 4.8 S – 15 mm	10, 17
25247	OsseoSpeed™ EV 4.8 S – 17 mm	10, 17
25251	OsseoSpeed™ EV 5.4 S – 6 mm	12, 17
25252	OsseoSpeed™ EV 5.4 S – 8 mm	12, 17
25253	OsseoSpeed™ EV 5.4 S – 9 mm	12, 17
25254	OsseoSpeed™ EV 5.4 S – 11 mm	12, 17
25255	OsseoSpeed™ EV 5.4 S – 13 mm	12, 17
25256	OsseoSpeed™ EV 5.4 S – 15 mm	12, 17

REF		page
25262	OsseoSpeed™ EV 4.2 C – 8 mm	8, 16
25263	OsseoSpeed™ EV 4.2 C – 9 mm	8, 16
25264	OsseoSpeed™ EV 4.2 C – 11 mm	8, 16
25265	OsseoSpeed™ EV 4.2 C – 13 mm	8, 16
25266	OsseoSpeed™ EV 4.2 C – 15 mm	8, 16
25267	OsseoSpeed™ EV 4.2 C – 17 mm	8, 16
25272	OsseoSpeed™ EV 4.8 C – 8 mm	10, 17
25273	OsseoSpeed™ EV 4.8 C – 9 mm	10, 17
25274	OsseoSpeed™ EV 4.8 C – 11 mm	10, 17
25275	OsseoSpeed™ EV 4.8 C – 13 mm	10, 17
25276	OsseoSpeed™ EV 4.8 C – 15 mm	10, 17
25277	OsseoSpeed™ EV 4.8 C – 17 mm	10, 17
25280	Cover Screw EV 3.0	4, 17
25281	Cover Screw EV 3.6 – 0 mm	6, 17
25282	Cover Screw EV 4.2 – 0 mm	8, 17
25283	Cover Screw EV 4.8 – 0 mm	10, 17
25284	Cover Screw EV 5.4 – 0 mm	12, 17
25285	Healing Uni EV 3.6 – 2 mm/Ø 4	6, 19
25286	Healing Uni EV 3.6 – 4 mm/Ø 4	6, 19
25287	Healing Uni EV 3.6 – 6 mm/Ø 4	6, 19
25288	Healing Uni EV 4.2 – 2 mm/Ø 4	8, 19
25289	Healing Uni EV 4.2 – 4 mm/Ø 4	8, 19
25290	Healing Uni EV 4.2 – 6 mm/Ø 4	8, 19
25291	Healing Uni EV 4.8 – 2 mm/Ø 4.3	10, 19
25292	Healing Uni EV 4.8 – 4 mm/Ø 4.3	10, 19
25293	Healing Uni EV 4.8 – 6 mm/Ø 4.3	10, 19
25294	Healing Uni EV 5.4 – 2 mm/Ø 4.8	12, 19
25295	Healing Uni EV 5.4 – 4 mm/Ø 4.8	12, 19
25296	Healing Uni EV 5.4 – 6 mm/Ø 4.8	12, 19
25297	HealDesign™ EV 3.0 Ø 3.5 – 4.5 mm	4, 18
25298	HealDesign™ EV 3.0 Ø 3.5 – 3.5 mm	4, 18
25299	HealDesign™ EV 3.6 Ø 4 – 4.5 mm	6, 18
25300	HealDesign™ EV 3.6 Ø 4 – 3.5 mm	6, 18
25301	HealDesign™ EV 3.6 Ø 5 – 3.5 mm Triangular	6, 18
25302	HealDesign™ EV 4.2 Ø 5 – 4.5 mm	8, 18
25303	HealDesign™ EV 4.2 Ø 5 – 3.5 mm Triangular	8, 18
25304	HealDesign™ EV 4.2 Ø 6.5 – 3.5 mm Triangular	8, 18
25305	HealDesign™ EV 4.8 Ø 5 – 3.5 mm Triangular	10, 18
25306	HealDesign™ EV 4.8 Ø 6.5 – 4.5 mm	10, 18
25307	HealDesign™ EV 4.8 Ø 6.5 – 3.5 mm Triangular	10, 18
25308	HealDesign™ EV 5.4 Ø 6.5 – 4.5 mm	12, 18
25309	HealDesign™ EV 5.4 Ø 6.5 – 3.5 mm	12, 18
25310	Direct Abutment™ EV Heal Cap 3.3	27
25311	Direct Abutment™ EV Heal Cap 4	27
25312	Direct Abutment™ EV Heal Cap 5	27
25313	Direct Abutment™ EV Heal Cap 6	27
25315	ZirDesign™ EV 3.6 Ø 5.5 – 1.5 mm Triangular	6, 23
25316	ZirDesign™ EV 3.6 Ø 4.5 – 2.5 mm	6, 23
25317	ZirDesign™ EV 3.6 20° Ø 4.5 – 1.5 mm	6, 23
25318	ZirDesign™ EV 4.2 Ø 5.5 – 1.5 mm Triangular	8, 23
25319	ZirDesign™ EV 4.2 Ø 7 – 1.5 mm Triangular	8, 23
25320	ZirDesign™ EV 4.2 Ø 5.5 – 2.5 mm	8, 23
25321	ZirDesign™ EV 4.2 20° Ø 5.5 – 1.5 mm	8, 23
25322	ZirDesign™ EV 4.8 Ø 5.5 – 1.5 mm Triangular	10, 23
25323	ZirDesign™ EV 4.8 Ø 7 – 1.5 mm Triangular	10, 23
25324	ZirDesign™ EV 4.8 Ø 7 – 2.5 mm	10, 23
25325	ZirDesign™ EV 4.8 20° Ø 5.5 – 1.5 mm	10, 23
25326	CastDesign™ EV 3.6	6, 23
25327	CastDesign™ EV 4.2	8, 23
25328	CastDesign™ EV 4.8	10, 23
25329	CastDesign™ EV 5.4	12, 23
25330	TiDesign™ EV 3.0 Ø 4 – 2.5 mm	4, 22
25331	TiDesign™ EV 3.0 Ø 4 – 1.5 mm	4, 22
25332	TiDesign™ EV 3.0 15° Ø 4 – 1.5 mm	4, 22
25333	TiDesign™ EV 3.6 Ø 5.5 – 1.5/2.5 mm Triangular	6, 22
25334	TiDesign™ EV 3.6 Ø 4.5 – 2.5/3.5 mm	6, 22
25335	TiDesign™ EV 3.6 20° Ø 4.5 – 1.5/2.5 mm	6, 22
25336	TiDesign™ EV 4.2 Ø 5.5 – 1.5/2.5 mm Triangular	8, 22
25337	TiDesign™ EV 4.2 Ø 7 – 1.5/2.5 mm Triangular	8, 22
25338	TiDesign™ EV 4.2 Ø 5.5 – 2.5/3.5 mm	8, 22
25339	TiDesign™ EV 4.2 20° Ø 5.5 – 1.5/2.5 mm	8, 22
25340	TiDesign™ EV 4.8 Ø 5.5 – 1.5/2.5 mm Triangular	10, 22
25341	TiDesign™ EV 4.8 Ø 7 – 1.5/2.5 mm Triangular	10, 22
25342	TiDesign™ EV 4.8 Ø 7 – 2.5/3.5 mm	10, 22
25343	TiDesign™ EV 4.8 20° Ø 5.5 – 1.5/2.5 mm	10, 22
25344	TiDesign™ EV 5.4 Ø 7 – 2.5/3.5 mm	12, 22
25345	TiDesign™ EV 5.4 Ø 7 – 1.5/2.5 mm	12, 22
25346	Direct EV API™ Ø 3.3	5, 27
25347	Direct EV API™ Ø 4	7, 27
25348	Direct EV API™ Ø 5	9, 11, 27

REF		page
25349	Direct EV API™ Ø 6.....	9, 11, 13, 27
25361	Direct Abutment™ EV 3.0 Ø 3.3 – 1 mm.....	5, 26
25362	Direct Abutment™ EV 3.0 Ø 3.3 – 2 mm.....	5, 26
25363	Direct Abutment™ EV 3.0 Ø 3.3 – 3 mm.....	5, 26
25364	Direct Abutment™ EV 3.6 Ø 4 – 1 mm.....	7, 26
25365	Direct Abutment™ EV 3.6 Ø 4 – 2 mm.....	7, 26
25366	Direct Abutment™ EV 3.6 Ø 4 – 3 mm.....	7, 26
25367	Direct Abutment™ EV 4.2 Ø 5 – 1 mm.....	9, 26
25368	Direct Abutment™ EV 4.2 Ø 5 – 2 mm.....	9, 26
25369	Direct Abutment™ EV 4.2 Ø 5 – 3 mm.....	9, 26
25370	Direct Abutment™ EV 4.8 Ø 5 – 1 mm.....	11, 26
25371	Direct Abutment™ EV 4.8 Ø 5 – 2 mm.....	11, 26
25372	Direct Abutment™ EV 4.8 Ø 5 – 3 mm.....	11, 26
25373	Direct Abutment™ EV 5.4 Ø 6 – 1 mm.....	13, 26
25374	Direct Abutment™ EV 5.4 Ø 6 – 2 mm.....	13, 26
25375	Direct Abutment™ EV 5.4 Ø 6 – 3 mm.....	13, 26
25377	Implant Driver EV 3.0 Long.....	40
25378	Implant Driver EV 3.6 Short.....	40
25379	Implant Driver EV 3.6 Long.....	40
25380	Implant Driver EV 4.2 Short.....	40
25381	Implant Driver EV 4.2 Long.....	40
25382	Implant Driver EV 4.8 Short.....	40
25383	Implant Driver EV 4.8 Long.....	40
25384	Implant Driver EV 5.4 Short.....	40
25385	Implant Driver EV 5.4 Long.....	40
25396	Direct Abutment™ EV Pick-Up 3.3.....	27
25397	Direct Abutment™ EV Pick-Up 4.....	27
25398	Direct Abutment™ EV Pick-Up 5.....	27
25399	Direct Abutment™ EV Pick-Up 6.....	27
25401	Direct Abutment™ EV Replica 3.3.....	27
25402	Direct Abutment™ EV Replica 4.....	27
25403	Direct Abutment™ EV Replica 5.....	27
25404	Direct Abutment™ EV Replica 6.....	27
25406	Direct Abutment™ EV Burnout Cap 3.3.....	27
25407	Direct Abutment™ EV Burnout Cap 4.....	27
25408	Direct Abutment™ EV Burnout Cap 5.....	27
25409	Direct Abutment™ EV Burnout Cap 6.....	27
25411	B 6 mm – Cortical Drill EV Ø 3.1/3.6.....	38
25412	A 6 mm – Cortical Drill EV Ø 3.7/3.9.....	37
25419	B 6 mm – Cortical Drill EV Ø 3.7/4.2.....	38
25420	A 6 mm – Cortical Drill EV Ø 4.3/4.5.....	37
25421	B 6 mm – Cortical Drill EV Ø 4.3/4.8.....	38
25422	A 6 mm – Cortical Drill EV Ø 4.9/5.1.....	37
25423	A – Cortical Drill EV Ø 2.5/2.7.....	37
25424	B 6 mm – Cortical Drill EV Ø 4.9/5.4.....	38
25431	A – Cortical Drill EV Ø 4.9/5.1.....	37
25476	Lab Abutment Screw EV 3.0.....	5, 25, 45
25477	Lab Abutment Screw EV 3.6 – M1.6.....	7, 25, 45
25478	Lab Abutment Screw EV 4.2 – M1.8.....	9, 25, 45
25479	Lab Abutment Screw EV 4.8 – M2.....	11, 25, 45
25480	Lab Abutment Screw EV 5.4 – M2.....	13, 25, 45
25481	Bridge Screw EV – M1.8.....	5, 7, 9, 11, 13, 29, 45
25482	X – Step Drill EV Ø 2.5/2.85, 6–13 mm.....	39
25483	X – Step Drill EV Ø 3.1/3.45, 6–13 mm.....	39
25484	X – Step Drill EV Ø 3.7/4.05, 6–13 mm.....	39
25485	X – Step Drill EV Ø 4.3/4.65, 6–13 mm.....	39
25486	X – Step Drill EV Ø 4.9/5.25, 6–13 mm.....	39
25487	A 6 mm – Cortical Drill EV Ø 3.1/3.3.....	37
25488	A – Cortical Drill EV Ø 3.1/3.3.....	37
25490	A – Cortical Drill EV Ø 3.7/3.9.....	37
25492	A – Cortical Drill EV Ø 4.3/4.5.....	37
25494	Direct Abutment™ EV 4.2 Ø 6 – 1 mm.....	9, 26
25495	Direct Abutment™ EV 4.2 Ø 6 – 2 mm.....	9, 26
25496	Direct Abutment™ EV 4.2 Ø 6 – 3 mm.....	9, 26
25497	Direct Abutment™ EV 4.8 Ø 6 – 1 mm.....	11, 26
25498	Direct Abutment™ EV 4.8 Ø 6 – 2 mm.....	11, 26
25499	Direct Abutment™ EV 4.8 Ø 6 – 3 mm.....	11, 26
25500	Radiographic Implant Guides EV.....	42
25501	HealDesign™ EV 4.2 Ø 5 – 3.5 mm.....	8, 18
25502	HealDesign™ EV 4.8 Ø 5 – 3.5 mm.....	10, 18
25503	TempDesign EV 3.0.....	4, 21
25504	TempDesign EV 3.6.....	6, 21
25505	TempDesign EV 4.2.....	8, 21
25506	TempDesign EV 4.8.....	10, 21
25507	TempDesign EV 5.4.....	12, 21
25508	Temp Abutment EV 3.0.....	4, 21
25509	Temp Abutment EV 3.6.....	6, 21
25510	Temp Abutment EV 4.2.....	8, 21
25511	Temp Abutment EV 4.8.....	10, 21
25512	Temp Abutment EV 5.4.....	12, 21
25513	Implant Pick-Up EV 3.0 Long.....	5, 24
25515	Implant Pick-Up EV 3.6 Long.....	7, 24
25516	Implant Pick-Up EV 3.6 Short.....	7, 24
25517	Implant Pick-Up EV 4.2 Long.....	9, 24

REF		page
25518	Implant Pick-Up EV 4.2 Short.....	9, 24
25519	Implant Pick-Up EV 4.8 Long.....	11, 24
25520	Implant Pick-Up EV 4.8 Short.....	11, 24
25522	Implant Pick-Up EV 5.4 Short.....	13, 24
25523	Implant Pick-Up Design EV 3.0.....	5, 24
25524	Implant Pick-Up Design EV 3.6.....	7, 24
25525	Implant Pick-Up Design EV 4.2.....	9, 24
25526	Implant Pick-Up Design EV 4.8.....	11, 24
25527	Implant Pick-Up Design EV 5.4.....	13, 24
25528	Lab Pin Design EV 3.0/3.6.....	5, 7, 25, 45
25530	Lab Pin Design EV 4.2/4.8/5.4.....	9, 11, 13, 25, 45
25534	Implant Transfer EV 3.0 Long.....	5, 25
25535	Implant Transfer EV 3.6 Short.....	7, 25
25536	Implant Transfer EV 3.6 Long.....	7, 25
25537	Implant Transfer EV 4.2 Short.....	9, 25
25538	Implant Transfer EV 4.2 Long.....	9, 25
25539	Implant Transfer EV 4.8 Short.....	11, 25
25540	Implant Transfer EV 4.8 Long.....	11, 25
25541	Implant Transfer EV 5.4 Short.....	13, 25
25542	Implant Transfer EV 5.4 Long.....	13, 25
25543	Implant Replica EV 3.0.....	5, 25
25544	Implant Replica EV 3.6.....	7, 25
25545	Implant Replica EV 4.2.....	9, 25
25546	Implant Replica EV 4.8.....	11, 25
25547	Implant Replica EV 5.4.....	13, 25
25555	Uni Abutment EV 3.0 – 2 mm.....	4, 28
25556	Uni Abutment EV 3.0 – 3 mm.....	4, 28
25557	Uni Abutment EV 3.0 – 5 mm.....	4, 28
25558	Uni Abutment EV 3.6 – 1 mm.....	6, 28
25559	Uni Abutment EV 3.6 – 2 mm.....	6, 28
25560	Uni Abutment EV 3.6 – 3 mm.....	6, 28
25561	Uni Abutment EV 3.6 – 5 mm.....	6, 28
25562	Uni Abutment EV 4.2 – 1 mm.....	8, 28
25563	Uni Abutment EV 4.2 – 2 mm.....	8, 28
25564	Uni Abutment EV 4.2 – 3 mm.....	8, 28
25565	Uni Abutment EV 4.2 – 5 mm.....	8, 28
25566	Uni Abutment EV 4.8 – 1 mm.....	10, 28
25567	Uni Abutment EV 4.8 – 2 mm.....	10, 28
25568	Uni Abutment EV 4.8 – 3 mm.....	10, 28
25569	Uni Abutment EV 4.8 – 5 mm.....	10, 28
25570	Uni Abutment EV 5.4 – 1 mm.....	12, 28
25571	Uni Abutment EV 5.4 – 2 mm.....	12, 28
25572	Uni Abutment EV 5.4 – 3 mm.....	12, 28
25573	Uni Abutment EV 5.4 – 5 mm.....	12, 28
25574	Healing Uni EV 3.0 – 2 mm.....	4, 19
25575	Healing Uni EV 3.0 – 3 mm.....	4, 19
25576	Healing Uni EV 3.0 – 4 mm.....	4, 19
25577	Healing Uni EV 3.0 – 6 mm.....	4, 19
25578	Healing Uni EV 3.6 – 3 mm/Ø 4.....	6, 19
25579	Healing Uni EV 4.2 – 3 mm/Ø 4.....	8, 19
25580	Healing Uni EV 4.8 – 3 mm/Ø 4.3.....	10, 19
25581	Healing Uni EV 5.4 – 3 mm/Ø 4.8.....	12, 19
25615	Uni Abutment EV Replica.....	5, 7, 9, 11, 13, 29
25616	Uni Abutment EV Heal Cap Ø 4.3 – 4.5 mm.....	4, 6, 8, 10, 12, 29
25617	Uni Abutment EV Heal Cap Ø 5.5 – 4.5 mm.....	4, 6, 8, 10, 12, 29
25619	Angled Abutment EV 3.6 20° – 1 mm.....	6, 30
25620	Angled Abutment EV 3.6 20° – 2 mm.....	6, 30
25621	Angled Abutment EV 3.6 20° – 1 mm NI.....	6, 30
25622	Angled Abutment EV 3.6 20° – 2 mm NI.....	6, 30
25625	Angled Abutment EV 4.2 20° – 1 mm.....	8, 30
25626	Angled Abutment EV 4.2 20° – 2 mm.....	8, 30
25627	Angled Abutment EV 4.2 20° – 1 mm NI.....	8, 30
25628	Angled Abutment EV 4.2 20° – 2 mm NI.....	8, 30
25631	Angled Abutment EV 4.8 20° – 1 mm.....	10, 30
25632	Angled Abutment EV 4.8 20° – 2 mm.....	10, 30
25633	Angled Abutment EV 4.8 20° – 1 mm NI.....	10, 30
25634	Angled Abutment EV 4.8 20° – 2 mm NI.....	10, 30
25638	OD Cylinder EV.....	7, 9, 11, 33
25641	Uni Abutment EV Pick-Up Ø 4.3.....	4, 6, 8, 10, 12, 29
25642	Uni Abutment EV Pick-Up Ø 5.5.....	4, 6, 8, 10, 12, 29
25643	Lab Abutment Pin EV Short.....	5, 7, 9, 11, 13, 29, 45
25644	Lab Abutment Pin EV Intermediate.....	5, 7, 9, 11, 13, 29, 45
25645	Lab Abutment Pin EV Long.....	5, 7, 9, 11, 13, 29, 45
25646	Uni Abutment EV Transfer.....	5, 7, 9, 11, 13, 29
25647	Uni Abutment EV Semi-Burnout Cylinder.....	5, 7, 9, 11, 13, 29
25648	Uni Abutment EV Temporary Cylinder.....	5, 7, 9, 11, 13, 29
25649	Uni Abutment EV Burnout Cylinder.....	5, 7, 9, 11, 13, 29
25650	Angled Abutment EV Heal Cap.....	6, 8, 10, 30
25651	Angled Abutment EV Pick-Up.....	6, 8, 10, 30
25652	Angled Abutment EV Replica.....	6, 8, 10, 30
25653	Angled Abutment EV Semi-Burnout Cylinder.....	7, 9, 11, 30
25654	Angled Abutment EV Temporary Cylinder.....	7, 9, 11, 30
25655	Angled Abutment EV Burnout Cylinder.....	7, 9, 11, 30
25656	Lab Bridge Screw EV – M1.8.....	5, 7, 9, 11, 13, 29, 45

25657	Locator™ Abutment EV 3.6 – 1 mm	6, 31
25658	Locator™ Abutment EV 3.6 – 2 mm	6, 31
25659	Locator™ Abutment EV 3.6 – 3 mm	6, 31
25660	Locator™ Abutment EV 3.6 – 4 mm	6, 31
25661	Locator™ Abutment EV 3.6 – 5 mm	6, 31
25662	Locator™ Abutment EV 4.2 – 1 mm	8, 31
25663	Locator™ Abutment EV 4.2 – 2 mm	8, 31
25664	Locator™ Abutment EV 4.2 – 3 mm	8, 31
25665	Locator™ Abutment EV 4.2 – 4 mm	8, 31
25666	Locator™ Abutment EV 4.2 – 5 mm	8, 31
25667	Locator™ Abutment EV 4.8 – 1 mm	10, 31
25668	Locator™ Abutment EV 4.8 – 2 mm	10, 31
25669	Locator™ Abutment EV 4.8 – 3 mm	10, 31
25670	Locator™ Abutment EV 4.8 – 4 mm	10, 31
25671	Locator™ Abutment EV 4.8 – 5 mm	10, 31
25679	Locator™ Insert Grey	7, 9, 11, 32
25684	Ball Abutment EV 3.6 – 1 mm	6, 32
25685	Ball Abutment EV 3.6 – 2 mm	6, 32
25686	Ball Abutment EV 3.6 – 3 mm	6, 32
25687	Ball Abutment EV 3.6 – 4 mm	6, 32
25688	Ball Abutment EV 3.6 – 5 mm	6, 32
25689	Ball Abutment EV 3.6 – 7 mm	6, 32
25690	Ball Abutment EV 4.2 – 1 mm	8, 32
25691	Ball Abutment EV 4.2 – 2 mm	8, 32
25692	Ball Abutment EV 4.2 – 3 mm	8, 32
25693	Ball Abutment EV 4.2 – 4 mm	8, 32
25694	Ball Abutment EV 4.2 – 5 mm	8, 32
25695	Ball Abutment EV 4.2 – 7 mm	8, 32
25696	Ball Abutment EV 4.8 – 1 mm	10, 32
25697	Ball Abutment EV 4.8 – 2 mm	10, 32
25698	Ball Abutment EV 4.8 – 3 mm	10, 32
25699	Ball Abutment EV 4.8 – 4 mm	10, 32
25700	Ball Abutment EV 4.8 – 5 mm	10, 32
25701	Ball Abutment EV 4.8 – 7 mm	10, 32
25708	Uni Driver EV	29, 43
25710	Implant Depth Gauge EV	40
25711	Mucosal Punch EV Ø 3.5	41
25712	Mucosal Punch EV Ø 4	41
25713	Mucosal Punch EV Ø 4.5	41
25714	Mucosal Punch EV Ø 5	41
25715	Mucosal Punch EV Ø 5.5	41
25721	Large Tray EV, Overlay 1	35
25722	Large Tray EV, Overlay 2	35
25723	Large Tray EV, Overlay 3	35
25726	Abutment Depth Gauge EV 5.4	44
25727	Hex Driver EV Machine Intermediate, 24 mm	41, 43
25728	Hex Driver EV Machine Long, 35 mm	41, 43
25730	Torque Wrench EV Restorative Driver Handle 4x4 Low	44
25731	Mucosal Punch EV Ø 6.5	41
25764	Direct Driver EV Ø3.3 Ø4	26, 43
25765	Direction Indicator EV	40
25766	Locator™ Driver EV	31, 43
25768	Ball Abutment Driver EV	33, 43
25769	Large Tray EV	35
25771	Hex Driver EV Manual Short, 20 mm	41, 43
25772	Hex Driver EV Manual Intermediate, 31 mm	41, 43
25773	Hex Driver EV Manual Long, 38 mm	41, 43
25774	Torque Wrench EV	41, 44
25775	Torque Wrench EV Surgical Driver Handle	41
25776	Torque Wrench EV Restorative Driver Handle	44
25777	Torque Wrench EV Restorative Driver Handle Low	44
25778	Polishing Protector Uni EV	45
25780	V – Twist Drill EV Ø 2.5, 6–17 mm	39
25781	V – Twist Drill EV Ø 3.1, 6–17 mm	39
25782	V – Twist Drill EV Ø 3.7, 6–17 mm	39
25783	V – Twist Drill EV Ø 4.3, 6–17 mm	39
25784	V – Twist Drill EV Ø 4.9, 6–17 mm	39
25790	Hex Driver EV Machine Short, 20 mm	41, 43
25792	Abutment Depth Gauge EV 3.0/3.6	44
25793	Abutment Depth Gauge EV 4.2/4.8	44
25795	HealDesign™ EV 3.0 Ø 3.5 – 6.5 mm	4, 18
25796	HealDesign™ EV 3.6 Ø 4 – 6.5 mm	6, 18
25797	HealDesign™ EV 4.2 Ø 5 – 6.5 mm	8, 18
25798	HealDesign™ EV 4.8 Ø 6.5 – 6.5 mm	10, 18
25799	HealDesign™ EV 5.4 Ø 6.5 – 6.5 mm	12, 18
25826	Ball Abutment EV Replica	7, 9, 11, 33
25827	Dalbo Plus Duplicating Aid	6, 8, 10, 33
25834	Dalbo Plus Female Part TE Basic, complete	7, 9, 11, 33
25835	Dalbo Plus Screwdriver / Activator	33, 43
25843	Locator™ Insert Orange	7, 9, 11, 32
25844	Dalbo Plus Lamellae retention Insert E	7, 9, 11, 33
68108	Suction tube Medena	42
68118	Suction tube Medena	42
68130	Suction tube Medena	42

## Alphabetical order

25163	1 – Twist Drill EV Ø 1.9, 6–13 mm	36
25162	1 – Twist Drill EV Ø 1.9, 6–17 mm	36
25165	2 – Step Drill EV Ø 1.9/2.5, 6–13 mm	36
25164	2 – Step Drill EV Ø 1.9/2.5, 6–17 mm	36
25169	3 – Step Drill EV Ø 2.5/3.1, 6–13 mm	36
25168	3 – Step Drill EV Ø 2.5/3.1, 6–17 mm	36
25173	4 – Step Drill EV Ø 3.1/3.7, 6–13 mm	36
25172	4 – Step Drill EV Ø 3.1/3.7, 6–17 mm	36
25177	5 – Step Drill EV Ø 3.7/4.3, 6–13 mm	36
25176	5 – Step Drill EV Ø 3.7/4.3, 6–17 mm	36
25181	6 – Step Drill EV Ø 4.3/4.9, 6–13 mm	36
25180	6 – Step Drill EV Ø 4.3/4.9, 6–17 mm	36
25423	A – Cortical Drill EV Ø 2.5/2.7	37
25488	A – Cortical Drill EV Ø 3.1/3.3	37
25490	A – Cortical Drill EV Ø 3.7/3.9	37
25492	A – Cortical Drill EV Ø 4.3/4.5	37
25431	A – Cortical Drill EV Ø 4.9/5.1	37
25487	A 6 mm – Cortical Drill EV Ø 3.1/3.3	37
25412	A 6 mm – Cortical Drill EV Ø 3.7/3.9	37
25420	A 6 mm – Cortical Drill EV Ø 4.3/4.5	37
25422	A 6 mm – Cortical Drill EV Ø 4.9/5.1	37
25188	A/B – Conical Drill EV Ø 3.1/4.2	38
25190	A/B – Conical Drill EV Ø 3.7/4.8	38
25792	Abutment Depth Gauge EV 3.0/3.6	44
25793	Abutment Depth Gauge EV 4.2/4.8	44
25726	Abutment Depth Gauge EV 5.4	44
25203	Abutment Screw EV 3.0	21
25204	Abutment Screw EV 3.6	21
25205	Abutment Screw EV 4.2	21
25206	Abutment Screw EV 4.8	21
25207	Abutment Screw EV 5.4	21
25619	Angled Abutment EV 3.6 20° – 1 mm	6, 30
25621	Angled Abutment EV 3.6 20° – 1 mm NI	6, 30
25620	Angled Abutment EV 3.6 20° – 2 mm	6, 30
25622	Angled Abutment EV 3.6 20° – 2 mm NI	6, 30
25625	Angled Abutment EV 4.2 20° – 1 mm	8, 30
25627	Angled Abutment EV 4.2 20° – 1 mm NI	8, 30
25626	Angled Abutment EV 4.2 20° – 2 mm	8, 30
25628	Angled Abutment EV 4.2 20° – 2 mm NI	8, 30
25631	Angled Abutment EV 4.8 20° – 1 mm	10, 30
25633	Angled Abutment EV 4.8 20° – 1 mm NI	10, 30
25632	Angled Abutment EV 4.8 20° – 2 mm	10, 30
25634	Angled Abutment EV 4.8 20° – 2 mm NI	10, 30
25655	Angled Abutment EV Burnout Cylinder	7, 9, 11, 30
25650	Angled Abutment EV Heal Cap	6, 8, 10, 30
25651	Angled Abutment EV Pick-Up	6, 8, 10, 30
25652	Angled Abutment EV Replica	6, 8, 10, 30
25653	Angled Abutment EV Semi-Burnout Cylinder	7, 9, 11, 30
25654	Angled Abutment EV Temporary Cylinder	7, 9, 11, 30
25193	B – Cortical Drill EV Ø 2.5/3.0	37
25195	B – Cortical Drill EV Ø 3.1/3.6	37
25197	B – Cortical Drill EV Ø 3.7/4.2	37
25199	B – Cortical Drill EV Ø 4.3/4.8	37
25201	B – Cortical Drill EV Ø 4.9/5.4	37
25411	B 6 mm – Cortical Drill EV Ø 3.1/3.6	38
25419	B 6 mm – Cortical Drill EV Ø 3.7/4.2	38
25421	B 6 mm – Cortical Drill EV Ø 4.3/4.8	38
25424	B 6 mm – Cortical Drill EV Ø 4.9/5.4	38
25768	Ball Abutment Driver EV	33, 43
25684	Ball Abutment EV 3.6 – 1 mm	6, 32
25685	Ball Abutment EV 3.6 – 2 mm	6, 32
25686	Ball Abutment EV 3.6 – 3 mm	6, 32
25687	Ball Abutment EV 3.6 – 4 mm	6, 32
25688	Ball Abutment EV 3.6 – 5 mm	6, 32
25689	Ball Abutment EV 3.6 – 7 mm	6, 32
25690	Ball Abutment EV 4.2 – 1 mm	8, 32
25691	Ball Abutment EV 4.2 – 2 mm	8, 32
25692	Ball Abutment EV 4.2 – 3 mm	8, 32
25693	Ball Abutment EV 4.2 – 4 mm	8, 32
25694	Ball Abutment EV 4.2 – 5 mm	8, 32
25695	Ball Abutment EV 4.2 – 7 mm	8, 32
25696	Ball Abutment EV 4.8 – 1 mm	10, 32
25697	Ball Abutment EV 4.8 – 2 mm	10, 32
25698	Ball Abutment EV 4.8 – 3 mm	10, 32
25699	Ball Abutment EV 4.8 – 4 mm	10, 32
25700	Ball Abutment EV 4.8 – 5 mm	10, 32
25701	Ball Abutment EV 4.8 – 7 mm	10, 32
25826	Ball Abutment EV Replica	7, 9, 11, 33
22179	BoneTrap	42
25481	Bridge Screw EV – M1.8	5, 7, 9, 11, 13, 29, 45
25326	CastiDesign™ EV 3.6	6, 23

REF		page
25327	CastDesign™ EV 4.2	8, 23
25328	CastDesign™ EV 4.8	10, 23
25329	CastDesign™ EV 5.4	12, 23
24350	Contra Angle W&H WI-75 E/KM	42
22903	Contra Angle W&H WS-75 E/KM AE	42
25280	Cover Screw EV 3.0	4, 17
25281	Cover Screw EV 3.6 – 0 mm	6, 17
25282	Cover Screw EV 4.2 – 0 mm	8, 17
25283	Cover Screw EV 4.8 – 0 mm	10, 17
25284	Cover Screw EV 5.4 – 0 mm	12, 17
25827	Dalbo Plus Duplicating Aid	6, 8, 10, 33
25834	Dalbo Plus Female Part TE Basic, complete	7, 9, 11, 33
25844	Dalbo Plus Lamellae retention Insert E	7, 9, 11, 33
25835	Dalbo Plus Screwdriver / Activator	33, 43
25361	Direct Abutment™ EV 3.0 Ø 3.3 – 1 mm	5, 26
25362	Direct Abutment™ EV 3.0 Ø 3.3 – 2 mm	5, 26
25363	Direct Abutment™ EV 3.0 Ø 3.3 – 3 mm	5, 26
25364	Direct Abutment™ EV 3.6 Ø 4 – 1 mm	7, 26
25365	Direct Abutment™ EV 3.6 Ø 4 – 2 mm	7, 26
25366	Direct Abutment™ EV 3.6 Ø 4 – 3 mm	7, 26
25367	Direct Abutment™ EV 4.2 Ø 5 – 1 mm	9, 26
25368	Direct Abutment™ EV 4.2 Ø 5 – 2 mm	9, 26
25369	Direct Abutment™ EV 4.2 Ø 5 – 3 mm	9, 26
25494	Direct Abutment™ EV 4.2 Ø 6 – 1 mm	9, 26
25495	Direct Abutment™ EV 4.2 Ø 6 – 2 mm	9, 26
25496	Direct Abutment™ EV 4.2 Ø 6 – 3 mm	9, 26
25370	Direct Abutment™ EV 4.8 Ø 5 – 1 mm	11, 26
25371	Direct Abutment™ EV 4.8 Ø 5 – 2 mm	11, 26
25372	Direct Abutment™ EV 4.8 Ø 5 – 3 mm	11, 26
25497	Direct Abutment™ EV 4.8 Ø 6 – 1 mm	11, 26
25498	Direct Abutment™ EV 4.8 Ø 6 – 2 mm	11, 26
25499	Direct Abutment™ EV 4.8 Ø 6 – 3 mm	11, 26
25373	Direct Abutment™ EV 5.4 Ø 6 – 1 mm	13, 26
25374	Direct Abutment™ EV 5.4 Ø 6 – 2 mm	13, 26
25375	Direct Abutment™ EV 5.4 Ø 6 – 3 mm	13, 26
25406	Direct Abutment™ EV Burnout Cap 3.3	27
25407	Direct Abutment™ EV Burnout Cap 4	27
25408	Direct Abutment™ EV Burnout Cap 5	27
25409	Direct Abutment™ EV Burnout Cap 6	27
25310	Direct Abutment™ EV Heal Cap 3.3	27
25311	Direct Abutment™ EV Heal Cap 4	27
25312	Direct Abutment™ EV Heal Cap 5	27
25313	Direct Abutment™ EV Heal Cap 6	27
25396	Direct Abutment™ EV Pick-Up 3.3	27
25397	Direct Abutment™ EV Pick-Up 4	27
25398	Direct Abutment™ EV Pick-Up 5	27
25399	Direct Abutment™ EV Pick-Up 6	27
25401	Direct Abutment™ EV Replica 3.3	27
25402	Direct Abutment™ EV Replica 4	27
25403	Direct Abutment™ EV Replica 5	27
25404	Direct Abutment™ EV Replica 6	27
25764	Direct Driver EV Ø3.3 Ø4	26, 43
25346	Direct EV API™ Ø 3.3	5, 27
25347	Direct EV API™ Ø 4	7, 27
25348	Direct EV API™ Ø 5	9, 11, 27
25349	Direct EV API™ Ø 6	9, 11, 13, 27
25765	Direction Indicator EV	40
22176	Disposable Irrigation Set	42
25202	Drill Extention EV	40
22437	Forceps – 94 mm	40
22740	Grinding Handle	45
25160	Guide Drill EV	36
25298	HealDesign™ EV 3.0 Ø 3.5 – 3.5 mm	4, 18
25297	HealDesign™ EV 3.0 Ø 3.5 – 4.5 mm	4, 18
25795	HealDesign™ EV 3.0 Ø 3.5 – 6.5 mm	4, 18
25300	HealDesign™ EV 3.6 Ø 4 – 3.5 mm	6, 18
25299	HealDesign™ EV 3.6 Ø 4 – 4.5 mm	6, 18
25796	HealDesign™ EV 3.6 Ø 4 – 6.5 mm	6, 18
25301	HealDesign™ EV 3.6 Ø 5 – 3.5 mm Triangular	6, 18
25501	HealDesign™ EV 4.2 Ø 5 – 3.5 mm	8, 18
25303	HealDesign™ EV 4.2 Ø 5 – 3.5 mm Triangular	8, 18
25302	HealDesign™ EV 4.2 Ø 5 – 4.5 mm	8, 18
25797	HealDesign™ EV 4.2 Ø 5 – 6.5 mm	8, 18
25304	HealDesign™ EV 4.2 Ø 6.5 – 3.5 mm Triangular	8, 18
25502	HealDesign™ EV 4.8 Ø 5 – 3.5 mm	10, 18
25305	HealDesign™ EV 4.8 Ø 5 – 3.5 mm Triangular	10, 18
25307	HealDesign™ EV 4.8 Ø 6.5 – 3.5 mm Triangular	10, 18
25306	HealDesign™ EV 4.8 Ø 6.5 – 4.5 mm	10, 18
25798	HealDesign™ EV 4.8 Ø 6.5 – 6.5 mm	10, 18
25309	HealDesign™ EV 5.4 Ø 6.5 – 3.5 mm	12, 18
25308	HealDesign™ EV 5.4 Ø 6.5 – 4.5 mm	12, 18
25799	HealDesign™ EV 5.4 Ø 6.5 – 6.5 mm	12, 18
25574	Healing Uni EV 3.0 – 2 mm	4, 19
25575	Healing Uni EV 3.0 – 3 mm	4, 19

REF		page
25576	Healing Uni EV 3.0 – 4 mm	4, 19
25577	Healing Uni EV 3.0 – 6 mm	4, 19
25285	Healing Uni EV 3.6 – 2 mm/Ø 4	6, 19
25578	Healing Uni EV 3.6 – 3 mm/Ø 4	6, 19
25286	Healing Uni EV 3.6 – 4 mm/Ø 4	6, 19
25287	Healing Uni EV 3.6 – 6 mm/Ø 4	6, 19
25288	Healing Uni EV 4.2 – 2 mm/Ø 4	8, 19
25579	Healing Uni EV 4.2 – 3 mm/Ø 4	8, 19
25289	Healing Uni EV 4.2 – 4 mm/Ø 4	8, 19
25290	Healing Uni EV 4.2 – 6 mm/Ø 4	8, 19
25291	Healing Uni EV 4.8 – 2 mm/Ø 4.3	10, 19
25580	Healing Uni EV 4.8 – 3 mm/Ø 4.3	10, 19
25292	Healing Uni EV 4.8 – 4 mm/Ø 4.3	10, 19
25293	Healing Uni EV 4.8 – 6 mm/Ø 4.3	10, 19
25294	Healing Uni EV 5.4 – 2 mm/Ø 4.8	12, 19
25581	Healing Uni EV 5.4 – 3 mm/Ø 4.8	12, 19
25295	Healing Uni EV 5.4 – 4 mm/Ø 4.8	12, 19
25296	Healing Uni EV 5.4 – 6 mm/Ø 4.8	12, 19
25727	Hex Driver EV Machine Intermediate, 24 mm	41, 43
25728	Hex Driver EV Machine Long, 35 mm	41, 43
25790	Hex Driver EV Machine Short, 20 mm	41, 43
25772	Hex Driver EV Manual Intermediate, 31 mm	41, 43
25773	Hex Driver EV Manual Long, 38 mm	41, 43
25771	Hex Driver EV Manual Short, 20 mm	41, 43
25710	Implant Depth Gauge EV	40
25377	Implant Driver EV 3.0 Long	40
25379	Implant Driver EV 3.6 Long	40
25378	Implant Driver EV 3.6 Short	40
25381	Implant Driver EV 4.2 Long	40
25380	Implant Driver EV 4.2 Short	40
25383	Implant Driver EV 4.8 Long	40
25382	Implant Driver EV 4.8 Short	40
25385	Implant Driver EV 5.4 Long	40
25384	Implant Driver EV 5.4 Short	40
25523	Implant Pick-Up Design EV 3.0	5, 24
25524	Implant Pick-Up Design EV 3.6	7, 24
25525	Implant Pick-Up Design EV 4.2	9, 24
25526	Implant Pick-Up Design EV 4.8	11, 24
25527	Implant Pick-Up Design EV 5.4	13, 24
25513	Implant Pick-Up EV 3.0 Long	5, 24
25515	Implant Pick-Up EV 3.6 Long	7, 24
25516	Implant Pick-Up EV 3.6 Short	7, 24
25517	Implant Pick-Up EV 4.2 Long	9, 24
25518	Implant Pick-Up EV 4.2 Short	9, 24
25519	Implant Pick-Up EV 4.8 Long	11, 24
25520	Implant Pick-Up EV 4.8 Short	11, 24
25522	Implant Pick-Up EV 5.4 Short	13, 24
25543	Implant Replica EV 3.0	5, 25
25544	Implant Replica EV 3.6	7, 25
25545	Implant Replica EV 4.2	9, 25
25546	Implant Replica EV 4.8	11, 25
25547	Implant Replica EV 5.4	13, 25
25534	Implant Transfer EV 3.0 Long	5, 25
25536	Implant Transfer EV 3.6 Long	7, 25
25535	Implant Transfer EV 3.6 Short	7, 25
25538	Implant Transfer EV 4.2 Long	9, 25
25537	Implant Transfer EV 4.2 Short	9, 25
25540	Implant Transfer EV 4.8 Long	11, 25
25539	Implant Transfer EV 4.8 Short	11, 25
25542	Implant Transfer EV 5.4 Long	13, 25
25541	Implant Transfer EV 5.4 Short	13, 25
24360	Implant Unit SI-915, 115 V	42
24412	Implant Unit SI-923, 230 V	42
22177	Irrigation Tubing 2.2 m Sterile	42
25644	Lab Abutment Pin EV Intermediate	5, 7, 9, 11, 13, 29, 45
25645	Lab Abutment Pin EV Long	5, 7, 9, 11, 13, 29, 45
25643	Lab Abutment Pin EV Short	5, 7, 9, 11, 13, 29, 45
25476	Lab Abutment Screw EV 3.0	5, 25, 45
25477	Lab Abutment Screw EV 3.6 – M1.6	7, 25, 45
25478	Lab Abutment Screw EV 4.2 – M1.8	9, 25, 45
25479	Lab Abutment Screw EV 4.8 – M2	11, 25, 45
25480	Lab Abutment Screw EV 5.4 – M2	13, 25, 45
25656	Lab Bridge Screw EV – M1.8	5, 7, 9, 11, 13, 29, 45
25528	Lab Pin Design EV 3.0/3.6	5, 7, 25, 45
25530	Lab Pin Design EV 4.2/4.8/5.4	9, 11, 13, 25, 45
25769	Large Tray EV	35
25721	Large Tray EV, Overlay 1	35
25722	Large Tray EV, Overlay 2	35
25723	Large Tray EV, Overlay 3	35
24484	Locator Abutment Pick-up	6, 8, 10, 31
24485	Locator Abutment Replica	7, 9, 11, 31
24482	Locator Core Tool	31, 43
24488	Locator Insert Blue	7, 9, 11, 34
24486	Locator Insert Clear	7, 9, 11, 32

REF		page
24489	Locator Insert Green	7, 9, 11, 35
24487	Locator Insert Pink	7, 9, 11, 33
24492	Locator Insert Red	7, 9, 11, 36
24483	Locator Process Kit	7, 9, 11, 32
25657	Locator™ Abutment EV 3.6 – 1 mm	6, 31
25658	Locator™ Abutment EV 3.6 – 2 mm	6, 31
25659	Locator™ Abutment EV 3.6 – 3 mm	6, 31
25660	Locator™ Abutment EV 3.6 – 4 mm	6, 31
25661	Locator™ Abutment EV 3.6 – 5 mm	6, 31
25662	Locator™ Abutment EV 4.2 – 1 mm	8, 31
25663	Locator™ Abutment EV 4.2 – 2 mm	8, 31
25664	Locator™ Abutment EV 4.2 – 3 mm	8, 31
25665	Locator™ Abutment EV 4.2 – 4 mm	8, 31
25666	Locator™ Abutment EV 4.2 – 5 mm	8, 31
25667	Locator™ Abutment EV 4.8 – 1 mm	10, 31
25668	Locator™ Abutment EV 4.8 – 2 mm	10, 31
25669	Locator™ Abutment EV 4.8 – 3 mm	10, 31
25670	Locator™ Abutment EV 4.8 – 4 mm	10, 31
25671	Locator™ Abutment EV 4.8 – 5 mm	10, 31
25766	Locator™ Driver EV	31, 43
25679	Locator™ Insert Grey	7, 9, 11, 32
25843	Locator™ Insert Orange	7, 9, 11, 32
25711	Mucosal Punch EV Ø 3.5	41
25712	Mucosal Punch EV Ø 4	41
25713	Mucosal Punch EV Ø 4.5	41
25714	Mucosal Punch EV Ø 5	41
25715	Mucosal Punch EV Ø 5.5	41
25731	Mucosal Punch EV Ø 6.5	41
25638	OD Cylinder EV	7, 9, 11, 33
25214	OsseoSpeed™ EV 3.0 S – 11 mm	4, 16
25215	OsseoSpeed™ EV 3.0 S – 13 mm	4, 16
25216	OsseoSpeed™ EV 3.0 S – 15 mm	4, 16
25212	OsseoSpeed™ EV 3.0 S – 8 mm	4, 16
25213	OsseoSpeed™ EV 3.0 S – 9 mm	4, 16
25224	OsseoSpeed™ EV 3.6 S – 11 mm	6, 16
25225	OsseoSpeed™ EV 3.6 S – 13 mm	6, 16
25226	OsseoSpeed™ EV 3.6 S – 15 mm	6, 16
25227	OsseoSpeed™ EV 3.6 S – 17 mm	6, 16
25221	OsseoSpeed™ EV 3.6 S – 6 mm	6, 16
25222	OsseoSpeed™ EV 3.6 S – 8 mm	6, 16
25223	OsseoSpeed™ EV 3.6 S – 9 mm	6, 16
25264	OsseoSpeed™ EV 4.2 C – 11 mm	8, 16
25265	OsseoSpeed™ EV 4.2 C – 13 mm	8, 16
25266	OsseoSpeed™ EV 4.2 C – 15 mm	8, 16
25267	OsseoSpeed™ EV 4.2 C – 17 mm	8, 16
25262	OsseoSpeed™ EV 4.2 C – 8 mm	8, 16
25263	OsseoSpeed™ EV 4.2 C – 9 mm	8, 16
25234	OsseoSpeed™ EV 4.2 S – 11 mm	8, 16
25235	OsseoSpeed™ EV 4.2 S – 13 mm	8, 16
25236	OsseoSpeed™ EV 4.2 S – 15 mm	8, 16
25237	OsseoSpeed™ EV 4.2 S – 17 mm	8, 16
25231	OsseoSpeed™ EV 4.2 S – 6 mm	8, 16
25232	OsseoSpeed™ EV 4.2 S – 8 mm	8, 16
25233	OsseoSpeed™ EV 4.2 S – 9 mm	8, 16
25274	OsseoSpeed™ EV 4.8 C – 11 mm	10, 17
25275	OsseoSpeed™ EV 4.8 C – 13 mm	10, 17
25276	OsseoSpeed™ EV 4.8 C – 15 mm	10, 17
25277	OsseoSpeed™ EV 4.8 C – 17 mm	10, 17
25272	OsseoSpeed™ EV 4.8 C – 8 mm	10, 17
25273	OsseoSpeed™ EV 4.8 C – 9 mm	10, 17
25244	OsseoSpeed™ EV 4.8 S – 11 mm	10, 17
25245	OsseoSpeed™ EV 4.8 S – 13 mm	10, 17
25246	OsseoSpeed™ EV 4.8 S – 15 mm	10, 17
25247	OsseoSpeed™ EV 4.8 S – 17 mm	10, 17
25241	OsseoSpeed™ EV 4.8 S – 6 mm	10, 17
25242	OsseoSpeed™ EV 4.8 S – 8 mm	10, 17
25243	OsseoSpeed™ EV 4.8 S – 9 mm	10, 17
25254	OsseoSpeed™ EV 5.4 S – 11 mm	12, 17
25255	OsseoSpeed™ EV 5.4 S – 13 mm	12, 17
25256	OsseoSpeed™ EV 5.4 S – 15 mm	12, 17
25251	OsseoSpeed™ EV 5.4 S – 6 mm	12, 17
25252	OsseoSpeed™ EV 5.4 S – 8 mm	12, 17
25253	OsseoSpeed™ EV 5.4 S – 9 mm	12, 17
25778	Polishing Protector Uni EV	45
25161	Precision Drill EV	36
25500	Radiographic Implant Guides EV	42
22363	Rider, Round Bar	7, 9, 11, 33
22362	Round Bar	7, 9, 11, 33
68108	Suction tube Medena	42
68118	Suction tube Medena	42
68130	Suction tube Medena	42
25508	Temp Abutment EV 3.0	4, 21
25509	Temp Abutment EV 3.6	6, 21
25510	Temp Abutment EV 4.2	8, 21

REF		page
25511	Temp Abutment EV 4.8	10, 21
25512	Temp Abutment EV 5.4	12, 21
25503	TempDesign EV 3.0	4, 21
25504	TempDesign EV 3.6	6, 21
25505	TempDesign EV 4.2	8, 21
25506	TempDesign EV 4.8	10, 21
25507	TempDesign EV 5.4	12, 21
25332	TiDesign™ EV 3.0 15° Ø 4 – 1.5 mm	4, 22
25331	TiDesign™ EV 3.0 Ø 4 – 1.5 mm	4, 22
25330	TiDesign™ EV 3.0 Ø 4 – 2.5 mm	4, 22
25335	TiDesign™ EV 3.6 20° Ø 4.5 – 1.5/2.5 mm	6, 22
25334	TiDesign™ EV 3.6 Ø 4.5 – 2.5/3.5 mm	6, 22
25333	TiDesign™ EV 3.6 Ø 5.5 – 1.5/2.5 mm Triangular	6, 22
25339	TiDesign™ EV 4.2 20° Ø 5.5 – 1.5/2.5 mm	8, 22
25336	TiDesign™ EV 4.2 Ø 5.5 – 1.5/2.5 mm Triangular	8, 22
25338	TiDesign™ EV 4.2 Ø 5.5 – 2.5/3.5 mm	8, 22
25337	TiDesign™ EV 4.2 Ø 7 – 1.5/2.5 mm Triangular	8, 22
25343	TiDesign™ EV 4.8 20° Ø 5.5 – 1.5/2.5 mm	10, 22
25340	TiDesign™ EV 4.8 Ø 5.5 – 1.5/2.5 mm Triangular	10, 22
25341	TiDesign™ EV 4.8 Ø 7 – 1.5/2.5 mm Triangular	10, 22
25342	TiDesign™ EV 4.8 Ø 7 – 2.5/3.5 mm	10, 22
25345	TiDesign™ EV 5.4 Ø 7 – 1.5/2.5 mm	12, 22
25344	TiDesign™ EV 5.4 Ø 7 – 2.5/3.5 mm	12, 22
22137	Titanium Bowl	40
25774	Torque Wrench EV	41, 44
25776	Torque Wrench EV Restorative Driver Handle	44
25730	Torque Wrench EV Restorative Driver Handle 4x4 Low	44
25777	Torque Wrench EV Restorative Driver Handle Low	44
25775	Torque Wrench EV Surgical Driver Handle	41
25555	Uni Abutment EV 3.0 – 2 mm	4, 28
25556	Uni Abutment EV 3.0 – 3 mm	4, 28
25557	Uni Abutment EV 3.0 – 5 mm	4, 28
25558	Uni Abutment EV 3.6 – 1 mm	6, 28
25559	Uni Abutment EV 3.6 – 2 mm	6, 28
25560	Uni Abutment EV 3.6 – 3 mm	6, 28
25561	Uni Abutment EV 3.6 – 5 mm	6, 28
25562	Uni Abutment EV 4.2 – 1 mm	8, 28
25563	Uni Abutment EV 4.2 – 2 mm	8, 28
25564	Uni Abutment EV 4.2 – 3 mm	8, 28
25565	Uni Abutment EV 4.2 – 5 mm	8, 28
25566	Uni Abutment EV 4.8 – 1 mm	10, 28
25567	Uni Abutment EV 4.8 – 2 mm	10, 28
25568	Uni Abutment EV 4.8 – 3 mm	10, 28
25569	Uni Abutment EV 4.8 – 5 mm	10, 28
25570	Uni Abutment EV 5.4 – 1 mm	12, 28
25571	Uni Abutment EV 5.4 – 2 mm	12, 28
25572	Uni Abutment EV 5.4 – 3 mm	12, 28
25573	Uni Abutment EV 5.4 – 5 mm	12, 28
25649	Uni Abutment EV Burnout Cylinder	5, 7, 9, 11, 13, 29
25616	Uni Abutment EV Heal Cap Ø 4.3 – 4.5 mm	4, 6, 8, 10, 12, 29
25617	Uni Abutment EV Heal Cap Ø 5.5 – 4.5 mm	4, 6, 8, 10, 12, 29
25641	Uni Abutment EV Pick-Up Ø 4.3	4, 6, 8, 10, 12, 29
25642	Uni Abutment EV Pick-Up Ø 5.5	4, 6, 8, 10, 12, 29
25615	Uni Abutment EV Replica	5, 7, 9, 11, 13, 29
25647	Uni Abutment EV Semi-Burnout Cylinder	5, 7, 9, 11, 13, 29
25648	Uni Abutment EV Temporary Cylinder	5, 7, 9, 11, 13, 29
25646	Uni Abutment EV Transfer	5, 7, 9, 11, 13, 29
25708	Uni Driver EV	29, 43
25780	V – Twist Drill EV Ø 2.5, 6–17 mm	39
25781	V – Twist Drill EV Ø 3.1, 6–17 mm	39
25782	V – Twist Drill EV Ø 3.7, 6–17 mm	39
25783	V – Twist Drill EV Ø 4.3, 6–17 mm	39
25784	V – Twist Drill EV Ø 4.9, 6–17 mm	39
25482	X – Step Drill EV Ø 2.5/2.85, 6–13 mm	39
25483	X – Step Drill EV Ø 3.1/3.45, 6–13 mm	39
25484	X – Step Drill EV Ø 3.7/4.05, 6–13 mm	39
25485	X – Step Drill EV Ø 4.3/4.65, 6–13 mm	39
25486	X – Step Drill EV Ø 4.9/5.25, 6–13 mm	39
25317	ZirDesign™ EV 3.6 20° Ø 4.5 – 1.5 mm	6, 23
25316	ZirDesign™ EV 3.6 Ø 4.5 – 2.5 mm	6, 23
25315	ZirDesign™ EV 3.6 Ø 5.5 – 1.5 mm Triangular	6, 23
25321	ZirDesign™ EV 4.2 20° Ø 5.5 – 1.5 mm	8, 23
25318	ZirDesign™ EV 4.2 Ø 5.5 – 1.5 mm Triangular	8, 23
25320	ZirDesign™ EV 4.2 Ø 5.5 – 2.5 mm	8, 23
25319	ZirDesign™ EV 4.2 Ø 7 – 1.5 mm Triangular	8, 23
25325	ZirDesign™ EV 4.8 20° Ø 5.5 – 1.5 mm	10, 23
25322	ZirDesign™ EV 4.8 Ø 5.5 – 1.5 mm Triangular	10, 23
25323	ZirDesign™ EV 4.8 Ø 7 – 1.5 mm Triangular	10, 23
25324	ZirDesign™ EV 4.8 Ø 7 – 2.5 mm	10, 23

## Torque guide for ASTRA TECH Implant System™ EV

Installation procedures	Recommended torque
Implant installation	≤45 Ncm
Healing components	Manual/light finger force (5–10 Ncm)
Temporary restoration on all levels	15 Ncm
Final restoration on implant level	25 Ncm
Final restoration on abutment level	15 Ncm

## Explanation of the symbols on labels and instructions for use

Symbol	Text
--------	------



Date of manufacture.



Expire date.



Sterilized using irradiation.



**Caution:** Federal (USA) law restrict this product to sale by or on a order of a dentist.



Single use



Do not re-sterilize



GOST is the valid quality certification system in Russian Federation.

Symbol	Text
--------	------



ASTRA TECH Implant System™ products carry the CE mark and fulfill the requirements of the medical devices directive.



Do not use if package is damaged

Do not use if package is damaged.



Consult instructions for use

Consult instructions for use.



LOT/BATCH number.



Article number.



Contains article number (GTIN number), lot number and quantity.



#### **About DENTSPLY Implants**

DENTSPLY Implants offers comprehensive solutions for all phases of implant therapy, including ANKYLOS®, ASTRA TECH Implant System™ and XiVE® implant lines, digital technologies, such as ATLANTIS™ patient-specific CAD/CAM solutions and SIMPLANT® guided surgery, SYMBIOS® regenerative solutions, and professional development programs. DENTSPLY Implants creates value for dental professionals and allows for predictable and lasting implant treatment outcomes, resulting in enhanced quality of life for patients.

#### **About DENTSPLY International**

DENTSPLY International Inc. is a leading manufacturer and distributor of dental and other healthcare products. For over 110 years, DENTSPLY's commitment to innovation and professional collaboration has enhanced its portfolio of branded consumables and small equipment. Headquartered in the United States, the Company has global operations with sales in more than 120 countries.

[www.dentsplyimplants.com](http://www.dentsplyimplants.com)

