Dentsply Sirona Implants Publications list

A reference list of 3000 original articles on Dentsply Sirona Implant products that are published in peer reviewed scientific journals.

Table of Contents

Dentsply Sirona Implants Publications list 1
Implant systems 2
Ankylos 2
Astra Tech Implant System 40
Astra Tech Implant System EV 146
Xive 160
Digital implant solutions 189
Atlantis 189
Simplant 206
Primescan 235
Regenerative solutions 239
Symbios OSSIX 239
Symbios other products and instruments 251

Implant systems

Ankylos

1. Abboud M, Koeck B, Stark H, et al. Immediate loading of single-tooth implants in the posterior region. Int J Oral Maxillofac Implants 2005;20(1):61-8. Abstract

2. Abboud M, Wahl G, Calvo-Guirado JL, Orentlicher G. Application and success of two stereolithographic surgical guide systems for implant placement with immediate loading. Int J Oral Maxillofac Implants 2012;27(3):634-43. Abstract

3. Ahmad R, Abu-Hassan MI, Chen J, et al. The relationship of mandibular morphology with residual ridge resorption associated with implant-retained overdentures. Int J Prosthodont 2016;29(6):573-80. Abstract

4. Ahmad R, Abu-Hassan MI, Li Q, Swain MV. Three dimensional quantification of mandibular bone remodeling using standard tessellation language registration based superimposition. Clin Oral Implants Res 2013;24(11):1273-9. Abstract

5. Ahmad R, Chen J, Abu-Hassan MI, et al. Investigation of mucosa-induced residual ridge resorption under implant-retained overdentures and complete dentures in the mandible. Int J Oral Maxillofac Implants 2015;30(3):657-66. Abstract

6. Ahuja V, Padndey A. Placement of immediate dental implant in the anterior maxilla: A case report. Guident Implant 2019;12(11):14-16.

7. Al-Chalabi ZS, Tuna SH. The effect of thermomechanical aging on the retention of a conometric system in a chewing simulator. J Prosthodont 2023;32(9):838-45. Abstract

8. Al-Fakeh H, Sharhan HM, Ziyad TA, et al. Three-dimensional radiographic assessment of bone changes around posterior dental implants at native bone site in Gansu Province, Northwest of China: A retrospective cohort study. J Stomatol Oral Maxillofac Surg 2022;123(4):e186-e91. Abstract

9. Al-Hashedi AA, Taiyeb-Ali TB, Yunus N. Outcomes of placing short implants in the posterior mandible: A preliminary randomized controlled trial. Aust Dent J 2016;61(2):208-18. Abstract

10. Alberto Maria A, Lorenzo B, Federica P, et al. Mechanical and fatigue resistance of restorations supported by welded-framework and realized using computer-aided designed prosthetic shells: In vitro pilot study. Proc Inst Mech Eng H 2024;238(2):250-56. Abstract

11. Albiero AM, Benato R. Computer-assisted surgery and intraoral welding technique for immediate implant-supported rehabilitation of the edentulous maxilla: Case report and technical description. Int J Med Robot 2016;12(3):453-60. Abstract

12. Albiero AM, Benato R, Benato A, Degidi M. Use of intraoral welding to increase the predictability of immediately loaded computer-guided implants. Int J Periodontics Restorative Dent 2017;37(4):591-98. Abstract

13. Albiero AM, Benato R, Benato A, Degidi M. Guided-welded approach planning using digital scanning technology for combined screw- and conometric-retained implant-supported maxillary prosthesis. Int J Comput Dent 2020;23(4):325-33. Abstract

14. Albiero AM, Benato R, Fincato A. Immediately loaded intraorally welded complete-arch maxillary provisional prosthesis. Int J Periodontics Restorative Dent 2015;35(5):725-31. Abstract

15. Albiero AM, Benato R, Momic S, Degidi M. Implementation of computer-guided implant planning using digital scanning technology for restorations supported by conical abutments: A dental technique. J Prosthet Dent 2018;119(5):720-26. Abstract

16. Albiero AM, Bevilacqua L, Pegoraro F, et al. Mechanical and fatigue resistance of restorations supported by welded- framework and realized using computer-aided designed prosthetic shells: In vitro pilot study. Clin Oral Investig 2022;E-pub Jun 9, doi: 10.21203/rs.3.rs-1672384/v1:1-14. Abstract

17. Alhammadi SH, Burnside G, Milosevic A. Clinical outcomes of single implant supported crowns versus 3-unit implant-supported fixed dental prostheses in Dubai Health Authority: A retrospective study. BMC Oral Health 2021;21(1):171. Abstract

18. Aloise JP, Curcio R, Laporta MZ, et al. Microbial leakage through the implant-abutment interface of Morse taper implants in vitro. Clin Oral Implants Res 2010;21(3):328-35. Abstract

19. Alshubrmi H, Mousa MA, Taher IT, et al. Influences of Different Torques on the Size of the Microgap and Bacterial Leakage in Different Implant Systems: An In-vitro Study. Int J Prosthodont 2024;E-pub Mar 22doi:10.11607/ijp.8903(0):1-25. Abstract

20. Alsrouji MS, Ahmad R, Rajali A, et al. Mandibular implant-retained overdentures: Potential accelerator of bone loss in the anterior maxilla? J Prosthodont 2019;28(2):131-37. Abstract

21. Andrikopoulou E. Detecting bone changes along dental implants, after immediate or delayed loading, using digital subtraction on cropped panoramic radiographs. A prospective clinical trial with minimum 3-year follow up. J Osseointegration 2019;11(March):11-20. Abstract

22. Aoki M, Takanashi K, Matsukubo T, et al. Transmission of periodontopathic bacteria from natural teeth to implants. Clin Implant Dent Relat Res 2012;14(3):406-11. Abstract

23. Aparicio T, D. L. Using Compartis ISUS in conjunction with ANKYLOS. CAD/CAM technology increases predictability in implant prosthetics. Inside Dentistry 2011;7(5).

24. Arasawa M, Oda Y, Kobayashi T, et al. Evaluation of bone volume changes after sinus floor augmentation with autogenous bone grafts. Int J Oral Maxillofac Surg 2012;41(7):853-7. Abstract

25. Asim S, Khurseed H, Musheer U, Chandhio MH. A nation-wide survey of the selections made by dentists in Pakistan for dental implants and restorations. Int. Ann. Health. Sci 2024;1(1):4-17.

26. Assenza B, Tripodi D, Scarano A, et al. Bacterial leakage in implants with different implant-abutment connections: An in vitro study. J Periodontol 2012;83(4):491-7. Abstract

27. Atieh MA, Almutairi Z, Amir-Rad F, et al. A retrospective analysis of biological complications of dental implants. Int J Dent 2022;2022:1545748. Abstract

28. Baggi L, Cappelloni I, Di Girolamo M, et al. The influence of implant diameter and length on stress distribution of osseointegrated implants related to crestal bone geometry: A three-dimensional finite element analysis. J Prosthet Dent 2008;100(6):422-31. Abstract

29. Baggi L, Di Girolamo M, Mirisola C, Calcaterra R. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. Implant Dent 2013;22(4):344-50. Abstract

30. Baggi L, Pastore S, Di Girolamo M, Vairo G. Implant-bone load transfer mechanisms in complete-arch prostheses supported by four implants: A three-dimensional finite element approach. J Prosthet Dent 2013;109(1):9-21. Abstract

31. Baixe S, Fauxpoint G, Arntz Y, Etienne O. Microgap between zirconia abutments and titanium implants. Int J Oral Maxillofac Implants 2010;25(3):455-60. Abstract

32. Barros RR, Degidi M, Novaes AB, et al. Osteocyte density in the peri-implant bone of immediately loaded and submerged dental implants. J Periodontol 2009;80(3):499-504. Abstract

33. Baruffaldi A, Baruffaldi A, Baruffaldi M, et al. A suggested protocol to increase the accuracy of prosthetic phases in case of full-arch model-free fully guided computer-aided implant placement and immediate loading. Oral Maxillofac Surg 2020;24(3):343-51. Abstract

34. Benlidayi ME, Tatli U, Salimov F, et al. Comparison of autogenous and allograft bone rings in surgically created vertical bone defects around implants in a sheep model. Clin Oral Implants Res 2018;29(11):1155-62. Abstract

35. Bernard L, Vercruyssen M, Vanderveken J, et al. Randomized controlled trial comparing immediate loading with conventional loading using cone-anchored implant-supported screw-retained removable prostheses: A 2-year follow-up clinical trial. J Prosthet Dent 2019;121(2):258-64. Abstract

36. Bhatavadekar NB, Gharpure AS. The Graft Infusion Technique (GIT) for treatment of peri-implantitis defects: Case series. J Dent (Shiraz) 2021;22(4):296-303. Abstract

37. Block MS, Goldenberg BS. Preliminary results using a friction-fit crown to abutment connection. Int J Periodontics Restorative Dent 2021;41(2):217-24. Abstract

38. Block MS, Kaleem A. Use of sintered xenograft over allograft for ridge augmentation: Technique note. J Oral Maxillofac Surg 2014;72(3):496-502. Abstract

39. Blum K, Wiest W, Fella C, et al. Fatigue induced changes in conical implant-abutment connections. Dent Mater 2015;31(11):1415-26. Abstract

40. Bozkaya D, Muftu S, Muftu A. Evaluation of load transfer characteristics of five different implants in compact bone at different load levels by finite elements analysis. J Prosthet Dent 2004;92(6):523-30. Abstract

41. Brandtner C, Borumandi F, Krenkel C, Gaggl A. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. Int J Oral Maxillofac Implants 2014;29(5):1164-9. Abstract

42. Bressan E, Grusovin MG, D'Avenia F, et al. The influence of repeated abutment changes on peri-implant tissue stability: 3-year post-loading results from a multicentre randomised controlled trial. Eur J Oral Implantol 2017;10(4):373-90. Abstract

43. Bressan E, Lops D. Conometric retention for complete fixed prosthesis supported by four implants: 2-years prospective study. Clin Oral Implants Res 2014;25(5):546-52. Abstract

44. Bressan E, Sbricoli L, Guazzo R, et al. Five-year prospective study on conometric retention for complete fixed prostheses. Int J Oral Implantol (Berl) 2019;12(1):105-13. Abstract

45. Brozovic J, Demoli N, Farkas N, et al. Properties of axially loaded implant-abutment assemblies using digital holographic interferometry analysis. Dent Mater 2014;30(3):e17-27. Abstract

46. Bruckmoser E, Gruber R, Steinmassl O, et al. Crestal sinus floor augmentation using hydraulic pressure and vibrations: A retrospective single cohort study. Int J Oral Maxillofac Implants 2018;33(5):1149-54. Abstract

47. Budei DV, Vaireanu D-I, Prepelita P, et al. A comparative morphological study of titanium dioxide surface layer dental implants. Open Chemistry 2021;19(1):189-98. Abstract

48. Buitrago-Osuna A. Microleakage at implant-abutment interface in internal conical connection implants, an in-vitro study. J Oral Health Dent Sci 2019;3(1):1-6.

49. Butz F, Bachle M, Ofer M, et al. Sinus augmentation with bovine hydroxyapatite/synthetic peptide in a sodium hyaluronate carrier (PepGen P-15 Putty): A clinical investigation of different healing times. Int J Oral Maxillofac Implants 2011;26(6):1317-23. Abstract

50. Carbiner R, Jerjes W, Shakib K, et al. Analysis of the compatibility of dental implant systems in fibula free flap reconstruction. Head Neck Oncol 2012;4:37. Abstract

51. Cauduro FS, Silva DN, Oliveira RBd, et al. Single tooth morse taper implant placement and restoration immediately after extraction. RGO - Revista Gaúcha de Odontologia 2019;67. Abstract

52. Cepa S, Koller B, Spies BC, et al. Implant-retained prostheses: ball vs. conus attachments - A randomized controlled clinical trial. Clin Oral Implants Res 2017;28(2):177-85. Abstract

53. Cepa S, Koller B, Wolkewitz M, Kohal R. Implant-retained prostheses: ball vs. conus attachments - A randomized controlled clinical trial. Z Zahnärztl Impl 2011;27(4):320-33. Abstract

54. Chang HC, Chang CH, Li HY, Wang CH. Biomechanical analysis of the press-fit effect in a conical Morse taper implant system by using an in vitro experimental test and finite element analysis. J Prosthet Dent 2022;127(4):601-08. Abstract

55. Chang HC, Li HY, Chen YN, et al. Mechanical analysis of a dental implant system under 3 contact conditions and with 2 mechanical factors. J Prosthet Dent 2019;122(4):376-82. Abstract

56. Chang HH, Yeh CL, Wang YL, et al. Neutralized dicalcium phosphate and hydroxyapatite biphasic bioceramics promote bone regeneration in critical peri-implant bone defects. Materials (Basel) 2020;13(4). Abstract

57. Chen H, Gu T, Lai H, Gu X. Evaluation of hard tissue 3-dimensional stability around single implants placed with guided bone regeneration in the anterior maxilla: A 3-year retrospective study. J Prosthet Dent 2022;128(5):919-27. Abstract

58. Chen IC, Su CY, Tu JJ, et al. In vitro studies of factors affecting debridement of dental implants by tricalcium phosphate powder abrasive treatment. Sci Rep 2023;13(1):8271. Abstract

59. Cheng F-C, Wang C-Y, Chiang C-P. Removal of a fractured abutment screw within the implant body: A case report. Journal of Dental Sciences 2023;18(4):1945-47. Abstract

60. Chou CT, Morris HF, Ochi S, et al. AICRG, Part II: Crestal bone loss associated with the Ankylos implant: loading to 36 months. J Oral Implantol 2004;30(3):134-43. Abstract

61. Conserva E, Lanuti A, Menini M. Cell behavior related to implant surfaces with different microstructure and chemical composition: An in vitro analysis. Int J Oral Maxillofac Implants 2010;25(6):1099-107. Abstract

62. Conserva E, Menini M, Ravera G, Pera P. The role of surface implant treatments on the biological behavior of SaOS-2 osteoblast-like cells. An in vitro comparative study. Clin Oral Implants Res 2013;24(8):880-9. Abstract

63. Cosyn J, Vandenbulcke E, Browaeys H, et al. Factors associated with failure of surface-modified implants up to four years of function. Clin Implant Dent Relat Res 2012;14(3):347-58. Abstract

64. Crespi R, Cappare P, Gherlone E. Radiographic evaluation of marginal bone levels around platform-switched and non-platform-switched implants used in an immediate loading protocol. Int J Oral Maxillofac Implants 2009;24(5):920-6. Abstract

65. de Freitas AR, Del Rey YC, de Souza Santos E, et al. Microbial communities of titanium versus zirconia abutments on implant-supported restorations: Biodiversity composition and its impact on clinical parameters over a 3-year longitudinal prospective study. Clin Implant Dent Relat Res 2021;23(2):197-207. Abstract

66. de Oliveira RR, Novaes AB, Jr., Papalexiou V, et al. Influence of interimplant distance on papilla formation and bone resorption: A clinical-radiographic study in dogs. J Oral Implantol 2006;32(5):218-27. Abstract

67. de Oliveira RR, Novaes AB, Jr., Taba M, Jr., et al. Bone remodeling adjacent to Morse cone-connection implants with platform switch: A fluorescence study in the dog mandible. Int J Oral Maxillofac Implants 2009;24(2):257-66. Abstract

68. de Oliveira Silva TS, de Freitas AR, de Albuquerque RF, et al. A 3-year longitudinal prospective study assessing microbial profile and clinical outcomes of single-unit cement-retained implant restorations: Zirconia versus titanium abutments. Clin Implant Dent Relat Res 2020;22(3):301-10. Abstract

69. Debruyne S, Grognard N, Verleye G, et al. ISQ calculation evaluation of in vitro laser scanning vibrometry-captured resonance frequency. Int J Implant Dent 2017;3(1):44. Abstract

70. Degidi M, Daprile G, Nardi D, Piattelli A. Immediate provisionalization of implants placed in fresh extraction sockets using a definitive abutment: The chamber concept. Int J Periodontics Restorative Dent 2013;33(5):559-65. Abstract

71. Degidi M, Daprile G, Nardi D, Piattelli A. Buccal bone plate in immediately placed and restored implant with Bio-Oss(®) collagen graft: a 1-year follow-up study. Clin Oral Implants Res 2013;24(11):1201-5. Abstract

72. Degidi M, Daprile G, Piattelli A. Marginal bone loss around implants with platform-switched Morse-cone connection: A radiographic cross-sectional study. Clin Oral Implants Res 2017;28(9):1108-12. Abstract

73. Degidi M, Gehrke P, Spanel A, Piattelli A. Syncrystallization: A technique for temporization of immediately loaded implants with metal-reinforced acrylic resin restorations. Clin Implant Dent Relat Res 2006;8(3):123-34. Abstract

74. Degidi M, Iezzi G, Scarano A, Piattelli A. Immediately loaded titanium implant with a tissue-stabilizing/maintaining design ('beyond platform switch') retrieved from man after 4 weeks: A histological and histomorphometrical evaluation. A case report. Clin Oral Implants Res 2008;19(3):276-82. Abstract

75. Degidi M, Nardi D, Daprile G, Piattelli A. Nonremoval of immediate abutments in cases involving subcrestally placed postextractive tapered single implants: A randomized controlled clinical study. Clin Implant Dent Relat Res 2014;16(6):794-805. Abstract

76. Degidi M, Nardi D, Gianluca S, Piattelli A. The conometric concept: A 5-year follow-up of fixed partial monolithic zirconia restorations supported by cone-in-cone abutments. Int J Periodontics Restorative Dent 2018;38(3):363-71. Abstract

77. Degidi M, Nardi D, Piattelli A. Prospective study with a 2-year follow-up on immediate implant loading in the edentulous mandible with a definitive restoration using intra-oral welding. Clin Oral Implants Res 2010;21(4):379-85. Abstract

78. Degidi M, Nardi D, Piattelli A. One abutment at one time: Non-removal of an immediate abutment and its effect on bone healing around subcrestal tapered implants. Clin Oral Implants Res 2011;22(11):1303-7. Abstract

79. Degidi M, Nardi D, Piattelli A. The conometric concept: Coupling connection for immediately loaded titanium-reinforced provisional fixed partial dentures-A case series. Int J Periodontics Restorative Dent 2016;36(3):347-54. Abstract

80. Degidi M, Nardi D, Sighinolfi G, Degidi D. The conometric concept for the definitive rehabilitation of a single posterior implant by using a conical indexed abutment: A technique. J Prosthet Dent 2020;123(4):576-79. Abstract

81. Degidi M, Nardi D, Sighinolfi G, et al. The conometric concept: A two-year follow-up of fixed partial CEREC restorations supported by cone-In-cone abutments. J Prosthodont 2019;28(2):e780-e87. Abstract

82. Degidi M, Nardi D, Sighinolfi G, et al. Fixed partial restorations made of a new zirconia-reinforced lithium silicate material: A 2-year short-term report. Int J Prosthodont 2021;34(1):37-46. Abstract

83. Degidi M, Nardi D, Sighinolfi G, et al. The conometric concept: Definitive rehabilitation of a single posterior implant using a friction retention abutment. A 1-year follow-up report. Int J Prosthodont 2023;36(1):104-12. Abstract

84. Degidi M, Nardi D, Sighinolfi G, et al. In vitro infrared thermography assessment of temperature peaks during the intra-oral welding of titatium abutments. Infrared Phys Technol 2012;55:279-83.

85. Degidi M, Nardi D, Sighinolfi G, Piattelli A. Immediate rehabilitation of the edentulous mandible using Ankylos SynCone telescopic copings and intraoral welding: A pilot study. Int J Periodontics Restorative Dent 2012;32(6):e189-94. Abstract

86. Degidi M, Nardi D, Sighinolfi G, Piattelli A. The conometric concept: Definitive fixed lithium disilicate restorations supported by conical abutments. J Prosthodont 2018;27(7):605-10. Abstract

87. Degidi M, Perrotti V, Piattelli A, Iezzi G. Mineralized bone-implant contact and implant stability quotient in 16 human implants retrieved after early healing periods: A histologic and histomorphometric evaluation. Int J Oral Maxillofac Implants 2010;25(1):45-8. Abstract

88. Degidi M, Perrotti V, Shibli JA, et al. Equicrestal and subcrestal dental implants: A histologic and histomorphometric evaluation of nine retrieved human implants. J Periodontol 2011;82(5):708-15. Abstract

89. Degidi M, Perrotti V, Strocchi R, et al. Is insertion torque correlated to bone-implant contact percentage in the early healing period? A histological and histomorphometrical evaluation of 17 human-retrieved dental implants. Clin Oral Implants Res 2009;20(8):778-81. Abstract

90. Degidi M, Piattelli A, Carinci F. Immediate loaded dental implants: Comparison between fixtures inserted in postextractive and healed bone sites. J Craniofac Surg 2007;18(4):965-71. Abstract

91. Degidi M, Piattelli A, Carinci F. Clinical outcome of narrow diameter implants: A retrospective study of 510 implants. J Periodontol 2008;79(1):49-54. Abstract

92. Degidi M, Piattelli A, Gehrke P, et al. Five-year outcome of 111 immediate nonfunctional single restorations. J Oral Implantol 2006;32(6):277-85. Abstract

93. Degidi M, Piattelli A, Iezzi G, Carinci F. Wide-diameter implants: Analysis of clinical outcome of 304 fixtures. J Periodontol 2007;78(1):52-8. Abstract

94. Degidi M, Piattelli A, Iezzi G, Carinci F. Do longer implants improve clinical outcome in immediate loading? Int J Oral Maxillofac Surg 2007;36(12):1172-6. Abstract

95. Degidi M, Piattelli A, Iezzi G, Carinci F. Immediately loaded short implants: Analysis of a case series of 133 implants. Quintessence Int 2007;38(3):193-201. Abstract

96. Degidi M, Piattelli A, Scarano A, et al. Peri-implant collagen fibers around human cone Morse connection implants under polarized light: A report of three cases. Int J Periodontics Restorative Dent 2012;32(3):323-8. Abstract

97. Degidi M, Piattelli A, Shibli JA, et al. Early bone formation around immediately restored implants with and without occlusal contact: A human histologic and histomorphometric evaluation. Case report. Int J Oral Maxillofac Implants 2009;24(4):734-9. Abstract

98. Degidi M, Piattelli A, Shibli JA, et al. Bone formation around one-stage implants with a modified sandblasted and acid-etched surface: Human histologic results at 4 weeks. Int J Periodontics Restorative Dent 2009;29(6):607-13. Abstract

99. Degidi M, Piattelli A, Shibli JA, et al. Bone formation around immediately loaded and submerged dental implants with a modified sandblasted and acid-etched surface after 4 and 8 weeks: A human histologic and histomorphometric analysis. Int J Oral Maxillofac Implants 2009;24(5):896-901. Abstract

100. Degidi M, Scarano A, Piattelli M, Piattelli A. Histologic evaluation of an immediately loaded titanium implant retrieved from a human after 6 months in function. J Oral Implantol 2004;30(5):289-96. Abstract

101. Delben JA, Barao VA, Ferreira MB, et al. Influence of abutment-to-fixture design on reliability and failure mode of all-ceramic crown systems. Dent Mater 2014;30(4):408-16. Abstract

102. Deppe H, Ahrens M, Behr AV, et al. Thermal effect of a 445 nm diode laser on five dental implant systems: An in vitro study. Sci Rep 2021;11(1):20174. Abstract

103. Deppe H, Wolff C, Bauer F, et al. Dental implant surfaces after insertion in bone: An in vitro study in four commercial implant systems. Clin Oral Investig 2018;22(3):1593-600. Abstract

104. Desai H, Shetty M, Kalra R, Hegde R. Esthetic rehabilitation of a partially edentulous patient with implants and tooth-supported fixed prosthesis. Journal of Dental Implants 2019;9(2). Abstract

105. Dhaliwal JS, Albuquerque RF, Jr., Fakhry A, et al. Customized SmartPeg for measurement of resonance frequency of mini dental implants. Int J Implant Dent 2017;3(1):4. Abstract

106. Dhaliwal JS, Albuquerque RF, Jr., Murshed M, Feine JS. Osseointegration of standard and mini dental implants: A histomorphometric comparison. Int J Implant Dent 2017;3(1):15. Abstract

107. Dhaliwal JS, Marulanda J, Li J, et al. In vitro comparison of two titanium dental implant surface treatments: 3MESPE MDIs versus Ankylos(R). Int J Implant Dent 2017;3(1):27. Abstract

108. Dhatrak P, Girme V, Shirsat U, et al. Significance of orthotropic material models to predict stress around bone-implant interface using numerical simulation. Bio Nano Sci 2019;E-pub Jun 27, doi: 10.1007/s12668-019-00649-5. Abstract

109. Dhatrak P, Shirsat U, Sumanth S, Deshmukh V. Influence of cutting flutes on stress distribution for selected dental implants: Numerical studies. Materials Today: Proceedings 2021;38:2680-86. Abstract

110. Dias FJ, Fuentes R, Navarro P, et al. Assessment of the chemical composition in different dental implant types: An analysis through EDX system. Coatings 2020;10(9):882. Abstract

111. Ding Y, Zhou H, Zhang W, et al. Evaluation of a platform-switched Morse taper connection for all-on-four or six treatment in edentulous or terminal dentition treatment: A retrospective study with 1-8 years of follow-up. Clin Implant Dent Relat Res 2023;25(5):815-28. Abstract

112. Dittmer MP, Dittmer S, Borchers L, et al. Influence of the interface design on the yield force of the implant-abutment complex before and after cyclic mechanical loading. J Prosthodont Res 2012;56(1):19-24. Abstract

113. Dittmer S, Dittmer MP, Kohorst P, et al. Effect of implant-abutment connection design on load bearing capacity and failure mode of implants. J Prosthodont 2011;20(7):510-6. Abstract

114. Dohan Ehrenfest DM, Vazquez L, Park YJ, et al. Identification card and codification of the chemical and morphological characteristics of 14 dental implant surfaces. J Oral Implantol 2011;37(5):525-42. Abstract

115. Donovan R, Fetner A, Koutouzis T, Lundgren T. Crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: A 1-year radiographic evaluation. J Periodontol 2010;81(3):428-34. Abstract

116. Doring K, Eisenmann E, Stiller M. Functional and esthetic considerations for single-tooth Ankylos implant-crowns: 8 years of clinical performance. J Oral Implantol 2004;30(3):198-209. Abstract

117. Eccellente T, Piombino M, Piattelli A, et al. Immediate loading of dental implants in the edentulous maxilla. Quintessence Int 2011;42(4):281-9. Abstract

118. Eccellente T, Piombino M, Piattelli A, et al. A new treatment concept for immediate loading of implants inserted in the edentulous mandible. Quintessence Int 2010;41(6):489-95. Abstract

119. Eerdekens L, Schols M, Coelst L, et al. A 5-year prospective study on cone-anchored implants in the edentulous maxilla. Clin Implant Dent Relat Res 2015;17 Suppl 2:e621-32. Abstract

120. Eitner S, Schlegel A, Emeka N, et al. Comparing bar and double-crown attachments in implant-retained prosthetic reconstruction: A follow-up investigation. Clin Oral Implants Res 2008;19(5):530-7. Abstract

121. Elemek E, Urgancioglu A, Dincer J, Cilingir A. Does implant-abutment interface affect marginal bone levels around implants? Eur J Dent 2019;13(1):47-52. Abstract

122. Ellakwa A, Raj T, Deeb S, et al. Influence of implant abutment angulations on the fracture resistance of overlaying CAM-milled zirconia single crowns. Aust Dent J 2011;56(2):132-40. Abstract

123. Elshiyab SH, Nawafleh N, Ochsner A, George R. Fracture resistance of implant- supported monolithic crowns cemented to zirconia hybrid-abutments: zirconia-based crowns vs. lithium disilicate crowns. J Adv Prosthodont 2018;10(1):65-72. Abstract

124. Englezos E, Cosyn J, Koole S, et al. Resective treatment of peri-implantitis: Clinical and radiographic outcomes after 2 years. Int J Periodontics Restorative Dent 2018;38(5):729-35. Abstract

125. Esposito M, Bressan E, Grusovin MG, et al. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? One-year post-loading results from a multicentre randomised controlled trial. Eur J Oral Implantol 2017;10(1):57-72. Abstract

126. Fauroux MA, Levallois B, Yachouh J, Torres JH. Assessment of leakage at the implant-abutment connection using a new gas flow method. Int J Oral Maxillofac Implants 2012;27(6):1409-12. Abstract

127. Felice P, Marchetti C, Iezzi G, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional bloc grafts: Bone from the iliac crest vs. bovine anorganic bone. Clinical and histological results up to one year after loading from a randomized-controlled clinical trial. Clin Oral Implants Res 2009;20(12):1386-93. Abstract

128. Felice P, Marchetti C, Piattelli A, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional block grafts: Bone from the iliac crest versus bovine anorganic bone. Eur J Oral Implantol 2008;1(3):183-98. Abstract

129. Fenelon T, Bakr MM, Walsh LJ, George R. Effects of lasers and their delivery characteristics on machined and micro-roughened titanium dental implant surfaces. Bioengineering (Basel) 2020;7(3). Abstract

130. Fetner M, Fetner A, Koutouzis T, et al. The effects of subcrestal The effects of subcrestal implant placement on crestal bone levels and bone-to-abutment contact: A microcomputed tomographic and histologic study in dogs. Int J Oral Maxillofac Implants 2015;30(5):1068-75. Abstract

131. Finelle G, Papadimitriou DEV, Souza AB, et al. Peri-implant soft tissue and marginal bone adaptation on implant with non-matching healing abutments: Micro-CT analysis. Clin Oral Implants Res 2015;26(4):e42-e46. Abstract

132. Florke C, Eisenbeiss AK, Metz U, et al. Introducing a novel experimental model for osseo-disintegration of titanium dental implants induced by monobacterial contamination: An in-vivo feasibility study. Materials (Basel) 2021;14(22). Abstract

133. Frisch E, Ratka-Kruger P, Wenz HJ. Unsplinted implants and teeth supporting maxillary removable partial dentures retained by telescopic crowns: A retrospective study with >6 years of follow-up. Clin Oral Implants Res 2015;26(9):1091-7. Abstract

134. Frisch E, Ratka-Kruger P, Ziebolz D. Increasing the width of keratinized mucosa in maxillary implant areas using a split palatal bridge flap: Surgical technique and 1-year follow-up. J Oral Implantol 2015;41(5):e195-201. Abstract

135. Frisch E, Vach K, Ratka-Krueger P. Impact of supportive implant therapy on peri-implant diseases: A retrospective 7-year study. J Clin Periodontol 2020;47(1):101-09. Abstract

136. Frisch E, Wild V, Ratka-Kruger P, et al. Long-term results of implants and implant-supported prostheses under systematic supportive implant therapy: A retrospective 25-year study. Clin Implant Dent Relat Res 2020;22(6):689-96. Abstract

137. Frisch E, Ziebolz D, Ratka-Kruger P, Rinke S. A new technique for retaining double crowns on implants via custom-positioned vertical screws. Int J Prosthodont 2014;27(6):577-8. Abstract

138. Frisch E, Ziebolz D, Ratka-Kruger P, Rinke S. Double crown-retained maxillary overdentures: 5-year follow-up. Clin Implant Dent Relat Res 2015;17(1):22-31. Abstract

139. Frisch E, Ziebolz D, Rinke S. Long-term results of implant-supported over-dentures retained by double crowns: A practice-based retrospective study after minimally 10 years follow-up. Clin Oral Implants Res 2013;24(12):1281-7. Abstract

140. Frisch E, Ziebolz D, Vach K, Ratka-Kruger P. Supportive post-implant therapy: patient compliance rates and impacting factors: 3-year follow-up. J Clin Periodontol 2014;41(10):1007-14. Abstract

141. Frisch E, Ziebolz D, Vach K, Ratka-Kruger P. The effect of keratinized mucosa width on peri-implant outcome under supportive postimplant therapy. Clin Implant Dent Relat Res 2015;17 Suppl 1:e236-44. Abstract

142. Froum SJ, Cho SC, Suzuki T, et al. Epicrestal and subcrestal placement of platform-switched implants: 18 month-result of a randomized, controlled, split-mouth, prospective clinical trial. Clin Oral Implants Res 2018;29(4):353-66. Abstract

143. Furuya Y, Kobayashi T, Sakamoto K, et al. Implant body displacement into medullary cavity of mandible: A case report. Bull Tokyo Dent Coll 2021;62(3):193-200. Abstract

144. Furuya Y, Yamamoto M, Ito T, et al. Implant treatment after sagittal splitting ramus osteotomy and alveolar ridge augmentation in patient with mandibular prognathism and multiple missing maxillary teeth. Bull Tokyo Dent Coll 2018;59(4):285-90. Abstract

145. Galli S, Jimbo R, Andersson M, et al. Surface characterization and clinical review of two commercially available implants. Implant Dent 2013;22(5):507-18. Abstract

146. Gandolfi MG, Zamparini F, Iezzi G, et al. Microchemical and micromorphologic ESEM-EDX analysis of bone mineralization at the thread interface in human dental implants retrieved for mechanical complications after 2 months to 17 years. Int J Periodontics Restorative Dent 2018;38(3):431-41. Abstract

147. Garrana R, Mohangi G, Malo P, Nobre M. Leakage of microbial endotoxin through the implant-abutment interface in oral implants: An in vitro study. Biomed Res Int 2016;2016:9219071. Abstract

148. Gehrke P, Burg S, Peters U, et al. Bacterial translocation and microgap formation at a novel conical indexed implant abutment system for single crowns. Clin Oral Investig 2022;26(2):1375-89. Abstract

149. Gehrke P, Tabellion A, Fischer C. Microscopical and chemical surface characterization of CAD/CAM zircona abutments after different cleaning procedures. A qualitative analysis. J Adv Prosthodont 2015;7(2):151-9. Abstract

150. Giesenhagen B. Vertical augmentation with bone rings, maxilla, BioOss,. EDI 2006;2(3).

151. Giesenhagen B. Klinische Fünfjahresergebnisse nach einzeitiger Augmentation mit autologen Knochenringen und Ankylos-Implantaten im atrophierten Unterkiefer.

Clinical results of one-stage augmentation with autologous bone rings and Ankylos implants after 5 years of loading in an atrophied mandible. Z Zahnärztl Impl 2015;31(1). Abstract

152. Gjurin ZS, Jenko M, Donik C, Oblak C. Characterization of new and retrieved titanium biomaterial for dental implants. Materials and Technology 2021;11(1):33-37.

153. Gluckman H, Salama M, Du Toit J. A retrospective evaluation of 128 socket-shield cases in the esthetic zone and posterior sites: Partial extraction therapy with up to 4 years follow-up. Clin Implant Dent Relat Res 2018;20(2):122-29. Abstract

154. Goyal V, Delgado-Ruiz R, Kurtz KS, Romanos GE. Accuracy of torque controllers on healing abutments in implant dentistry- an in vitro study. J Prosthodont 2023;E-pub Aug 15, doi: 10.1111/jopr.13745. Abstract

155. Grisar K, Sinha D, Schoenaers J, et al. Retrospective analysis of dental implants placed between 2012 and 2014: Indications, risk factors, and early survival. Int J Oral Maxillofac Implants 2017;32(3):649-54. Abstract

156. Grizas E, Kourtis S, Andrikopoulou E, Romanos GE. A detailed decision tree to create, preserve, transfer, and support the emergence profile in anterior maxillary implants using custom abutments. Quintessence Int 2018;49(5):349-64. Abstract

157. Grobecker-Karl T, Kafitz L, Karl M. Rationale for a novel attachment system for implant-supported overdentures. Int J Prosthodont 2022;35(1):74-81. Abstract

158. Grognard N, Verleye G, Mavreas D, Vande-Vannet B. Updated secondary implant stability data of two dental implant systems. A retrospective cohort study. J Clin Exp Dent 2017;9(9):e1121-e28. Abstract

159. Grun P, Pfaffeneder-Mantai F, Bandura P, et al. A Cone Bean Computer Tomography Investigation of the Newly Formed Mandibular Anterior Ridge following the Treatment of an Extended Comminuted Fracture: A 12-Year Follow-Up. Case Rep Dent 2024;2024:1824016. Abstract

160. Grün P, Pfaffeneder-Mantai F, Schneider B, et al. Can jaw bone healed from chronic sclerosing osteomyelitis be considered healthy when planning dental implants? Case report with 20-year follow-up. Annals of Medicine & Surgery 2024;86(4):2266-76. Abstract

161. Guler B, Uraz A, Cetiner D. The chemical surface evaluation of black and white porous titanium granules and different commercial dental implants with energy-dispersive x-ray spectroscopy analysis. Clin Implant Dent Relat Res 2019;21(2):352-59. Abstract

162. Guler B, Uraz A, Yalim M, Bozkaya S. The comparison of porous titanium granule and xenograft in the surgical treatment of peri-implantitis: A prospective clinical study. Clin Implant Dent Relat Res 2017;19(2):316-27. Abstract

163. Gupta G, Gupta DK, Gupta N. Use of intra-oral welding to stabilize immediate loading implants: A case report. Guident Implant 2019(Sep):16-18.

164. Gurzawska K, Dirscherl K, Jorgensen B, et al. Pectin nanocoating of titanium implant surfaces - An experimental study in rabbits. Clin Oral Implants Res 2017;28(3):298-307. Abstract

165. Hadrowicz P, Hadrowicz J, Kozakiewicz M, Gesing A. Assessment of parathyroid hormone serum level as a predictor for bone condition around dental implants. Int J Oral Maxillofac Implants 2017;32(4):e207-e12. Abstract

166. Hafeez M, Calce L, Hong H, et al. Thermal Effects of Diode Laser-Irradiation on Titanium Implants in Different Room Temperatures In Vitro. Photobiomodul Photomed Laser Surg 2022;40(8):554-58. Abstract

167. Haga-Tsujimura M, Nakahara K, Igarashi K, et al. Implant Placement Using the Bone Ring Technique With and Without Membrane Placement: A Preclinical 12-Month Study in Dogs. J Oral Implantol 2023;49(2):187-96. Abstract

168. Haga-Tsujimura M, Nakahara K, Kobayashi E, et al. Single-staged implant placement using bone ring technique with and without membrane placement: An experimental study in the Beagle dog. Clin Oral Implants Res 2018;29(3):263-76. Abstract

169. Hakobyan G, Esayan L, Hakobyan D, et al. The comparative assessment of the of the effectiveness of immediate and delayed dental implantation. Int J Oral Craniofac Sci 2021;6(2):30-37.

170. Halldin A, Frotscher M, Tebbel F. Conometric retention and dynamic loading over time (P12152). Clin Oral Implants Res 2018;29(S17).

171. Hanser T, Khoury F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: A 5-year consecutive clinical study. Int J Periodontics Restorative Dent 2014;34(3):305-12. Abstract

172. Hanser T, Khoury F. Alveolar ridge contouring with free connective tissue graft at implant placement: A 5-year consecutive clinical study. Int J Periodontics Restorative Dent 2016;36(4):465-73. Abstract

173. Harder S, Dimaczek B, Acil Y, et al. Molecular leakage at implant-abutment connection--in vitro investigation of tightness of internal conical implant-abutment connections against endotoxin penetration. Clin Oral Investig 2010;14(4):427-32. Abstract

174. Harrison P, Madeley E, Nolan M, et al. A longitudinal analysis of the impact of nonsurgical and surgical treatment of peri-implantitis upon clinical parameters and implant stability quotient values. A 2–3-year follow-up. Cli and Exp Dental Res 2024;10(1):e833. Abstract

175. Hasan I, Keilig L, Reimann S, et al. Material parameters of the reindeer antler for use in dental implant biomechanics. Ann Anat 2012;194(6):518-23. Abstract

176. Hasegawa M, Hotta Y, Hoshino T, et al. Long-term radiographic evaluation of risk factors related to implant treatment: Suggestion for alternative statistical analysis of marginal bone loss. Clin Oral Implants Res 2016;27(10):1283-89. Abstract

177. Hegde R, John N, Shetty M, Kumar P. Bone augmentation using CGF-A case report with two year follow up. Annals of Clinical Prosthodontics 2021;4(1):1-6.

178. Hegde R, Krishna Prasad D, Shetty DV, Shetty M. Immediate placement and restoration of implant in periapical infected site in the maxillary esthetic zone: A case report. J Indian Prosthodont Soc 2014;14(Suppl 1):299-302. Abstract

179. Hermes M, Lommen J, R Kübler N, et al. Influence of schneiderian membrane perforations on the prognosis and outcomes of lateral window sinus lift operations: A retrospective case series study. Journal of Dentistry, Oral Disorders & Therapy 2018;6(2):1-9. Abstract

180. Hogg WS, Zulauf K, Mehrhof J, Nelson K. The influence of torque tightening on the position stability of the abutment in conical implant-abutment connections. Int J Prosthodont 2015;28(5):538-41. Abstract

181. Horrocks GB. The controlled assisted ridge expansion technique for implant placement in the anterior maxilla: A technical note. Int J Periodontics Restorative Dent 2010;30(5):495-501. Abstract

182. Hotta Y. Use of cephalometric analysis for implant placement in a patient with an edentulous maxilla with a severe Class III intermaxillary relationship. J Oral Implantol 2004;30(1):7-13. Abstract

183. Hsu PF, Yao KT, Kao HC, Hsu ML. Effects of axial loading on the pull-out force of conical connection abutments in Ankylos Implant. Int J Oral Maxillofac Implants 2018;33(4):788-94. Abstract

184. Hu KS, Li H, Tu YK, Lin SJ. Esthetic results of immediate implant placement in extraction sockets with intact versus deficient walls. J Dent Sci 2021;16(1):108-14. Abstract

185. Ichioka Y, Derks J, Larsson L, Berglundh T. Surface decontamination of explanted peri-implantitis-Affected implants. J Clin Periodontol 2023;50(8):1113-22. Abstract

186. Iezzi G, Degidi M, Shibli JA, et al. Bone response to dental implants after a 3- to 10-year loading period: A histologic and histomorphometric report of four cases. Int J Periodontics Restorative Dent 2013;33(6):755-61. Abstract

187. Iezzi G, Di Lillo F, Furlani M, et al. The symmetric 3D organization of connective tissue around implant abutment: A key-issue to prevent bone resorption. Symmetry 2021;13(7):1126. Abstract

188. Jansen VK, Conrads G, Richter EJ. Microbial leakage and marginal fit of the implant-abutment interface. Int J Oral Maxillofac Implants 1997;12(4):527-40. Abstract

189. Jesch P, Jesch W, Bruckmoser E, et al. An up to 17-year follow-up retrospective analysis of a minimally invasive, flapless approach: 18 945 implants in 7783 patients. Clin Implant Dent Relat Res 2018;20(3):393-402. Abstract

190. Jia P, Tang Y, Niu L, Qiu L. Clinical and radiographic outcomes of a combined surgery approach to treat peri-implantitis. Int J Oral Maxillofac Surg 2024;53(4):333-42. Abstract

191. Jiang X, Zhang Y, Di P, Lin Y. Hard tissue volume stability of guided bone regeneration during the healing stage in the anterior maxilla: A clinical and radiographic study. Clin Implant Dent Relat Res 2018;20(1):68-75. Abstract

192. Jiansheng H, Dongying X, Xianfeng W, et al. Clinical evaluation of short and wide-diameter implants immediately placed into extraction sockets of posterior areas: A 2-year retrospective study. Journal of Oral Implantology 2012;38(6):729-37. Abstract

193. Jin X, Guan Y, Ren J, et al. A retrospective study of 12,538 internal conical connection implants focused on the long-term integrity of implant-abutment complexes. Clin Oral Implants Res 2022;33(4):377-90. Abstract

194. Joda T. Combined tooth-implant-supported telescopic prostheses in a midterm follow-up of > 2 years. Int J Prosthodont 2013;26(6):536-40. Abstract

195. Joda T, Michelaki I, Heydecke G. Peri-implant bone loss of dental implants with platform-switching design after 5 years of loading: A cross-sectional study. Quintessence Int 2015;46(1):59-66. Abstract

196. Jones G. Treatment of the edentulous patient using angled implants: Diagnosis to delivery. Australasian Dental Practice 2016;27(4):p170-71.

197. Kashani H, Hilon J, Rasoul MH, Friberg B. Influence of a single preoperative dose of antibiotics on the early implant failure rate. A randomized clinical trial. Clin Implant Dent Relat Res 2019;21(2):278-83. Abstract

198. Katic Z, Jukic T, Stubljar D. Effects of osteotomy lengths on the temperature rise of the crestal bone during implant site preparation. Implant Dent 2018;27(2):213-20. Abstract

199. Kawamura A, Akiba Y, Nagasawa M, et al. Bone heating and implant removal using a high-frequency electrosurgical device: An in vivo experimental study. Clin Oral Implants Res 2021;32(8):989-97. Abstract

200. Kelly A, Flanagan D. Ridge expansion and immediate placement with piezosurgery and screw expanders in atrophic maxillary sites: Two case reports. J Oral Implantol 2013;39(1):85-90. Abstract

201. Kesar N, Weigl P, Nentwig GH, Krebs M. Prevalence and risk of peri-implant diseases based on the type of prosthetic restoration: A retrospective study after 17 to 23 years. J Prosthet Dent 2022;E-pub Jan 8, doi: 10.1016/j.prosdent.2021.11.030:1-8. Abstract

202. Khalid T, Yunus N, Ibrahim N, et al. Patient-reported outcome and its association with attachment type and bone volume in mandibular implant overdenture. Clin Oral Implants Res 2017;28(5):535-42. Abstract

203. Khalid T, Yunus N, Ibrahim N, et al. Assessment of masticatory function of mandibular implant-supported overdenture wearers: A 3-year prospective study. J Prosthet Dent 2020;124(6):674-81. Abstract

204. Khojasteh A, Hassani A, Motamedian SR, et al. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: A retrospective study and review of literature. Clin Implant Dent Relat Res 2016;18(2):342-59. Abstract

205. Khojasteh A, Motamedian SR, Sharifzadeh N, Zadeh HH. The influence of initial alveolar ridge defect morphology on the outcome of implants in augmented atrophic posterior mandible: An exploratory retrospective study. Clin Oral Implants Res 2017;28(10):e208-e17. Abstract

206. Khoury F, Doliveux R. The bone core technique for the augmentation of limited bony defects: Five-year prospective study with a new minimally invasive technique. Int J Periodontics Restorative Dent 2018;38(2):199-207. Abstract

207. Khuder T, Yunus N, Sulaiman E, Dabbagh A. Finite element analysis and clinical complications in mandibular implant-overdentures opposing maxillary dentures. J Mech Behav Biomed Mater 2017;75:97-104. Abstract

208. Kistler F, Kristler S, Adler S, Neugebauer J. Implant placement without augmentation? A question about the components and procedure. Dentsply Implants Magazine 2013;1:30-32.

209. Kitagawa T, Tanimoto Y, Iida T, Murakami H. Effects of material and coefficient of friction on taper joint dental implants. J Prosthodont Res 2020;64(4):359-67. Abstract

210. Kitagawa T, Tanimoto Y, Odaki M, et al. Influence of implant/abutment joint designs on abutment screw loosening in a dental implant system. J Biomed Mater Res B Appl Biomater 2005;75(2):457-63. Abstract

211. Kjaergaard M, Nguyen VG, Brandt J, et al. Comparison of implant stability between conventional drills and piezosurgical implant bed preparation techniques. J Oral Implantol 2021;E-pub Jun 5, doi: 10.1563/aaid-joi-D-20-00119.

212. Klaus RE, Romanos G, Egerer C, Nentwig GH. Treating free-end cases with Ankylos System restorations. Z Zahnärztl Impl 1997;4.

213. Klongnoi B, Rupprecht S, Kessler P, et al. Influence of platelet-rich plasma on a bioglass and autogenous bone in sinus augmentation. An explorative study. Clin Oral Implants Res 2006;17(3):312-20. Abstract

214. Klongnoi B, Rupprecht S, Kessler P, et al. Lack of beneficial effects of platelet-rich plasma on sinus augmentation using a fluorohydroxyapatite or autogenous bone: An explorative study. J Clin Periodontol 2006;33(7):500-9. Abstract

215. Knabe C, Mele A, Kann PH, et al. Effect of sex-hormone levels, sex, body mass index and other host factors on human craniofacial bone regeneration with bioactive tricalcium phosphate grafts. Biomaterials 2017;123:48-62. Abstract

216. Kocar M, Seme K, Hren NI. Characterization of the normal bacterial flora in peri-implant sulci of partially and completely edentulous patients. Int J Oral Maxillofac Implants 2010;25(4):690-8. Abstract

217. Kohal RJ, Straub LM, Wolkewitz M, et al. Evaluation of guided bone regeneration around oral implants over different healing times using two different bovine bone materials: A randomized, controlled clinical and histological investigation. Clin Implant Dent Relat Res 2015;17(5):957-71. Abstract

218. Kosyfaki P, Woerner W, Att W. Prosthodontic treatment in a partially edentulous patient with a complex medical history of epilepsy and deep vein thrombosis: A case report. Quintessence Int 2011;42(5):365-73. Abstract

219. Kourtis S, Madianos P, Patras M, Andrikopoulou E. Rehabilitation of the edentulous mandible with implant-supported overdentures on telescopic abutments and immediate loading. A controlled prospective clinical study. J Esthet Restor Dent 2018;30(4):369-77. Abstract

220. Koutouzis T, Adeinat B, Ali A. The influence of abutment macro-design on clinical and radiographic peri-implant tissue changes for guided, placed, and restored implants: A 1-year randomized controlled trial. Clin Oral Implants Res 2019;30(9):882-91. Abstract

221. Koutouzis T, Ali A, AlRubaie M. Clinical and radiographic peri-implant tissue changes for implants restored with convex or concave abutment shapes: A 3-year randomized controlled trial. Clin Oral Implants Res 2023;34(7):675-83. Abstract

222. Koutouzis T, Fetner M, Fetner A, Lundgren T. Retrospective evaluation of crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: The effect of bone grafting at implant placement. J Periodontol 2011;82(2):234-42. Abstract

223. Koutouzis T, Gadalla H, Kettler Z, et al. The role of chlorhexidine on endotoxin penetration to the implant-abutment interface (IAI). Clin Implant Dent Relat Res 2015;17(3):476-82. Abstract

224. Koutouzis T, Neiva R, Nair M, et al. Cone beam computed tomographic evaluation of implants with platform-switched Morse taper connection with the implant-abutment interface at different levels in relation to the alveolar crest. Int J Oral Maxillofac Implants 2014;29(5):1157-63. Abstract

225. Koutouzis T, Neiva R, Nonhoff J, Lundgren T. Placement of implants with platform-switched Morse taper connections with the implant-abutment interface at different levels in relation to the alveolar crest: A short-term (1-year) randomized prospective controlled clinical trial. Int J Oral Maxillofac Implants 2013;28(6):1553-63. Abstract

226. Koutouzis T, Podaru A, Neiva R. Facial peri-implant soft tissue topography of posterior single implant-supported restorations and relationship to adjacent teeth: A retrospective analysis. Int J Oral Maxillofac Implants 2015;30(3):681-7. Abstract

227. Koutouzis T, Wallet S, Calderon N, Lundgren T. Bacterial colonization of the implant-abutment interface using an in vitro dynamic loading model. J Periodontol 2011;82(4):613-8. Abstract

228. Krebs M, Kesar N, Begic A, et al. Incidence and prevalence of peri-implantitis and peri-implant mucositis 17 to 23 (18.9) years postimplant placement. Clin Implant Dent Relat Res 2019;21(6):1116-23. Abstract

229. Krebs M, Schmenger K, Neumann K, et al. Long-term evaluation of Ankylos dental implants, part i: 20-year life table analysis of a longitudinal study of more than 12,500 implants. Clin Implant Dent Relat Res 2015;17 Suppl 1:e275-86. Abstract

230. Kruse AB, Wild V, Ratka-Kruger P, et al. Peri-implant bone-level changes in the second decade of loading with regard to the implant-abutment connection: A retrospective study on implants under systematic aftercare. Int J Implant Dent 2021;7(1):104. Abstract

231. Kumar L, Sehgal K. Removable partial denture supported by implants with prefabricated telescopic abutments - A case report. J Clin Diagn Res 2014;8(6):ZD04-6. Abstract

232. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. Clin Oral Implants Res 2005;16(1):89-97. Abstract

233. Lasserre JF, Brecx MC, Toma S. Implantoplasty versus glycine air abrasion for the surgical treatment of peri-implantitis: A randomized clinical trial. Int J Oral Maxillofac Implants 2020;35(35):197-206. Abstract

234. Laurila M, Mäntynen P, Mauno J, Suojanen J. Prosthetic Oral Rehabilitation with CAD/CAM Suprastructures in Patients with Severe Tissue Deficits: A Case Series. Dentistry Journal 2023;11(12):289. Abstract

235. Leja C, Geminiani A, Caton J, Romanos GE. Thermodynamic effects of laser irradiation of implants placed in bone: An in vitro study. Lasers Med Sci 2013;28(6):1435-40. Abstract

236. Li CH, Chou CT. Bone sparing implant removal without trephine via internal separation of the titanium body with a carbide bur. Int J Oral Maxillofac Surg 2014;43(2):248-50. Abstract

237. Li K, Liu F, Liu P, et al. Clinical effect and aesthetic evaluation of minimally invasive implant therapy. Emerg Med Int 2023;2023:9917311. Abstract

238. Li N, Jiang Z, Pu R, et al. Implant failure and associated risk factors of transcrestal sinus floor elevation: A retrospective study. Clin Oral Implants Res 2023;34(1):66-77. Abstract

239. Li-Rodriguez JK, Diaz-Durany M, Romeo-Rubio M, et al. Accuracy of a guided implant system with milled surgical templates. J Oral Sci 2022;64(2):145-50. Abstract

240. Liang W. Natural implant restoration in stable alveolar bone (NIRISAB)-Concepts in clinical practice: Long-term follow-up on three cases of ridge reconstruction using the tunnel approach with remote incision. J Oral Implantol 2023;49(2):130-46. Abstract

241. Lin G, Ye S, Liu F, He F. A retrospective study of 30,959 implants: Risk factors associated with early and late implant loss. J Clin Periodontol 2018;45(6):733-43. Abstract

242. Lin MI, Shen YW, Huang HL, et al. A retrospective study of implant-abutment connections on crestal bone level. J Dent Res 2013;92(12 Suppl):202S-7S. Abstract

243. Lin X, Zhou Z, Li S, et al. Digital guides to facilitate retained root removal and simultaneous implant placement. Int J Oral Maxillofac Surg 2022;51(7):957-61. Abstract

244. Lisa K, Flore D, Gaetan VV, et al. Survival rate of implants following maxillary sinus floor augmentation using freeze-dried allografts vs bovine derived xenografts: A retrospective multicenter study. J Stomatol Oral Maxillofac Surg 2023;124(6):101605. Abstract

245. Liskmann S, Vihalemm T, Salum O, et al. Characterization of the antioxidant profile of human saliva in peri-implant health and disease. Clin Oral Implants Res 2007;18(1):27-33. Abstract

246. Liskmann S, Zilmer M, Vihalemm T, et al. Correlation of peri-implant health and myeloperoxidase levels: A cross-sectional clinical study. Clin Oral Implants Res 2004;15(5):546-52. Abstract

247. Liu S, Tang C, Yu J, et al. The effect of platform switching on stress distribution in implants and periimplant bone studied by nonlinear finite element analysis. J Prosthet Dent 2014;112(5):1111-8. Abstract

248. Liu Y, Tang C. Interdisciplinary treatment with implant-supported prostheses for an adolescent with ectodermal dysplasia: A clinical report. J Prosthet Dent 2020;123(5):655-60. Abstract

249. Lopes de Chaves EMDEC, Sperandio M, Napimoga MH. Association between implant-abutment microgap and implant circularity to bacterial leakage: An in vitro study using tapered connection implants. Int J Oral Maxillofac Implants 2018;33(3):505-11. Abstract

250. Luo ZB, Zhang QB, Zhang ZQ, et al. Performance of coralline hydroxyapatite in sinus floor augmentation: A retrospective study. Clin Oral Investig 2013;17(9):2003-10. Abstract

251. Luongo G, Bressan E, Grusovin MG, et al. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? Four-month post-loading preliminary results from a multicentre randomised controlled trial. Eur J Oral Implantol 2015;8(2):129-40. Abstract

252. Lutz R, Park J, Felszeghy E, et al. Bone regeneration after topical BMP-2-gene delivery in circumferential peri-implant bone defects. Clin Oral Implants Res 2008;19(6):590-9. Abstract

253. Lutz R, Prechtl C, Nonhoff J, et al. Biofunctionalization of the implant surface with different concentrations of a synthetic peptide (P-15). Clin Oral Implants Res 2013;24(7):781-6. Abstract

254. Lutz R, Srour S, Nonhoff J, et al. Biofunctionalization of titanium implants with a biomimetic active peptide (P-15) promotes early osseointegration. Clin Oral Implants Res 2010;21(7):726-34. Abstract

255. Maier FM. Reconstruction of a severely atrophic maxilla by extensive augmentation and guided surgery. Z Zahnärztl Impl 2013;29:230–42.

256. Maier FM. Initial crestal bone loss after implant placement with flapped or flapless surgery-a prospective cohort study. Int J Oral Maxillofac Implants 2016;31(4):876-83. Abstract

257. Man Y, Wang Y, Qu Y, et al. A palatal roll envelope technique for peri-implant mucosa reconstruction: A prospective case series study. Int J Oral Maxillofac Surg 2013;42(5):660-5. Abstract

258. Mandelli F, Ghensi P, Traini T. Biomimetic implant restoration made of human enamel and CAD/CAM block: A short report. Quintessence Int 2019;50(4):330-33. Abstract

259. Manjunath N, Roy JS, Mohammed B. Placement of an implant in a diabetic patient and a one year follow up-a case report. Indian Journal of Dental Sciences 2016;8(1).

260. Mankoo T. Maintenance of interdental papillae in the esthetic zone using multiple immediate adjacent implants to restore failing teeth--a report of ten cases at 2 to 7 years follow-up. Eur J Esthet Dent 2008;3(4):304-22. Abstract

261. Manoj S, Punit J, Chethan H, Nivya J. A study to assess the bone formed around immediate postextraction implants grafted with Concentrated Growth Factor in the mandibular posterior region. J Osseointegration 2018;10(4):121-29. Abstract

262. Marcian P, Borak L, Valasek J, et al. Finite element analysis of dental implant loading on atrophic and non-atrophic cancellous and cortical mandibular bone - A feasibility study. J Biomech 2014;47(16):3830-6. Abstract

263. Marrone A, Lasserre J, Bercy P, Brecx MC. Prevalence and risk factors for peri-implant disease in Belgian adults. Clin Oral Implants Res 2013;24(8):934-40. Abstract

264. Matthes R, Jablonowski L, Miebach L, et al. In-vitro biofilm removal efficacy using water jet in combination with cold plasma technology on dental titanium implants. Int J Mol Sci 2023;24(2). Abstract

265. May D, R. GE. Immediate implant-supported mandibular overdentures retained by conical crowns: A new treatment concept. Quintessence Int 2002;33(1):5-12.

266. McArdle BF. Predictably solving a prosthetic dilemma: A partially edentulous mandible opposed by a worn maxillary denture. Dent Today 2013;32(12):62, 64. Abstract

267. Meleo D, Baggi L, Di Girolamo M, et al. Fixture-abutment connection surface and micro-gap measurements by 3D micro-tomographic technique analysis. Ann Ist Super Sanita 2012;48(1):53-8. Abstract

268. Mello BF, de Carvalho Formiga M, de Souza da Silva LF, et al. Horizontal ridge augmentation using a xenograft bone substitute for implant-supported fixed rehabilitation: A case report with four years of follow-Up. Case Rep Dent 2020;2020:6723936. Abstract

269. Metzler P, von Wilmowsky C, Stadlinger B, et al. Nano-crystalline diamond-coated titanium dental implants - A histomorphometric study in adult domestic pigs. J Craniomaxillofac Surg 2013;41(6):532-8. Abstract

270. Mitsias ME, Thompson VP, Pines M, Silva NR. Reliability and failure modes of two Y-TZP abutment designs. Int J Prosthodont 2015;28(1):75-8. Abstract

271. Miyyapuram SR, Huddar DA, Adaki RV, Shankargouda SB. A comparative evaluation of peri-implant tissue in implants restored using conventional cement retained crowns and crowns fabricated using conometric concept: an in - vivo study. Int J Chem and Biochem Sci 2024;25(14):387-96.

272. Morandi R, Cabral LM, de Moraes M. Implant-supported maxillary denture retained by a telescopic abutment system: A clinical report. J Prosthet Dent 2017;117(3):331-34. Abstract

273. Mori G, Oda Y, Sakamoto K, et al. Clinical evaluation of full-arch screw-retained implant-supported fixed prostheses and full-arch telescopic-retained implant-supported fixed prostheses: A 5-12 year follow-up retrospective study. Clin Oral Implants Res 2019;30(3):197-205. Abstract

274. Moris ICM, Faria ACL, Ribeiro RF, et al. Custom Morse taper zirconia abutments: Influence on marginal fit and torque loss before and after thermomechanical cycling. J Mech Behav Biomed Mater 2018;78:241-45. Abstract

275. Morris HF, Ochi S, Crum P, et al. AICRG, Part I: A 6-year multicentered, multidisciplinary clinical study of a new and innovative implant design. J Oral Implantol 2004;30(3):125-33. Abstract

276. Morris HF, Ochi S, Orenstein IH, Petrazzuolo V. AICRG, Part V: Factors influencing implant stability at placement and their influence on survival of Ankylos implants. J Oral Implantol 2004;30(3):162-70. Abstract

277. Morris HF, Ochi S, Plezia R, et al. AICRG, Part III: The influence of antibiotic use on the survival of a new implant design. J Oral Implantol 2004;30(3):144-51. Abstract

278. Morris HF, Ochi S, Rodriguez A, Lambert PM. AICRG, Part IV: Patient satisfaction reported for Ankylos implant prostheses. J Oral Implantol 2004;30(3):152-61. Abstract

279. Morris HF, Ochi S, Winkler S. Introduction: A new and innovative implant design. J Oral Implantol 2004;30(3):121-4. Abstract

280. Morris HF, Winkler S, Ochi S. The ankylos endosseous dental implant: Assessment of stability up to 18 months with the Periotest. J Oral Implantol 2000;26(4):291-9. Abstract

281. Morris HF, Winkler S, Ochi S, Kanaan A. A new implant designed to maximize contact with trabecular bone: Survival to 18 months. J Oral Implantol 2001;27(4):164-73. Abstract

282. Moukrioti J, Al-Nawas B, Kreisler M. Evaluation of the split bone technique for lateral ridge augmentation: A retrospective case-control study. Int J Oral Maxillofac Implants 2019;34(5):1152-60. Abstract

283. Muhamad A-H, Azzaldeen A. Post extraction implant placement with immediate provisionalization and finalization using a simplified technique: A case report. Journal of Dental and Medical Sciences 2021;20(10):30-36.

284. Murakami H, Igarashi K, Fuse M, et al. Risk factors for abutment and implant fracture after loading. J Oral Sci 2020;63(1):92-97. Abstract

285. Mäntynen P, Laurila M, Strausz T, et al. Use of Individually Designed CAD/CAM Suprastructures for Dental Reconstruction in Patients with Cleft Lip and Palate. Dent J (Basel) 2023;11(9). Abstract

286. Nakahara K, Haga-Tsujimura M, Igarashi K, et al. Single-staged implant placement using the bone ring technique with and without membrane placement: Micro-CT analysis in a preclinical in vivo study. Clin Oral Implants Res 2020;31(1):29-36. Abstract

287. Nardi D, Degidi M, Sighinolfi G, et al. Retention strength of conical welding caps for fixed implant-supported prostheses. Int J Prosthodont 2017;30(6):553-55. Abstract

288. Nascimento C, Pita MS, Santos Ede S, et al. Microbiome of titanium and zirconia dental implants abutments. Dent Mater 2016;32(1):93-101. Abstract

289. Naughton D, Donnelly-Swift E, Polyzois I. An in vitro study evaluating the efficacy of a novel mount with torque control designed to tighten Osstell(R) transducers. Clin Exp Dent Res 2023;9(3):411-17. Abstract

290. Nawafleh N, Elshiyab S, Öchsner A, George R. In vitro fatigue and fracture load of monolithic ceramic crowns supported by hybrid abutment. The Open Dentistry Journal 2021;15(1):664-71. Abstract

291. Nentwig GH. Ankylos implant system: Concept and clinical application. J Oral Implantol 2004;30(3):171-7. Abstract

292. Nguyen V, von Krockow N, Pouchet J, Weigl PM. Periosteal inhibition technique for alveolar ridge preservation as it applies to implant therapy. Int J Periodontics Restorative Dent 2019;39(5):737-44. Abstract

293. Nogeow W, Foo Q. Removal of a deeply displaced root on the maxillary sinus floor by piezosurgery and lateral sinus lift: A case report. NZ dental journal 2020;116(June 20):65-8.

294. Nogueira-Filho G, Pesun I, Isaak-Ploegman C, et al. Longitudinal comparison of cytokines in peri-implant fluid and gingival crevicular fluid in healthy mouths. J Periodontol 2014;85(11):1582-8. Abstract

295. Nolan R, Kemmoona M, Polyzois I, Claffey N. The influence of prophylactic antibiotic administration on post-operative morbidity in dental implant surgery. A prospective double blind randomized controlled clinical trial. Clin Oral Implants Res 2014;25(2):252-9. Abstract

296. Nonhoff J, Moest T, Schmitt CM, et al. Establishment of a new pull-out strength testing method to quantify early osseointegration-An experimental pilot study. J Craniomaxillofac Surg 2015;43(10):1966-73. Abstract

297. Nothdurft FP, Neumann K, Knauber AW. Fracture behavior of zirconia implant abutments is influenced by superstructure-geometry. Clin Oral Investig 2014;18(5):1467-72. Abstract

298. Novaes AB, Jr., de Oliveira RR, Muglia VA, et al. The effects of interimplant distances on papilla formation and crestal resorption in implants with a morse cone connection and a platform switch: A histomorphometric study in dogs. J Periodontol 2006;77(11):1839-49. Abstract

299. Novaes AB, Jr., Papalexiou V, Muglia V, Taba M, Jr. Influence of interimplant distance on gingival papilla formation and bone resorption: Clinical-radiographic study in dogs. Int J Oral Maxillofac Implants 2006;21(1):45-51. Abstract

300. Oblak Č, Tomaževič T, Ihan Hren N, Zarkovic Gjurin S. Early prosthetic rehabilitation of severe oligodontia with implant–retained overdenture: A case report. Slovenian Medical Journal 2020;89(9-10):521-27. Abstract

301. Obreja K, Begić A, Trimpou G, et al. Clinical and Esthetic Evaluation Following Immediate Implant Placement and Restoration with Platform-Switched Morse Taper Implants in the Esthetic Zone: A Cross-Sectional Study. International Journal of Periodontics and Restorative Dentistry 2022;42(5):665-73. Abstract

Abstract

302. Obreja K, Ramanauskaite A, Begic A, et al. The prevalence of peri-implant diseases around subcrestally placed implants: A cross-sectional study. Clin Oral Implants Res 2021;32(6):702-10. Abstract

303. Oda Y, Mori G, Honma S, et al. Marginal bone loss and the risk indicators of fixed screw-retained implant-supported prostheses and fixed telescopic-

retained implant-supported prostheses in full arch: A retrospective case-control study. Clin Oral Implants Res 2021;32(7):818-27. Abstract

304. Oda Y, Mori G, Sasaki H, et al. Dimensional changes of buccal bone in the edentulous maxilla with telescopic-retained implant-supported fixed dental prostheses. J Prosthet Dent 2023;129(6):878-86. Abstract

305. Oncu E, Alaaddinoglu EE. The effect of platelet-rich fibrin on implant stability. Int J Oral Maxillofac Implants 2015;30(3):578-82. Abstract

306. Oskarsson M, Otsuki M, Welander M, Abrahamsson I. Peri-implant tissue healing at implants with different designs and placement protocols: An experimental study in dogs. Clin Oral Implants Res 2018;29(8):873-80. Abstract

307. Ozdiler A, Bakir-Topcuoglu N, Kulekci G, Isik-Ozkol G. Effects of taper angle and sealant agents on bacterial leakage along the implant-abutment interface: An in vitro study under loaded conditions. Int J Oral Maxillofac Implants 2018;33(5):1071-77. Abstract

308. Ozdiler A, Dayan SC, Gencel B, Ozkol GI. Reverse torque values of abutment screws after dynamic loading: The effects of sealant agents and the taper of conical connections. J Oral Implantol 2021;47(4):287-93. Abstract

309. Oziunas R, Sakalauskiene J, Jegelevicius D, Januzis G. A comparative biomechanical study of original and compatible titanium bases: Evaluation of screw loosening and 3D-crown displacement following cyclic loading analysis. J Adv Prosthodont 2022;14(2):70-77. Abstract

310. Park J, Lutz R, Felszeghy E, et al. The effect on bone regeneration of a liposomal vector to deliver BMP-2 gene to bone grafts in peri-implant bone defects. Biomaterials 2007;28(17):2772-82. Abstract

311. Park SJ, Lee SW, Leesungbok R, Ahn SJ. Influence of the connection design and titanium grades of the implant complex on resistance under static loading. J Adv Prosthodont 2016;8(5):388-95. Abstract

312. Parvini P, Saminsky M, Stanner J, et al. Discomfort/pain due to periodontal and peri-implant probing with/without platform switching. Clin Oral Implants Res 2019;30(10):997-1004. Abstract

313. Parvini P, Trimpou G, Begic A, et al. Esthetic and clinical outcomes after immediate placement and restoration: Comparison of two implant systems in the anterior maxilla-A cross-sectional study. Clin Implant Dent Relat Res 2023;25(2):252-60. Abstract

314. Patras M, Kourtis S, Sykaras N. Creating natural-looking removable prostheses: Combining art and science to imitate nature. J Esthet Restor Dent 2012;24(3):160-8. Abstract

315. Payer M, Kirmeier R, Jakse N, et al. Surgical factors influencing mesiodistal implant angulation. Clin Oral Implants Res 2008;19(3):265-70. Abstract

316. Petrovic L, Schlegel KA, Wiltfang J, et al. Preclinical animal study and clinical trail of modified extraoral craniofacial implants. J Plast Reconstr Aesthet Surg 2007;60(6):615-21. Abstract

317. Petsos H, Trimpou G, Eickholz P, et al. The influence of professional competence on the inter- and intra-individual esthetic evaluation of implant-supported crowns in the anterior maxilla. Clin Oral Implants Res 2017;28(4):453-60. Abstract

318. Poluha RL, Eidt JMS, Danieletto-Zanna CF, et al. Use of osseointegrated implants in the intermaxillary suture in a patient with microstomia: Case report with a 2-year follow-up. Spec Care Dentist 2019;39(5):533-37. Abstract

319. Rabel A, Kohler SG, Schmidt-Westhausen AM. Clinical study on the primary stability of two dental implant systems with resonance frequency analysis. Clin Oral Investig 2007;11(3):257-65. Abstract

320. Rack T, Zabler S, Rack A, et al. An in vitro pilot study of abutment stability during loading in new and fatigue-loaded conical dental implants using synchrotron-based radiography. Int J Oral Maxillofac Implants 2013;28(1):44-50. Abstract

321. Radovic M, Gavic L, Jerkovic D, et al. Clinical Prospective Assessment of Genotoxic Effects of Dental Implants in Gingival Epithelial Cells. Acta Stomatol Croat 2022;56(3):222-34. Abstract

322. Ramanauskaite A, Schwarz F, Begic A, et al. The influence of simultaneous lateral grafting on clinical outcomes following one-stage implant placement: A cross-sectional analysis. Int J Implant Dent 2020;6(1):37. Abstract

323. Rana V, Dhakne VM, Jadhawar S, et al. Bone level measurements around platform switched and platform matched implants: A comparative study. Niger J Surg 2019;25(1):9-13. Abstract

324. Ranieri R, Ferreira A, Souza E, et al. The bacterial sealing capacity of morse taper implant-abutment systems in vitro. J Periodontol 2015;86(5):696-702. Abstract

325. Reda KM, El-Torky IR, El-Gendy MN. In vitro retention force measurement for three different attachment systems for implant-retained overdenture. J Indian Prosthodont Soc 2016;16(4):380-85. Abstract

326. Ren S, Lin Y, Hu X, Wang Y. Changes in proximal contact tightness between fixed implant prostheses and adjacent teeth: A 1-year prospective study. J Prosthet Dent 2016;115(4):437-40. Abstract

327. Riad R, Meselhy A, Alaswad M. Thermoplastic versus conventional heat cured denture bases for implant-retained mandibular overdenture. Egyptian Dental Journal 2020;66(4):2179-85. Abstract

328. Rinke S, Lattke A, Eickholz P, et al. Practice-based clinical evaluation of zirconia abutments for anterior single-tooth restorations. Quintessence Int 2015;46(1):19-29. Abstract

329. Rinke S, Ohl S, Ziebolz D, et al. Prevalence of periimplant disease in partially edentulous patients: A practice-based cross-sectional study. Clin Oral Implants Res 2011;22(8):826-33. Abstract

330. Rinke S, Roediger M, Eickholz P, et al. Technical and biological complications of single-molar implant restorations. Clin Oral Implants Res 2015;26(9):1024-30. Abstract

331. Rinke S, Ziebolz D, Ratka-Kruger P, Frisch E. Clinical outcome of double crown-retained mandibular removable dentures supported by a combination of residual teeth and strategic implants. J Prosthodont 2015;24(5):358-65. Abstract

332. Rismanchian M, Askari N, Shafiei S. The effect of placement depth of platform-switched implants on periimplant cortical bone stress: A 3-dimensional finite element analysis. Implant Dent 2013;22(2):165-9. Abstract

333. Rodiger M, Kloss J, Gersdorff N, et al. Removal forces of adhesively and self-adhesively luted implant-supported zirconia copings depend on abutment geometry. J Mech Behav Biomed Mater 2018;87:119-23. Abstract

334. Rodiger M, Rinke S, Ehret-Kleinau F, et al. Evaluation of removal forces of implant-supported zirconia copings depending on abutment geometry, luting agent and cleaning method during re-cementation. J Adv Prosthodont 2014;6(3):233-40. Abstract

335. Romanos G, Damouras M, Veis AA, et al. Comparison of histomorphometry and microradiography of different implant designs to assess primary implant stability. Clin Implant Dent Relat Res 2020;22(3):373-79. Abstract

336. Romanos G, Grizas E, Laukart E, Nentwig GH. Effects of early moderate loading on implant stability: A retrospective investigation of 634 implants with platform switching and morse-tapered connections. Clin Implant Dent Relat Res 2016;18(2):301-9. Abstract

337. Romanos G, Toh CG, Siar CH, et al. Peri-implant bone reactions to immediately loaded implants. An experimental study in monkeys. J Periodontol 2001;72(4):506-11. Abstract

338. Romanos GE. Present status of immediate loading of oral implants. J Oral Implantol 2004;30(3):189-97. Abstract

339. Romanos GE. Nonsurgical prosthetic management of mandibular fracture associated with dental implant therapy: A case report. Int J Oral Maxillofac Implants 2009;24(1):143-6. Abstract

340. Romanos GE. Advanced immediate functional loading: Requirements for long-term success in modern implant dentistry. Compend Contin Educ Dent 2014;35(7):474-83. Abstract

341. Romanos GE. Severe atrophy of the posterior mandible and inferior alveolar nerve transposition. Int J Periodontics Restorative Dent 2021;41(5):e199-e204. Abstract

342. Romanos GE, Aydin E, Gaertner K, Nentwig GH. Long-term results after subcrestal or crestal placement of delayed loaded implants. Clin Implant Dent Relat Res 2015;17(1):133-41. Abstract

343. Romanos GE, Aydin E, Locher K, Nentwig GH. Immediate vs. delayed loading in the posterior mandible: A split-mouth study with up to 15 years of follow-up. Clin Oral Implants Res 2016;27(2):e74-9. Abstract

344. Romanos GE, Biltucci MT, Kokaras A, Paster BJ. Bacterial composition at the implant-abutment connection under loading in vivo. Clin Implant Dent Relat Res 2016;18(1):138-45. Abstract

345. Romanos GE, Gaertner K, Aydin E, Nentwig GH. Long-term results after immediate loading of platform-switched implants in smokers versus nonsmokers with full-arch restorations. Int J Oral Maxillofac Implants 2013;28(3):841-5. Abstract

346. Romanos GE, Gaertner K, Nentwig GH. Long-term evaluation of immediately loaded implants in the edentulous mandible using fixed bridges and platform shifting. Clin Implant Dent Relat Res 2014;16(4):601-8. Abstract

347. Romanos GE, Goldin E, Marotta L, et al. Immediate loading with fixed implant-supported restorations in an edentulous patient with an HIV infection: A case report. Implant Dent 2014;23(1):8-12. Abstract

348. Romanos GE, Gupta B, Gaertner K, Nentwig GH. Distal cantilever in full-arch prostheses and immediate loading: A retrospective clinical study. Int J Oral Maxillofac Implants 2014;29(2):427-31. Abstract

349. Romanos GE, Gurbanov S, Hess P, et al. Crestal bone loss and implant failure of prefabricated versus customized abutments: A 10-year retrospective radiological study. Clin Oral Investig 2022;26(3):2879-86. Abstract

350. Romanos GE, Johansson CB. Immediate loading with complete implant-supported restorations in an edentulous heavy smoker: Histologic and histomorphometric analyses. Int J Oral Maxillofac Implants 2005;20(2):282-90. Abstract

351. Romanos GE, Kuyunov O, Sacks D, et al. Apical stability of implants with progressive thread design in vitro, based on clinicians with different levels of experience. J Periodontol 2019;90(11):1320-24. Abstract

352. Romanos GE, Malmstrom H, Feng C, et al. Immediately loaded platform-switched implants in the anterior mandible with fixed prostheses: A randomized, split-mouth, masked prospective trial. Clin Implant Dent Relat Res 2014;16(6):884-92. Abstract

353. Romanos GE, May S, May D. Treatment concept of the edentulous mandible with prefabricated telescopic abutments and immediate functional loading. Int J Oral Maxillofac Implants 2011;26(3):593-7. Abstract

354. Romanos GE, May S, May D. Immediate loading of tooth-implant-supported telescopic mandibular prostheses. Int J Oral Maxillofac Implants 2012;27(6):1534-40. Abstract

355. Romanos GE, May S, May D. Implant-supporting telescopic maxillary prostheses and immediate loading. Clin Implant Dent Relat Res 2014;16(3):412-8. Abstract

356. Romanos GE, Montanaro NJ, Sacks D, et al. Various tip applications and temperature changes of Er,Cr:YSGG-Laser irradiated implants in vitro. Int J Periodontics Restorative Dent 2017;37(3):387-92. Abstract

357. Romanos GE, Motwani SV, Montanaro NJ, et al. Photothermal effects of defocused initiated versus noninitiated diode implant irradiation. Photobiomodul Photomed Laser Surg 2019;37(6):356-61. Abstract

358. Romanos GE, Nentwig GH. Single molar replacement with a progressive thread design implant system: A retrospective clinical report. Int J Oral Maxillofac Implants 2000;15(6):831-6. Abstract

359. Romanos GE, Nentwig GH. Immediate versus delayed functional loading of implants in the posterior mandible: A 2-year prospective clinical study of 12 consecutive cases. Int J Periodontics Restorative Dent 2006;26(5):459-69. Abstract

360. Romanos GE, Nentwig GH. Immediate loading using cross-arch fixed restorations in heavy smokers: Nine consecutive case reports for edentulous arches. Int J Oral Maxillofac Implants 2008;23(3):513-9. Abstract

361. Romanos GE, Nentwig GH. Regenerative therapy of deep peri-implant infrabony defects after CO2 laser implant surface decontamination. Int J Periodontics Restorative Dent 2008;28(3):245-55. Abstract

362. Romanos GE, Nentwig GH. Immediate functional loading in the maxilla using implants with platform switching: Five-year results. Int J Oral Maxillofac Implants 2009;24(6):1106-12. Abstract

363. Romanos GE, Schesni A, Nentwig G-H, et al. Impact of Implant Diameter on Success and Survival of Dental Implants: An Observational Cohort Study. Prosthesis 2023;5(3):888-97. Abstract

364. Romanos GE, Testori T, Degidi M, Piattelli A. Histologic and histomorphometric findings from retrieved, immediately occlusally loaded implants in humans. J Periodontol 2005;76(11):1823-32. Abstract

365. Romanos GE, Toh CG, Siar CH, Swaminathan D. Histologic and histomorphometric evaluation of peri-implant bone subjected to immediate loading: An experimental study with Macaca fascicularis. Int J Oral Maxillofac Implants 2002;17(1):44-51. Abstract

366. Romanos GE, Toh CG, Siar CH, et al. Bone-implant interface around titanium implants under different loading conditions: A histomorphometrical analysis

in the Macaca fascicularis monkey. J Periodontol 2003;74(10):1483-90. Abstract

367. Romanos GE, Traini T, Johansson CB, Piattelli A. Biologic width and morphologic characteristics of soft tissues around immediately loaded implants: Studies performed on human autopsy specimens. J Periodontol 2010;81(1):70-8. Abstract

368. Rouach T. Management of the edentulous patient. Dentsply Implants Magazine 2014;2:40-44.

369. Roze J, Babu S, Saffarzadeh A, et al. Correlating implant stability to bone structure. Clin Oral Implants Res 2009;20(10):1140-5. Abstract

370. Saaby M, Karring E, Schou S, Isidor F. Factors influencing severity of peri-implantitis. Clin Oral Implants Res 2016;27(1):7-12. Abstract

371. Sagirkaya E, Kucukekenci AS, Karasoy D, et al. Comparative assessments, meta-analysis, and recommended guidelines for reporting studies on histomorphometric bone-implant contact in humans. Int J Oral Maxillofac Implants 2013;28(5):1243-53. Abstract

372. Sakka S, Krenkel C. Simultaneous maxillary sinus lifting and implant placement with autogenous parietal bone graft: Outcome of 17 cases. J Craniomaxillofac Surg 2011;39(3):187-91. Abstract

373. Salihoglu U, Boynuegri D, Engin D, et al. Bacterial adhesion and colonization differences between zirconium oxide and titanium alloys: An in vivo human study. Int J Oral Maxillofac Implants 2011;26(1):101-7. Abstract

374. Sarmast ND, Wang HH, Sajadi AS, et al. Nonsurgical endodontic treatment of necrotic teeth resolved apical lesions on adjacent implants with retrograde/apical peri-implantitis: A case series with 2-year follow-up. J Endod 2019;45(5):645-50. Abstract

375. Scarano A, Valbonetti L, Degidi M, et al. Implant-abutment contact surfaces and microgap measurements of different implant connections under 3-dimensional x-ray microtomography. Implant Dent 2016;25(5):656-62. Abstract

376. Schicho K, Kastner J, Klingesberger R, et al. Surface area analysis of dental implants using micro-computed tomography. Clin Oral Implants Res 2007;18(4):459-64. Abstract

377. Schlegel KA, Kloss FR, Kessler P, et al. Bone conditioning to enhance implant osseointegration: An experimental study in pigs. Int J Oral Maxillofac Implants 2003;18(4):505-11. Abstract

378. Schlegel KA, Schultze-Mosgau S, Eitner S, et al. Clinical trial of modified ankylos implants for extraoral use in cranio- and maxillofacial surgery. Int J Oral Maxillofac Implants 2004;19(5):716-20. Abstract

379. Schlegel KA, Thorwarth M, Plesinac A, et al. Expression of bone matrix proteins during the osseus healing of topical conditioned implants: An experimental study. Clin Oral Implants Res 2006;17(6):666-72. Abstract

380. Schlegel KA, Zimmermann R, Thorwarth M, et al. Sinus floor elevation using autogenous bone or bone substitute combined with platelet-rich plasma. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2007;104(3):e15-25. Abstract

381. Schmage P, Kahili F, Nergiz I, et al. Cleaning effectiveness of implant prophylaxis instruments. Int J Oral Maxillofac Implants 2014;29(2):331-7. Abstract

382. Schmage P, Thielemann J, Nergiz I, et al. Effects of 10 cleaning instruments on four different implant surfaces. Int J Oral Maxillofac Implants 2012;27(2):308-17. Abstract

383. Schmitt C, Karasholi T, Lutz R, et al. Long-term changes in graft height after maxillary sinus augmentation, onlay bone grafting, and combination of both techniques: A long-term retrospective cohort study. Clin Oral Implants Res 2014;25(2):e38-46. Abstract

384. Schmitt CM, Koepple M, Moest T, et al. In vivo evaluation of biofunctionalized implant surfaces with a synthetic peptide (P-15) and its impact on osseointegration. A preclinical animal study. Clin Oral Implants Res 2016;27(11):1339-48. Abstract

385. Schupbach P, Glauser R, Bauer S. Al(2)O(3) particles on titanium dental implant systems following sandblasting and acid-etching process. Int J Biomater 2019;2019:6318429. Abstract

386. Schwarz F, Sahm N, Iglhaut G, Becker J. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: A randomized controlled clinical study. J Clin Periodontol 2011;38(3):276-84. Abstract

387. Sears LM, Wadhwani CPK, Schoenbaum TR, et al. Biologic debris retention in implant impression copings, scan bodies, and laboratory analogs. Int J Oral Maxillofac Implants 2020;35(1):135-40. Abstract

388. Seetoh YL, Tan KB, Chua EK, et al. Load fatigue performance of conical implant-abutment connections. Int J Oral Maxillofac Implants 2011;26(4):797-806. Abstract

389. Semper-Hogg W, Kraft S, Stiller S, et al. Analytical and experimental position stability of the abutment in different dental implant systems with a conical implant-abutment connection. Clin Oral Investig 2013;17(3):1017-23. Abstract

390. Sethi A, Kaus T. Immediate replacement of single teeth with immediately loaded implants: Retrospective analysis of a clinical case series. Implant Dent 2017;26(1):30-36. Abstract

391. Sethi A, Kaus T, Cawood JI, et al. Onlay bone grafts from iliac crest: A retrospective analysis. Int J Oral Maxillofac Surg 2020;49(2):264-71. Abstract

392. Sethi A, Kaus T, Sochor P, et al. Evolution of the concept of angulated abutments in implant dentistry: 14-year clinical data. Implant Dent 2002;11(1):41-51. Abstract

393. Shaarawy MA, Aboelross EM. The effect of varying implant position in immediately loaded implant-supported mandibular overdentures. J Oral Implantol 2013;39(3):345-54. Abstract

394. Shen X, Yang S, Xu Y, et al. Analysis of implant loss risk factors after simultaneous guided bone regeneration: A retrospective study of 5404 dental implants. Clin Implant Dent Relat Res 2022;24(3):276-86. Abstract

395. Shen XT, Li JY, Luo X, et al. Peri-implant marginal bone changes with implant-supported metal-ceramic or monolithic zirconia single crowns: A retrospective clinical study of 1 to 5 years. J Prosthet Dent 2022;128(3):368-74. Abstract

396. Shetty M, Kalra R, Hedge c. Maxillary sinus augmentation with concentrated growth factors: Radiographic evaluation. J Osseointegration 2018;10(4):109-14. Abstract

397. Shim HW, Yang BE. Long-term cumulative survival and mechanical complications of single-tooth Ankylos Implants: Focus on the abutment neck fractures. J Adv Prosthodont 2015;7(6):423-30. Abstract

398. Shin YK, Han CH, Heo SJ, et al. Radiographic evaluation of marginal bone level around implants with different neck designs after 1 year. Int J Oral Maxillofac Implants 2006;21(5):789-94. Abstract

399. Siar CH, Toh CG, Ali TB, et al. Dimensional profile of oral mucosa around combined tooth-implant-supported bridgework in macaque mandible. Clin Oral Implants Res 2012;23(4):438-46. Abstract

400. Siar CH, Toh CG, Romanos G, et al. Peri-implant soft tissue integration of immediately loaded implants in the posterior macaque mandible: A histomorphometric study. J Periodontol 2003;74(5):571-8. Abstract

401. Siar CH, Toh CG, Romanos GE, Ng KH. Comparative assessment of the interfacial soft and hard tissues investing implants and natural teeth in the macaque mandible. Clin Oral Investig 2015;19(6):1353-62. Abstract

402. Singh I, Shretty M, Hegde C, et al. Influence of primary stability and osteotomy technique on immediately loaded implants in the maxillary posterior region: An in vivo study. J Osseointegration 2022;14:1-8.

403. Sohn DS, Shin HI, Ahn MR, Lee JS. Piezoelectric vertical bone augmentation using the sandwich technique in an atrophic mandible and histomorphometric analysis of mineral allografts: A case report series. Int J Periodontics Restorative Dent 2010;30(4):383-91. Abstract

404. Solakoglu O, Filippi A. Regenerative therapy of peri-implantitis: Clinical and radiologic documentation of 16 consecutive patients with a mean follow-up of 3 years. J Oral Implantol 2019;45(2):145-53. Abstract

405. Starr CB, Maksoud MA. Implant treatment in an urban general dentistry residency program: A 7-year retrospective study. J Oral Implantol 2006;32(3):142-7. Abstract

406. Stavroullakis A, Brito C, Chen HY, et al. Dental implant surface treatments may modulate cytokine secretion in Porphyromonas gingivalis-stimulated human gingival fibroblasts: A comparative study. J Biomed Mater Res A 2015;103(3):1131-40. Abstract

407. Stefano T, Paolo T, Ugo C, et al. Specific use of the Implant Stability Quotient as a guide to improve healing for patients who had undergone rehabilitation with fixed implant-supported dental prostheses. J Stomatol Oral Maxillofac Surg 2023;124(5):101528. Abstract

408. Stoichkov B, Kirov D. Analysis of the causes of dental implant fracture: A retrospective clinical study. Quintessence Int 2018;49(4):279-86. Abstract

409. Stojcheva DC, Aleksandrovska A, Petrevska M, Micevski B. Alveolar ridge augmentation by open healing with high-density polytetrafluoroethylene membrane. International Journal of Dental Biomaterials Research 2022;1:1-7. Abstract

410. Streckbein P, Streckbein RG, Wilbrand JF, et al. Non-linear 3D evaluation of different oral implant-abutment connections. J Dent Res 2012;91(12):1184-9. Abstract

411. Strenzke R, Ratka-Kruger P, Frisch E. Therapy for peri-implantitis: Significant radiographic bone fill after keratinized mucosa augmentation surgery with supportive implant therapy (SIT): A novel approach. J Oral Implantol 2021;47(6):530-34. Abstract

412. Stricker A, Bergfeldt T, Fretwurst T, et al. Impurities in commercial titanium dental implants - A mass and optical emission spectrometry elemental analysis. Dent Mater 2022;38(8):1395-403. Abstract

413. Suba Z, Takacs D, Matusovits D, et al. Maxillary sinus floor grafting with beta-tricalcium phosphate in humans: Density and microarchitecture of the newly formed bone. Clin Oral Implants Res 2006;17(1):102-8. Abstract

414. Sun F, Liu X-l, Yin J-p, et al. Effect of duplex treatment on the long-term stability of the abutment-implant interface by plasma nitriding and TiN coating. Surface and Coatings Technology 2022;450. Abstract

415. Sun P, Yu D, Luo X, et al. The effect of initial biologic width on marginal bone loss: A retrospective study. Int J Oral Maxillofac Implants 2022;37(1):190-98. Abstract

416. Sun YH, Shih YH, Li CH, Fang CY. Rehabilitation of occlusion on a severe atrophic mandible by four implants-supported fixed conometric denture

after bilateral inferior alveolar nerve repositioning. J Dent Sci 2021;16(2):780-81. Abstract

417. Svanborg P, Eliasson A, Stenport V. Additively manufactured titanium and cobalt-chromium implant frameworks: Fit and effect of ceramic veneering. Int J Oral Maxillofac Implants 2018;33(3):590-96. Abstract

418. Svanborg P, Stenport V, Eliasson A. Fit of cobalt-chromium implant frameworks before and after ceramic veneering in comparison with CNC-milled titanium frameworks. Clin Exp Dent Res 2015;1(2):49-56. Abstract

419. Szabo G, Huys L, Coulthard P, et al. A prospective multicenter randomized clinical trial of autogenous bone versus beta-tricalcium phosphate graft alone for bilateral sinus elevation: Histologic and histomorphometric evaluation. Int J Oral Maxillofac Implants 2005;20(3):371-81. Abstract

420. Szmukler-Moncler S, Bischof M, Nedir R, Ermrich M. Titanium hydride and hydrogen concentration in acid-etched commercially pure titanium and titanium alloy implants: A comparative analysis of five implant systems. Clin Oral Implants Res 2010;21(9):944-50. Abstract

421. Taiyeb-Ali TB, Toh CG, Siar CH, et al. Influence of abutment design on clinical status of peri-implant tissues. Implant Dent 2009;18(5):438-46. Abstract

422. Tarnow D, Elian N, Fletcher P, et al. Vertical distance from the crest of bone to the height of the interproximal papilla between adjacent implants. J Periodontol 2003;74(12):1785-8. Abstract

423. Tebbel F, Johnsson S, Halldin A. Removal force of conometric caps and abutments (P12153). Clin Oral Implants Res 2018;29(S17).

424. Tebbel F, Johnsson S, Halldin A. Removal force of conometric caps and abutments subjected to dynamic loading (P12154). Clin Oral Implants Res 2018;29(S17).

425. Tenenbaum H, Schaaf JF, Cuisinier FJ. Histological analysis of the Ankylos peri-implant soft tissues in a dog model. Implant Dent 2003;12(3):259-65. Abstract

426. Tesmer M, Wallet S, Koutouzis T, Lundgren T. Bacterial colonization of the dental implant fixture-abutment interface: An in vitro study. J Periodontol 2009;80(12):1991-7. Abstract

427. Traini T, Caputi S, Gherlone E, et al. Fibrin clot extension on zirconia surface for dental implants: A quantitative in vitro study. Clin Implant Dent Relat Res 2014;16(5):718-27. Abstract

428. Traini T, Di Iorio D, Caputi S, et al. In vitro evaluation of thermomechanic coupling in conical implant-to-abutment joint. Implant Dent 2007;16(4):379-86. Abstract

429. Trimpou G, Weigl P, Krebs M, et al. Rationale for esthetic tissue preservation of a fresh extraction socket by an implant treatment concept simulating a tooth replantation. Dent Traumatol 2010;26(1):105-11. Abstract

430. Turner A, Vazifdar F, Ghadiali B, Karkaria C. Immediate loaded implant supported prosthesis with SynCone. Int J Oral Implantol Clin Res 2010;1(3):169-72.

431. Uraz A, Isler SC, Cula S, et al. Platform-switched implants vs platform-matched implants placed in different implant-abutment interface positions: A prospective randomized clinical and microbiological study. Clin Implant Dent Relat Res 2020;22(1):59-68. Abstract

432. Vahnstrom M, Johansson PH, Svanborg P, Stenport VF. Comparison of porcelain veneer fracture in implant-supported fixed full-arch prostheses with a framework of either titanium, cobalt-chromium, or zirconia: An in vitro study. Clin Exp Dent Res 2022;8(2):544-51. Abstract

433. Valles C, Rodriguez-Ciurana X, Munoz F, et al. Influence of implant neck surface and placement depth on crestal bone changes and soft tissue dimensions around platform-switched implants: A histologic study in dogs. J Clin Periodontol 2018;45(7):869-83. Abstract

434. Valles C, Rodriguez-Ciurana X, Nart J, et al. Influence of implant neck surface and placement depth on crestal bone changes around platform-switched implants: A clinical and radiographic study in dogs. J Periodontol 2017;88(11):1200-10. Abstract

435. Vercruyssen M, Cox C, Naert I, et al. Accuracy and patient-centered outcome variables in guided implant surgery: A RCT comparing immediate with delayed loading. Clin Oral Implants Res 2016;27(4):427-32. Abstract

436. Vlaminck L, Gorski T, Huys L, et al. Immediate postextraction implant placement in sheep's mandibles: A pilot study. Implant Dent 2008;17(4):439-50. Abstract

437. Wadhwani C, Schonnenbaum TR, Audia F, Chung KH. In vitro study of the contamination remaining on used healing abutments after cleaning and sterilizing in dental practice. Clin Implant Dent Relat Res 2016;18(6):1069-74. Abstract

438. Wang D, Jin J, Qi W, et al. The two-dimensional size of peri-implant soft tissue in the anterior maxilla and some relevance: A 1- to 7-year cross-sectional study. J Clin Periodontol 2020;47(4):509-17. Abstract

439. Wang L, Wang T, Lu Y, Fan Z. A digital approach for 1-step formation of the supraimplant emergence profile at the time of immediate implant placement. J Prosthet Dent 2019;122(2):104-07. Abstract

440. Wang T, Wang L, Lu Q, Fan Z. Influence of anodized titanium abutments on the esthetics of the peri-implant soft tissue: A clinical study. J Prosthet Dent 2021;125(3):445-52. Abstract

441. Wang Y, Jiang J, Guan Y, et al. Retrospective Study of Short Versus Standard Posterior Implants and Analysis of Implant Failure Risk Factors. International Journal of Oral and Maxillofacial Implants 2021;36(6):1129-36. Abstract

442. Weigl P. Implant prosthodontics: What next? Quintessence Int 2003;34(9):653-69. Abstract

443. Weigl P. New prosthetic restorative features of Ankylos implant system. J Oral Implantol 2004;30(3):178-88. Abstract

444. Weigl P, Saarepera K, Hinrikus K, et al. Screw-retained monolithic zirconia vs. cemented porcelain-fused-to-metal implant crowns: A prospective randomized clinical trial in split-mouth design. Clin Oral Investig 2019;23(3):1067-75. Abstract

445. Weigl P, Trimpou G, Grizas E, et al. All-ceramic versus titanium-based implant supported restorations: Preliminary 12-months results from a randomized controlled trial. J Adv Prosthodont 2019;11(1):48-54. Abstract

446. Weigl P, Trimpou G, Lorenz J, et al. Prefabricated taper crowns for the retention of implant superstructures: Three-year results of a prospective clinical trial. J Prosthet Dent 2019;121(4):618-22. Abstract

447. Wen Y, Wei D, Jiang X, et al. Lateral sinus floor elevation in patients with sinus floor defects: A retrospective study with a 1- to 9-year follow-up. Clin Oral Implants Res 2023;34(10):1141-50. Abstract

448. Weng D, Nagata MJ, Bell M, et al. Influence of microgap location and configuration on the periimplant bone morphology in submerged implants. An experimental study in dogs. Clin Oral Implants Res 2008;19(11):1141-7. Abstract

449. Weng D, Nagata MJ, Bell M, et al. Influence of microgap location and configuration on peri-implant bone morphology in nonsubmerged implants: An experimental study in dogs. Int J Oral Maxillofac Implants 2010;25(3):540-7. Abstract

450. Weng D, Nagata MJ, Bosco AF, de Melo LG. Influence of microgap location and configuration on radiographic bone loss around submerged implants: An experimental study in dogs. Int J Oral Maxillofac Implants 2011;26(5):941-6. Abstract

451. Weng D, Nagata MJ, Leite CM, et al. Influence of microgap location and configuration on radiographic bone loss in nonsubmerged implants: An experimental study in dogs. Int J Prosthodont 2011;24(5):445-52. Abstract

452. Wittwer G, Adeyemo WL, Schicho K, et al. Prospective randomized clinical comparison of 2 dental implant navigation systems. Int J Oral Maxillofac Implants 2007;22(5):785-90. Abstract

453. Wittwer G, Adeyemo WL, Schicho K, et al. Navigated flapless transmucosal implant placement in the mandible: A pilot study in 20 patients. Int J Oral Maxillofac Implants 2007;22(5):801-7. Abstract

454. Wittwer G, Adeyemo WL, Schicho K, et al. Computer-guided flapless transmucosal implant placement in the mandible: A new combination of two innovative techniques. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2006;101(6):718-23. Abstract

455. Wittwer G, Adeyemo WL, Wagner A, Enislidis G. Computer-guided flapless placement and immediate loading of four conical screw-type implants in the edentulous mandible. Clin Oral Implants Res 2007;18(4):534-9. Abstract

456. Woo IH, Kim JW, Kang SY, et al. Narrow-diameter implants with conical connection for restoring the posterior edentulous region. Maxillofac Plast Reconstr Surg 2016;38(1):31. Abstract

457. Wu X, Chen S, Ji W, Shi B. The risk factors of early implant failure: A retrospective study of 6113 implants. Clin Implant Dent Relat Res 2021;23(3):280-88. Abstract

458. Wu Y, Xiao P, Xu A, He F. Radiographic assessment of deproteinized bovine bone mineral (DBBM) and collagen-stabilized DBBM for transalveolar sinus floor elevation: A 2-year retrospective cohort study. Clin Implant Dent Relat Res 2022;24(2):176-87. Abstract

459. Yan C, Ye L, Zhen J, et al. Neuroplasticity of edentulous patients with implant-supported full dentures. Eur J Oral Sci 2008;116(5):387-93. Abstract

460. Yang F, Ruan Y, Liu Y, et al. Abutment mechanical complications of a Morse taper connection implant system: A 1- to 9-year retrospective study. Clin Implant Dent Relat Res 2022;24(5):683-95. Abstract

461. Yang Y, Liu Z, Wei L, et al. Prosthodontic rehabilitation of a patient with hypophosphatasia using dental implants: A case report with seven years follow-up. J Prosthodont 2021;30(9):742-46. Abstract

462. Yao KT, Chen CS, Cheng CK, et al. Optimization of the conical angle design in conical implant-abutment connections: A pilot study based on the finite element method. J Oral Implantol 2018;44(1):26-35. Abstract

463. Young-Kyu S, Chong-Hyun H, Seong-Joo H, et al. Radiographic evaluation of marginal bone level around implants with different neck designs after 1 year. Int J Oral Maxillofac Implants 2006;21(5):789-94. Abstract

464. Yu H, Qiu L. Analysis of fractured dental implant body from five different implant systems: A long-term retrospective study. Int J Oral Maxillofac Surg 2022;51(10):1355-61. Abstract

465. Yuce MO, Adali E, Turk G, et al. Three-dimensional bone grafting in dental implantology using autogenous bone ring transplant: Clinical outcomes of a one-stage technique. Niger J Clin Pract 2019;22(7):977-81. Abstract

466. Yunus N, Saub R, Taiyeb Ali TB, et al. Patient-based and clinical outcomes of implant telescopic attachment-retained mandibular overdentures: A 1-year longitudinal prospective study. Int J Oral Maxillofac Implants 2014;29(5):1149-56. Abstract

467. Zabler S, Rack T, Rack A, Nelson K. Quantitative studies on inner interfaces in conical metal joints using hard x-ray inline phase contrast radiography. Rev Sci Instrum 2010;81(10):103703. Abstract

468. Zabler S, Rack T, Rack A, Nelson K. Fatigue induced deformation of taper connections in dental titanium implants. International Journal of Materials Research 2012;103(2):207-16. Abstract

469. Zeren KJ. Use of bone morphogenetic protein-2 in molar extraction sockets for immediate implant placement: A prospective case series. Int J Periodontics Restorative Dent 2018;38(1):87-93. Abstract

470. Zhang RG, Hannak WB, Roggensack M, Freesmeyer WB. Retentive characteristics of Ankylos SynCone conical crown system over long-term use in vitro. Eur J Prosthodont Restor Dent 2008;16(2):61-6. Abstract

471. Zhang WT, Cheng KJ, Liu YF, et al. Effect of the prosthetic index on stress distribution in Morse taper connection implant system and peri-implant bone: A 3D finite element analysis. BMC Oral Health 2022;22(1):431. Abstract

472. Zhang WT, Ding YD, Wang LH, Yang F. Retrieval of a fractured implant abutment using a modified cover screw removal instrument: A clinical report. J Prosthet Dent 2023;e-pub Sep 15 doi:10.1016/j.prosdent.2023.07.038. Abstract

473. Zhou Y, Gao J, Sheng M, et al. Facial alveolar bone alterations and gray value changes based on cone beam computed tomography around maxillary anterior implants: A clinical retrospective study of 1-3 years. Clin Oral Implants Res 2020;31(5):476-87. Abstract

474. Ziebolz D, Schmalz G, Gollasch D, et al. Microbiological and aMMP-8 findings depending on peri-implant disease in patients undergoing supportive implant therapy. Diagn Microbiol Infect Dis 2017;88(1):47-52. Abstract

475. Zipprich H, Miatke S, Hmaidouch R, Lauer HC. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: An in vitro study. Int J Oral Maxillofac Implants 2016;31(1):37-44. Abstract

476. Zipprich H, Weigl P, Lauer H-C, Lange B. Micro-movements at the implant-abutment interface: Measurements, causes and consequenses. Implantologie 2007;15:31-45.

477. Zipprich H, Weigl P, Ratka C, et al. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. Clin Implant Dent Relat Res 2018;20(5):814-23. Abstract

Astra Tech Implant System

1. Abaricia JO, Shah AH, Ruzga MN, Olivares-Navarrete R. Surface characteristics on commercial dental implants differentially activate

macrophages in vitro and in vivo. Clin Oral Implants Res 2021;32(4):487-97. Abstract

2. Abdelhamed MI, Galley JD, Bailey MT, et al. A comparison of zirconia and titanium abutments for microleakage. Clin Implant Dent Relat Res 2015;17 Suppl 2:e643-51. Abstract

3. Abduljabbar T, Al-Hamoudi N, Al-Sowygh ZH, et al. Comparison of peri-implant clinical and radiographic status around short (6 mm in length) dental implants placed in cigarette-smokers and never-smokers: Six-year follow-up results. Clin Implant Dent Relat Res 2018;20(1):21-25. Abstract

4. Abduo J, Judge R. Implications of implant framework misfit: An animal study on an Ovine model. J Oral Implantol 2021;47(3):183-89. Abstract

5. Abrahamsson I, Albouy JP, Berglundh T. Healing at fluoride-modified implants placed in wide marginal defects: An experimental study in dogs. Clin Oral Implants Res 2008;19(2):153-9. Abstract

6. Abrahamsson I, Berglundh T. Tissue characteristics at microthreaded implants: An experimental study in dogs. Clin Implant Dent Relat Res 2006;8(3):107-13. Abstract

7. Abrahamsson I, Berglundh T. Effects of different implant surfaces and designs on marginal bone-level alterations: A review. Clin Oral Implants Res 2009;20 Suppl 4:207-15. Abstract

8. Abrahamsson I, Berglundh T, Lindhe J. Soft tissue response to plaque formation at different implant systems. A comparative study in the dog. Clin Oral Implants Res 1998;9(2):73-9. Abstract

9. Abrahamsson I, Berglundh T, Moon IS, Lindhe J. Peri-implant tissues at submerged and non-submerged titanium implants. J Clin Periodontol 1999;26(9):600-7. Abstract

10. Abrahamsson I, Berglundh T, Sekino S, Lindhe J. Tissue reactions to abutment shift: An experimental study in dogs. Clin Implant Dent Relat Res 2003;5(2):82-8. Abstract

11. Abrahamsson I, Berglundh T, Wennstrom J, Lindhe J. The peri-implant hard and soft tissues at different implant systems. A comparative study in the dog. Clin Oral Implants Res 1996;7(3):212-9. Abstract

12. Abrahamsson I, Carcuac O, Berglundh T. Influence of implant geometry and osteotomy design on early bone healing: A pre-clinical in vivo study. Clin Oral Implants Res 2021;32(10):1190-99. Abstract

13. Abrahamsson I, Welander M, Linder E, Berglundh T. Healing at implants placed in an alveolar ridge with a sloped configuration: An experimental study in dogs. Clin Implant Dent Relat Res 2014;16(1):62-9. Abstract

14. Abrahamsson P, Walivaara DA, Isaksson S, Andersson G. Periosteal expansion before local bone reconstruction using a new technique for measuring soft

tissue profile stability: A clinical study. J Oral Maxillofac Surg 2012;70(10):e521-30. Abstract

15. Abtahi J, Henefalk G, Aspenberg P. Impact of a zoledronate coating on early post-surgical implant stability and marginal bone resorption in the maxilla-A split-mouth randomized clinical trial. Clin Oral Implants Res 2019;30(1):49-58. Abstract

16. Abuhussein H, Pagni G, Rebaudi A, Wang HL. The effect of thread pattern upon implant osseointegration. Clin Oral Implants Res 2010;21(2):129-36. Abstract

17. Acocella A, Bertolai R, Sacco R. Modified insertion technique for immediate implant placement into fresh extraction socket in the first maxillary molar sites: A 3-year prospective study. Implant Dent 2010;19(3):220-8. Abstract

18. Acocella A, Ercoli C, Geminiani A, et al. Clinical evaluation of immediate loading of electroeroded screw-retained titanium fixed prostheses supported by tilted implant: A multicenter retrospective study. Clin Implant Dent Relat Res 2012;14 Suppl 1(Suppl. 1):e98-108. Abstract

19. Adatia ND, Bayne SC, Cooper LF, Thompson JY. Fracture resistance of yttria-stabilized zirconia dental implant abutments. J Prosthodont 2009;18(1):17-22. Abstract

20. Adler L, Buhlin K, Jansson L. Survival and complications: A 9- to 15-year retrospective follow-up of dental implant therapy. J Oral Rehabil 2020;47(1):67-77. Abstract

21. Adler L, Liedholm E, Silvegren M, et al. Patient satisfaction 8-14 years after dental implant therapy - A questionnaire study. Acta Odontol Scand 2016;74(5):423-9. Abstract

22. Afshari FS, Hallas MB, Knoernschild KL. An alternative approach in fabrication of fixed complete dentures using a duplicate denture. J Prosthodont 2012;21(7):569-72. Abstract

23. Aghazadeh A, Persson RG, Renvert S. Impact of bone defect morphology on the outcome of reconstructive treatment of peri-implantitis. Int J Implant Dent 2020;6(1):33. Abstract

24. Aglietta M, Siciliano VI, Zwahlen M, et al. A systematic review of the survival and complication rates of implant supported fixed dental prostheses with cantilever extensions after an observation period of at least 5 years. Clin Oral Implants Res 2009;20(5):441-51. Abstract

25. Aguirre-Zorzano LA, Estefania-Fresco R, Telletxea O, Bravo M. Prevalence of peri-implant inflammatory disease in patients with a history of periodontal disease who receive supportive periodontal therapy. Clin Oral Implants Res 2015;26(11):1338-44. Abstract

26. Aguirre-Zorzano LA, Vallejo-Aisa FJ, Estefania-Fresco R. Supportive periodontal therapy and periodontal biotype as prognostic factors in

implants placed in patients with a history of periodontitis. Med Oral Patol Oral Cir Bucal 2013;18(5):e786-92. Abstract

27. Aguirrebeitia J, Abasolo M, Vallejo J, Ansola R. Dental implants with conical implant-abutment interface: Influence of the conical angle difference on the mechanical behavior of the implant. Int J Oral Maxillofac Implants 2013;28(2):e72-82. Abstract

28. Ahn SH, Park EJ, Kim ES. Reamer-mediated transalveolar sinus floor elevation without osteotome and simultaneous implant placement in the maxillary molar area: Clinical outcomes of 391 implants in 380 patients. Clin Oral Implants Res 2012;23(7):866-72. Abstract

29. Akalin ZF, Ozkan YK, Ekerim A. Effects of implant angulation, impression material, and variation in arch curvature width on implant transfer model accuracy. Int J Oral Maxillofac Implants 2013;28(1):149-57. Abstract

30. Akca K, Cehreli MC. A photoelastic and strain-gauge analysis of interface force transmission of internal-cone implants. Int J Periodontics Restorative Dent 2008;28(4):391-9. Abstract

31. Akca K, Chang TL, Tekdemir I, Fanuscu MI. Biomechanical aspects of initial intraosseous stability and implant design: A quantitative micro-morphometric analysis. Clin Oral Implants Res 2006;17(4):465-72. Abstract

32. Akca K, Fanuscu MI, Caputo AA. Effect of compromised cortical bone on implant load distribution. J Prosthodont 2008;17(8):616-20. Abstract

33. Akoglu B, Ucankale M, Ozkan Y, Kulak-Ozkan Y. Five-year treatment outcomes with three brands of implants supporting mandibular overdentures. Int J Oral Maxillofac Implants 2011;26(1):188-94. Abstract

34. Al-Bakri SMR, Magan-Fernandez A, Galindo-Moreno P, et al. Detection and comparison of neutrophil extracellular traps in tissue samples of peri-implantitis, periodontitis, and healthy patients: A pilot study. Clin Implant Dent Relat Res 2024;26(3):631-41. Abstract

35. Al-Jadaa A, Attin T, Peltomaki T, Schmidlin PR. Comparison of three in vitro implant leakage testing methods. Clin Oral Implants Res 2015;26(4):e1-e7. Abstract

36. Al-Johany SS, Al Amri MD, Al-Bakri AS, Al-Qarni MN. Effect of the unfilled space size of the abutment screw access hole on the extruded excess cement and retention of single implant zirconia crowns. J Prosthodont 2019;28(2):179-84. Abstract

37. Al-Nawas B, Gotz H. Three-dimensional topographic and metrologic evaluation of dental implants by confocal laser scanning microscopy. Clin Implant Dent Relat Res 2003;5(3):176-83. Abstract

38. Al-Nawas B, Kammerer PW, Morbach T, et al. Ten-year retrospective follow-up study of the TiOblast dental implant. Clin Implant Dent Relat Res 2012;14(1):127-34. Abstract

39. Alberto L, Kalluri L, Esquivel-Upshaw J, Duan Y. Three-dimensional finite element analysis of different connector designs for all-ceramic implant-supported fixed dental prostheses. Ceramics 2022;5:34-43. Abstract

40. Albouy JP, Abrahamsson I, Persson LG, Berglundh T. Spontaneous progression of peri-implantitis at different types of implants. An experimental study in dogs. I: Clinical and radiographic observations. Clin Oral Implants Res 2008;19(10):997-1002. Abstract

41. Albouy JP, Abrahamsson I, Persson LG, Berglundh T. Spontaneous progression of ligatured induced peri-implantitis at implants with different surface characteristics. An experimental study in dogs II: histological observations. Clin Oral Implants Res 2009;20(4):366-71. Abstract

42. Albouy JP, Abrahamsson I, Persson LG, Berglundh T. Implant surface characteristics influence the outcome of treatment of peri-implantitis: An experimental study in dogs. J Clin Periodontol 2011;38(1):58-64. Abstract

43. Albrektsson T, Sennerby L, Wennerberg A. State of the art of oral implants. Periodontol 2000 2008;47:15-26. Abstract

44. Albrektsson T, Wennerberg A. Oral implant surfaces: Part 2--Review focusing on clinical knowledge of different surfaces. Int J Prosthodont 2004;17(5):544-64. Abstract

45. Albrektsson T, Wennerberg A. Oral implant surfaces: Part 1--Review focusing on topographic and chemical properties of different surfaces and in vivo responses to them. Int J Prosthodont 2004;17(5):536-43. Abstract

46. Albugami RA, Smith S, Hassan MA, Almas K. Trends in implant dentistry: Implant systems, complications and barriers in Riyadh, Saudi Arabia. Dent Med Probl 2019;56(3):223-30. Abstract

47. Alhammadi SH, Burnside G, Milosevic A. Clinical outcomes of single implant supported crowns versus 3-unit implant-supported fixed dental prostheses in Dubai Health Authority: A retrospective study. BMC Oral Health 2021;21(1):171. Abstract

48. Alharbi HM, Babay N, Alzoman H, et al. Bone morphology changes around two types of bone-level implants installed in fresh extraction sockets--A histomorphometric study in Beagle dogs. Clin Oral Implants Res 2015;26(9):1106-12. Abstract

49. Alissa R, Oliver RJ. Influence of prognostic risk indicators on osseointegrated dental implant failure: A matched case-control analysis. J Oral Implantol 2012;38(1):51-61. Abstract

50. Alissa R, Sakka S, Oliver R, et al. Influence of ibuprofen on bone healing around dental implants: A randomised double-blind placebo-controlled clinical study. Eur J Oral Implantol 2009;2(3):185-99. Abstract

51. Alkhodary M, Ettesh A. Early loading of short and standard-length dental implants retaining mandibular kennedy class I removable partial dentures. Egyptian Dental Journal 2022;68(1):795-806. Abstract

52. Almohandes A, Abrahamsson I, Dahlen G, Berglundh T. Effect of biofilm formation on implant abutments with an anti-bacterial coating: A pre-clinical in vivo study. Clin Oral Implants Res 2021;32(6):756-66. Abstract

53. Alsabeeha N, Payne AG, De Silva RK, Swain MV. Mandibular single-implant overdentures: A review with surgical and prosthodontic perspectives of a novel approach. Clin Oral Implants Res 2009;20(4):356-65. Abstract

54. Anadioti E, Gates WD, 3rd, Elpers J, et al. Retrospective cohort analysis of maxillary overdentures retained by unsplinted implants. J Prosthet Dent 2019;122(3):301-08 e1. Abstract

55. Andrade CX, Quirynen M, Rosenberg DR, Pinto NR. Interaction between different implant surfaces and liquid fibrinogen: A pilot in vitro experiment. Biomed Res Int 2021;2021:9996071. Abstract

56. Antalainen AK, Helminen M, Forss H, et al. Assessment of removed dental implants in Finland from 1994 to 2012. Int J Oral Maxillofac Implants 2013;28(6):1612-8. Abstract

57. Antunes AA, Oliveira Neto P, de Santis E, et al. Comparisons between Bio-Oss(®) and Straumann(®) Bone Ceramic in immediate and staged implant placement in dogs mandible bone defects. Clin Oral Implants Res 2013;24(2):135-42. Abstract

58. Apicella D, Veltri M, Balleri P, et al. Influence of abutment material on the fracture strength and failure modes of abutment-fixture assemblies when loaded in a bio-faithful simulation. Clin Oral Implants Res 2011;22(2):182-8. Abstract

59. Apicella D, Veltri M, Chieffi N, et al. Cement thickness at implant-supported single-tooth Lava assemblies: A scanning electron microscopic investigation. Clin Oral Implants Res 2010;21(7):747-50. Abstract

60. Apicella D, Veltri M, Chieffi N, et al. Implant adaptation of stock abutments versus CAD/CAM abutments: A radiographic and Scanning Electron Microscopy study. Ann Stomatol (Roma) 2010;1(3-4):9-13. Abstract

61. Arora H, Ivanovski S. Correlation between pre-operative buccal bone thickness and soft tissue changes around immediately placed and restored implants in the maxillary anterior region: A 2-year prospective study. Clin Oral Implants Res 2017;28(10):1188-94. Abstract

62. Arora H, Ivanovski S. Clinical and aesthetic outcomes of immediately placed single-tooth implants with immediate vs. delayed restoration in the anterior maxilla: A retrospective cohort study. Clin Oral Implants Res 2018;29(3):346-52. Abstract

63. Arora H, Ivanovski S. Ten year clinical and aesthetic outcomes of an immediately placed and restored implant in the anterior maxilla: A case report. Prosthesis 2021;3:129-36. Abstract

64. Arora H, Khzam N, Roberts D, et al. Immediate implant placement and restoration in the anterior maxilla: Tissue dimensional changes after 2-5 year follow up. Clin Implant Dent Relat Res 2017;19(4):694-702. Abstract

65. Arunyanak SP, Sophon N, Tangsathian T, et al. The effect of factors related to periodontal status toward peri-implantitis. Clin Oral Implants Res 2019;30(8):791-99. Abstract

66. Arvidson K, Bystedt H, Ericsson I. Histometric and ultrastructural studies of tissues surrounding Astra dental implants in dogs. Int J Oral Maxillofac Implants 1990;5(2):127-34. Abstract

67. Arvidson K, Bystedt H, Frykholm A, et al. A 3-year clinical study of Astra dental implants in the treatment of edentulous mandibles. Int J Oral Maxillofac Implants 1992;7(3):321-9. Abstract

68. Arvidson K, Bystedt H, Frykholm A, et al. Five-year prospective follow-up report of the Astra Tech Dental Implant System in the treatment of edentulous mandibles. Clin Oral Implants Res 1998;9(4):225-34. Abstract

69. Arvidsson A, Sarve H, Johansson CB. Comparing and visualizing titanium implant integration in rat bone using 2D and 3D techniques. J Biomed Mater Res B Appl Biomater 2015;103(1):12-20. Abstract

70. Arvidsson A, Sater BA, Wennerberg A. The role of functional parameters for topographical characterization of bone-anchored implants. Clin Implant Dent Relat Res 2006;8(2):70-6. Abstract

71. Ashurko I, Blagushina N, Borodiy A, Magdalyanova M. Hard and soft tissue augmentation with single-implant restoration in the esthetic zone. Case Rep Dent 2021;2021:5737665. Abstract

72. Asim S, Khurseed H, Musheer U, Chandhio MH. A nation-wide survey of the selections made by dentists in Pakistan for dental implants and restorations. Int. Ann. Health. Sci 2024;1(1):4-17.

73. Astrand P, Engquist B, Dahlgren S, et al. Astra Tech and Branemark System implants: A prospective 5-year comparative study. Results after one year. Clin Implant Dent Relat Res 1999;1(1):17-26. Abstract

74. Astrand P, Engquist B, Dahlgren S, et al. Astra Tech and Brånemark System implants: A 5-year prospective study of marginal bone reactions. Clin Oral Implants Res 2004;15(4):413-20. Abstract

75. Athab Abduljabbar Z, Svensson KG, Hjalmarsson L, et al. Chewing side preference and laterality in patients treated with unilateral posterior implant-supported fixed partial prostheses. J Oral Rehabil 2022;49(11):1080-86. Abstract

76. Atieh MA, Pang JK, Lian K, et al. Predicting peri-implant disease: Chi-square automatic interaction detection (CHAID) decision tree analysis of risk indicators. J Periodontol 2019;90(8):834-46. Abstract

77. Atieh MA, Payne AG, Duncan WJ, Cullinan MP. Immediate restoration/loading of immediately placed single implants: Is it an effective bimodal approach? Clin Oral Implants Res 2009;20(7):645-59. Abstract

78. Att W, Bernhart J, Strub JR. Fixed rehabilitation of the edentulous maxilla: Possibilities and clinical outcome. J Oral Maxillofac Surg 2009;67(11 Suppl):60-73. Abstract

79. Attia S, Narberhaus C, Schaaf H, et al. Long-term influence of platelet-rich plasma (PRP) on dental implants after maxillary augmentation: Retrospective clinical and radiological outcomes of a randomized controlled clinical trial. J Clin Med 2020;9(2):355. Abstract

80. Avukat EN, Akay C, Mumcu E. Evaluation of bite force, quality of life, and patients' satisfaction in elderly edentulous patients using implant overdentures. J Adv Prosthodont 2023;15(4):214-26. Abstract

81. Azcarate-Velazquez F, Castillo-Oyague R, Oliveros-Lopez LG, et al. Influence of bone quality on the mechanical interaction between implant and bone: A finite element analysis. J Dent 2019;88:103161. Abstract

82. Badr M, Coulthard P, Alissa R, Oliver R. The efficacy of platelet-rich plasma in grafted maxillae. A randomised clinical trial. Eur J Oral Implantol 2010;3(3):233-44. Abstract

83. Bae OY, Kim YS, Shin SY, et al. Clinical outcomes of reamer- vs osteotome-mediated sinus floor elevation with simultaneous implant placement: A 2-year retrospective study. Int J Oral Maxillofac Implants 2015;30(4):925-30. Abstract

84. Baelum V, Ellegaard B. Implant survival in periodontally compromised patients. J Periodontol 2004;75(10):1404-12. Abstract

85. Baggi L, Di Girolamo M, Mirisola C, Calcaterra R. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. Implant Dent 2013;22(4):344-50. Abstract

86. Baixe S, Fauxpoint G, Arntz Y, Etienne O. Microgap between zirconia abutments and titanium implants. Int J Oral Maxillofac Implants 2010;25(3):455-60. Abstract

87. Bakke M, Holm B, Gotfredsen K. Masticatory function and patient satisfaction with implant-supported mandibular overdentures: A prospective 5-year study. Int J Prosthodont 2002;15(6):575-81. Abstract

88. Balatsouka D, Gotfredsen K, Lindh CH, Berglundh T. The impact of nicotine on osseointegration. An experimental study in the femur and tibia of rabbits. Clin Oral Implants Res 2005;16(4):389-95. Abstract

89. Balleri P, Ferrari M, Veltri M. One-year outcome of implants strategically placed in the retrocanine bone triangle. Clin Implant Dent Relat Res 2010;12(4):324-30. Abstract

90. Balleri P, Veltri M, Nuti N, Ferrari M. Implant placement in combination with sinus membrane elevation without biomaterials: A 1-year study on 15 patients. Clin Implant Dent Relat Res 2012;14(5):682-9. Abstract

91. Balshi TJ, Wolfinger GJ, Slauch RW, Balshi SF. A retrospective comparison of implants in the pterygomaxillary region: Implant placement with two-stage, single-stage, and guided surgery protocols. Int J Oral Maxillofac Implants 2013;28(1):184-9. Abstract

92. Barbato L, Baldi N, Gonnelli A, et al. Association of smoking habits and height of residual bone on implant survival and success rate in lateral sinus lift: A retrospective study. J Oral Implantol 2018;44(6):432-38. Abstract

93. Barbier L, Abeloos J, De Clercq C, Jacobs R. Peri-implant bone changes following tooth extraction, immediate placement and loading of implants in the edentulous maxilla. Clin Oral Investig 2012;16(4):1061-70. Abstract

94. Barewal RM, Stanford C, Weesner TC. A randomized controlled clinical trial comparing the effects of three loading protocols on dental implant stability. Int J Oral Maxillofac Implants 2012;27(4):945-56. Abstract

95. Barias PA, Lee DJ, Yuan JC, et al. Retrospective analysis of dental implants placed and restored by advanced prosthodontic residents. J Prosthodont 2013;22(2):157-63. Abstract

96. Barrero CH, Bencharit S, Petrola F. Case report: Screw-retained zirconia implant restoration. J Oral Implantol 2016;42(4):359-62. Abstract

97. Barwacz C, Hernandez MM. Direct extrinsic characterization maximizing esthetics of fixed interim restorations. J Cosmetic Dentistry 2013;29(1):122-31.

98. Barwacz CA, Brogden KA, Stanford CM, et al. Comparison of pro-inflammatory cytokines and bone metabolism mediators around titanium and zirconia dental implant abutments following a minimum of 6 months of clinical function. Clin Oral Implants Res 2015;26(4):e35-e41. Abstract

99. Barwacz CA, Shah KC, Bittner N, et al. A retrospective, multicenter, cross-sectional case series study evaluating outcomes of CAD/CAM abutments on implants from four manufacturers: 4-year mean follow-up. Int J Oral Maxillofac Implants 2021;36(5):966-76. Abstract

100. Barwacz CA, Stanford CM, Diehl UA, et al. Pink esthetic score outcomes around three implant-abutment configurations: 3-year results. Int J Oral Maxillofac Implants 2018;33(5):1126-35. Abstract

101. Barwacz CA, Stanford CM, Diehl UA, et al. Electronic assessment of peri-implant mucosal esthetics around three implant-abutment configurations: A randomized clinical trial. Clin Oral Implants Res 2016;27(6):707-15. Abstract

102. Basak SS, Guler B, Eken S, Akcan SK. Radiographic Evaluation of The Distance Between The Restoration Margin and The Alveolar Bone Crest in Dental Implant Patients: A Retrospective Study. J Dent 2024;144:104935. Abstract

103. Bashutski JD, Wang HL, Rudek I, et al. Effect of flapless surgery on single-tooth implants in the esthetic zone: A randomized clinical trial. J Periodontol 2013;84(12):1747-54. Abstract

104. Basler T, Naenni N, Schneider D, et al. Randomized controlled clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: 3-year results. Clin Oral Implants Res 2018;29(5):499-507. Abstract

105. Bateli M, Att W, Strub JR. Implant neck configurations for preservation of marginal bone level: A systematic review. Int J Oral Maxillofac Implants 2011;26(2):290-303. Abstract

106. Bawa A, Seth-Johansen C, Jensen SS, Gotfredsen K. Resin-bonded fixed dental prosthesis versus implant-supported single crowns in the anterior region. Clin Implant Dent Relat Res 2023;25(6):1197-206. Abstract

107. Bazrafshan N, Darby I. Retrospective success and survival rates of dental implants placed with simultaneous bone augmentation in partially edentulous patients. Clin Oral Implants Res 2014;25(7):768-73. Abstract

108. Becktor JP, Hallstrom H, Isaksson S, Sennerby L. The use of particulate bone grafts from the mandible for maxillary sinus floor augmentation before placement of surface-modified implants: Results from bone grafting to delivery of the final fixed prosthesis. J Oral Maxillofac Surg 2008;66(4):780-6. Abstract

109. Bencharit S, Misiek DJ, Simon LA, Malone-Trahey A. Full mouth rehabilitation with dental implants for a patient with skeletal class III malocclusion: A case report. J Oral Implantol 2012;38(1):63-70. Abstract

110. Bencharit S, Reside GJ, Howard-Williams EL. Complex prosthodontic treatment with dental implants for a patient with polymyalgia rheumatica: A clinical report. Int J Oral Maxillofac Implants 2010;25(6):1241-5. Abstract

111. Bencharit S, Schardt-Sacco D, Border MB, Barbaro CP. Full mouth rehabilitation with implant-supported prostheses for severe periodontitis: A case report. Open Dent J 2010;4:165-71. Abstract

112. Benic GI, Thoma DS, Jung RE, et al. Guided bone regeneration with particulate vs. block xenogenic bone substitutes: A pilot cone beam computed tomographic investigation. Clin Oral Implants Res 2017;28(11):e262-e70. Abstract

113. Benic GI, Thoma DS, Munoz F, et al. Guided bone regeneration of peri-implant defects with particulated and block xenogenic bone substitutes. Clin Oral Implants Res 2016;27(5):567-76. Abstract

114. Benic GI, Thoma DS, Sanz-Martin I, et al. Guided bone regeneration at zirconia and titanium dental implants: A pilot histological investigation. Clin Oral Implants Res 2017;28(12):1592-99. Abstract

115. Berberi A, Aad G, Kebbe S, et al. Treatment of Mucous Retention Cyst in Association with Sinus Lift and Implant Placement: A Case Report with 1-Year Follow-Up. Case Reports in Dentistry 2023;2023:6968487. Abstract

116. Berberi A, el Zoghbi A, Aad G, Tehini G. Immediate Loading Using the Digitalized Customized Restoration of Single-tooth Implants Placed in Fresh Extraction Sockets in the Aesthetic Anterior Maxilla: A 10-Year Prospective Study of Marginal Bone Level. The Journal of Contemporary Dental Practice 2024;25(3):213-20. Abstract

117. Berberi A, Maroun D, Kanj W, et al. Micromovement evaluation of original and compatible abutments at the implant-abutment interface. J Contemp Dent Pract 2016;17(11):907-13. Abstract

118. Berberi A, Tehini G, Hjeij B, Aoun G. Evaluation of marginal and internal fit at implant-abutment interface of original and compatible nonoriginal abutments. J Long Term Eff Med Implants 2022;32(3):21-28. Abstract

119. Berberi A, Tehini G, Rifai K, et al. Leakage evaluation of original and compatible implant-abutment connections: In vitro study using Rhodamine B. J Dent Biomech 2014;5:1758736014547143. Abstract

120. Berberi A, Tehini G, Rifai K, et al. In vitro evaluation of leakage at implant-abutment connection of three implant systems having the same prosthetic interface using rhodamine B. Int J Dent 2014;2014:351263. Abstract

121. Berberi A, Tehini G, Tabaja Z, et al. Determination of inner implant's volumes: A pilot study for microleakage quantification by stereomicroscopy and spectrophotometry. J Contemp Dent Pract 2013;14(6):1122-30. Abstract

122. Berberi AN. Comparison of bone levels around immediately loaded single implants placed in healed or freshly extracted sites in the esthetic anterior maxilla: A 10-year prospective study. Int J Oral Maxillofac Implants 2021;36(5):1016-23. Abstract

123. Berberi AN, Noujeim ZN, Kanj WH, et al. Immediate placement and loading of maxillary single-tooth implants: A 3-year prospective study of marginal bone level. J Contemp Dent Pract 2014;15(2):202-8. Abstract

124. Berberi AN, Sabbagh JM, Aboushelib MN, et al. A 5-year comparison of marginal bone level following immediate loading of single-tooth implants placed in healed alveolar ridges and extraction sockets in the maxilla. Front Physiol 2014;5:29. Abstract

125. Berberi AN, Tehini GE, Noujeim ZF, et al. Influence of surgical and prosthetic techniques on marginal bone loss around titanium implants. Part I: immediate loading in fresh extraction sockets. J Prosthodont 2014;23(7):521-7. Abstract

126. Berglundh J, Romandini M, Derks J, et al. Clinical findings and history of bone loss at implant sites. Clin Oral Implants Res 2021;32(3):314-23. Abstract

127. Berglundh T, Abrahamsson I, Albouy JP, Lindhe J. Bone healing at implants with a fluoride-modified surface: An experimental study in dogs. Clin Oral Implants Res 2007;18(2):147-52. Abstract

128. Berglundh T, Abrahamsson I, Lindhe J. Bone reactions to longstanding functional load at implants: An experimental study in dogs. J Clin Periodontol 2005;32(9):925-32. Abstract

129. Berglundh T, Persson L, Klinge B. A systematic review of the incidence of biological and technical complications in implant dentistry reported in prospective longitudinal studies of at least 5 years. J Clin Periodontol 2002;29 Suppl 3:197-212; discussion 32-3. Abstract

130. Berglundh T, Wennstrom JL, Lindhe J. Long-term outcome of surgical treatment of peri-implantitis. A 2-11-year retrospective study. Clin Oral Implants Res 2018;29(4):404-10. Abstract

131. Bernard L, Vercruyssen M, Duyck J, et al. A randomized controlled clinical trial comparing guided with nonguided implant placement: A 3-year follow-up of implant-centered outcomes. J Prosthet Dent 2019;121(6):904-10. Abstract

132. Bernatskiy BS, Puisys A. A novel approach for implant rehabilitation combined with immediate bone and soft-tissue augmentation in a compromised socket-A B2S approach: Case report with a 2-Year follow-up. Case Rep Dent 2023;2023:1376588. Abstract

133. Bernhart G, Koob A, Schmitter M, et al. Clinical success of implant-supported and tooth-implant-supported double crown-retained dentures. Clin Oral Investig 2012;16(4):1031-7. Abstract

134. Bhatavadekar NB, Hu J, Keys K, et al. Novel application of cytodetachment technology to the analysis of dental implant surfaces. Int J Oral Maxillofac Implants 2011;26(5):985-90. Abstract

135. Bidra AS. Surgical and prosthodontic consequences of inadequate treatment planning for fixed implant-supported prosthesis in the edentulous mandible. J Oral Maxillofac Surg 2010;68(10):2528-36. Abstract

136. Bidra AS, Hofstede TM, Skoracki RJ, Jacob RF. Maxillofacial rehabilitation of a 7-year-old boy with osteosarcoma of the mandible using a free fibula flap and implant-supported prosthesis: A clinical report. J Prosthet Dent 2009;102(6):348-53. Abstract

137. Bidra AS, Montgomery PC, Jacob RF. Maxillofacial rehabilitation of a microstomic patient after resection of nose, lip, and maxilla. J Oral Maxillofac Surg 2010;68(10):2513-9. Abstract

138. Bidra AS, Shaqman M. Treatment planning and sequence for implant therapy in a young adult with generalized aggressive periodontitis. J Oral Implantol 2012;38(4):405-15. Abstract

139. Bidra AS, Uribe F. Preprosthetic orthodontic intervention for management of a partially edentulous patient with generalized wear and malocclusion. J Esthet Restor Dent 2012;24(2):88-100. Abstract

140. Bienz SP, Payer M, Hjerppe J, et al. Primary bone augmentation leads to equally stable marginal tissue conditions comparing the use of xenograft blocks infused with BMP-2 and autogenous bone blocks: A 3D analysis after 3 years. Clin Oral Implants Res 2021;32(12):1433-43. Abstract

141. Bijjargi SP, Awinashe V, Kashyap R, et al. Assessment of static and dynamic load tolerance of the implant mounts on its particular implant. Journal of Pharmacy and Bioallied Sciences 2023;15(Suppl 2):S1129-S31. Abstract

142. Bilhan H, Geckili O, Mumcu E. The use of definitive implant abutments for the fabrication of provisional crowns: A case series. J Periodontal Implant Sci 2011;41(5):248-52. Abstract

143. Bilhan H, Geckili O, Mumcu E, et al. Influence of surgical technique, implant shape and diameter on the primary stability in cancellous bone. J Oral Rehabil 2010;37(12):900-7. Abstract

144. Bilhan H, Geckili O, Sulun T, Bilgin T. A quality-of-life comparison between self-aligning and ball attachment systems for 2-implant-retained mandibular overdentures. J Oral Implantol 2011;37 Spec No(sp1):167-73. Abstract

145. Bilhan H, Kutay O, Arat S, et al. Astra Tech, Branemark, and ITI implants in the rehabilitation of partial edentulism: Two-year results. Implant Dent 2010;19(5):437-46. Abstract

146. Bilhan H, Mumcu E, Erol S, Kutay O. Influence of platform-switching on marginal bone levels for implants with mandibular overdentures: A retrospective clinical study. Implant Dent 2010;19(3):250-8. Abstract

147. Bilhan H, Mumcu E, Geckili O, Atalay B. The evaluation of the success of immediately placed single implants: A retrospective clinical study. Implant Dent 2011;20(3):215-25. Abstract

148. Bilhan H, Sonmez E, Mumcu E, Bilgin T. Immediate loading: three cases with up to 38 months of clinical follow-up. J Oral Implantol 2009;35(2):75-81. Abstract

149. Biyani R, Ali M, Belles D, Powers JM. Effect of metal extension of crown in the screw access channel of a posterior implant abutment on the retention of cement retained prosthesis. J Oral Implantol 2015;41(5):537-41. Abstract

150. Blum K, Wiest W, Fella C, et al. Fatigue induced changes in conical implant-abutment connections. Dent Mater 2015;31(11):1415-26. Abstract

151. Blume O, Schnodt EM, Back M, et al. Long-term efficacy of variable-thread tapered implants-A retrospective, clinical and radiological evaluation. Medicina (Kaunas) 2020;56(11). Abstract

152. Bompolaki D, Edmondson SA, Katancik JA, et al. Clinical and patient-reported outcomes of single posterior implant-supported restorations completed by predoctoral students: A retrospective study with up to 10 years of follow up. J Prosthodont 2021;30(2):111-18. Abstract

153. Bompolaki D, Punj A, Fellows C, et al. Clinical performance of CAD/CAM monolithic lithium disilicate implant-supported single crowns using solid or predrilled blocks in a fully digital workflow: A retrospective cohort study with up to 33 months of follow up. J Prosthodont 2022;31(1):38-44. Abstract

154. Borges T, Lima T, Carvalho A, et al. The influence of customized abutments and custom metal abutments on the presence of the interproximal papilla at implants inserted in single-unit gaps: A 1-year prospective clinical study. Clin Oral Implants Res 2014;25(11):1222-27. Abstract

155. Borges T, Lima T, Carvalho AC, Carvalho V. Clinical outcome of inter-proximal papilla between a tooth and a single implant treated with CAD/CAM abutments: A cross-sectional study. J Oral Maxillofac Res 2012;3(3). Abstract

156. Bormann KH, Suarez-Cunqueiro MM, von See C, et al. Sandwich osteotomy for vertical and transversal augmentation of the posterior mandible. Int J Oral Maxillofac Surg 2010;39(6):554-60. Abstract

157. Bormann KH, Suarez-Cunqueiro MM, von See C, et al. Forty sandwich osteotomies in atrophic mandibles: A retrospective study. J Oral Maxillofac Surg 2011;69(6):1562-70. Abstract

158. Bornemann G, Lemelson S, de San José González J. Reduced need for augmentation using the OsseoSpeed™ Profile EV implant and patient-specific ATLANTIS™ Abutments. Australasian Dental Practice 2016;27(2):158-59. Abstract.

159. Borzabadi-Farahani A, Zadeh HH. Adjunctive orthodontic applications in dental implantology. J Oral Implantol 2015;41(4):501-8. Abstract

160. Botticelli D, Perrotti V, Piattelli A, Iezzi G. Four stable and functioning dental implants retrieved for fracture after 14 and 17 years from the same Patient: A histologic and histomorphometric report. Int J Periodontics Restorative Dent 2019;39(1):83-88. Abstract

161. Botticelli D, Persson LG, Lindhe J, Berglundh T. Bone tissue formation adjacent to implants placed in fresh extraction sockets: An experimental study in dogs. Clin Oral Implants Res 2006;17(4):351-8. Abstract

162. Bousdras VA, Sindet-Pedersen S, Cunningham JL, et al. Immediate functional loading of single-tooth TIO2 grit-blasted implant restorations: A controlled prospective study in a porcine model. Part I: Clinical outcome. Clin Implant Dent Relat Res 2007;9(4):197-206. Abstract

163. Bousdras VA, Walboomers F, Jansen JA, et al. Immediate functional loading of single-tooth TiO2 grit-blasted implant restoration. A controlled prospective study in a porcine model. Part II: Histology and histomorphometry. Clin Implant Dent Relat Res 2007;9(4):207-16. Abstract

164. Boven GC, Meijer HJ, Slot W, et al. Does a large dehiscent implant surface at placement affect the 5-year treatment outcome? An assessment of implants placed to support a maxillary overdenture. J Craniomaxillofac Surg 2015;43(9):1758-62. Abstract

165. Boven GC, Slot JWA, Raghoebar GM, et al. Maxillary implant-supported overdentures opposed by (partial) natural dentitions: A 5-year prospective case series study. J Oral Rehabil 2017;44(12):988-95. Abstract

166. Bozini T, Petridis H, Garefis K, Garefis P. A meta-analysis of prosthodontic complication rates of implant-supported fixed dental prostheses in edentulous patients after an observation period of at least 5 years. Int J Oral Maxillofac Implants 2011;26(2):304-18. Abstract

167. Bozkaya D, Muftu S, Muftu A. Evaluation of load transfer characteristics of five different implants in compact bone at different load levels by finite elements analysis. J Prosthet Dent 2004;92(6):523-30. Abstract

168. Bozkurt E, Uslu MÖ. Effects of peri-implant mucosal characteristics on clinical peri-implant parameters: A retrospective study. Meandros Medical & Dental Journal 2023;24(2):105-11. Abstract

169. Brandenberg FD, Sailer I, Fehmer V, et al. Randomized controlled clinical pilot study of all-ceramic single-tooth implant reconstructions: Clinical and microbiological outcomes at one year of loading. Clin Oral Implants Res 2017;28(4):406-13. Abstract

170. Brandt S, Lauer HC, Fehrenz M, et al. Ball versus locator® attachments: A retrospective study on prosthetic maintenance and effect on oral-health-related quality of life. Materials (Basel) 2021;14(4). Abstract

171. Brandtner C, Borumandi F, Krenkel C, Gaggl A. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. Int J Oral Maxillofac Implants 2014;29(5):1164-9. Abstract

172. Bressan E, Paniz G, Lops D, et al. Influence of abutment material on the gingival color of implant-supported all-ceramic restorations: A prospective multicenter study. Clin Oral Implants Res 2011;22(6):631-7. Abstract

173. Bressan E, Sivolella S, Stellini E, et al. Healing of buccal dehiscence defects at implants installed immediately into extraction sockets - An experimental study in dogs. Clin Oral Implants Res 2013;24(3):270-7. Abstract

174. Bressan E, Sivolella S, Urrutia ZA, et al. Short implants (6 mm) installed immediately into extraction sockets: An experimental study in dogs. Clin Oral Implants Res 2012;23(5):536-41. Abstract

175. Bressan E, Tessarolo F, Sbricoli L, et al. Effect of chlorhexidine in preventing plaque biofilm on healing abutment: A crossover controlled study. Implant Dent 2014;23(1):64-8. Abstract

176. Bressan E, Tomasi C, Stellini E, et al. Implant-supported mandibular overdentures: A cross-sectional study. Clin Oral Implants Res 2012;23(7):814-9. Abstract

177. Brozovic J, Demoli N, Farkas N, et al. Properties of axially loaded implant-abutment assemblies using digital holographic interferometry analysis. Dent Mater 2014;30(3):e17-27. Abstract

178. Bryington M, Mendonca G, Nares S, Cooper LF. Osteoblastic and cytokine gene expression of implant-adherent cells in humans. Clin Oral Implants Res 2014;25(1):52-8. Abstract

179. Buchi DL, Sailer I, Fehmer V, et al. All-ceramic single-tooth implant reconstructions using modified zirconia abutments: A prospective randomized controlled clinical trial of the effect of pink veneering ceramic on the esthetic outcomes. Int J Periodontics Restorative Dent 2014;34(1):29-37. Abstract

180. Buhara O, Uyanik LO, Ayali A, Aydin M. Active implant periapical lesions leading to implant failure: Two case reports. J Oral Implantol 2014;40(3):325-9. Abstract

181. Bulat S, Butsan S, Salikhov K, et al. Free fibula flap for reconstruction of the severely atrophic mandible: A retrospective study. Int J Oral Maxillofac Surg 2021;50(4):546-54. Abstract

182. Butkevica A, Nathanson D, Pober R, Strating H. Measurements of repeated tightening and loosening torque of seven different implant/abutment connection designs and their modifications: An in vitro study. J Prosthodont 2018;27(2):153-61. Abstract

183. Bystedt H, Rasmusson L. Porous titanium granules used as osteoconductive material for sinus floor augmentation: A clinical pilot study. Clin Implant Dent Relat Res 2009;11(2):101-5. Abstract

184. Caban J, Fermergard R, Abtahi J. Long-term evaluation of osteotome sinus floor elevation and simultaneous placement of implants without bone grafts: 10-Year radiographic and clinical follow-up. Clin Implant Dent Relat Res 2017;19(6):1023-33. Abstract

185. Caglar A, Bal BT, Karakoca S, et al. Three-dimensional finite element analysis of titanium and yttrium-stabilized zirconium dioxide abutments and implants. Int J Oral Maxillofac Implants 2011;26(5):961-9. Abstract

186. Cairo F, Barbato L, Tonelli P, et al. Xenogeneic collagen matrix versus connective tissue graft for buccal soft tissue augmentation at implant site. A randomized, controlled clinical trial. J Clin Periodontol 2017;44(7):769-76. Abstract

187. Cairo F, Nieri M, Cavalcanti R, et al. Marginal soft tissue recession after lateral guided bone regeneration at implant site: A long-term study with at least 5 years of loading. Clin Oral Implants Res 2020;31(11):1116-24. Abstract

188. Cakarer S, Selvi F, Can T, et al. Investigation of the risk factors associated with the survival rate of dental implants. Implant Dent 2014;23(3):328-33. Abstract

189. Cakir O, Kazancioglu HO, Celik G, et al. Evaluation of the efficacy of mandibular conventional and implant prostheses in a group of Turkish patients: A quality of life study. J Prosthodont 2014;23(5):390-6. Abstract

190. Calderini A, Maiorana C, Garlini G, Abbondanza T. A simplified method to assess precision of fit between framework and supporting implants: A preliminary study. Int J Oral Maxillofac Implants 2007;22(5):831-8. Abstract

191. Camps-Font O, Martin-Fatas P, Cle-Ovejero A, et al. Postoperative infections after dental implant placement: Variables associated with increased risk of failure. J Periodontol 2018;89(10):1165-73. Abstract

192. Canullo L, Penarrocha-Oltra D, Covani U, et al. Clinical and microbiological findings in patients with peri-implantitis: A cross-sectional study. Clin Oral Implants Res 2016;27(3):376-82. Abstract

193. Canullo L, Penarrocha-Oltra D, Soldini C, et al. Microbiological assessment of the implant-abutment interface in different connections: Cross-sectional study after 5 years of functional loading. Clin Oral Implants Res 2015;26(4):426-34. Abstract

194. Capecchi M, Buongiorno V, Romagnoli A, et al. Severe descending mediastinitis after routine dental implant surgery: A case report. Eur J Oral Implantol 2012;5(4):389-96. Abstract

195. Carbiner R, Jerjes W, Shakib K, et al. Analysis of the compatibility of dental implant systems in fibula free flap reconstruction. Head Neck Oncol 2012;4:37. Abstract

196. Carcuac O, Abrahamsson I, Charalampakis G, Berglundh T. The effect of the local use of chlorhexidine in surgical treatment of experimental peri-implantitis in dogs. J Clin Periodontol 2015;42(2):196-203. Abstract

197. Carcuac O, Abrahamsson I, Derks J, et al. Spontaneous progression of experimental peri-implantitis in augmented and pristine bone: A pre-clinical in vivo study. Clin Oral Implants Res 2020;31(2):192-200. Abstract

198. Carcuac O, Derks J, Abrahamsson I, et al. Surgical treatment of peri-implantitis: 3-year results from a randomized controlled clinical trial. J Clin Periodontol 2017;44(12):1294-303. Abstract

199. Carcuac O, Derks J, Charalampakis G, et al. Adjunctive systemic and local antimicrobial therapy in the surgical treatment of peri-implantitis: A randomized controlled clinical trial. J Dent Res 2016;95(1):50-7. Abstract

200. Carlos LV, N CC, Sm Karina L, et al. Comparative study of bacterial microfiltration in the implant-abutment interface, with straight and conical internal connections, in vitro. Clin Exp Dent Res 2021;7(6):1014-24. Abstract

201. Carmagnola D, Araujo M, Berglundh T, et al. Bone tissue reaction around implants placed in a compromised jaw. J Clin Periodontol 1999;26(10):629-35. Abstract

202. Carmagnola D, Berglundh T, Araujo M, et al. Bone healing around implants placed in a jaw defect augmented with Bio-Oss. An experimental study in dogs. J Clin Periodontol 2000;27(11):799-805. Abstract

203. Carnaggio TV, Conrad R, Engelmeier RL, et al. Retention of CAD/CAM all-ceramic crowns on prefabricated implant abutments: An in vitro comparative study of luting agents and abutment surface area. J Prosthodont 2012;21(7):523-8. Abstract

204. Castro GL, Gallas M, Nunez IR, et al. Scanning electron microscopic analysis of diode laser-treated titanium implant surfaces. Photomed Laser Surg 2007;25(2):124-8. Abstract

205. Cavalcanti R, Oreglia F, Manfredonia MF, et al. The influence of smoking on the survival of dental implants: A 5-year pragmatic multicentre retrospective cohort study of 1727 patients. Eur J Oral Implantol 2011;4(1):39-45. Abstract

206. Cecchinato D, Bengazi F, Blasi G, et al. Bone level alterations at implants placed in the posterior segments of the dentition: Outcome of submerged/non-submerged healing. A 5-year multicenter, randomized, controlled clinical trial. Clin Oral Implants Res 2008;19(4):429-31. Abstract

207. Cecchinato D, Bressan EA, Toia M, et al. Osseointegration in periodontitis susceptible individuals. Clin Oral Implants Res 2012;23(1):1-4. Abstract

208. Cecchinato D, Lops D, Salvi GE, Sanz M. A prospective, randomized, controlled study using OsseoSpeed implants placed in maxillary fresh extraction socket: Soft tissues response. Clin Oral Implants Res 2015;26(1):20-7. Abstract

209. Cecchinato D, Marino M, Hakansson J, et al. Occurrence of complications in patients restored with implants. Clin Oral Implants Res 2022;33(9):913-20. Abstract

210. Cecchinato D, Marino M, Lindhe J. Bone loss at implants and teeth in the same segment of the dentition in partially dentate subjects. Clin Oral Implants Res 2017;28(5):626-30. Abstract

211. Cecchinato D, Marino M, Toia M, et al. Bone loss at implants and teeth in the same inter-proximal unit: A radiographic study. Clin Oral Implants Res 2018;29(4):375-80. Abstract

212. Cecchinato D, Olsson C, Lindhe J. Submerged or non-submerged healing of endosseous implants to be used in the rehabilitation of partially dentate patients. J Clin Periodontol 2004;31(4):299-308. Abstract

213. Cecchinato D, Parpaiola A, Lindhe J. A cross-sectional study on the prevalence of marginal bone loss among implant patients. Clin Oral Implants Res 2013;24(1):87-90. Abstract

214. Cecchinato D, Parpaiola A, Lindhe J. Mucosal inflammation and incidence of crestal bone loss among implant patients: A 10-year study. Clin Oral Implants Res 2014;25(7):791-6. Abstract

215. Cehreli M, Duyck J, De Cooman M, et al. Implant design and interface force transfer. A photoelastic and strain-gauge analysis. Clin Oral Implants Res 2004;15(2):249-57. Abstract

216. Cehreli MC, Karasoy D, Akca K, Eckert SE. Meta-analysis of methods used to assess implant stability. Int J Oral Maxillofac Implants 2009;24(6):1015-32. Abstract

217. Cehreli MC, Karasoy D, Kokat AM, et al. A systematic review of marginal bone loss around implants retaining or supporting overdentures. Int J Oral Maxillofac Implants 2010;25(2):266-77. Abstract

218. Cehreli MC, Karasoy D, Kokat AM, et al. Systematic review of prosthetic maintenance requirements for implant-supported overdentures. Int J Oral Maxillofac Implants 2010;25(1):163-80. Abstract

219. Celikkin N, Mastrogiacomo S, Dou W, et al. In vitro and in vivo assessment of a 3D printable gelatin methacrylate hydrogel for bone regeneration applications. J Biomed Mater Res B Appl Biomater 2022;110(9):2133-45. Abstract

220. Ch'ng S, Skoracki RJ, Selber JC, et al. Osseointegrated implant-based dental rehabilitation in head and neck reconstruction patients. Head Neck 2016;38 Suppl 1:E321-7. Abstract

221. Cha HS, Kim YS, Jeon JH, Lee JH. Cumulative survival rate and complication rates of single-tooth implant; focused on the coronal fracture of fixture in the internal connection implant. J Oral Rehabil 2013;40(8):595-602. Abstract

222. Cha JK, Kim C, Pae HC, et al. Maxillary sinus augmentation using biphasic calcium phosphate: Dimensional stability results after 3-6 years. J Periodontal Implant Sci 2019;49(1):47-57. Abstract

223. Chae SW, Kim YS, Lee YM, et al. Complication incidence of two implant systems up to six years: A comparison between internal and external connection implants. J Periodontal Implant Sci 2015;45(1):23-9. Abstract

224. Chaffee NR, Felton DA, Cooper LF, et al. Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study. J Prosthet Dent 2002;87(1):40-4. Abstract

225. Chang M, Wennstrom JL. Bone alterations at implant-supported FDPs in relation to inter-unit distances: A 5-year radiographic study. Clin Oral Implants Res 2010;21(7):735-40. Abstract

226. Chang M, Wennstrom JL. Longitudinal changes in tooth/single-implant relationship and bone topography: An 8-year retrospective analysis. Clin Implant Dent Relat Res 2012;14(3):388-94. Abstract

227. Chang M, Wennstrom JL. Soft tissue topography and dimensions lateral to single implant-supported restorations. A cross-sectional study. Clin Oral Implants Res 2013;24(5):556-62. Abstract

228. Chao YL, Chen HH, Mei CC, et al. Meta-regression analysis of the initial bone height for predicting implant survival rates of two sinus elevation procedures. J Clin Periodontol 2010;37(5):456-65. Abstract

229. Charalampakis G, Leonhardt A, Rabe P, Dahlen G. Clinical and microbiological characteristics of peri-implantitis cases: A retrospective multicentre study. Clin Oral Implants Res 2012;23(9):1045-54. Abstract

230. Charalampakis G, Ramberg P, Dahlen G, et al. Effect of cleansing of biofilm formed on titanium discs. Clin Oral Implants Res 2015;26(8):931-36. Abstract

231. Chiapasco M, Colletti G, Coggiola A, et al. Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: Preliminary results of a prospective study. Int J Oral Maxillofac Implants 2015;30(2):450-60. Abstract

232. Chiapasco M, Di Martino G, Anello T, et al. Fresh frozen versus autogenous iliac bone for the rehabilitation of the extremely atrophic maxilla with onlay grafts and endosseous implants: Preliminary results of a prospective comparative study. Clin Implant Dent Relat Res 2015;17 Suppl 1:e251-66. Abstract

233. Chiapasco M, Palombo D. Sinus grafting and simultaneous removal of large antral pseudocysts of the maxillary sinus with a micro-invasive intraoral access. Int J Oral Maxillofac Surg 2015;44(12):1499-505. Abstract

234. Choi JH. The effect of different screw-tightening techniques on the strain generated on an internal-connection implant superstructure. Part 2: Models created with a splinted impression technique. Int J Oral Maxillofac Implants 2011;26(5):1016-23. Abstract

235. Choi JH, Lim YJ, Kim CW, Kim MJ. The effect of different screw-tightening techniques on the stress generated on an internal-connection implant superstructure. Int J Oral Maxillofac Implants 2009;24(6):1045-53. Abstract

236. Choi JH, Lim YJ, Yim SH, Kim CW. Evaluation of the accuracy of implant-level impression techniques for internal-connection implant prostheses in parallel and divergent models. Int J Oral Maxillofac Implants 2007;22(5):761-8. Abstract

237. Choi JY, Kang SH, Kim HY, Yeo IL. Control variable implants improve interpretation of surface modification and implant design effects on early bone responses: An in vivo study. Int J Oral Maxillofac Implants 2018;33(5):1033-40. Abstract

238. Choi JY, Lee HJ, Jang JU, Yeo IS. Comparison between bioactive fluoride modified and bioinert anodically oxidized implant surfaces in early bone response using rabbit tibia model. Implant Dent 2012;21(2):124-8. Abstract

239. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Factors influencing early dental implant failures. J Dent Res 2016;95(9):995-1002. Abstract

240. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Intake of proton pump inhibitors is associated with an increased risk of dental implant failure. Int J Oral Maxillofac Implants 2017;32(5):1097-102. Abstract

241. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Impact of different surgeons on dental implant failure. Int J Prosthodont 2017;30(5):445-54. Abstract

242. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Is the intake of selective serotonin reuptake inhibitors associated with an increased risk of dental implant failure? Int J Oral Maxillofac Surg 2017;46(6):782-88. Abstract

243. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Factors influencing the fracture of dental implants. Clin Implant Dent Relat Res 2018;20(1):58-67. Abstract

244. Chrcanovic BR, Kisch J, Larsson C. Retrospective clinical evaluation of implant-supported single crowns: Mean follow-up of 15 years. Clin Oral Implants Res 2019;30(7):691-701. Abstract

245. Chrcanovic BR, Kisch J, Larsson C. Analysis of technical complications and risk factors for failure of combined tooth-implant-supported fixed dental prostheses. Clin Implant Dent Relat Res 2020;22(4):523-32. Abstract

246. Chrcanovic BR, Kisch J, Larsson C. Retrospective evaluation of implant-supported full-arch fixed dental prostheses after a mean follow-up of 10 years. Clin Oral Implants Res 2020;31(7):634-45. Abstract

247. Chrcanovic BR, Kisch J, Larsson C. Retrospective clinical evaluation of 2- to 6-unit implant-supported fixed partial dentures: Mean follow-up of 9 years. Clin Implant Dent Relat Res 2020;22(2):201-12. Abstract

248. Chutinet A, Pimkhaokham A, Serichetaphongse P. Immediate implant placement combined with guided bone regeneration in the restoration of a maxillary central incisor: A case report. CU Dent J 2013;36:107-16.

249. Clelland N, Chaudhry J, Rashid RG, McGlumphy E. Split-mouth comparison of splinted and nonsplinted prostheses on short implants: 3-year results. Int J Oral Maxillofac Implants 2016;31(5):1135-41. Abstract

250. Clelland NL, Seidt JD, Daroz LG, McGlumphy EA. Comparison of strains for splinted and nonsplinted implant prostheses using three-dimensional image correlation. Int J Oral Maxillofac Implants 2010;25(5):953-9. Abstract

251. Clelland NL, Yilmaz B, Seidt JD. Three-dimensional image correlation analyses for strains generated by cement and screw-retained implant prostheses. Clin Implant Dent Relat Res 2013;15(2):271-82. Abstract

252. Cody RP. Esthetics in implant dentistry - A case report using the Astra Tech Zir Abutment in a maxillary anterior single tooth reconstruction. US Dentistry 2006:27-28.

253. Coelho PG, Granato R, Marin C, et al. Biomechanical evaluation of endosseous implants at early implantation times: A study in dogs. J Oral Maxillofac Surg 2010;68(7):1667-75. Abstract

254. Collaert B, De Bruyn H. Early loading of four or five Astra Tech fixtures with a fixed cross-arch restoration in the mandible. Clin Implant Dent Relat Res 2002;4(3):133-5. Abstract

255. Collaert B, De Bruyn H. Immediate functional loading of TiOblast dental implants in full-arch edentulous maxillae: A 3-year prospective study. Clin Oral Implants Res 2008;19(12):1254-60. Abstract

256. Collaert B, Wijnen L, De Bruyn H. A 2-year prospective study on immediate loading with fluoride-modified implants in the edentulous mandible. Clin Oral Implants Res 2011;22(10):1111-16. Abstract

257. Colomina LE. Immediate loading of implant-fixed mandibular prostheses: A prospective 18-month follow-up clinical study--preliminary report. Implant Dent 2001;10(1):23-9. Abstract

258. Cooper L, De Kok IJ, Reside GJ, et al. Immediate fixed restoration of the edentulous maxilla after implant placement. J Oral Maxillofac Surg 2005;63(9 Suppl 2):97-110. Abstract

259. Cooper L, Felton DA, Kugelberg CF, et al. A multicenter 12-month evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. Int J Oral Maxillofac Implants 2001;16(2):182-92. Abstract

260. Cooper LF, De Kok IJ, Rojas-Vizcaya F, et al. The immediate loading of dental implants. Compend Contin Educ Dent 2007;28(4):216-25; quiz 26. Abstract

261. Cooper LF, Ellner S, Moriarty J, et al. Three-year evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. Int J Oral Maxillofac Implants 2007;22(5):791-800. Abstract

262. Cooper LF, Masuda T, Whitson SW, et al. Formation of mineralizing osteoblast cultures on machined, titanium oxide grit-blasted, and plasma-sprayed titanium surfaces. Int J Oral Maxillofac Implants 1999;14(1):37-47. Abstract

263. Cooper LF, Moriarty JD, Guckes AD, et al. Five-year prospective evaluation of mandibular overdentures retained by two microthreaded, TiOblast nonsplinted implants and retentive ball anchors. Int J Oral Maxillofac Implants 2008;23(4):696-704. Abstract

264. Cooper LF, Raes F, Reside GJ, et al. Comparison of radiographic and clinical outcomes following immediate provisionalization of single-tooth dental implants placed in healed alveolar ridges and extraction sockets. Int J Oral Maxillofac Implants 2010;25(6):1222-32. Abstract

265. Cooper LF, Rahman A, Moriarty J, et al. Immediate mandibular rehabilitation with endosseous implants: simultaneous extraction, implant placement, and loading. Int J Oral Maxillofac Implants 2002;17(4):517-25. Abstract

266. Cooper LF, Reside G, DeKok I, et al. A 5-year esthetic RCT assessment of anterior maxillary single-tooth implants with different abutment interfaces. Int J Oral Maxillofac Implants 2021;36(1):165-76. Abstract

267. Cooper LF, Reside G, Raes F, et al. Immediate provisionalization of dental implants in grafted alveolar ridges in the esthetic zone: A 5-year evaluation. Int J Periodontics Restorative Dent 2014;34(4):477-86. Abstract

268. Cooper LF, Reside G, Stanford C, et al. A multicenter randomized comparative trial of implants with different abutment interfaces to replace anterior maxillary single teeth. Int J Oral Maxillofac Implants 2015;30(3):622-32. Abstract

269. Cooper LF, Reside G, Stanford C, et al. Three-year prospective randomized comparative assessment of anterior maxillary single implants with different abutment interfaces. Int J Oral Maxillofac Implants 2019;34(1):150-58. Abstract

270. Cooper LF, Reside GJ, Raes F, et al. Immediate provisionalization of dental implants placed in healed alveolar ridges and extraction sockets: A 5-year prospective evaluation. Int J Oral Maxillofac Implants 2014;29(3):709-17. Abstract

271. Cooper LF, Scurria MS, Lang LA, et al. Treatment of edentulism using Astra Tech implants and ball abutments to retain mandibular overdentures. Int J Oral Maxillofac Implants 1999;14(5):646-53. Abstract

272. Cooper LF, Stanford C, Feine J, McGuire M. Prospective assessment of CAD/CAM zirconia abutment and lithium disilicate crown restorations: 2.4 year results. J Prosthet Dent 2016;116(1):33-9. Abstract

273. Cooper LF, Tarnow D, Froum S, et al. Comparison of marginal bone changes with internal conus and external hexagon design implant systems: A prospective, randomized study. Int J Periodontics Restorative Dent 2016;36(5):631-42. Abstract

274. Cooper LF, Zhou Y, Takebe J, et al. Fluoride modification effects on osteoblast behavior and bone formation at TiO2 grit-blasted c.p. titanium endosseous implants. Biomaterials 2006;27(6):926-36. Abstract

275. Correia F, Gouveia S, Felino A, et al. Maxillary sinus augmentation with xenogenic collagen-retained heterologous cortico-cancellous bone: A 3-year follow-up randomized controlled trial. Dent. J. 2024;12(2):33. Abstract

276. Correia F, Gouveia SA, Pozza DH, et al. A randomized clinical trial comparing implants placed in two different biomaterials used for maxillary sinus augmentation. Materials (Basel) 2023;16(3):1220. Abstract

277. Correia F, Pozza DH, Gouveia S, et al. Maxilla Reconstruction with Xenograft Blocks to Allow Implant Rehabilitation: A Case Report. Int J Periodontics Restorative Dent 2023;43(4):507-15. Abstract

278. Costa C, Peixinho N, Silva JP, Carvalho S. Study and characterization of the crest module design: A 3D finite element analysis. J Prosthet Dent 2015;113(6):541-7. Abstract

279. Cosyn J, Hooghe N, De Bruyn H. A systematic review on the frequency of advanced recession following single immediate implant treatment. J Clin Periodontol 2012;39(6):582-9. Abstract

280. Cosyn J, Vandenbulcke E, Browaeys H, et al. Factors associated with failure of surface-modified implants up to four years of function. Clin Implant Dent Relat Res 2012;14(3):347-58. Abstract

281. Couso-Queiruga E, Weber HA, Garaicoa-Pazmino C, et al. Influence of healing time on the outcomes of alveolar ridge preservation using a collagenated bovine bone xenograft: A randomized clinical trial. J Clin Periodontol 2023;50(2):132-46. Abstract

282. Creton M, Cune M, Verhoeven W, et al. Implant treatment in patients with severe hypodontia: A retrospective evaluation. J Oral Maxillofac Surg 2010;68(3):530-8. Abstract

283. Currie F, Tilly C, Falk J. Different apical implant designs and the impact on initial stability. Clin Oral Implants Res 2019;30(S19):174-74. Abstract

284. D'Haese J, De Bruyn H. Effect of smoking habits on accuracy of implant placement using mucosally supported stereolithographic surgical guides. Clin Implant Dent Relat Res 2013;15(3):402-11. Abstract

285. D'Haese J, Matthys C, Sahak H, et al. Seven years maintenance cost of implant-retained overdentures on ball versus locator abutments. Preprints 2020;E-pub, doi: 10.20944/preprints202011.0662.v1. Abstract

286. D'Haese J, Matthys C, Sahak H, et al. Implant-retained mandibular overdentures: patient-related outcome measurements after seven years of function. Dent J (Basel) 2022;10(5):1-10. Abstract

287. D'Haese J, Van De Velde T, Elaut L, De Bruyn H. A prospective study on the accuracy of mucosally supported stereolithographic surgical guides in fully edentulous maxillae. Clin Implant Dent Relat Res 2012;14(2):293-303. Abstract

288. D'Haese J, Vervaeke S, Verbanck N, De Bruyn H. Clinical and radiographic outcome of implants placed using stereolithographic guided surgery: A prospective monocenter study. Int J Oral Maxillofac Implants 2013;28(1):205-15. Abstract

289. Da Silva JD, Kazimiroff J, Papas A, et al. Outcomes of implants and restorations placed in general dental practices: a retrospective study by the Practitioners Engaged in Applied Research and Learning (PEARL) Network. J Am Dent Assoc 2014;145(7):704-13. Abstract

290. Dailey B, Jordan L, Blind O, Tavernier B. Axial displacement of abutments into implants and implant replicas, with the tapered cone-screw internal connection, as a function of tightening torque. Int J Oral Maxillofac Implants 2009;24(2):251-6. Abstract

291. Dasmah A, Kashani H, Thor A, Rasmusson L. Integration of fluoridated implants in onlay autogenous bone grafts - An experimental study in the rabbit tibia. J Craniomaxillofac Surg 2014;42(6):796-800. Abstract

292. Dasmah A, Rasmusson C, Thor A, Rasmusson L. Simultaneous or delayed placement of surface modified and fluoridated dental implants into autogenous block bone grafts: A histologic and biomechanical study in the rabbit. Clin Implant Dent Relat Res 2015;17(2):395-401. Abstract

293. Dasmah A, Thor A, Ekestubbe A, et al. Particulate vs. block bone grafts: Three-dimensional changes in graft volume after reconstruction of the atrophic maxilla, a 2-year radiographic follow-up. J Craniomaxillofac Surg 2012;40(8):654-9. Abstract

294. Dasmah A, Thor A, Ekestubbe A, et al. Marginal bone-level alterations at implants installed in block versus particulate onlay bone grafts mixed with platelet-rich plasma in atrophic maxilla. A prospective 5-year follow-up study of 15 patients. Clin Implant Dent Relat Res 2013;15(1):7-14. Abstract

295. Dave M, Davies J, Wilson R, Palmer R. A comparison of cone beam computed tomography and conventional periapical radiography at detecting peri-implant bone defects. Clin Oral Implants Res 2013;24(6):671-8. Abstract

296. Davis DM. Implant supported overdentures--the King's experience. J Dent 1997;25 Suppl 1:S33-7. Abstract

297. Davis DM, Packer ME. Mandibular overdentures stabilized by Astra Tech implants with either ball attachments or magnets: 5-year results. Int J Prosthodont 1999;12(3):222-9. Abstract

298. Davis DM, Packer ME. The maintenance requirements of mandibular overdentures stabilized by Astra Tech implants using three different attachment mechanisms--balls, magnets, and bars; 3-year results. Eur J Prosthodont Restor Dent 2000;8(4):131-4. Abstract

299. Davis DM, Rogers JO, Packer ME. The extent of maintenance required by implant-retained mandibular overdentures: A 3-year report. Int J Oral Maxillofac Implants 1996;11(6):767-74. Abstract

300. De Bruyn H, Besseler J, Raes F, Vaneker M. Clinical outcome of overdenture treatment on two nonsubmerged and nonsplinted Astra Tech Microthread implants. Clin Implant Dent Relat Res 2009;11(2):81-9. Abstract

301. De Bruyn H, Raes F, Cooper LF, et al. Three-years clinical outcome of immediate provisionalization of single Osseospeed(™) implants in extraction sockets and healed ridges. Clin Oral Implants Res 2013;24(2):217-23. Abstract

302. De Bruyn H, Van de Velde T, Collaert B. Immediate functional loading of TiOblast dental implants in full-arch edentulous mandibles: A 3-year prospective study. Clin Oral Implants Res 2008;19(7):717-23. Abstract

303. De Coster P, Browaeys H, De Bruyn H. Healing of extraction sockets filled with BoneCeramic® prior to implant placement: preliminary histological findings. Clin Implant Dent Relat Res 2011;13(1):34-45. Abstract

304. De Kok IJ, Chang KH, Lu TS, Cooper LF. Comparison of three-implant-supported fixed dentures and two-implant-retained overdentures in the edentulous mandible: A pilot study of treatment efficacy and patient satisfaction. Int J Oral Maxillofac Implants 2011;26(2):415-26. Abstract

305. De Kok IJ, Chang SS, Moriarty JD, Cooper LF. A retrospective analysis of peri-implant tissue responses at immediate load/provisionalized microthreaded implants. Int J Oral Maxillofac Implants 2006;21(3):405-12. Abstract

306. de Oliveira NRC, Pigozzo MN, Sesma N, Lagana DC. Clinical efficiency and patient preference of digital and conventional workflow for single implant crowns using immediate and regular digital impression: A meta-analysis. Clin Oral Implants Res 2020;31(8):669-86. Abstract

307. de Sanctis M, Vignoletti F, Discepoli N, et al. Immediate implants at fresh extraction sockets: An experimental study in the beagle dog comparing four different implant systems. Soft tissue findings. J Clin Periodontol 2010;37(8):769-76. Abstract

308. de Sanctis M, Vignoletti F, Discepoli N, et al. Immediate implants at fresh extraction sockets: Bone healing in four different implant systems. J Clin Periodontol 2009;36(8):705-11. Abstract

309. De Smet E, Jaecques SV, Wevers M, et al. Constant strain rate and peri-implant bone modeling: An in vivo longitudinal micro-CT analysis. Clin Implant Dent Relat Res 2013;15(3):358-66. Abstract

310. de Vicente JC, Hernandez-Vallejo G, Brana-Abascal P, Pena I. Maxillary sinus augmentation with autologous bone harvested from the lateral maxillary wall combined with bovine-derived hydroxyapatite: Clinical and histologic observations. Clin Oral Implants Res 2010;21(4):430-8. Abstract

311. de Waal YC, Raghoebar GM, Huddleston Slater JJ, et al. Implant decontamination during surgical peri-implantitis treatment: A randomized, double-blind, placebo-controlled trial. J Clin Periodontol 2013;40(2):186-95. Abstract

312. DeAngelo SJ, Kumar PS, Beck FM, et al. Early soft tissue healing around one-stage dental implants: Clinical and microbiologic parameters. J Periodontol 2007;78(10):1878-86. Abstract

313. Del Castillo R, Ercoli C, Delgado JC, Alcaraz J. An alternative multiple pontic design for a fixed implant-supported prosthesis. J Prosthet Dent 2011;106(3):198-203. Abstract

314. Dellavia C, Speroni S, Pellegrini G, et al. A new method to evaluate volumetric changes in sinus augmentation procedure. Clin Implant Dent Relat Res 2014;16(5):684-90. Abstract

315. den Hartog L, Slater JJ, Vissink A, et al. Treatment outcome of immediate, early and conventional single-tooth implants in the aesthetic zone: A systematic review to survival, bone level, soft-tissue, aesthetics and patient satisfaction. J Clin Periodontol 2008;35(12):1073-86. Abstract

316. Dereci O, Mumcu E, Dereci ON, et al. Effects of implant-related variables on the marginal bone loss around dental implants. Quintessence Int 2020;51(2):118-26. Abstract

317. Dereci O, Mumcu E, Gojayeva G, Dayan C. Comparison of Periodontal Health and Marginal Bone Loss in Mandibular First Molar Single-Crown Dental Implants Placed in Different Positions. J Long Term Eff Med Implants 2023;33(4):59-65. Abstract

318. Dereci Ö, Saruhan N, TekİN G, Ugurlu M. Volumetric Comparison of New Bone Formation in Sinus Floor Augmentation Using Allografts with/without Platelet-Rich Fibrin Cohort Research (Retrospective). J Dental Sci 2023;29(3):409-18. Abstract

319. Derks J, Ortiz-Vigon A, Guerrero A, et al. Reconstructive surgical therapy of peri-implantitis: A multicenter randomized controlled clinical trial. Clin Oral Implants Res 2022;33(9):921-44. Abstract

320. Dewilde F, Hindryckx M, Younes F, et al. Lateral bone augmentation with a composite graft covered with a stretched and pinned collagen membrane: A retrospective case series using cone-beam computed tomography. Clin Implant Dent Relat Res 2024;26(3):545-53. Abstract

321. Di Francesco F, Cristache CM, Minervini G, et al. Survival and mechanical complications of single- and multiple-unit cement-retained posterior implant-supported restorations with custom CAD/CAM Atlantis titanium abutments: An up to 10-year retrospective analysis. Int J Oral Implantol (Berl) 2023;16(4):315-24. Abstract

322. Di Francesco F, De Marco G, Cristache CM, et al. Survival and mechanical complications of posterior single implant-supported restorations using prefabricated titanium abutments: A medium- and long-term retrospective analysis with up to 10 years follow-up. Int J Prosthodont 2022;35(3):278-86. Abstract

323. Dierens M, Collaert B, Deschepper E, et al. Patient-centered outcome of immediately loaded implants in the rehabilitation of fully edentulous jaws. Clin Oral Implants Res 2009;20(10):1070-7. Abstract

324. Diez-Fraile A, Barbier L, Abeloos J. Maxillary bone augmentation with calvarial bone graft for immediate full-arch rehabilitation: Insights from a 10-year proof-of-concept retrospective analysis. Clin Oral Implants Res 2024;35(2):201-19. Abstract

325. Discepoli N, Ferrari Cagidiaco E, Landini G, et al. Sealing effectiveness against Staphylococcus aureus of five different implant-abutment connections. Am J Dent 2018;31(3):141-43. Abstract

326. Diss A, Dohan DM, Mouhyi J, Mahler P. Osteotome sinus floor elevation using Choukroun's platelet-rich fibrin as grafting material: A 1-year prospective pilot study with microthreaded implants. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2008;105(5):572-9. Abstract

327. Dittmer MP, Dittmer S, Borchers L, et al. Influence of the interface design on the yield force of the implant-abutment complex before and after cyclic mechanical loading. J Prosthodont Res 2012;56(1):19-24. Abstract

328. Dittmer S, Dittmer MP, Kohorst P, et al. Effect of implant-abutment connection design on load bearing capacity and failure mode of implants. J Prosthodont 2011;20(7):510-6. Abstract

329. Dohan Ehrenfest DM, Vazquez L, Park YJ, et al. Identification card and codification of the chemical and morphological characteristics of 14 dental implant surfaces. J Oral Implantol 2011;37(5):525-42. Abstract

330. Donati M, Botticelli D, La Scala V, et al. Effect of immediate functional loading on osseointegration of implants used for single tooth replacement. A human histological study. Clin Oral Implants Res 2013;24(7):738-45. Abstract

331. Donati M, Ekestubbe A, Lindhe J, Wennstrom JL. Implant-supported single-tooth restorations. A 12-year prospective study. Clin Oral Implants Res 2016;27(10):1207-11. Abstract

332. Donati M, Ekestubbe A, Lindhe J, Wennstrom JL. Marginal bone loss at implants with different surface characteristics - A 20-year follow-up of a randomized controlled clinical trial. Clin Oral Implants Res 2018;29(5):480-87. Abstract

333. Donati M, La Scala V, Billi M, et al. Immediate functional loading of implants in single tooth replacement: A prospective clinical multicenter study. Clin Oral Implants Res 2008;19(8):740-8. Abstract

334. Donati M, La Scala V, Di Raimondo R, et al. Marginal bone preservation in single-tooth replacement: A 5-year prospective clinical multicenter study. Clin Implant Dent Relat Res 2015;17(3):425-34. Abstract

335. Donati M, Noelken R, Fiorellini J, et al. Implants placed in an alveolar ridge with a sloped configuration. A 3-year prospective multicenter study. Clin Oral Implants Res 2023;34(1):13-19. Abstract

336. Doornewaard R, Bruyn H, Matthys C, et al. The long-term effect of adapting the vertical position of implants on peri-implant health: A 5-year intra-

subject comparison in the edentulous mandible including oral health-related quality of life. J Clin Med 2020;9(10). Abstract

337. Doornewaard R, Glibert M, Matthys C, et al. Improvement of quality of life with implant-supported mandibular overdentures and the effect of implant type and surgical procedure on bone and soft tissue stability: A three-year prospective split-mouth trial. J Clin Med 2019;8(6). Abstract

338. Doukas D, Michelinakis G, Smith PW, Barclay CW. The influence of interimplant distance and attachment type on the retention characteristics of mandibular overdentures on 2 implants: 6-month fatigue retention values. Int J Prosthodont 2008;21(2):152-4. Abstract

339. Draenert FG, Sagheb K, Baumgardt K, Kammerer PW. Retrospective analysis of survival rates and marginal bone loss on short implants in the mandible. Clin Oral Implants Res 2012;23(9):1063-9. Abstract

340. Dragonas P, Palin C, Khan S, et al. Complications associated with the use of recombinant human bone morphogenic protein-2 in ridge augmentation: A case report. J Oral Implantol 2017;43(5):351-59. Abstract

341. Duddeck DU, Neugebauer J, Scheer M, et al. Surprises in the land of microns. EDI 2010;6(2):50-54. Abstract

342. Duyck J, Corpas L, Vermeiren S, et al. Histological, histomorphometrical, and radiological evaluation of an experimental implant design with a high insertion torque. Clin Oral Implants Res 2010;21(8):877-84. Abstract

343. Ebler S, Ioannidis A, Jung RE, et al. Prospective randomized controlled clinical study comparing two types of two-piece dental implants supporting fixed reconstructions - results at 1 year of loading. Clin Oral Implants Res 2016;27(9):1169-77. Abstract

344. Eckert SE, Choi YG, Sanchez AR, Koka S. Comparison of dental implant systems: Quality of clinical evidence and prediction of 5-year survival. Int J Oral Maxillofac Implants 2005;20(3):406-15. Abstract

345. Eickholz P, Grotkamp FL, Steveling H, et al. Reproducibility of peri-implant probing using a force-controlled probe. Clin Oral Implants Res 2001;12(2):153-8. Abstract

346. Eisner B, Naenni N, Husler J, et al. Three-year results of a randomized controlled clinical trial using submucosally veneered and unveneered zirconia abutments supporting all-ceramic single-implant crowns. Int J Periodontics Restorative Dent 2018;38(5):645-52. Abstract

347. Elias CN, Meirelles L. Improving osseointegration of dental implants. Expert Rev Med Devices 2010;7(2):241-56. Abstract

348. Eliasson A, Blomqvist F, Wennerberg A, Johansson A. A retrospective analysis of early and delayed loading of full-arch mandibular prostheses using three different implant systems: Clinical results with up to 5 years of loading. Clin Implant Dent Relat Res 2009;11(2):134-48. Abstract

349. Ellegaard B, Baelum V, Karring T. Implant therapy in periodontally compromised patients. Clin Oral Implants Res 1997;8(3):180-8. Abstract

350. Ellegaard B, Baelum V, Kolsen-Petersen J. Non-grafted sinus implants in periodontally compromised patients: A time-to-event analysis. Clin Oral Implants Res 2006;17(2):156-64. Abstract

351. Ellegaard B, Kolsen-Petersen J, Baelum V. Implant therapy involving maxillary sinus lift in periodontally compromised patients. Clin Oral Implants Res 1997;8(4):305-15. Abstract

352. Ellingsen JE. Pre-treatment of titanium implants with fluoride improves their retention in bone. J Mater Sci Mater Med 1995;6:749-53. Abstract

353. Ellingsen JE. On the properties of surface-modified titanium. In: Davies JE, editor. Bone Engineering. Toronto: em squared inc. Toronto, Canada; 2000. p. 183-88.

354. Ellingsen JE, Johansson CB, Wennerberg A, Holmen A. Improved retention and bone-to-implant contact with fluoride-modified titanium implants. Int J Oral Maxillofac Implants 2004;19(5):659-66. Abstract

355. Ellingsen JE, Lyngstadaas SP. Increasing biocompatability by chemical modification of titanium surfaces. In: Ellingsen JE, Lyngstadaas PS, editors. Bio-Implant Interface; Improving Biomaterials and Tissue Reactions. Boca Raton, Florida: CRC Press LLC; 2003. p. 323-40.

356. Elter C, Heuer W, Demling A, et al. Comparative analysis of biofilm formation on dental implant abutments with respect to supra- and subgingival areas: Polytetrafluoroethylene versus titanium. Int J Prosthodont 2011;24(4):373-5. Abstract

357. Emami E, Alesawy A, de Grandmont P, et al. A within-subject clinical trial on the conversion of mandibular two-implant to three-implant overdenture: Patient-centered outcomes and willingness to pay. Clin Oral Implants Res 2019;30(3):218-28. Abstract

358. Emami E, Cerutti-Kopplin D, Menassa M, et al. Does immediate loading affect clinical and patient-centered outcomes of mandibular 2-unsplinted-implant overdenture? A 2-year within-case analysis. J Dent 2016;50:30-6. Abstract

359. Emami E, de Grandmont P, Menassa M, et al. Anti-vascular endothelial growth factors as a potential risk for implant failure: A clinical report. Case Rep Med 2020;2020:6141493. Abstract

360. Emami E, de Souza RF, Bernier J, et al. Patient perceptions of the mandibular three-implant overdenture: A practice-based study. Clin Oral Implants Res 2015;26(6):639-43. Abstract

361. Englezos E, Cosyn J, Koole S, et al. Resective treatment of peri-implantitis: Clinical and radiographic outcomes after 2 years. Int J Periodontics Restorative Dent 2018;38(5):729-35. Abstract

362. Engquist B, Astrand P, Dahlgren S, et al. Marginal bone reaction to oral implants: A prospective comparative study of Astra Tech and Branemark System implants. Clin Oral Implants Res 2002;13(1):30-7. Abstract

363. Erdem NF, Abdioğlu G, Ekinci SA, Şişman AÇ. Radiological evaluation and biomechanical stability of implants simultaneously placed at the sites with sole advanced platelet-rich fibrin (A-PRF) grafted sinus floor. Journal of Maxillofacial and Oral Surgery 2022;E-pub Sep 20, doi: 10.1007/s12663-022-01785-4. Abstract

364. Ericsson I, Johansson CB, Bystedt H, Norton MR. A histomorphometric evaluation of bone-to-implant contact on machine-prepared and roughened titanium dental implants. A pilot study in the dog. Clin Oral Implants Res 1994;5(4):202-6. Abstract

365. Ericsson I, Lekholm U, Sennerby L, Holmen A. Soft tissue response to clinically contaminated and thereafter cleaned titanium surfaces. An experimental study in the rat. Clin Oral Implants Res 2000;11(4):370-3. Abstract

366. Erkapers M, Ekstrand K, Baer RA, et al. Patient satisfaction following dental implant treatment with immediate loading in the edentulous atrophic maxilla. Int J Oral Maxillofac Implants 2011;26(2):356-64. Abstract

367. Erkapers M, Segerstrom S, Ekstrand K, et al. The influence of immediately loaded implant treatment in the atrophic edentulous maxilla on oral health related quality of life of edentulous patients: 3-year results of a prospective study. Head Face Med 2017;13(1):21. Abstract

368. Erkmen E, Meric G, Kurt A, et al. Biomechanical comparison of implant retained fixed partial dentures with fiber reinforced composite versus conventional metal frameworks: A 3D FEA study. J Mech Behav Biomed Mater 2011;4(1):107-16. Abstract

369. Erkut S, Uckan S. Alveolar distraction osteogenesis and implant placement in a severely resorbed maxilla: A clinical report. J Prosthet Dent 2006;95(5):340-3. Abstract

370. Erneklint C, Odman P, Ortengren U, Karlsson S. An in vitro load evaluation of a conical implant system with 2 abutment designs and 3 different retaining-screw alloys. Int J Oral Maxillofac Implants 2006;21(5):733-7. Abstract

371. Erneklint C, Odman P, Ortengren U, Rasmusson L. Tolerance test of five different types of crowns on single-tooth implants. Int J Prosthodont 1998;11(3):233-9. Abstract

372. Esposito M, Grusovin MG, Coulthard P, et al. A 5-year follow-up comparative analysis of the efficacy of various osseointegrated dental implant systems: A systematic review of randomized controlled clinical trials. Int J Oral Maxillofac Implants 2005;20(4):557-68. Abstract

373. Esquivel-Upshaw J, Mehler A, Clark A, et al. Peri-implant complications for posterior endosteal implants. Clin Oral Implants Res 2015;26(12):1390-6. Abstract

374. Esquivel-Upshaw JF, Clark AE, Shuster JJ, Anusavice KJ. Randomized clinical trial of implant-supported ceramic-ceramic and metal-ceramic fixed dental prostheses: preliminary results. J Prosthodont 2014;23(2):73-82. Abstract

375. Esquivel-Upshaw JF, Mecholsky JJ, Jr., Clark AE, et al. Factors influencing the survival of implant-supported ceramic-ceramic prostheses: A randomized, controlled clinical trial. J Dent 2020;103S:100017. Abstract

376. Esquivel-Upshaw JF, Mehler A, Clark AE, et al. Fracture analysis of randomized implant-supported fixed dental prostheses. J Dent 2014;42(10):1335-42. Abstract

377. Estefania-Fresco R, Garcia-de-la-Fuente AM, Egana-Fernandez-Valderrama A, et al. One-year results of a nonsurgical treatment protocol for peri-implantitis. A retrospective case series. Clin Oral Implants Res 2019;30(7):702-12. Abstract

378. Ettl T, Gerlach T, Schusselbauer T, et al. Bone resorption and complications in alveolar distraction osteogenesis. Clin Oral Investig 2010;14(5):481-9. Abstract

379. Ettl T, Junold N, Zeman F, et al. Implant survival or implant success? Evaluation of implant-based prosthetic rehabilitation in head and neck cancer patients-a prospective observational study. Clin Oral Investig 2020;24(9):3039-47. Abstract

380. Ettl T, Weindler J, Gosau M, et al. Impact of radiotherapy on implant-based prosthetic rehabilitation in patients with head and neck cancer: A prospective observational study on implant survival and quality of life-Preliminary results. J Craniomaxillofac Surg 2016;44(9):1453-62. Abstract

381. Fagbamigbe AF, Karlsson K, Derks J, Petzold M. Performance evaluation of survival regression models in analysing Swedish dental implant complication data with frailty. PLoS One 2021;16(1):e0245111. Abstract

382. Fahlstedt P, Bunaes DF, Lie SA, Leknes KN. Dental implant surface temperatures following double wavelength (2780/940 nm) laser irradiation in vitro. Clin Exp Dent Res 2021;7(4):512-21. Abstract

383. Fahlstedt P, Wennerberg A, Bunaes DF, et al. Dental implant surface morphology, chemical composition, and topography following double wavelength (2780/940 nm) laser irradiation. An in vitro study. Clin Exp Dent Res 2023;9(1):25-35. Abstract

384. Fandridis J, Papadopoulos T. Surface characterization of three titanium dental implants. Implant Dent 2008;17(1):91-9. Abstract

385. Fanuscu MI, Chang TL, Akca K. Effect of surgical techniques on primary implant stability and peri-implant bone. J Oral Maxillofac Surg 2007;65(12):2487-91. Abstract

386. Faria PE, Carvalho AL, de Torres EM, et al. Effects of early functional loading on maintenance of free autogenous bone graft and implant osseointegration: An experimental study in dogs. J Oral Maxillofac Surg 2010;68(4):825-32. Abstract

387. Faria PE, Masalskas B, Heyden A, et al. Immediate loading of implants in the edentulous mandible: A multicentre study. Oral Maxillofac Surg 2016;20(4):385-90. Abstract

388. Farzadmoghadam M, Mohammadi TM, Goudarzi R, et al. Is there a relationship between general and oral health-related quality of life in partially edentulous patients before and after implant treatment? A quasi-experimental study. Clin Oral Implants Res 2020;31(6):557-64. Abstract

389. Fenlon MR, Lyons A, Farrell S, et al. Factors affecting survival and usefulness of implants placed in vascularized free composite grafts used in post-head and neck cancer reconstruction. Clin Implant Dent Relat Res 2012;14(2):266-72. Abstract

390. Fermergard R, Astrand P. Osteotome sinus floor elevation and simultaneous placement of implants--A 1-year retrospective study with Astra Tech implants. Clin Implant Dent Relat Res 2008;10(1):62-9. Abstract

391. Fermergard R, Astrand P. Osteotome sinus floor elevation without bone grafts--A 3-year retrospective study with Astra Tech implants. Clin Implant Dent Relat Res 2012;14(2):198-205. Abstract

392. Ferrari M, Cagidiaco MC, Garcia-Godoy F, et al. Effect of different prosthetic abutments on peri-implant soft tissue. A randomized controlled clinical trial. Am J Dent 2015;28(2):85-9. Abstract

393. Ferrari M, Carrabba M, Vichi A, et al. Influence of abutment color and mucosal thickness on soft tissue color. Int J Oral Maxillofac Implants 2017;32(2):393-99. Abstract

394. Ferrari M, Tricarico MG, Cagidiaco MC, et al. 3-year randomized controlled prospective clinical trial on different CAD-CAM implant abutments. Clin Implant Dent Relat Res 2016;18(6):1134-41. Abstract

395. Ferrus J, Cecchinato D, Pjetursson EB, et al. Factors influencing ridge alterations following immediate implant placement into extraction sockets. Clin Oral Implants Res 2010;21(1):22-9. Abstract

396. Foong JK, Judge RB, Palamara JE, Swain MV. Fracture resistance of titanium and zirconia abutments: An in vitro study. J Prosthet Dent 2013;109(5):304-12. Abstract

397. Franceschetti G, Farina R, Minenna L, et al. The impact of graft remodeling on peri-implant bone support at implants placed concomitantly with transcrestal sinus floor elevation: A multicenter, retrospective case series. Clin Oral Implants Res 2020;31(2):105-20. Abstract

398. Franceschetti G, Farina R, Stacchi C, et al. Radiographic outcomes of transcrestal sinus floor elevation performed with a minimally invasive technique in smoker and non-smoker patients. Clin Oral Implants Res 2014;25(4):493-9. Abstract

399. Freitas-Junior AC, Almeida EO, Bonfante EA, et al. Reliability and failure modes of morse taper dental implant connections. Clin Oral Implants Res 2021.

400. Freitas-Junior AC, Almeida EO, Bonfante EA, et al. Reliability and failure modes of internal conical dental implant connections. Clin Oral Implants Res 2013;24(2):197-202. Abstract

401. Frisch E, Vach K, Ratka-Krueger P. Impact of supportive implant therapy on peri-implant diseases: A retrospective 7-year study. J Clin Periodontol 2020;47(1):101-09. Abstract

402. Frisch E, Ziebolz D, Vach K, Ratka-Kruger P. Supportive post-implant therapy: patient compliance rates and impacting factors: 3-year follow-up. J Clin Periodontol 2014;41(10):1007-14. Abstract

403. Froum SJ, Froum SH, Rosen PS. Successful management of peri-implantitis with a regenerative approach: A consecutive series of 51 treated implants with 3- to 7.5-year follow-up. Int J Periodontics Restorative Dent 2012;32(1):11-20. Abstract

404. Fu W, Shah R, Curtis DA, Kapila Y. Psychologic stress of COVID-19 pandemic and oral health: A case series. Arch Clin Med Case Rep 2021;5(5):672-79. Abstract

405. Fujioka M, Kanno T, Mitsugi M, et al. Oral rehabilitation of a maxillectomy defect using bone transport distraction and dental implants. J Oral Maxillofac Surg 2010;68(9):2278-82. Abstract

406. Fukuda M, Iino M, Ohnuki T, et al. Vertical alveolar distraction osteogenesis with complications in a reconstructed mandible. J Oral Implantol 2003;29(4):185-8. Abstract

407. Fukuda M, Iino M, Yamaoka K, et al. Two-stage distraction osteogenesis for mandibular segmental defect. J Oral Maxillofac Surg 2004;62(9):1164-8. Abstract

408. Fukuda M, Takahashi T, Iino M. Dentoalveolar reconstruction of a missing premaxilla using bone graft and endosteal implants. J Oral Rehabil 2003;30(1):87-90. Abstract

409. Fukuda M, Takahashi T, Nagai H, Iino M. Implant-supported edentulous maxillary obturators with milled bar attachments after maxillectomy. J Oral Maxillofac Surg 2004;62(7):799-805. Abstract

410. Funaki K, Takahashi T, Yamuchi K. Horizontal alveolar ridge augmentation using distraction osteogenesis: Comparison with a bone-splitting method in

a dog model. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2009;107(3):350-8. Abstract

411. Gadzo N, Ioannidis A, Naenni N, et al. Survival and complication rates of two dental implant systems supporting fixed restorations: 10-year data of a randomized controlled clinical study. Clin Oral Investig 2023;27(12):7327-36. Abstract

412. Gaintantzopoulou M, Zinelis S, Silikas N, Eliades G. Micro-Raman spectroscopic analysis of TiO(2) phases on the root surfaces of commercial dental implants. Dent Mater 2014;30(8):861-7. Abstract

413. Galindo-Moreno P, Avila G, Fernandez-Barbero JE, et al. Evaluation of sinus floor elevation using a composite bone graft mixture. Clin Oral Implants Res 2007;18(3):376-82. Abstract

414. Galindo-Moreno P, Avila G, Fernandez-Barbero JE, et al. Clinical and histologic comparison of two different composite grafts for sinus augmentation: A pilot clinical trial. Clin Oral Implants Res 2008;19(8):755-9. Abstract

415. Galindo-Moreno P, Catena A, Perez-Sayans M, et al. Early marginal bone loss around dental implants to define success in implant dentistry: A retrospective study. Clin Implant Dent Relat Res 2022;24(5):630-42. Abstract

416. Galindo-Moreno P, de Buitrago JG, Padial-Molina M, et al. Histopathological comparison of healing after maxillary sinus augmentation using xenograft mixed with autogenous bone versus allograft mixed with autogenous bone. Clin Oral Implants Res 2018;29(2):192-201. Abstract

417. Galindo-Moreno P, Fernandez-Jimenez A, Avila-Ortiz G, et al. Marginal bone loss around implants placed in maxillary native bone or grafted sinuses: a retrospective cohort study. Clin Oral Implants Res 2014;25(3):378-84. Abstract

418. Galindo-Moreno P, Fernandez-Jimenez A, O'Valle F, et al. Marginal bone loss in implants placed in grafted maxillary sinus. Clin Implant Dent Relat Res 2015;17(2):373-83. Abstract

419. Galindo-Moreno P, Leon-Cano A, Monje A, et al. Abutment height influences the effect of platform switching on peri-implant marginal bone loss. Clin Oral Implants Res 2016;27(2):167-73. Abstract

420. Galindo-Moreno P, Leon-Cano A, Ortega-Oller I, et al. Marginal bone loss as success criterion in implant dentistry: Beyond 2 mm. Clin Oral Implants Res 2015;26(4):e28-e34. Abstract

421. Galindo-Moreno P, Moreno-Riestra I, Avila G, et al. Histomorphometric comparison of maxillary pristine bone and composite bone graft biopsies obtained after sinus augmentation. Clin Oral Implants Res 2010;21(1):122-8. Abstract

422. Galindo-Moreno P, Moreno-Riestra I, Avila G, et al. Effect of anorganic bovine bone to autogenous cortical bone ratio upon bone remodeling patterns

following maxillary sinus augmentation. Clin Oral Implants Res 2011;22(8):857-64. Abstract

423. Galindo-Moreno P, Nilsson P, King P, et al. Clinical and radiographic evaluation of early loaded narrow diameter implants - 1-year follow-up. Clin Oral Implants Res 2012;23(5):609-16. Abstract

424. Galindo-Moreno P, Nilsson P, King P, et al. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 5-year follow-up of a multicenter prospective clinical study. Clin Oral Implants Res 2017;28(12):1584-91. Abstract

425. Galindo-Moreno P, Padial-Molina M, Avila G, et al. Complications associated with implant migration into the maxillary sinus cavity. Clin Oral Implants Res 2012;23(10):1152-60. Abstract

426. Galindo-Moreno P, Padial-Molina M, Fernandez-Barbero JE, et al. Optimal microvessel density from composite graft of autogenous maxillary cortical bone and anorganic bovine bone in sinus augmentation: influence of clinical variables. Clin Oral Implants Res 2010;21(2):221-7. Abstract

427. Galindo-Moreno P, Padial-Molina M, Nilsson P, et al. The influence of the distance between narrow implants and the adjacent teeth on marginal bone levels. Clin Oral Implants Res 2017;28(6):704-12. Abstract

428. Galindo-Moreno P, Ravida A, Catena A, et al. Limited marginal bone loss in implant-supported fixed full-arch rehabilitations after 5 years of follow-up. Clin Oral Implants Res 2022;33(12):1224-32. Abstract

429. Gander T, Studer S, Studer G, et al. Medium-term outcome of Astra Tech implants in head and neck oncology patients. Int J Oral Maxillofac Surg 2014;43(11):1381-5. Abstract

430. Gandolfi MG, Zamparini F, Iezzi G, et al. Microchemical and micromorphologic ESEM-EDX analysis of bone mineralization at the thread interface in human dental implants retrieved for mechanical complications after 2 months to 17 years. Int J Periodontics Restorative Dent 2018;38(3):431-41. Abstract

431. Gao J, Yang Y, Yin W, et al. A nomogram prediction of implant apical non-coverage on bone-added transcrestal sinus floor elevation: A retrospective cohort study. Clin Oral Implants Res 2024;35(3):282-93. Abstract

432. Garcia-Bellosta S, Bravo M, Subira C, Echeverria JJ. Retrospective study of the long-term survival of 980 implants placed in a periodontal practice. Int J Oral Maxillofac Implants 2010;25(3):613-9. Abstract

433. Gargallo-Albiol J, Ortega-Martinez J, Salomo-Coll O, et al. Mouth opening limitation and influence of age and surgical location for static fully guided dental implant placement: an observational, cross-sectional clinical study. Int J Oral Maxillofac Surg 2024;53(6):526-32. Abstract

434. Gates WD, 3rd, Cooper LF, Sanders AE, et al. The effect of implant-supported removable partial dentures on oral health quality of life. Clin Oral Implants Res 2014;25(2):207-13. Abstract

435. Ge YJ, Yeh IT, Wong SW, et al. Occlusal rehabilitation in a patient with oligodontia and microdontia using implants and full-ceramic restorations: A clinical report. Chin J Dent Res 2019;22(4):281-85. Abstract

436. Geckili O, Bilhan H, Bilgin T. A 24-week prospective study comparing the stability of titanium dioxide grit-blasted dental implants with and without fluoride treatment. Int J Oral Maxillofac Implants 2009;24(4):684-8. Abstract

437. Geckili O, Bilhan H, Bilgin T. Impact of mandibular two-implant retained overdentures on life quality in a group of elderly Turkish edentulous patients. Arch Gerontol Geriatr 2011;53(2):233-6. Abstract

438. Geckili O, Bilhan H, Cilingir A, et al. A comparative in vitro evaluation of two different magnetic devices detecting the stability of osseo-integrated implants. J Periodontal Res 2012;47(4):508-13. Abstract

439. Geckili O, Bilhan H, Geckili E, et al. Evaluation of possible prognostic factors for the success, survival, and failure of dental implants. Implant Dent 2014;23(1):44-50. Abstract

440. Geckili O, Bilhan H, Mumcu E. Clinical and radiographic evaluation of three-implant-retained mandibular overdentures: A 3-year retrospective study. Quintessence Int 2011;42(9):721-8. Abstract

441. Geckili O, Bilhan H, Mumcu E, Bilgin T. Three-year radiologic follow-up of marginal bone loss around titanium dioxide grit-blasted dental implants with and without fluoride treatment. Int J Oral Maxillofac Implants 2011;26(2):319-24. Abstract

442. Geckili O, Bilhan H, Mumcu E, et al. Comparison of patient satisfaction, quality of life, and bite force between elderly edentulous patients wearing mandibular two implant-supported overdentures and conventional complete dentures after 4 years. Spec Care Dentist 2012;32(4):136-41. Abstract

443. Geckili O, Mumcu E, Bilhan H. Radiographic evaluation of narrow diameter implants after 5 years of clinical function: A retrospective study. J Oral Implantol 2011;39(S1):273-79. Abstract

444. Geckili O, Mumcu E, Bilhan H. The effect of maximum bite force, implant number, and attachment type on marginal bone loss around implants supporting mandibular overdentures: A retrospective study. Clin Implant Dent Relat Res 2012;14 Suppl 1(Supplement 1):e91-7. Abstract

445. Gehrke P, Tabellion A, Fischer C. Microscopical and chemical surface characterization of CAD/CAM zircona abutments after different cleaning procedures. A qualitative analysis. J Adv Prosthodont 2015;7(2):151-9. Abstract

446. Gellrich NC, Bormann KH, Tehranchian S, et al. Containment and contouring (CoCoon) technique: A biologically adequate approach to less invasive

autogenous preimplant augmentation of bone. Br J Oral Maxillofac Surg 2013;51(8):880-6. Abstract

447. Gheisari R, Eatemadi H, Alavian A. Comparison of the marginal bone loss in one-stage versus two-stage implant surgery. J Dent (Shiraz) 2017;18(4):272-76. Abstract

448. Ghoveizi R, Alikhasi M, Siadat M-R, et al. A radiographic comparison of progressive and conventional loading on crestal bone loss and dentistry in single dental implants: A randomized controlled trial study. J Dent (Tehran) 2013;10(2):155-63. Abstract

449. Gigandet M, Bigolin G, Faoro F, et al. Implants with original and non-original abutment connections. Clin Implant Dent Relat Res 2014;16(2):303-11. Abstract

450. Gjengedal H, Dahl L, Lavik A, et al. Randomized clinical trial comparing dietary intake in patients with implant-retained overdentures and conventionally relined denture. Int J Prosthodont 2012;25(4):340-7. Abstract

451. Goellner M, Schmitt J, Karl M, et al. The effect of axial and oblique loading on the micromovement of dental implants. Int J Oral Maxillofac Implants 2011;26(2):257-64. Abstract

452. Gokcen-Rohlig B, Meric U, Keskin H. Clinical and radiographic outcomes of implants immediately placed in fresh extraction sockets. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2010;109(4):e1-7. Abstract

453. Gonzalez-Martin O, Lee EA, Veltri M. CBCT fractal dimension changes at the apex of immediate implants placed using undersized drilling. Clin Oral Implants Res 2012;23(8):954-7. Abstract

454. Goshima K, Lexner MO, Thomsen CE, et al. Functional aspects of treatment with implant-supported single crowns: A quality control study in subjects with tooth agenesis. Clin Oral Implants Res 2010;21(1):108-14. Abstract

455. Gotfredsen K. Implant supported overdentures--the Copenhagen experience. J Dent 1997;25 Suppl 1:S39-42. Abstract

456. Gotfredsen K. A 5-year prospective study of single-tooth replacements supported by the Astra Tech implant: A pilot study. Clin Implant Dent Relat Res 2004;6(1):1-8. Abstract

457. Gotfredsen K. A 10-year prospective study of single tooth implants placed in the anterior maxilla. Clin Implant Dent Relat Res 2012;14(1):80-7. Abstract

458. Gotfredsen K, Holm B. Implant-supported mandibular overdentures retained with ball or bar attachments: A randomized prospective 5-year study. Int J Prosthodont 2000;13(2):125-30. Abstract

459. Gotfredsen K, Holm B, Sewerin I, et al. Marginal tissue response adjacent to Astra Dental Implants supporting overdentures in the mandible. Clin Oral Implants Res 1993;4(2):83-9. Abstract

460. Gotfredsen K, Karlsson U. A prospective 5-year study of fixed partial prostheses supported by implants with machined and TiO2-blasted surface. J Prosthodont 2001;10(1):2-7. Abstract

461. Gotfredsen K, Lindh CH, Berglundh T. Does longstanding nicotine exposure impair bone healing and osseointegration? An experimental study in rabbits. J Biomed Mater Res B Appl Biomater 2009;91(2):918-23. Abstract

462. Gotfredsen K, Nimb L, Hjorting-Hansen E. Immediate implant placement using a biodegradable barrier, polyhydroxybutyrate-hydroxyvalerate reinforced with polyglactin 910. An experimental study in dogs. Clin Oral Implants Res 1994;5(2):83-91. Abstract

463. Gotfredsen K, Nimb L, Hjorting-Hansen E, et al. Histomorphometric and removal torque analysis for TiO2-blasted titanium implants. An experimental study on dogs. Clin Oral Implants Res 1992;3(2):77-84. Abstract

464. Gotfredsen K, Warrer K, Hjorting H, Karring T. Effect of membranes and porous hydroxyapatite on healing in bone defects around titanium dental implants. An experimental study in monkeys. Clin Oral Implants Res 1991;2(4):172-8. Abstract

465. Gotfredsen K, Wennerberg A, Johansson C, et al. Anchorage of TiO2-blasted, HA-coated, and machined implants: an experimental study with rabbits. J Biomed Mater Res 1995;29(10):1223-31. Abstract

466. Grigoriadis A, Johansson RS, Trulsson M. Adaptability of mastication in people with implant-supported bridges. J Clin Periodontol 2011;38(4):395-404. Abstract

467. Grisar K, Sinha D, Schoenaers J, et al. Retrospective analysis of dental implants placed between 2012 and 2014: Indications, risk factors, and early survival. Int J Oral Maxillofac Implants 2017;32(3):649-54. Abstract

468. Grobecker-Karl T, Karl M, Steiner C. Insertion torque/time integral as a measure of primary implant stability. Biomed Tech (Berl) 2020;65(6):729–33. Abstract

469. Grobecker-Karl T, Orujov K, Klar V, Karl M. Use of a dentin bonding agent for the fixation of strain gauges on bone. J Mech Behav Biomed Mater 2021;119:104545. Abstract

470. Guida L, Annunziata M, Esposito U, et al. 6-mm-short and 11-mm-long implants compared in the full-arch rehabilitation of the edentulous mandible: A 3-year multicenter randomized controlled trial. Clin Oral Implants Res 2020;31(1):64-73. Abstract

471. Guida L, Annunziata M, Rocci A, et al. Biological response of human bone marrow mesenchymal stem cells to fluoride-modified titanium surfaces. Clin Oral Implants Res 2010;21(11):1234-41. Abstract

472. Guida L, Esposito U, Sirignano M, et al. 6 mm short versus 11 mm long inter-foraminal implants in the full-arch rehabilitation of edentulous non-atrophic

mandibles: 5-year results from a multicenter randomized controlled trial. Clin Oral Implants Res 2023;34(2):127-36. Abstract

473. Guler B, Uraz A, Cetiner D. The chemical surface evaluation of black and white porous titanium granules and different commercial dental implants with energy-dispersive x-ray spectroscopy analysis. Clin Implant Dent Relat Res 2019;21(2):352-59. Abstract

474. Guler B, Uraz A, Hatipoglu H, Yalim M. Chemical evaluation of energy dispersive x-ray spectroscopy analysis of different failing dental implant surfaces: A comparative clinical trial. Materials (Basel) 2021;14(4). Abstract

475. Gulje F, Abrahamsson I, Chen S, et al. Implants of 6 mm vs. 11 mm lengths in the posterior maxilla and mandible: A 1-year multicenter randomized controlled trial. Clin Oral Implants Res 2013;24(12):1325-31. Abstract

476. Gulje F, Raghoebar GM, Ter Meulen JW, et al. Mandibular overdentures supported by 6-mm dental implants: A 1-year prospective cohort study. Clin Implant Dent Relat Res 2012;14 Suppl 1(Supplement 1):e59-66. Abstract

477. Gulje FL, Meijer HJA, Abrahamsson I, et al. Comparison of 6-mm and 11-mm dental implants in the posterior region supporting fixed dental prostheses: 5-year results of an open multicenter randomized controlled trial. Clin Oral Implants Res 2021;32(1):15-22. Abstract

478. Gulje FL, Raghoebar GM, Erkens WA, Meijer HJ. Impact of crown-implant ratio of single restorations supported by 6-mm implants: A short-term case series study. Int J Oral Maxillofac Implants 2016;31(3):672-5. Abstract

479. Guljé FL, Raghoebar GM, Gareb B, et al. Single crowns in the posterior maxilla supported by either 11-mm long implants with sinus floor augmentation or by 6-mm long implants: A 10-year randomized controlled trial. Clinical Oral Implants Research 2024;35(1):89-100. Abstract

480. Gulje FL, Raghoebar GM, Gareb B, et al. Single crown restorations supported by 6-mm implants in the resorbed posterior mandible: A 10-year prospective case series. Clin Implant Dent Relat Res 2024;26(3):642-50. Abstract

481. Gulje FL, Raghoebar GM, Vissink A, Meijer HJ. Single crowns in the resorbed posterior maxilla supported by either 6-mm implants or by 11-mm implants combined with sinus floor elevation surgery: a 1-year randomised controlled trial. Eur J Oral Implantol 2014;7(3):247-55. Abstract

482. Gulje FL, Raghoebar GM, Vissink A, Meijer HJ. Single restorations in the resorbed posterior mandible supported by 6-mm implants: a 1-year prospective case series study. Clin Implant Dent Relat Res 2015;17 Suppl 2:e465-71. Abstract

483. Gulje FL, Raghoebar GM, Vissink A, Meijer HJA. Single crowns in the resorbed posterior maxilla supported by either 11-mm implants combined with sinus floor elevation or 6-mm implants:A 5-year randomised controlled trial. Int J Oral Implantol (Berl) 2019;12(3):315-26. Abstract

484. Gulje FL, Raghoebar GM, Vissink A, Meijer HJA. Single crown restorations supported by 6-mm implants in the resorbed posterior mandible: A five-year prospective case series. Clin Implant Dent Relat Res 2019;21(5):1017-22. Abstract

485. Guncu MB, Cakan U, Aktas G, et al. Comparison of implant versus tooth-supported zirconia-based single crowns in a split-mouth design: A 4-year clinical follow-up study. Clin Oral Investig 2016;20(9):2467-73. Abstract

486. Gungormus M, Erbasar GNH. Transient heat transfer in dental implants for thermal necrosis-aided implant removal: A 3D finite element analysis. J Oral Implantol 2019;45(3):196-201. Abstract

487. Guo J, Padilla RJ, Ambrose W, et al. The effect of hydrofluoric acid treatment of TiO2 grit blasted titanium implants on adherent osteoblast gene expression in vitro and in vivo. Biomaterials 2007;28(36):5418-25. Abstract

488. Gurbuz E, Ceylan E, Yurttas M. Evaluation of the significance of keratinized mucosa on peri-implant tissue health: A prospective clinical trial. Aust Dent J 2023;68(2):105-12. Abstract

489. Guven SS, Cabbar F, Guler N. Local and systemic factors associated with marginal bone loss around dental implants: A retrospective clinical study. Quintessence Int 2020;51(2):128-41. Abstract

490. Guzaitis KL, Knoernschild KL, Viana MA. Effect of repeated screw joint closing and opening cycles on implant prosthetic screw reverse torque and implant and screw thread morphology. J Prosthet Dent 2011;106(3):159-69. Abstract

491. Hadchiti W, Aoun G, Al Yahfoufi Z. Survival rate of implants placed in residual bone height less than 4.5 mm with or without bone grafting using Summers method. J Long Term Eff Med Implants 2022;32(4):13-26. Abstract

492. Hadzik J, Botzenhart U, Krawiec M, et al. Comparative evaluation of the effectiveness of the implantation in the lateral part of the mandible between short tissue level (TE) and bone level (BL) implant systems. Ann Anat 2017;213:78-82. Abstract

493. Hadzik J, Krawiec M, Kubasiewicz-Ross P, et al. Short implants and conventional implants in the residual maxillary alveolar ridge: A 36-month follow-up observation. Med Sci Monit 2018;24:5645-52. Abstract

494. Hadzik J, Krawiec M, Slawecki K, et al. The influence of the crown-implant ratio on the crestal bone level and implant secondary stability: 36-month clinical study. Biomed Res Int 2018;2018:4246874. Abstract

495. Hadzik J, Kubasiewicz-Ross P, Nawrot-Hadzik I, et al. Short (6 mm) and regular dental implants in the posterior maxilla-7-years follow-up study. J Clin Med 2021;10(5):940. Abstract

496. Hakam AE, Vila G, Duarte PM, et al. Effects of different antidepressant classes on dental implant failure: A retrospective clinical study. J Periodontol 2021;92(2):196-204. Abstract

497. Halldin A, Jimbo R, Johansson CB, et al. Improved osseointegration and interlocking capacity with dual acid-treated implants: A rabbit study. Clin Oral Implants Res 2016;27(1):22-30. Abstract

498. Halldin A, Jimbo R, Johansson CB, et al. The effect of static bone strain on implant stability and bone remodeling. Bone 2011;49(4):783-9. Abstract

499. Halldin A, Jimbo R, Johansson CB, et al. Implant stability and bone remodeling after 3 and 13 days of implantation with an initial static strain. Clin Implant Dent Relat Res 2014;16(3):383-93. Abstract

500. Halldin A, Jinno Y, Galli S, et al. Implant stability and bone remodeling up to 84 days of implantation with an initial static strain. An in vivo and theoretical investigation. Clin Oral Implants Res 2016;27(10):1310-16. Abstract

501. Hallman M, Mordenfeld A, Strandkvist T. A retrospective 5-year follow-up study of two different titanium implant surfaces used after interpositional bone grafting for reconstruction of the atrophic edentulous maxilla. Clin Implant Dent Relat Res 2005;7(3):121-6. Abstract

502. Hallstrom H, Persson GR, Lindgren S, et al. Systemic antibiotics and debridement of peri-implant mucositis. A randomized clinical trial. J Clin Periodontol 2012;39(6):574-81. Abstract

503. Hamilton A, Judge RB, Palamara JE, Evans C. Evaluation of the fit of CAD/CAM abutments. Int J Prosthodont 2013;26(4):370-80. Abstract

504. Han J, Tang Z, Zhang X, Meng H. A prospective, multi-center study assessing early loading with short implants in posterior regions. A 3-year post-loading follow-up study. Clin Implant Dent Relat Res 2018;20(1):34-42. Abstract

505. Han J, Zhang X, Tang Z, et al. A prospective, multicenter study assessing the DENTSPLY Implants, OsseoSpeed(™) TX, length 6 mm in the posterior maxilla and mandible: A 1-year follow-up study. Clin Oral Implants Res 2016;27(4):452-7. Abstract

506. Han JY, Shin SI, Herr Y, et al. The effects of bone grafting material and a collagen membrane in the ridge splitting technique: An experimental study in dogs. Clin Oral Implants Res 2011;22(12):1391-8. Abstract

507. Hansson S. The implant neck: smooth or provided with retention elements. A biomechanical approach. Clin Oral Implants Res 1999;10(5):394-405. Abstract

508. Hansson S. Implant-abutment interface: Biomechanical study of flat top versus conical. Clin Implant Dent Relat Res 2000;2(1):33-41. Abstract

509. Hansson S. Surface roughness parameters as predictors of anchorage strength in bone: a critical analysis. J Biomech 2000;33(10):1297-303. Abstract

510. Hansson S. A conical implant-abutment interface at the level of the marginal bone improves the distribution of stresses in the supporting bone. An axisymmetric finite element analysis. Clin Oral Implants Res 2003;14(3):286-93. Abstract

511. Hansson S, Halldin A. Letter to the editor: re: effect of microthreads and platform switching on crestal bone stress levels: A finite element analysis. J Periodontol 2009;80(7):1033-5; authors response 35-6. Abstract

512. Hansson S, Löberg J, Mattisson I, Ahlberg E. Characterisation of titanium dental implants. II. Local biomechanical model. The Open Biomaterials J 2010;2:36-52.

513. Hansson S, Norton M. The relation between surface roughness and interfacial shear strength for bone-anchored implants. A mathematical model. J Biomech 1999;32(8):829-36. Abstract

514. Hansson S, Werke M. The implant thread as a retention element in cortical bone: the effect of thread size and thread profile: A finite element study. J Biomech 2003;36(9):1247-58. Abstract

515. Harder S, Dimaczek B, Acil Y, et al. Molecular leakage at implant-abutment connection--in vitro investigation of tightness of internal conical implant-abutment connections against endotoxin penetration. Clin Oral Investig 2010;14(4):427-32. Abstract

516. Hartlev J, Sandberg M, Jensen AD, et al. Multidisciplinary treatment intervention in 24 patients with oligodontia: A case-cohort study. Int J Prosthodont 2019;32(1):20-26. Abstract

517. Harvey BV. Optimizing the esthetic potential of implant restorations through the use of immediate implants with immediate provisionals. J Periodontol 2007;78(4):770-6. Abstract

518. Hasanoglu Erbasar GN, Hocaoglu TP, Erbasar RC. Risk factors associated with short dental implant success: a long-term retrospective evaluation of patients followed up for up to 9 years. Braz Oral Res 2019;33:e030. Abstract

519. Hasturk H, Nguyen DH, Sherzai H, et al. Comparison of the impact of scaler material composition on polished titanium implant abutment surfaces. J Dent Hyg 2013;87(4):200-11. Abstract

520. Haupt R, Wynne J. Use of precision milling to achieve a passive fit on a lost-wax framework. Pract Proced Aesthet Dent 2009;21(4):233-37.

521. He X, Reichl FX, Wang Y, et al. Analysis of titanium and other metals in human jawbones with dental implants - A case series study. Dent Mater 2016;32(8):1042-51. Abstract

522. Heitz-Mayfield LJ, Darby I, Heitz F, Chen S. Preservation of crestal bone by implant design. A comparative study in minipigs. Clin Oral Implants Res 2013;24(3):243-9. Abstract

523. Hentenaar DF, De Waal YC, Van Winkelhoff AJ, et al. Influence of cervical crown contour on marginal bone loss around platform-switched bone-level implants: A 5-year cross-sectional study. Int J Prosthodont 2020;33(4):373-79. Abstract

524. Hentenaar DFM, De Waal YCM, Van Winkelhoff AJ, et al. Non-surgical peri-implantitis treatment using a pocket irrigator device; clinical, microbiological, radiographical and patient-centred outcomes-A pilot study. Int J Dent Hyg 2020;18(4):403-12. Abstract

525. Hermes M, Lommen J, R Kübler N, et al. Influence of schneiderian membrane perforations on the prognosis and outcomes of lateral window sinus lift operations: A retrospective case series study. Journal of Dentistry, Oral Disorders & Therapy 2018;6(2):1-9. Abstract

526. Herráez-Galindo C, Torres-Lagares D, Martínez-González A-J, et al. A comparison of photoelastic and finite elements analysis in internal connection and bone level dental implants. Metals 2020;10(5). Abstract

527. Hertel M, Roh YC, Neumann K, Strietzel FP. Premature exposure of dental implant cover screws. A retrospective evaluation of risk factors and influence on marginal peri-implant bone level changes. Clin Oral Investig 2017;21(6):2109-22. Abstract

528. Hibi H, Ueda M. Supraperiosteal transport distraction osteogenesis for reconstructing a segmental defect of the mandible. J Oral Maxillofac Surg 2011;69(3):742-6. Abstract

529. Hirata R, Bonfante EA, Anchieta RB, et al. Reliability and failure modes of narrow implant systems. Clin Oral Investig 2016;20(7):1505-13. Abstract

530. Hirata R, Bonfante EA, Machado LS, et al. Mechanical evaluation of four narrow-diameter implant systems. Int J Prosthodont 2014;27(4):359-62. Abstract

531. Hjalmarsson L, Smedberg JI. A 3-year retrospective study of Cresco frameworks: Preload and complications. Clin Implant Dent Relat Res 2005;7(4):189-99. Abstract

532. Hjalmarsson L, Smedberg JI, Pettersson M, Jemt T. Implant-level prostheses in the edentulous maxilla: A comparison with conventional abutment-level prostheses after 5 years of use. Int J Prosthodont 2011;24(2):158-67. Abstract

533. Hjerppe J, Lassila LV, Rakkolainen T, et al. Load-bearing capacity of custom-made versus prefabricated commercially available zirconia abutments. Int J Oral Maxillofac Implants 2011;26(1):132-8. Abstract

534. Hofstede TM, Jacob RF. Diagnostic considerations and prosthetic rehabilitation of a cocaine-induced midline destructive lesion: A clinical report. J Prosthet Dent 2010;103(1):1-5. Abstract

535. Hogg WS, Zulauf K, Mehrhof J, Nelson K. The influence of torque tightening on the position stability of the abutment in conical implant-abutment connections. Int J Prosthodont 2015;28(5):538-41. Abstract

536. Hong YS, Kim MJ, Han JS, Yeo IS. Effects of hydrophilicity and fluoride surface modifications to titanium dental implants on early osseointegration: An in vivo study. Implant Dent 2014;23(5):529-33. Abstract

537. Hosoki M, Nishigawa K, Miyamoto Y, et al. Allergic contact dermatitis caused by titanium screws and dental implants. J Prosthodont Res 2016;60(3):213-9. Abstract

538. Hosseini M, Gotfredsen K. A feasible, aesthetic quality evaluation of implant-supported single crowns: An analysis of validity and reliability. Clin Oral Implants Res 2012;23(4):453-8. Abstract

539. Hosseini M, Kleven E, Gotfredsen K. Fracture mode during cyclic loading of implant-supported single-tooth restorations. J Prosthet Dent 2012;108(2):74-83. Abstract

540. Hosseini M, Worsaae N, Gotfredsen K. Tissue changes at implant sites in the anterior maxilla with and without connective tissue grafting: A five-year prospective study. Clin Oral Implants Res 2020;31(1):18-28. Abstract

541. Hosseini M, Worsaae N, Gotfredsen K. A 5-year randomized controlled trial comparing zirconia-based versus metal-based implant-supported single-tooth restorations in the premolar region. Clin Oral Implants Res 2022;33(8):792-803. Abstract

542. Hosseini M, Worsaae N, Gotfredsen K. Survival rate of implant-supported, single-tooth restorations based on zirconia or metal abutment in patients with tooth agenesis: A 5-years prospective clinical study. The Journal of Evidence-Based Dental Practice 2024;24(2):101970. Abstract

543. Hosseini M, Worsaae N, Schiodt M, Gotfredsen K. A 1-year randomised controlled trial comparing zirconia versus metal-ceramic implant supported single-tooth restorations. Eur J Oral Implantol 2011;4(4):347-61. Abstract

544. Hosseini M, Worsaae N, Schiodt M, Gotfredsen K. A 3-year prospective study of implant-supported, single-tooth restorations of all-ceramic and metal-ceramic materials in patients with tooth agenesis. Clin Oral Implants Res 2013;24(10):1078-87. Abstract

545. Hotchkiss KM, Sowers KT, Olivares-Navarrete R. Novel in vitro comparative model of osteogenic and inflammatory cell response to dental implants. Dent Mater 2019;35(1):176-84. Abstract

546. Hsu A, Seong WJ, Wolff R, et al. Comparison of initial implant stability of implants placed using bicortical fixation, indirect sinus elevation, and unicortical fixation. Int J Oral Maxillofac Implants 2016;31(2):459-68. Abstract

547. Huang B, Meng H, Piao M, et al. Influence of placement depth on bone remodeling around tapered internal connection implant: a clinical and radiographic study in dogs. J Periodontol 2012;83(9):1164-71. Abstract

548. Huang B, Meng H, Zhu W, et al. Influence of placement depth on bone remodeling around tapered internal connection implants: a histologic study in dogs. Clin Oral Implants Res 2015;26(8):942-49. Abstract

549. Huang B, Zhang L, Xu L, et al. Effect of implant placement depth on the peri-implant bone defect configurations in ligature-induced peri-implantitis: An

experimental study in dogs. Med Oral Patol Oral Cir Bucal 2018;23(1):e30-e37. Abstract

550. Huang R, Liu Y, Huang B, et al. Improved accuracy of digital implant impressions with newly designed scan bodies: An in vivo evaluation in beagle dogs. BMC Oral Health 2021;21(1):623. Abstract

551. Hudieb MI, Wakabayashi N, Kasugai S. Magnitude and direction of mechanical stress at the osseointegrated interface of the microthread implant. J Periodontol 2011;82(7):1061-70. Abstract

552. Hung C-C, Liu T-C. Graftless sinus augmentation via crestal sinus floor elevation using Densah Burs with simultaneous implant placement: A clinical report after two years in service. SVOA Dentistry 2023;4(4):128-36. Abstract

553. Hussain B, Lyngstadaas PS, al. e. Biofouling on Titanium Implants: A Novel Formulation of Poloxamer and Peroxide for In situ Removal of Pellicle and Multispecies Oral Biofilm. Submitted to Regenerative Biomaterials 2024;11. Abstract

554. Huynh-Ba G, Pjetursson BE, Sanz M, et al. Analysis of the socket bone wall dimensions in the upper maxilla in relation to immediate implant placement. Clin Oral Implants Res 2010;21(1):37-42. Abstract

555. Ichioka Y, Derks J, Larsson L, Berglundh T. Surface decontamination of explanted peri-implantitis-Affected implants. J Clin Periodontol 2023;50(8):1113-22. Abstract

556. Imam AY, Moshaverinia A, Chee WW, McGlumphy EA. A technique for retrieving fractured implant screws. J Prosthet Dent 2014;111(1):81-3. Abstract

557. Imam AY, Moshaverinia A, McGlumphy EA. Implant-abutment interface: A comparison of the ultimate force to failure among narrow-diameter implant systems. J Prosthet Dent 2014;112(2):136-42. Abstract

558. Ioannidis A, Heierle L, Hammerle CHF, et al. Prospective randomized controlled clinical study comparing two types of two-piece dental implants supporting fixed reconstructions-Results at 5 years of loading. Clin Oral Implants Res 2019;30(11):1126-33. Abstract

559. Isa ZM, Schneider GB, Zaharias R, et al. Effects of fluoride-modified titanium surfaces on osteoblast proliferation and gene expression. Int J Oral Maxillofac Implants 2006;21(2):203-11. Abstract

560. Isehed C, Svenson B, Lundberg P, Holmlund A. Surgical treatment of peri-implantitis using enamel matrix derivative, an RCT: 3- and 5-year follow-up. J Clin Periodontol 2018;45(6):744-53. Abstract

561. Isidor F. Loss of osseointegration caused by occlusal load of oral implants. A clinical and radiographic study in monkeys. Clin Oral Implants Res 1996;7(2):143-52. Abstract

562. Isidor F. Histological evaluation of peri-implant bone at implants subjected to occlusal overload or plaque accumulation. Clin Oral Implants Res 1997;8(1):1-9. Abstract

563. Isidor F. Clinical probing and radiographic assessment in relation to the histologic bone level at oral implants in monkeys. Clin Oral Implants Res 1997;8(4):255-64. Abstract

564. Isler SC, Soysal F, Ceyhanli T, et al. Regenerative surgical treatment of peri-implantitis using either a collagen membrane or concentrated growth factor: A 12-month randomized clinical trial. Clin Implant Dent Relat Res 2018;20(5):703-12. Abstract

565. Isler SC, Uraz A, Kaymaz O, Cetiner D. An evaluation of the relationship between peri-implant soft tissue biotype and the severity of peri-implantitis: A cross-sectional study. Int J Oral Maxillofac Implants 2019;34(1):187-96. Abstract

566. Isoda Y, Imamura E, Ueno D, et al. Use of a trephine bur and curette for minimally invasive harvesting of particulate cancellous bone and marrow from the iliac crest: a case of alveolar ridge reconstruction. Int J Implant Dent 2016;2(1):1. Abstract

567. Iturriaga MT, Ruiz CC. Maxillary sinus reconstruction with calvarium bone grafts and endosseous implants. J Oral Maxillofac Surg 2004;62(3):344-7. Abstract

568. Ivanoff CJ, Hallgren C, Widmark G, et al. Histologic evaluation of the bone integration of TiO(2) blasted and turned titanium microimplants in humans. Clin Oral Implants Res 2001;12(2):128-34. Abstract

569. Ivanoff CJ, Lindhe J, Ellner S, et al. An open, randomised, multi-centre study, comparing straight and tapered apex implants design, in partially and totally edentulous maxillae. Acta Odontol Scand 2021;79(7):492-98. Abstract

570. Jacobi-Gresser E, Huesker K, Schutt S. Genetic and immunological markers predict titanium implant failure: A retrospective study. Int J Oral Maxillofac Surg 2013;42(4):537-43. Abstract

571. Jacobs BP, Zadeh HH, De Kok I, Cooper L. A randomized controlled trial evaluating grafting the facial gap at immediately placed implants. Int J Periodontics Restorative Dent 2020;40(3):383-92. Abstract

572. Jacobs R, Gu Y, Quirynen M, et al. A 20-year split-mouth comparative study of two screw-shaped titanium implant systems. Int J Oral Implantol (Berl) 2021;14(4):421-30. Abstract

573. Jacobs R, Pittayapat P, van Steenberghe D, et al. A split-mouth comparative study up to 16 years of two screw-shaped titanium implant systems. J Clin Periodontol 2010;37(12):1119-27. Abstract

574. James M, Roudsari RV. Prosthetic rehabilitation of a patient with X-linked hypophosphatemia using dental implants: a case report and review of the literature. Int J Implant Dent 2019;5(1):15. Abstract

575. Jansen VK, Conrads G, Richter EJ. Microbial leakage and marginal fit of the implant-abutment interface. Int J Oral Maxillofac Implants 1997;12(4):527-40. Abstract

576. Jansson L, Guan T, Modin C, Buhlin K. Radiographic peri-implant bone loss after a function time up to 15 years. Acta Odontol Scand 2022;80(1):74-80. Abstract

577. Jansson L, Lundmark A, Modin C, et al. Intra-individual cytokine profile in peri-implantitis and periodontitis: A cross-sectional study. Clin Oral Implants Res 2021;32(5):559-68. Abstract

578. Jarmar T, Palmquist A, Branemark R, et al. Characterization of the surface properties of commercially available dental implants using scanning electron microscopy, focused ion beam, and high-resolution transmission electron microscopy. Clin Implant Dent Relat Res 2008;10(1):11-22. Abstract

579. Jeffrey S, Brock G, Harrison J, Butterworth C. Multidisciplinary management of maxillary regional odontodysplasia. Orthodontics 2019;12:8-12.

580. Jelusic D, Zirk ML, Fienitz T, et al. Monophasic ss-TCP vs. biphasic HA/ss-TCP in two-stage sinus floor augmentation procedures - a prospective randomized clinical trial. Clin Oral Implants Res 2017;28(10):e175-e83. Abstract

581. Jemt T. Implant survival in the edentulous jaw-30 years of experience. Part I: A retro-prospective multivariate regression analysis of overall implant failure in 4,585 consecutively treated arches. Int J Prosthodont 2018;31(5):425-35. Abstract

582. Jemt T, Gyzander V, Britse AO. Incidence of surgery related to problems with peri-implantitis: A retrospective study on patients followed up between 2003 and 2010 at one specialist clinic. Clin Implant Dent Relat Res 2015;17(2):209-20. Abstract

583. Jensen AT, Jensen SS, Worsaae N. Complications related to bone augmentation procedures of localized defects in the alveolar ridge. A retrospective clinical study. Oral Maxillofac Surg 2016;20(2):115-22. Abstract

584. Jensen J, Brox H, Storhaug K, et al. Dental implants in patients with osteogenesis imperfecta: A retrospective and prospective study with review of the literature. Oral Surgery 2011;4(3):105–14. Abstract

585. Jensen JL, Storhaug K. Dental implants in patients with Ehlers-Danlos syndrome: A case series study. Int J Prosthodont 2012;25(1):60-2. Abstract

586. Jensen-Louwerse C, Sikma H, Cune MS, et al. Single implant-supported two-unit cantilever fixed partial dentures in the posterior region: a retrospective case series with a mean follow-up of 6.5 years. Int J Implant Dent 2021;7(1):78. Abstract

587. Jeong KI, Lee J, Um IW, Kim YK. Alveolar cleft restoration using autogenous tooth bone graft material for implant placement: A case report. J Oral Implantol 2015;41(4):487-90. Abstract

588. Jeong SM, Choi BH, Li J, et al. Bone healing around implants following flap and mini-flap surgeries: A radiographic evaluation between stage I and stage II surgery. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2008;105(3):293-6. Abstract

589. Jeong SM, Choi BH, Li J, Xuan F. A retrospective study of the effects of sinus membrane elevation on bone formation around implants placed in the maxillary sinus cavity. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2009;107(3):364-8. Abstract

590. Jimbo R, Anchieta R, Baldassarri M, et al. Histomorphometry and bone mechanical property evolution around different implant systems at early healing stages: An experimental study in dogs. Implant Dent 2013;22(6):596-603. Abstract

591. Jo DW, Yi YJ, Kwon MJ, Kim YK. Correlation between interimplant distance and crestal bone loss in internal connection implants with platform switching. Int J Oral Maxillofac Implants 2014;29(2):296-302. Abstract

592. Joda T, Burki A, Bethge S, et al. Stiffness, strength, and failure modes of implant-supported monolithic lithium disilicate crowns: influence of titanium and zirconia abutments. Int J Oral Maxillofac Implants 2015;30(6):1272-9. Abstract

593. Johansson CB, Gretzer C, Jimbo R, et al. Enhanced implant integration with hierarchically structured implants: A pilot study in rabbits. Clin Oral Implants Res 2012;23(8):943-53. Abstract

594. Jorn D, Kohorst P, Besdo S, et al. Influence of lubricant on screw preload and stresses in a finite element model for a dental implant. J Prosthet Dent 2014;112(2):340-8. Abstract

595. Jun CM, Yun JH. Three-dimensional bone regeneration of alveolar ridge defects using corticocancellous allogeneic block grafts: Histologic and immunohistochemical analysis. Int J Periodontics Restorative Dent 2016;36(1):75-81. Abstract

596. Jung JH, Choi BH, Jeong SM, et al. A retrospective study of the effects on sinus complications of exposing dental implants to the maxillary sinus cavity. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2007;103(5):623-5. Abstract

597. Jung RE, Pjetursson BE, Glauser R, et al. A systematic review of the 5-year survival and complication rates of implant-supported single crowns. Clin Oral Implants Res 2008;19(2):119-30. Abstract

598. Junker R, Dimakis A, Thoneick M, Jansen JA. Effects of implant surface coatings and composition on bone integration: A systematic review. Clin Oral Implants Res 2009;20 Suppl 4:185-206. Abstract

599. K VANL, Browaeys H, Corthals P, et al. Comparison of speech intelligibility, articulation and oromyofunctional behaviour in subjects with single-tooth implants, fixed implant prosthetics or conventional removable prostheses. J Oral Rehabil 2012;39(4):285-93. Abstract

600. Kabir L, Stiesch M, Grischke J. The effect of keratinized mucosa on the severity of peri-implant mucositis differs between periodontally healthy subjects and the general population: A cross-sectional study. Clin Oral Investig 2021;25(3):1183-93. Abstract

601. Kahnberg KE. Immediate implant placement in fresh extraction sockets: A clinical report. Int J Oral Maxillofac Implants 2009;24(2):282-8. Abstract

602. Kahnberg KE, Vannas-Lofqvist L. Maxillary osteotomy with an interpositional bone graft and implants for reconstruction of the severely resorbed maxilla: a clinical report. Int J Oral Maxillofac Implants 2005;20(6):938-45. Abstract

603. Kahnberg KE, Vannas-Lofqvist L. Sinus lift procedure using a 2-stage surgical technique: I. Clinical and radiographic report up to 5 years. Int J Oral Maxillofac Implants 2008;23(5):876-84. Abstract

604. Kahnberg KE, Vannas-Löfqvist L, Hakeberg M. Early loading of Astra Tech implants in the lower jaw. I. A comparison between immediate placement of implants in fresh extraction sockets and conventional implant surgery. Oral Surgery 2012;5(2):51-58. Abstract

605. Kahnberg KE, Wallstrom M, Rasmusson L. Local sinus lift for single-tooth implant. I. Clinical and radiographic follow-up. Clin Implant Dent Relat Res 2011;13(3):231-7. Abstract

606. Kahramanoglu E, Aslan YU, Ozkan Y, Ozkan Y. The clinical and radiologic outcomes of early loaded implants after 5 years of service. Int J Oral Maxillofac Implants 2020;35(6):1248-56. Abstract

607. Kahramanoglu E, Kulak-Ozkan Y. Marginal and internal adaptation of different superstructure and abutment materials using two different implant systems for five-unit implant-supported fixed partial dentures: An in vitro study. Int J Oral Maxillofac Implants 2013;28(5):1207-16. Abstract

608. Kahramanoglu E, Kulak-Ozkan Y. The effect of different restorative and abutment materials on marginal and internal adaptation of three-unit cantilever implant-supported fixed partial dentures: An in vitro study. J Prosthodont 2013;22(8):608-17. Abstract

609. Kamposiora P, Papavasiliou G, Madianos P. Presentation of two cases of immediate restoration of implants in the esthetic region, using facilitate software and guides with stereolithographic model surgery prior to patient surgery. J Prosthodont 2012;21(2):130-7. Abstract

610. Kan JY, Roe P, Rungcharassaeng K. Effects of implant morphology on rotational stability during immediate implant placement in the esthetic zone. Int J Oral Maxillofac Implants 2015;30(3):667-70. Abstract

611. Kanaan Z. KISS - Keep it simple stupid. International journal of cosmetic dentistry 2010;1(1):54-57.

612. Kaneko Y, Murakami T, Okada A, et al. Effect of intravenous sedation on implant-therapy outcomes. Research Square 2024.

613. Kang BS, Sul YT, Oh SJ, et al. XPS, AES and SEM analysis of recent dental implants. Acta Biomater 2009;5(6):2222-9. Abstract

614. Kang IH, Kim CW, Lim YJ, Kim MJ. A comparative study on the initial stability of different implants placed above the bone level using resonance frequency analysis. J Adv Prosthodont 2011;3(4):190-5. Abstract

615. Kanno T, Milleding P, Wennerberg A. Topography, microhardness, and precision of fit on ready-made zirconia abutment before/after sintering process. Clin Implant Dent Relat Res 2007;9(3):156-65. Abstract

616. Kanno T, Sukegawa S, Masui M, et al. Retrospective clinical study of dental implants following sinus floor elevation: An up-to-10-year follow-up evaluation. J Bio-Integ 2018;8:83-93. Abstract

617. Karl M, Taylor TD. Parameters determining micromotion at the implant-abutment interface. Int J Oral Maxillofac Implants 2014;29(6):1338-47. Abstract

618. Karlsson K, Derks J, Hakansson J, et al. Technical complications following implant-supported restorative therapy performed in Sweden. Clin Oral Implants Res 2018;29(6):603-11. Abstract

619. Karlsson K, Derks J, Wennstrom JL, et al. Occurrence and clustering of complications in implant dentistry. Clin Oral Implants Res 2020;31(10):1002-09. Abstract

620. Karlsson K, Derks J, Wennstrom JL, et al. Health economic aspects of implant-supported restorative therapy. Clin Oral Implants Res 2022;33(2):221-30. Abstract

621. Karlsson U, Gotfredsen K, Olsson C. Single-tooth replacement by osseointegrated Astra Tech dental implants: A 2-year report. Int J Prosthodont 1997;10(4):318-24. Abstract

622. Karlsson U, Gotfredsen K, Olsson C. A 2-year report on maxillary and mandibular fixed partial dentures supported by Astra Tech dental implants. A comparison of 2 implants with different surface textures. Clin Oral Implants Res 1998;9(4):235-42. Abstract

623. Karring ES, Stavropoulos A, Ellegaard B, Karring T. Treatment of peri-implantitis by the Vector system. Clin Oral Implants Res 2005;16(3):288-93. Abstract

624. Kartal Y, Ucok C, Ozgul O, et al. Effect of locally applied bFGF on implant stability: Biomechanical evaluation of 2 different implant surfaces in rabbits. Implant Dent 2014;23(4):463-70. Abstract

625. Kashani H, Hilon J, Rasoul MH, Friberg B. Influence of a single preoperative dose of antibiotics on the early implant failure rate. A randomized clinical trial. Clin Implant Dent Relat Res 2019;21(2):278-83. Abstract

626. Katic Z, Jukic T, Stubljar D. Effects of osteotomy lengths on the temperature rise of the crestal bone during implant site preparation. Implant Dent 2018;27(2):213-20. Abstract

627. Kaufmann R, Friedli M, Hug S, Mericske-Stern R. Removable dentures with implant support in strategic positions followed for up to 8 years. Int J Prosthodont 2009;22(3):233-41; discussion 42. Abstract

628. Kavcic J, Bozic M. Fracture of an osseointegrated dental implant in an implant-supported mandibular overdenture. J Case Rep Images Dent 2021;7.

629. Kavcic J, Cbozic M. Immediate implant placement and immediate loading after dental traum. J Case Rep Images Dent 2018;4:100026Z07JK2018. Abstract

630. Kawai t, Takahashi t, Matsui K. Application of octacalcium phosphate and collagen composite for bone augmentation with sinus floor elevation in humans. Clinics in Surgery 2019;3(Article 2112).

631. Kazemi M, Rohanian A, Monzavi A, Nazari MS. Evaluation of the accuracy and related factors of the mechanical torque-limiting device for dental implants. J Dent (Tehran) 2013;10(2):112-8. Abstract

632. Kemppainen P, Eskola S, Ylipaavalniemi P. A comparative prospective clinical study of two single-tooth implants: A preliminary report of 102 implants. J Prosthet Dent 1997;77(4):382-7. Abstract

633. Kennedy KS, Jones EM, Kim DG, et al. A prospective clinical study to evaluate early success of short implants. Int J Oral Maxillofac Implants 2013;28(1):170-7. Abstract

634. Kerstein RB, Radke J. A comparison of fabrication precision and mechanical reliability of 2 zirconia implant abutments. Int J Oral Maxillofac Implants 2008;23(6):1029-36. Abstract

635. Khademi A, Shadmehr E, Ajami M, et al. Histologic and histomorphometric assessment of implants and periapical tissues when placed in the sockets of extracted teeth, teeth with periapical lesions, and healed lesions: A canine study. J Oral Implantol 2013;39(6):709-13. Abstract

636. Khan A, Freer E, Ong D. Interdisciplinary diagnosis and treatment planning for Class III malocclusion and determining the appropriate anterior tooth positions for individual patients. Clin Case Rep 2022;10(11):e6468. Abstract

637. Khan O, Archibald A, Thomson E, Maharaj P. The role of quantitative single photon emission computerized tomography (SPECT) in the osseous integration process of dental implants. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2000;90(2):228-32. Abstract

638. Khatami AH, Toljanic JA, Kleinman A. Mandibular reconstruction with vascularized fibula flap and osseointegrated implants: A clinical report. J Oral Implantol 2010;36(5):385-90. Abstract

639. Khojasteh A, Eslaminejad MB, Nazarian H, et al. Vertical bone augmentation with simultaneous implant placement using particulate mineralized bone and mesenchymal stem cells: a preliminary study in rabbit. J Oral Implantol 2013;39(1):3-13. Abstract

640. Khojasteh A, Hassani A, Motamedian SR, et al. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: A retrospective study and review of literature. Clin Implant Dent Relat Res 2016;18(2):342-59. Abstract

641. Khoury SB, Thomas L, Walters JD, et al. Early wound healing following one-stage dental implant placement with and without antibiotic prophylaxis: A pilot study. J Periodontol 2008;79(10):1904-12. Abstract

642. Khzam N, Mattheos N, Roberts D, et al. Immediate placement and restoration of dental implants in the esthetic region: Clinical case series. J Esthet Restor Dent 2014;26(5):332-44. Abstract

643. Kim A, Campbell SD, Viana MA, Knoernschild KL. Abutment material effect on peri-implant soft tissue color and perceived esthetics. J Prosthodont 2016;25(8):634-40. Abstract

644. Kim HW, Lim KO, Lee WP, et al. Sinus floor augmentation using mixture of mineralized cortical bone and cancellous bone allografts: Radiographic and histomorphometric evaluation. J Dent Sci 2020;15(3):257-64. Abstract

645. Kim JJ, Lee DW, Kim CK, et al. Effect of conical configuration of fixture on the maintenance of marginal bone level: preliminary results at 1 year of function. Clin Oral Implants Res 2010;21(4):439-44. Abstract

646. Kim JS, Sohn JY, Park JC, et al. Cumulative survival rate of Astra Tech implants: A retrospective analysis. J Periodontal Implant Sci 2011;41(2):86-91. Abstract

647. Kim JW, Lee H, Lim HK, et al. Orthognathic surgery deteriorates the osseointegration of dental implants: A propensity-matched multicentre cohort study. J Oral Rehabil 2018;45(12):967-73. Abstract

648. Kim S, Kim S, Choi H, et al. A three-dimensional finite element analysis of short dental implants in the posterior maxilla. Int J Oral Maxillofac Implants 2014;29(2):e155-64. Abstract

649. Kim TH, Lee DW, Kim CK, et al. Influence of early cover screw exposure on crestal bone loss around implants: intraindividual comparison of bone level at exposed and non-exposed implants. J Periodontol 2009;80(6):933-9. Abstract

650. King P, Maiorana C, Luthardt RG, et al. Clinical and radiographic evaluation of a small-diameter dental implant used for the restoration of patients with

permanent tooth agenesis (hypodontia) in the maxillary lateral incisor and mandibular incisor regions: A 36-month follow-up. Int J Prosthodont 2016;29(2):147-53. Abstract

651. Klotz MW, Taylor TD, Goldberg AJ. Wear at the titanium-zirconia implant-abutment interface: a pilot study. Int J Oral Maxillofac Implants 2011;26(5):970-5. Abstract

652. Klär V, Karl M, Grobecker-Karl T. Bone damage during dental implant insertion: A pilot study combining strain gauge and histologic analysis. Applied Sciences 2021;12(291). Abstract

653. Knobloch LA, Larsen P, McGlumphy E, et al. Prospective cohort study to evaluate narrow diameter implants for restoration of a missing lateral incisor in patients with a cleft palate: One-year results. J Prosthet Dent 2022;128(6):1265-74. Abstract

654. Koch FP, Gotze E, Kumar VV, et al. A bar-retained overdenture as an external fixator device in a three-dimensional CAD/CAM-based surgical reconstruction of the mandible. J Craniomaxillofac Surg 2015;43(8):1447-51. Abstract

655. Kolafova M, Stovicek J, Strnad J, et al. In vitro bioactivity test of real dental implants according to ISO 23317. Int J Oral Maxillofac Implants 2017;32(6):1221-30. Abstract

656. Koldsland OC, Scheie AA, Aass AM. Prevalence of implant loss and the influence of associated factors. J Periodontol 2009;80(7):1069-75. Abstract

657. Koldsland OC, Scheie AA, Aass AM. Prevalence of peri-implantitis related to severity of the disease with different degrees of bone loss. J Periodontol 2010;81(2):231-8. Abstract

658. Koldsland OC, Wohlfahrt JC, Aass AM. Surgical treatment of peri-implantitis: Prognostic indicators of short-term results. J Clin Periodontol 2018;45(1):100-13. Abstract

659. Koo KT, Kim MH, Kim HY, et al. Effects of implant drill wear, irrigation, and drill materials on heat generation in osteotomy sites. J Oral Implantol 2015;41(2):e19-23. Abstract

660. Kordbacheh Changi K, Finkelstein J, Papapanou PN. Peri-implantitis prevalence, incidence rate, and risk factors: A study of electronic health records at a U.S. dental school. Clin Oral Implants Res 2019;30(4):306-14. Abstract

661. Korsch M, Marten SM, Stoll D, et al. Microbiological findings in early and late implant loss: An observational clinical case-controlled study. BMC Oral Health 2021;21(1):112. Abstract

662. Korsch M, Obst U, Walther W. Cement-associated peri-implantitis: A retrospective clinical observational study of fixed implant-supported

restorations using a methacrylate cement. Clin Oral Implants Res 2014;25(7):797-802. Abstract

663. Korsch M, Peichl M, Bartols A. Lateral alveolar ridge augmentation with autologous dentin of periodontally compromised teeth: A retrospective study. Int J Environ Res Public Health 2022;19(8). Abstract

664. Korsch M, Robra BP, Walther W. Predictors of excess cement and tissue response to fixed implant-supported dentures after cementation. Clin Implant Dent Relat Res 2015;17 Suppl 1:e45-53. Abstract

665. Korsch M, Walther W. Peri-implantitis associated with type of cement: A retrospective analysis of different types of cement and their clinical correlation to the peri-implant tissue. Clin Implant Dent Relat Res 2015;17 Suppl 2:e434-43. Abstract

666. Korsch M, Walther W. Retrospective analysis of loosening of cement-retained vs screw-retained fixed implant-supported reconstructions. Quintessence Int 2015;46(7):583-9. Abstract

667. Kotsovilis S, Fourmousis I, Karoussis IK, Bamia C. A systematic review and meta-analysis on the effect of implant length on the survival of rough-surface dental implants. J Periodontol 2009;80(11):1700-18. Abstract

668. Kotsovilis S, Karoussis IK, Trianti M, Fourmousis I. Therapy of peri-implantitis: a systematic review. J Clin Periodontol 2008;35(7):621-9. Abstract

669. Koutayas SO, Mitsias M, Wolfart S, Kern M. Influence of preparation mode and depth on the fracture strength of zirconia ceramic abutments restored with lithium disilicate crowns. Int J Oral Maxillofac Implants 2012;27(4):839-48. Abstract

670. Koutouzis T. Implant-abutment connection as contributing factor to peri-implant diseases. Periodontol 2000 2019;81(1):152-66. Abstract

671. Koutouzis T, Gadalla H, Lundgren T. Bacterial colonization of the implant-abutment interface (IAI) of dental implants with a sloped marginal design: An in-vitro study. Clin Implant Dent Relat Res 2016;18(1):161-7. Abstract

672. Koutouzis T, Koutouzis G, Tomasi C, Lundgren T. Immediate loading of implants placed with the osteotome technique: One-year prospective case series. J Periodontol 2011;82(11):1556-62. Abstract

673. Koutouzis T, Lundgren T. Crestal bone-level changes around implants placed in post-extraction sockets augmented with demineralized freeze-dried bone allograft: A retrospective radiographic study. J Periodontol 2010;81(10):1441-8. Abstract

674. Koutouzis T, Neiva R, Lipton D, Lundgren T. The effect of interimplant distance on peri-implant bone and soft tissue dimensional changes: A nonrandomized, prospective, 2-year follow-up study. Int J Oral Maxillofac Implants 2015;30(4):900-8. Abstract

675. Koutouzis T, Wennstrom JL. Bone level changes at axial- and non-axial-positioned implants supporting fixed partial dentures. A 5-year retrospective longitudinal study. Clin Oral Implants Res 2007;18(5):585-90. Abstract

676. Kouveliotis G, Dimitriadis K, Kourtis S, Zinelis S. Surface, microstructural and mechanical characterization of contemporary implant abutment screws. Dent Mater 2024;40(2):219-26. Abstract

677. Koyama K, Hasegawa T, Uchida I, Yoshida S. Simple and less invasive technique for fixation of iliac inlay bone block using dental implants in the atrophied posterior maxilla. Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology 2014;26(4):497-500. Abstract

678. Kraus RD, Epprecht A, Hammerle CHF, et al. Cemented vs screw-retained zirconia-based single implant reconstructions: A 3-year prospective randomized controlled clinical trial. Clin Implant Dent Relat Res 2019;21(4):578-85. Abstract

679. Kraus RD, Espuelas C, Hammerle CHF, et al. Five-year randomized controlled clinical study comparing cemented and screw-retained zirconia-based implant-supported single crowns. Clin Oral Implants Res 2022;33(5):537-47. Abstract

680. Kriz P, Seydlova M, Dostalova T, et al. Oral health-related quality of life and dental implants - preliminary study. Cent Eur J Med 2012;7(2):209-15. Abstract

681. Kriz P, Seydlova M, Dostalova T, et al. Dental implants and improvement of oral health-related quality of life. Community Dent Oral Epidemiol 2012;40(Suppl 1):65-70. Abstract

682. Kucera J, Marek I, Tomecek M, et al. Intrusion of overerupted molars with temporary anchorage devices before prosthetic reconstruction: A case report. Clin Case Rep 2022;10(7):e6108. Abstract

683. Kudoh K, Fukuda N, Kasugai S, et al. Maxillary sinus floor augmentation using low-crystalline carbonate apatite granules with simultaneous implant installation: First-in-human clinical trial. J Oral Maxillofac Surg 2019;77(5):985 e1-85 e11. Abstract

684. Kumar VV, Sagheb K, Klein MO, et al. Relation between bone quality values from ultrasound transmission velocity and implant stability parameters--an ex vivo study. Clin Oral Implants Res 2012;23(8):975-80. Abstract

685. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. Clin Oral Implants Res 2005;16(1):89-97. Abstract

686. Kuoppala R, Napankangas R, Raustia A. Outcome of implant-supported overdenture treatment--A survey of 58 patients. Gerodontology 2012;29(2):e577-84. Abstract

687. Kurita H, Sakai H, Uehara S, Kurashina K. Dental rehabilitation using an implant-carrying plate system in a severely resorbed edentulous maxilla: A case report. Int J Oral Maxillofac Implants 2008;23(1):117-20. Abstract

688. Kutan E, Bolukbasi N, Yildirim-Ondur E, Ozdemir T. Clinical and radiographic evaluation of marginal bone changes around platform-switching implants placed in crestal or subcrestal positions: A randomized controlled clinical trial. Clin Implant Dent Relat Res 2015;17 Suppl 2:e364-75. Abstract

689. Kwon HJ, Lee DW, Park KH, et al. Influence of the tooth- and implant-side marginal bone level on the interproximal papilla dimension in a single implant with a microthread, conical seal, and platform-switched design. J Periodontol 2009;80(9):1541-7. Abstract

690. Kwon IJ, Lee BH, Eo MY, et al. Pathologic mandibular fracture after biting crab shells following ramal bone graft. Dent Traumatol 2016;32(5):421-4. Abstract

691. Kwon TK, Lee HJ, Min SK, Yeo IS. Evaluation of early bone response to fluoride-modified and anodically oxidized titanium implants through continuous removal torque analysis. Implant Dent 2012;21(5):427-32. Abstract

692. Kwon YS, Namgoong H, Kim JH, et al. Effect of microthreads on removal torque and bone-to-implant contact: An experimental study in miniature pigs. J Periodontal Implant Sci 2013;43(1):41-6. Abstract

693. Kyaw PP, Pongprueksa P, Anuchitolarn W, et al. Ageing assessment of zirconia implant prostheses by three different quantitative assessment techniques. J Adv Prosthodont 2019;11(5):253-61. Abstract

694. L'Homme-Langlois E, Yilmaz B, Chien HH, McGlumphy E. Accuracy of mechanical torque-limiting devices for dental implants. J Prosthet Dent 2015;114(4):524-8. Abstract

695. Laass A, Sailer I, Husler J, et al. Randomized controlled clinical trial of all-ceramic single-tooth implant reconstructions using modified zirconia abutments: Results at 5 years after loading. Int J Periodontics Restorative Dent 2019;39(1):17-27. Abstract

696. Lafuente-Ibanez-de-Mendoza I, Marichalar-Mendia X, Garcia-De-La-Fuente AM, et al. Presence and implication of Candida spp. in patients with peri-implantitis enrolled in a supportive peri-implant therapy program of the Basque Country (Spain). A case-control study. Clin Implant Dent Relat Res 2023;25(5):938-47. Abstract

697. Lambert FE, Weber HP, Susarla SM, et al. Descriptive analysis of implant and prosthodontic survival rates with fixed implant-supported rehabilitations in the edentulous maxilla. J Periodontol 2009;80(8):1220-30. Abstract

698. Lamolle SF, Monjo M, Rubert M, et al. The effect of hydrofluoric acid treatment of titanium surface on nanostructural and chemical changes and the growth of MC3T3-E1 cells. Biomaterials 2009;30(5):736-42. Abstract

699. Lang NP, Pun L, Lau KY, et al. A systematic review on survival and success rates of implants placed immediately into fresh extraction sockets after at least 1 year. Clin Oral Implants Res 2012;23 Suppl 5(Suppl 5):39-66. Abstract

700. Larsson A, Manuh J, Chrcanovic BR. Risk Factors Associated with Failure and Technical Complications of Implant-Supported Single Crowns: A Retrospective Study. Medicina 2023;59(9):1603. Abstract

701. Larsson C, Vult von Steyern P. Five-year follow-up of implant-supported Y-TZP and ZTA fixed dental prostheses. A randomized, prospective clinical trial comparing two different material systems. Int J Prosthodont 2010;23(6):555-61. Abstract

702. Larsson C, Vult Von Steyern P. Implant-supported full-arch zirconia-based mandibular fixed dental prostheses. Eight-year results from a clinical pilot study. Acta Odontol Scand 2013;71(5):1118-22. Abstract

703. Larsson C, Vult von Steyern P, Nilner K. A prospective study of implant-supported full-arch yttria-stabilized tetragonal zirconia polycrystal mandibular fixed dental prostheses: three-year results. Int J Prosthodont 2010;23(4):364-9. Abstract

704. Larsson C, Vult von Steyern P, Sunzel B, Nilner K. All-ceramic two- to five-unit implant-supported reconstructions. A randomized, prospective clinical trial. Swed Dent J 2006;30(2):45-53. Abstract

705. Laurell L, Lundgren D. Marginal bone level changes at dental implants after 5 years in function: a meta-analysis. Clin Implant Dent Relat Res 2011;13(1):19-28. Abstract

706. Laverty DP, Addison O, Newsum D, Bateman G. Prosthodontic complications during implant-based oral rehabilitation of patients with head and neck cancer. J Prosthet Dent 2023;129(2):366-72. Abstract

707. Laverty DP, Addison O, Wubie BA, et al. Outcomes of implant-based oral rehabilitation in head and neck oncology patients-a retrospective evaluation of a large, single regional service cohort. Int J Implant Dent 2019;5(1):8. Abstract

708. Lavrentiadis G, Yousef H, Luke A, Flinton R. Changes in abutment screw dimensions after off-axis loading of implant-supported crowns: A pilot study. Implant Dent 2009;18(5):447-53. Abstract

709. Lazaro-Abdulkarim A, Lazaro D, Salomo-Coll O, et al. Failure of dental implants and associated risk factors in a university setting. Int J Oral Maxillofac Implants 2022;37(3):455-63. Abstract

710. Le BT, Borzabadi-Farahani A, Pluemsakunthai W. Is buccolingual angulation of maxillary anterior implants associated with the crestal labial soft tissue thickness? Int J Oral Maxillofac Surg 2014;43(7):874-8. Abstract

711. Le BT, Follmar T, Borzabadi-Farahani A. Assessment of short dental implants restored with single-unit nonsplinted restorations. Implant Dent 2013;22(5):499-502. Abstract

712. Le Thieu MK, Homayouni A, Haeren LR, et al. Impact of simultaneous placement of implant and block bone graft substitute: An in vivo peri-implant defect model. Biomater Res 2021;25(1):43. Abstract

713. Lee DJ, Harlow RE, Yuan JC, et al. Three-year clinical outcomes of implant treatments provided at a predoctoral implant program. Int J Prosthodont 2011;24(1):71-6. Abstract

714. Lee DW, Choi YS, Park KH, et al. Effect of microthread on the maintenance of marginal bone level: A 3-year prospective study. Clin Oral Implants Res 2007;18(4):465-70. Abstract

715. Lee DW, Huh JK, Park KH, et al. Comparison of interproximal soft tissue height for single implants and contra-lateral natural teeth. Clin Oral Implants Res 2009;20(12):1320-5. Abstract

716. Lee DW, Kim NH, Lee Y, et al. Implant fracture failure rate and potential associated risk indicators: An up to 12-year retrospective study of implants in 5,124 patients. Clin Oral Implants Res 2019;30(3):206-17. Abstract

717. Lee DW, Lee DW, Park KH, Moon IS. The effects of off-axial loading on periimplant marginal bone loss in a single implant. J Prosthet Dent 2014;112(3):501-7. Abstract

718. Lee DW, Park KH, Moon IS. Dimension of interproximal soft tissue between adjacent implants in two distinctive implant systems. J Periodontol 2006;77(6):1080-4. Abstract

719. Lee J-H, An H-w, Im J-S, et al. Evaluation of the clinical and radiographic effectiveness of treating peri-implant bone defects with a new biphasic calcium phosphate bone graft: a prospective, multicenter randomized controlled trial. Journal of Periodontal & Implant Science 2023;53. Abstract

720. Lee JH, Kim YT, Lee JB. Identification of dental implant systems from low-quality and distorted dental radiographs using AI trained on a large multi-center dataset. Sci Rep 2024;14(1):12606. Abstract

721. Lee JI, Lee Y, Kim YL, Cho HW. Effect of implant number and distribution on load transfer in implant-supported partial fixed dental prostheses for the anterior maxilla: A photoelastic stress analysis study. J Prosthet Dent 2016;115(2):161-9. Abstract

722. Lee KJ, Cha JK, Sanz-Martin I, et al. A retrospective case series evaluating the outcome of implants with low primary stability. Clin Oral Implants Res 2019;30(9):861-71. Abstract

723. Lee PK, Siu AS. A two-year evaluation of a sloped marginal contour implant system placed in healed sites. Int J Oral Maxillofac Implants 2016;31(6):1423-28. Abstract

724. Lefever D, Van Assche N, Temmerman A, et al. Aetiology, microbiology and therapy of periapical lesions around oral implants: A retrospective analysis. J Clin Periodontol 2013;40(3):296-302. Abstract

725. Lehmann KM, Kammerer PW, Karbach J, et al. Long-term effect of overdenture bar design on peri-implant tissues. Int J Oral Maxillofac Implants 2013;28(4):1126-31. Abstract

726. Lenssen O, Barbier L, De Clercq C. Immediate functional loading of provisional implants in the reconstructed atrophic maxilla: preliminary results of a prospective study after 6 months of loading with a provisional bridge. Int J Oral Maxillofac Surg 2011;40(9):907-15. Abstract

727. Leutert CR, Stawarczyk B, Truninger TC, et al. Bending moments and types of failure of zirconia and titanium abutments with internal implant-abutment connections: A laboratory study. Int J Oral Maxillofac Implants 2012;27(3):505-12. Abstract

728. Levin BP. A team approach to cost-effective, full-arch immediate loading. Compend Contin Educ Dent 2013;34(7):530-2. Abstract

729. Levin BP. The dual function of a dermal allograft in immediate implant therapy. Int J Periodontics Restorative Dent 2015;35(4):507-13. Abstract

730. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: A prospective case series evaluating implant survival, esthetics, and bone maintenance. Compend Contin Educ Dent 2013;34(5):352-61. Abstract

731. Li X, Wu B, Cheng X, et al. Esthetic evaluation of implant-supported single crowns: The implant restoration esthetic index and patient perception. J Prosthodont 2019;28(1):e51-e58. Abstract

732. Li Z, Xie R, Bai S, Zhao Y. Implant placement with an autonomous dental implant robot: A clinical report. J Prosthet Dent 2023;E-pub Mar 22, doi: 10.1016/j.prosdent.2023.02.014. Abstract

733. Liaje A, Ozkan YK, Ozkan Y, Vanlioglu B. Stability and marginal bone loss with three types of early loaded implants during the first year after loading. Int J Oral Maxillofac Implants 2012;27(1):162-72. Abstract

734. Lim HC, Wiedemeier DB, Hammerle CHF, Thoma DS. The amount of keratinized mucosa may not influence peri-implant health in compliant patients: A retrospective 5-year analysis. J Clin Periodontol 2019;46(3):354-62. Abstract

735. Lim K-O, Kim M-S, Yang K-I, et al. Sinus floor augmentation using mineralized freeze-dried bone allograft combined with recombinant human bone morphogenetic protein-2 (rhBMP-2): A long-term retrospective study. Journal of Dental Sciences 2024;19(2):804-12. Abstract

736. Limbert G, van Lierde C, Muraru OL, et al. Trabecular bone strains around a dental implant and associated micromotions--a micro-CT-based three-dimensional finite element study. J Biomech 2010;43(7):1251-61. Abstract

737. Limmer B, Sanders AE, Reside G, Cooper LF. Complications and patient-centered outcomes with an implant-supported monolithic zirconia fixed dental prosthesis: 1 year results. J Prosthodont 2014;23(4):267-75. Abstract

738. Lin X, Zhou Z, Li S, et al. Digital guides to facilitate retained root removal and simultaneous implant placement. Int J Oral Maxillofac Surg 2022;51(7):957-61. Abstract

739. Lindhe J, Bressan E, Cecchinato D, et al. Bone tissue in different parts of the edentulous maxilla and mandible. Clin Oral Implants Res 2013;24(4):372-7. Abstract

740. Lindhe J, Cecchinato D, Donati M, et al. Ridge preservation with the use of deproteinized bovine bone mineral. Clin Oral Implants Res 2014;25(7):786-90. Abstract

741. Liu J, Huang Q, Wang X, et al. Early loading of splinted implants in posterior mandible: Three-year results of a prospective multicenter study. Clin Oral Implants Res 2019;30(10):1049-58. Abstract

742. Liu R, Lei T, Dusevich V, et al. Surface characteristics and cell adhesion: a comparative study of four commercial dental implants. J Prosthodont 2013;22(8):641-51. Abstract

743. Lops D, Bressan E, Chiapasco M, et al. Zirconia and titanium implant abutments for single-tooth implant prostheses after 5 years of function in posterior regions. Int J Oral Maxillofac Implants 2013;28(1):281-7. Abstract

744. Lops D, Bressan E, Parpaiola A, et al. Soft tissues stability of cad-cam and stock abutments in anterior regions: 2-year prospective multicentric cohort study. Clin Oral Implants Res 2015;26(12):1436-42. Abstract

745. Lops D, Chiapasco M, Rossi A, et al. Incidence of inter-proximal papilla between a tooth and an adjacent immediate implant placed into a fresh extraction socket: 1-year prospective study. Clin Oral Implants Res 2008;19(11):1135-40. Abstract

746. Lops D, Mosca D, Muller A, et al. Management of peri-implant soft tissues between tooth and adjacent immediate implant placed into fresh extraction single socket: A one-year prospective study on two different types of implant-abutment connection design. Minerva Stomatol 2011;60(9):403-15. Abstract

747. Lops D, Parpaiola A, Paniz G, et al. Interproximal papilla stability around CAD/CAM and stock abutments in anterior regions: A 2-year prospective multicenter cohort study. Int J Periodontics Restorative Dent 2017;37(5):657-65. Abstract

748. Lozano-Carrascal N, Salomo-Coll O, Gilabert-Cerda M, et al. Effect of implant macro-design on primary stability: A prospective clinical study. Med Oral Patol Oral Cir Bucal 2016;21(2):e214-21. Abstract

749. Lutz R, Berger-Fink S, Stockmann P, et al. Sinus floor augmentation with autogenous bone vs. a bovine-derived xenograft - a 5-year retrospective study. Clin Oral Implants Res 2015;26(6):644-8. Abstract

750. Lyngstadaas SP, Verket A, Pinholt EM, et al. Titanium granules for augmentation of the maxillary sinus - a multicenter study. Clin Implant Dent Relat Res 2015;17 Suppl 2:e594-600. Abstract

751. Löberg J, Mattisson I, Ahlberg E. Integrated biomechanical and topographical surface characterization (IBTSC). Applied Surface Science 2014;290:215-22. Abstract

752. Löberg J, Mattisson I, Hansson S, Ahlberg E. Characterisation of titanium dental implants I: Critical assessment of surface roughness parameters. The Open Biomaterials J 2010;2:18-35.

753. Mahendran K, Coleman O, Menhadji P, Kwok J. Survival rates of dental implants in patients with head and neck pathologies: 12-year single-operator study. Oral Surg Oral Med Oral Pathol Oral Radiol 2022;134(1):28-35. Abstract

754. Mailoa J, Fu JH, Chan HL, et al. The effect of vertical implant position in relation to adjacent teeth on marginal bone loss in posterior arches: A retrospective study. Int J Oral Maxillofac Implants 2015;30(4):931-6. Abstract

755. Maiorana C, King P, Quaas S, et al. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 3 years follow-up. Clin Oral Implants Res 2015;26(1):77-82. Abstract

756. Makkonen TA, Holmberg S, Niemi L, et al. A 5-year prospective clinical study of Astra Tech dental implants supporting fixed bridges or overdentures in the edentulous mandible. Clin Oral Implants Res 1997;8(6):469-75. Abstract

757. Malmstrom H, Gupta B, Ghanem A, et al. Success rate of short dental implants supporting single crowns and fixed bridges. Clin Oral Implants Res 2016;27(9):1093-8. Abstract

758. Mancini L, Strauss FJ, Lim HC, et al. Impact of keratinized mucosa on implant-health related parameters: A 10-year prospective re-analysis study. Clin Implant Dent Relat Res 2024;26(3):554-63. Abstract

759. Manzoor B, Suleiman M, Palmer RM. The effects of simulated bone loss on the implant-abutment assembly and likelihood of fracture: An in vitro study. Int J Oral Maxillofac Implants 2013;28(3):729-38. Abstract

760. Marcelis K, Vercruyssen M, Naert I, et al. Model-based guided implant insertion for solitary tooth replacement: a pilot study. Clin Oral Implants Res 2012;23(8):999-1003. Abstract

761. Marinis A, Afshari FS, Yuan JC, et al. Retrospective analysis of implant overdenture treatment in the advanced prosthodontic clinic at the University of Illinois at Chicago. J Oral Implantol 2016;42(1):46-53. Abstract

762. Martin R. Astra Tech OsseoSpeed™ 3.0S implant. Inside Dentistry 2010;6(4):2-4.

763. Martin-Ares M, Barona-Dorado C, Guisado-Moya B, et al. Prosthetic hygiene and functional efficacy in completely edentulous patients: satisfaction and quality of life during a 5-year follow-up. Clin Oral Implants Res 2016;27(12):1500-05. Abstract

764. Masaki C, Schneider GB, Zaharias R, et al. Effects of implant surface microtopography on osteoblast gene expression. Clin Oral Implants Res 2005;16(6):650-6. Abstract

765. Masuda T, Salvi GE, Offenbacher S, et al. Cell and matrix reactions at titanium implants in surgically prepared rat tibiae. Int J Oral Maxillofac Implants 1997;12(4):472-85. Abstract

766. Matsuo A, Chiba H, Takahashi H, et al. Clinical application of a custom-made bioresorbable raw particulate hydroxyapatite/poly-L-lactide mesh tray for mandibular reconstruction. Odontology 2010;98(1):85-8. Abstract

767. Matsuo A, Hamada H, Oba H, Shibata K. Virtual reality head-mounted display for endoscopically-assisted implant surgery. Br J Oral Maxillofac Surg 2018;56(7):636-37. Abstract

768. Matsuo A, Hamada H, Takahashi H, Chikazu D. Long-term structural changes and outcomes of implants in particulate cellular bone and marrow reconstructed jawbone. Clin Implant Dent Relat Res 2019;21(2):360-68. Abstract

769. Matthys C, De Vijlder W, Besseler J, et al. Cost-effectiveness analysis of two attachment systems for mandibular overdenture. Clin Oral Implants Res 2020;31(7):615-24. Abstract

770. Matthys C, Vervaeke S, Besseler J, De Bruyn H. Five-year study of mandibular overdentures on stud abutments: Clinical outcome, patient satisfaction and prosthetic maintenance-Influence of bone resorption and implant position. Clin Oral Implants Res 2019;30(9):940-51. Abstract

771. Mattila V, Wilkman T, Avellan NL, et al. Survival of dental implants and occurrence of mucosal overgrowth in patients with head and neck cancer treated with/without radiotherapy and mucosal graft-two-year follow-up. Clin Oral Investig 2024;28(1):117. Abstract

772. Mattisson I, Gretzer C, Ahlberg E. Surface characterization, electrochemical properties and in vitro testing of hierarchically structured titanium surfaces. Mater Res Bulletin 2013;48(2):389-98. Abstract

773. McGuire MK, Scheyer T, Ho DK, et al. Esthetic outcomes in relation to implant-abutment interface design following a standardized treatment

protocol in a multicenter randomized controlled trial--a cohort of 12 cases at 1-year follow-up. Int J Periodontics Restorative Dent 2015;35(2):149-59. Abstract

774. Mehrabanian M, Dorri M. Long-term survival of Astra Tech vs Straumann dental implants and restorations. EBM 2024;25(1):33-34. Abstract

775. Meirelles L, Currie F, Jacobsson M, et al. The effect of chemical and nanotopographical modifications on the early stages of osseointegration. Int J Oral Maxillofac Implants 2008;23(4):641-7. Abstract

776. Memon S, Weltman RL, Katancik JA. Oral bisphosphonates: Early endosseous dental implant success and crestal bone changes. A retrospective study. Int J Oral Maxillofac Implants 2012;27(5):1216-22. Abstract

777. Menassa M, de Grandmont P, Audy N, et al. Patients' expectations, satisfaction, and quality of life with immediate loading protocol. Clin Oral Implants Res 2016;27(1):83-9. Abstract

778. Mendes R. Computer assisted implant planning - A case report involving severely atrophic edentulous maxillary regions. J Chin Clin Med 2010;5(11):665-7.

779. Mendonca G, Mendonca DB, Aragao FJ, Cooper LF. Advancing dental implant surface technology--from micron- to nanotopography. Biomaterials 2008;29(28):3822-35. Abstract

780. Mengel R, Peleska B. A double-crown concept for restorations in patients with generalized aggressive periodontitis: Two case reports with 22- and 25-year follow-ups. Int J Periodontics Restorative Dent 2019;39(2):203-11. Abstract

781. Merheb J, Temmerman A, Rasmusson L, et al. Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. Clin Implant Dent Relat Res 2016;18(2):253-60. Abstract

782. Merheb J, Vercruyssen M, Coucke W, et al. The fate of buccal bone around dental implants. A 12-month postloading follow-up study. Clin Oral Implants Res 2017;28(1):103-08. Abstract

783. Merheb J, Vercruyssen M, Coucke W, Quirynen M. Relationship of implant stability and bone density derived from computerized tomography images. Clin Implant Dent Relat Res 2018;20(1):50-57. Abstract

784. Meric G, Erkmen E, Kurt A, et al. Biomechanical effects of two different collar implant structures on stress distribution under cantilever fixed partial dentures. Acta Odontol Scand 2011;69(6):374-84. Abstract

785. Meric G, Erkmen E, Kurt A, et al. Biomechanical comparison of two different collar structured implants supporting 3-unit fixed partial denture: A 3-D FEM study. Acta Odontol Scand 2012;70(1):61-71. Abstract

786. Mertens C, de San Jose Gonzalez J, Freudlsperger C, et al. Implant-prosthetic rehabilitation of hemimaxillectomy defects with CAD/CAM suprastructures. J Craniomaxillofac Surg 2016;44(11):1812-18. Abstract

787. Mertens C, Decker C, Engel M, et al. Early bone resorption of free microvascular reanastomized bone grafts for mandibular reconstruction--a comparison of iliac crest and fibula grafts. J Craniomaxillofac Surg 2014;42(5):e217-23. Abstract

788. Mertens C, Decker C, Seeberger R, et al. Early bone resorption after vertical bone augmentation--A comparison of calvarial and iliac grafts. Clin Oral Implants Res 2013;24(7):820-5. Abstract

789. Mertens C, Freier K, Engel M, et al. Reconstruction of the severely atrophic edentulous maxillae with calvarial bone grafts. Clin Oral Implants Res 2017;28(6):749-56. Abstract

790. Mertens C, Freudlsperger C, Bodem J, et al. Reconstruction of the maxilla following hemimaxillectomy defects with scapular tip grafts and dental implants. J Craniomaxillofac Surg 2016;44(11):1806-11. Abstract

791. Mertens C, Lowenheim H, Hoffmann J. Image data based reconstruction of the midface using a patient-specific implant in combination with a vascularized osteomyocutaneous scapular flap. J Craniomaxillofac Surg 2013;41(3):219-25. Abstract

792. Mertens C, Meyer-Baumer A, Kappel H, et al. Use of 8-mm and 9-mm implants in atrophic alveolar ridges: 10-year results. Int J Oral Maxillofac Implants 2012;27(6):1501-8. Abstract

793. Mertens C, Steveling HG. Implant-supported fixed prostheses in the edentulous maxilla: 8-year prospective results. Clin Oral Implants Res 2011;22(5):464-72. Abstract

794. Mertens C, Steveling HG. Early and immediate loading of titanium implants with fluoride-modified surfaces: results of 5-year prospective study. Clin Oral Implants Res 2011;22(12):1354-60. Abstract

795. Mertens C, Steveling HG, Seeberger R, et al. Reconstruction of severely atrophied alveolar ridges with calvarial onlay bone grafts and dental implants. Clin Implant Dent Relat Res 2013;15(5):673-83. Abstract

796. Mertens C, Steveling HG, Stucke K, et al. Fixed implant-retained rehabilitation of the edentulous maxilla: 11-year results of a prospective study. Clin Implant Dent Relat Res 2012;14(6):816-27. Abstract

797. Mertens C, Wiens D, Steveling HG, et al. Maxillary sinus-floor elevation with nanoporous biphasic bone graft material for early implant placement. Clin Implant Dent Relat Res 2014;16(3):365-73. Abstract

798. Mesimaki K, Lindroos B, Tornwall J, et al. Novel maxillary reconstruction with ectopic bone formation by GMP adipose stem cells. Int J Oral Maxillofac Surg 2009;38(3):201-9. Abstract

799. Michaud PL, Patel A. Hereditary gingival fibromatosis with extreme ridge thickness and insufficient interarch distance: A clinical report of surgical and prosthetic management. J Prosthet Dent 2016;116(1):15-20. Abstract

800. Michelinakis G, Barclay CW, Smith PW. The influence of interimplant distance and attachment type on the retention characteristics of mandibular overdentures on 2 implants: initial retention values. Int J Prosthodont 2006;19(5):507-12. Abstract

801. Milleding P, Carlen A, Wennerberg A, Karlsson S. Protein characterisation of salivary and plasma biofilms formed in vitro on non-corroded and corroded dental ceramic materials. Biomaterials 2001;22(18):2545-55. Abstract

802. Millen CS, Reuben RL, Ibbetson RJ. The effect of coping/veneer thickness on the fracture toughness and residual stress of implant supported, cement retained zirconia and metal-ceramic crowns. Dent Mater 2012;28(10):e250-8. Abstract

803. Min G-S, Chung C-H, Kim H-J. Fit analysis of CAD-CAM custom abutment using micro-CT. The Journal of Korean Academy of Prosthodontics 2016;54(4):370-78. Abstract

804. Mir-Mari J, Benic GI, Valmaseda-Castellon E, et al. Influence of wound closure on the volume stability of particulate and non-particulate GBR materials: An in vitro cone-beam computed tomographic examination. Part II. Clin Oral Implants Res 2017;28(6):631-39. Abstract

805. Mir-Mari J, Wui H, Jung RE, et al. Influence of blinded wound closure on the volume stability of different GBR materials: An in vitro cone-beam computed tomographic examination. Clin Oral Implants Res 2016;27(2):258-65. Abstract

806. Misch C, Wang HL. Clinical applications of recombinant human bone morphogenetic protein-2 for bone augmentation before dental implant placement. Clin Adv Periodontics 2011;1(2):118-31. Abstract

807. Misch C, Wang HL. Clinical application of recombinant human bone morphogenetic protein-2 for bone augmentation before dental implant placement. Clin Adv Periodontics 2011;1(2):118-31. Abstract

808. Misch CM. The use of recombinant human bone morphogenetic protein-2 for the repair of extraction socket defects: a technical modification and case series report. Int J Oral Maxillofac Implants 2010;25(6):1246-52. Abstract

809. Misch CM. Bone augmentation of the atrophic posterior mandible for dental implants using rhBMP-2 and titanium mesh: Clinical technique and early results. Int J Periodontics Restorative Dent 2011;31(6):581-9. Abstract

810. Mitsias M, Koutayas SO, Wolfart S, Kern M. Influence of zirconia abutment preparation on the fracture strength of single implant lithium disilicate crowns after chewing simulation. Clin Oral Implants Res 2014;25(6):675-82. Abstract

811. Mitsias ME, Silva NR, Pines M, et al. Reliability and fatigue damage modes of zirconia and titanium abutments. Int J Prosthodont 2010;23(1):56-9. Abstract

812. Mitsias ME, Thompson VP, Pines M, Silva NR. Reliability and failure modes of two Y-TZP abutment designs. Int J Prosthodont 2015;28(1):75-8. Abstract

813. Miura KI, Sasaki M, Ohba S, et al. Long-term clinical and radiographic evaluation after maxillary sinus floor augmentation with octacalcium phosphate-collagen composite: A retrospective case series study. J Tissue Eng Regen Med 2022;16(7):621-33. Abstract

814. Miyamoto I, Tsuboi Y, Wada E, et al. Influence of cortical bone thickness and implant length on implant stability at the time of surgery--clinical, prospective, biomechanical, and imaging study. Bone 2005;37(6):776-80. Abstract

815. Mizumoto RM, Malamis D, Mascarenhas F, et al. Titanium implant wear from a zirconia custom abutment: A clinical report. J Prosthet Dent 2020;123(2):201-05. Abstract

816. Mo A, Hjortsjo C, Jokstad A. Maxillary overdenture on three implants retained by low-profile stud attachments - A prospective cohort study. J Oral Rehabil 2022;49(11):1069-79. Abstract

817. Mo A, Hjortsjo C, Olsen-Bergem H, Jokstad A. Maxillary 3-implant removable prostheses without palatal coverage on Locator abutments - a case series. Clin Oral Implants Res 2016;27(10):1193-99. Abstract

818. Mohajerani H, Roozbayani R, Taherian S, Tabrizi R. The risk factors in early failure of dental implants: A retrospective study. J Dent (Shiraz) 2017;18(4):298-303. Abstract

819. Momand P, Becktor JP, Naimi-Akbar A, et al. Effect of antibiotic prophylaxis in dental implant surgery: A multicenter placebo-controlled double-blinded randomized clinical trial. Clin Implant Dent Relat Res 2022;24(1):116-24. Abstract

820. Monje A, Pons R, Insua A, et al. Morphology and severity of peri-implantitis bone defects. Clin Implant Dent Relat Res 2019;21(4):635-43. Abstract

821. Monjo M, Lamolle SF, Lyngstadaas SP, et al. In vivo expression of osteogenic markers and bone mineral density at the surface of fluoride-modified titanium implants. Biomaterials 2008;29(28):3771-80. Abstract

822. Monjo M, Petzold C, Ramis JM, et al. In vitro osteogenic properties of two dental implant surfaces. Int J Biomater 2012;2012:181024. Abstract

823. Moon IS, Berglundh T, Abrahamsson I, et al. The barrier between the keratinized mucosa and the dental implant. An experimental study in the dog. J Clin Periodontol 1999;26(10):658-63. Abstract

824. Mordenfeld A, Aludden H, Starch-Jensen T. Lateral ridge augmentation with two different ratios of deproteinized bovine bone and autogenous bone: A 2-

year follow-up of a randomized and controlled trial. Clin Implant Dent Relat Res 2017;19(5):884-94. Abstract

825. Moscovitch M. Molar restorations supported by 2 implants: An alternative to wide implants. J Can Dent Assoc 2001;67(9):535-9. Abstract

826. Moshaverinia A, Kar K, Aalam AA, et al. A multidisciplinary approach for the rehabilitation of a patient with an excessively worn dentition: a clinical report. J Prosthet Dent 2014;111(4):259-63. Abstract

827. Mouchref Hamasni F, El Hajj F, Abdallah R. Single sitting surgical treatment of generalized aggressive periodontitis using GTR technique and immediate implant placement with 10-year follow-up. Case Rep Dent 2018;2018:6194042. Abstract

828. Mu TJ, Lee DW, Park KH, Moon IS. Changes in the fractal dimension of peri-implant trabecular bone after loading: A retrospective study. J Periodontal Implant Sci 2013;43(5):209-14. Abstract

829. Muhlemann S, Truninger TC, Stawarczyk B, et al. Bending moments of zirconia and titanium implant abutments supporting all-ceramic crowns after aging. Clin Oral Implants Res 2014;25(1):74-81. Abstract

830. Mumcu E, Bilhan H, Cekici A. Marginal bone loss around implants supporting fixed restorations. J Oral Implantol 2011;37(5):549-58. Abstract

831. Mumcu E, Bilhan H, Geckili O. The effect of attachment type and implant number on satisfaction and quality of life of mandibular implant-retained overdenture wearers. Gerodontology 2012;29(2):e618-23. Abstract

832. Mumcu E, Bilhan H, Geckili O. The influence of healing type on marginal bone levels of implants supporting mandibular overdentures: A randomized clinical study. Indian J Dent Res 2012;23(4):514-8. Abstract

833. Mumcu E, Dereci O. Assessment of the effect of clinical independent risk factors on marginal bone loss in 2-implant-supported locator-retained mandibular overdentures. J Oral Implantol 2019;45(3):207-12. Abstract

834. Murphy WM, Absi EG, Gregory MC, Williams KR. A prospective 5-year study of two cast framework alloys for fixed implant-supported mandibular prostheses. Int J Prosthodont 2002;15(2):133-8. Abstract

835. Murphy WM, Barker GR, Gregory MC, Scott J. Experience with the Astra dental implant system. Dent Update 1992;19(4):143-6. Abstract

836. Mustafa K, Silva Lopez B, Hultenby K, et al. Attachment and proliferation of human oral fibroblasts to titanium surfaces blasted with TiO2 particles. A scanning electron microscopic and histomorphometric analysis. Clin Oral Implants Res 1998;9(3):195-207. Abstract

837. Mylonas P, Shahzad B, Ahmed B. Comparison of implant provision at the Birmingham Dental Hospital with national guidelines. Faculty Dental Journal 2021;12(1):34-37.

838. Naenni N, Berner T, Waller T, et al. Influence of wound closure on volume stability with the application of different GBR materials: An in vitro cone-beam computed tomographic study. J Periodontal Implant Sci 2019;49(1):14-24. Abstract

839. Naenni N, Schneider D, Jung RE, et al. Randomized clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: Clinical and histological outcomes at 6 months. Clin Oral Implants Res 2017;28(10):1309-17. Abstract

840. Naenni N, Stucki L, Husler J, et al. Implants sites with concomitant bone regeneration using a resorbable or non-resorbable membrane result in stable marginal bone levels and similar profilometric outcomes over 5 years. Clin Oral Implants Res 2021;32(8):893-904. Abstract

841. Nakano H, Nakajima Y, Kato-Kogoe N. Evaluation of short implants installed in atrophic jaws. J Oral Tissue Engin 2020;18(1):29-34.

842. Nakata H, Kuroda S, Tachikawa N, et al. Histological and micro-computed tomographic observations after maxillary sinus augmentation with porous hydroxyapatite alloplasts: A clinical case series. Springerplus 2016;5(1):260. Abstract

843. Nappo A, Rengo C, Pantaleo G, et al. Influence of implant dimensions and position on implant stability: A prospective clinical study in maxilla using resonance frequency analysis. Applied Sciences 2019;9(5). Abstract

844. Narvekar A, Valverde Estepa A, Naqvi A, Nares S. Used dental implant healing abutments elicit immune responses: A comparative analysis of detoxification strategies. Clin Implant Dent Relat Res 2020;22(6):730-38. Abstract

845. Nejatidanesh F, Shakibamehr AH, Savabi O. Comparison of marginal and internal adaptation of cad/cam and conventional cement retained implant-supported single crowns. Implant Dent 2016;25(1):103-8. Abstract

846. Neldam CA, Lauridsen T, Rack A, et al. Application of high resolution synchrotron micro-CT radiation in dental implant osseointegration. J Craniomaxillofac Surg 2015;43(5):682-7. Abstract

847. Neldam CA, Sporring J, Rack A, et al. Synchrotron radiation muCT and histology evaluation of bone-to-implant contact. J Craniomaxillofac Surg 2017;45(9):1448-57. Abstract

848. Nelson K, Schmelzeisen R, Taylor TD, et al. The impact of force transmission on narrow-body dental implants made of commercially pure titanium and titanium zirconia alloy with a conical implant-abutment connection: An experimental pilot study. Int J Oral Maxillofac Implants 2016;31(5):1066-71. Abstract

849. Neumeier TT, Reddy M, Geurs N, et al. Longitudinal study of dental implants in HIV-Positive patients. J Prosthodont 2022;31(2):115-20. Abstract

850. Nguyen CT, Hofstede TM. Prosthodontic treatment and medical considerations for a patient with Turner syndrome: a clinical report. J Prosthodont 2012;21(7):552-5. Abstract

851. Nguyen R, Soldatos N, Tran D, et al. Survival of dental implants replacing previously failed implants: A retrospective study in a university setting. Int J Oral Maxillofac Implants 2018;33(6):1312-19. Abstract

852. Nicolas-Silvente AI, Velasco-Ortega E, Ortiz-Garcia I, et al. Influence of the titanium implant surface treatment on the surface roughness and chemical composition. Materials (Basel) 2020;13(2). Abstract

853. Nikzad S, Azari A. Custom-made radiographic template, computed tomography, and computer-assisted flapless surgery for treatment planning in partial edentulous patients: A prospective 12-month study. J Oral Maxillofac Surg 2010;68(6):1353-9. Abstract

854. Nisapakultorn K, Suphanantachat S, Silkosessak O, Rattanamongkolgul S. Factors affecting soft tissue level around anterior maxillary single-tooth implants. Clin Oral Implants Res 2010;21(6):662-70. Abstract

855. Nkenke E, Stelzle F. Clinical outcomes of sinus floor augmentation for implant placement using autogenous bone or bone substitutes: A systematic review. Clin Oral Implants Res 2009;20 Suppl 4:124-33. Abstract

856. Noelken R, Donati M, Fiorellini J, et al. Soft and hard tissue alterations around implants placed in an alveolar ridge with a sloped configuration. Clin Oral Implants Res 2014;25(1):3-9. Abstract

857. Noelken R, Geier J, Kunkel M, et al. Influence of soft tissue grafting, orofacial implant position, and angulation on facial hard and soft tissue thickness at immediately inserted and provisionalized implants in the anterior maxilla. Clin Implant Dent Relat Res 2018;20(5):674-82. Abstract

858. Noelken R, Moergel M, Kunkel M, Wagner W. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. Clin Oral Implants Res 2018;29(3):320-27. Abstract

859. Noelken R, Moergel M, Pausch T, et al. Clinical and esthetic outcome with immediate insertion and provisionalization with or without connective tissue grafting in presence of mucogingival recessions: A retrospective analysis with follow-up between 1 and 8 years. Clin Implant Dent Relat Res 2018;20(3):285-93. Abstract

860. Noelken R, Neffe BA, Kunkel M, Wagner W. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. Clin Oral Implants Res 2014;25(2):214-20. Abstract

861. Noelken R, Oberhansl F, Kunkel M, Wagner W. Immediately provisionalized OsseoSpeed() Profile implants inserted into extraction sockets: 3-year results. Clin Oral Implants Res 2016;27(6):744-9. Abstract

862. Noelken R, Pausch T, Al-Nawas B, Wagner W. Long-term results of immediately inserted and provisionalized OsseoSpeed Profile implants in the esthetic zone. Clin Oral Implants Res 2019;30(S19):408-08. Abstract

863. Noelken R, Schiegnitz E, Al-Nawas B, Wagner W. Marginal bone and keratinized mucosa alterations around sloped implants placed in healed sloped crests: A long-term cohort study. Int J Periodontics Restorative Dent 2021;41(5):733-41. Abstract

864. Noelken R, Schiegnitz E, Berglundh T, Wagner W. Functional hard and soft tissue regeneration around Profile implants placed in sloped alveolar ridges - 10-year results (P15600). Clin Oral Implants Res 2019;30(Supplement S19):19-19. Abstract

865. Noelken R, Westphal L, Schiegnitz E, Al-Nawas B. Hard and soft tissue regeneration of severe peri-implantitis defects with the laser-assisted peri-implant defect regeneration technique: 3-year results. Int J Implant Dent 2023;9(1):3. Abstract

866. Nordin T, Jonsson G, Nelvig P, Rasmusson L. The use of a conical fixture design for fixed partial prostheses. A preliminary report. Clin Oral Implants Res 1998;9(5):343-7. Abstract

867. Norton MR. An in vitro evaluation of the strength of an internal conical interface compared to a butt joint interface in implant design. Clin Oral Implants Res 1997;8(4):290-8. Abstract

868. Norton MR. The Astra Tech single-tooth implant system: A report on 27 consecutively placed and restored implants. Int J Periodontics Restorative Dent 1997;17(6):574-83. Abstract

869. Norton MR. Marginal bone levels at single tooth implants with a conical fixture design. The influence of surface macro- and microstructure. Clin Oral Implants Res 1998;9(2):91-9. Abstract

870. Norton MR. Assessment of cold welding properties of the internal conical interface of two commercially available implant systems. J Prosthet Dent 1999;81(2):159-66. Abstract

871. Norton MR. An in vitro evaluation of the strength of a 1-piece and 2-piece conical abutment joint in implant design. Clin Oral Implants Res 2000;11(5):458-64. Abstract

872. Norton MR. In vitro evaluation of the strength of the conical implant-to-abutment joint in two commercially available implant systems. J Prosthet Dent 2000;83(5):567-71. Abstract

873. Norton MR. Biologic and mechanical stability of single-tooth implants: 4- to 7-year follow-up. Clin Implant Dent Relat Res 2001;3(4):214-20. Abstract

874. Norton MR. A short-term clinical evaluation of immediately restored maxillary TiOblast single-tooth implants. Int J Oral Maxillofac Implants 2004;19(2):274-81. Abstract

875. Norton MR. Multiple single-tooth implant restorations in the posterior jaws: maintenance of marginal bone levels with reference to the implant-abutment microgap. Int J Oral Maxillofac Implants 2006;21(5):777-84. Abstract

876. Norton MR. The influence of insertion torque on the survival of immediately placed and restored single-tooth implants. Int J Oral Maxillofac Implants 2011;26(6):1333-43. Abstract

877. Norton MR, Astrom M. The influence of implant surface on maintenance of marginal bone levels for three premium implant brands: A systematic review and meta-analysis. Int J Oral Maxillofac Implants 2020;35(6):1099-111. Abstract

878. Norton MR, Ferber C. The nonresilient hybrid removable prosthesis: treatment of choice for the atrophic maxilla. Int J Periodontics Restorative Dent 1999;19(2):189-97. Abstract

879. Norton MR, Wilson J. Dental implants placed in extraction sites implanted with bioactive glass: Human histology and clinical outcome. Int J Oral Maxillofac Implants 2002;17(2):249-57. Abstract

880. Nothdurft FP, Doppler KE, Erdelt KJ, et al. Influence of artificial aging on the load-bearing capability of straight or angulated zirconia abutments in implant/tooth-supported fixed partial dentures. Int J Oral Maxillofac Implants 2010;25(5):991-8. Abstract

881. Nothdurft FP, Doppler KE, Erdelt KJ, et al. Fracture behavior of straight or angulated zirconia implant abutments supporting anterior single crowns. Clin Oral Investig 2011;15(2):157-63. Abstract

882. Nyberg J, Hertzman S, Svensson B, Johansson CB. Osseointegration of implants in irradiated bone with and without hyperbaric oxygen treatment: An experimental study in rat Tibiae. Int J Oral Maxillofac Implants 2013;28(3):739-46. Abstract

883. Nyland AN, Lie SA, Gjerde CG. Risk Factors for Early Dental Implant Failure. Int J Oral Maxillofac Implants 2024;39(1):164-72. Abstract

884. O'Sullivan D, Sennerby L, Meredith N. Measurements comparing the initial stability of five designs of dental implants: a human cadaver study. Clin Implant Dent Relat Res 2000;2(2):85-92. Abstract

885. Ocelik V, Schepke U, Rasoul HH, et al. On the bulk degradation of yttria-stabilized nanocrystalline zirconia dental implant abutments: An electron backscatter diffraction study. J Mater Sci Mater Med 2017;28(8):121. Abstract

886. Offermanns V. Comparing SLActive™, OsseoSpeed™ and a novel strontium releasing surface (Ti–Sr–O) in early osseointegration stages in a rabbit femur model. Int J Oral Maxillofac Implants 2015;44(Supplement):e118.

887. Oguz Y, Cinar D, Bayram B. Removal of fractured implants and replacement with new ones. J Oral Implantol 2015;41(1):85-7. Abstract

888. Ohba S, Shido R, Asahina I. Application of hydroxyapatite/collagen composite material for maxillary sinus floor augmentation. J Oral Sci 2021;63(3):295-97. Abstract

889. Okkan GS, Kucukkurt S, Therzioglu H, Mooaoglu N. Biomechanical behavior of the dental implant macrodesign in mandibular implant-supported overdentures. Journal of Osseointegration 2021;13(4):234-41. Abstract

890. Olefjord I, Hansson S. Surface analysis of four dental implant systems. Int J Oral Maxillofac Implants 1993;8(1):32-40. Abstract

891. Oliveros-Lopez LG, Castillo-de-Oyagüe R, Serrera-Figallo MA. Bone loss in bruxist patients wearing dental implant prostheses: A finite element analysis. Metals 2020;E-pub Sep, doi: 10.3390/met10091132. Abstract

892. Onclin P, Slot W, Vissink A, et al. Incidence of peri-implant mucositis and peri-implantitis in patients with a maxillary overdenture: A sub-analysis of two prospective studies with a 10-year follow-up period. Clin Implant Dent Relat Res 2022;24(2):188-95. Abstract

893. Ongun S, Kurtulmus-Yilmaz S, Meric G, Ulusoy M. A comparative study on the mechanical properties of a polymer-infiltrated ceramic-network material used for the fabrication of hybrid abutment. Materials (Basel) 2018;11(9):1681. Abstract

894. Onur MA, Cehreli MC, Tas Z, Sahin S. Effects of machined/turned, TiO2-blasted and sandblasted/acid-etched titanium oral implant surfaces on nerve conduction: A study on isolated rat sciatic nerves. J Biomed Mater Res B Appl Biomater 2003;67(2):772-8. Abstract

895. Orentlicher G, Horowitz A, Goldsmith D, et al. Cumulative survival rate of implants placed "fully guided" using CT-guided surgery: A 7-year retrospective study. Compend Contin Educ Dent 2014;35(8):590-98, 600. Abstract

896. Orsini G, Stacchi C, Visintini E, et al. Clinical and histologic evaluation of fresh frozen human bone grafts for horizontal reconstruction of maxillary alveolar ridges. Int J Periodontics Restorative Dent 2011;31(5):535-44. Abstract

897. Ortegon SM, Thompson GA, Agar JR, et al. Retention forces of spherical attachments as a function of implant and matrix angulation in mandibular overdentures: An in vitro study. J Prosthet Dent 2009;101(4):231-8. Abstract

898. Ortorp A. Three tumor patients with total maxillectomy rehabilitated with implant-supported frameworks and maxillary obturators: a follow-up report. Clin Implant Dent Relat Res 2010;12(4):315-23. Abstract

899. Oxby G, Oxby F, Oxby J, et al. Early loading of fluoridated implants placed in fresh extraction sockets and healed bone: A 3- to 5-year clinical and radiographic follow-up study of 39 consecutive patients. Clin Implant Dent Relat Res 2015;17(5):898-907. Abstract

900. Ozan O, Ramoglu S. Effect of implant height differences on different attachment types and peri-implant bone in mandibular two-implant overdentures: 3D finite element study. J Oral Implantol 2015;41(3):e50-9. Abstract

901. Ozan O, Seker E, Cakmak G, et al. Effect of guide sleeve material, region, diameter, and number of times drills were used on the material loss from sleeves and drills used for surgical guides: An in vitro study. J Prosthet Dent 2022;128(4):746-53. Abstract

902. Ozcan EC, Aydin MA, Dundar S, et al. Biomechanical Investigation of the Osseointegration of Titanium Implants With Different Surfaces Placed With Allogeneic Bone Transfer. J Craniofac Surg 2024;E-pub May 23 doi:10.1097/SCS.0000000000010326. Abstract

903. Ozdemir E, Lin WS, Erkut S. Management of interproximal soft tissue with a resin-bonded prosthesis after immediate implant placement: A clinical report. J Prosthet Dent 2012;107(1):7-10. Abstract

904. Ozkir SE, Terzioglu H. Macro design effects on stress distribution around implants: A photoelastic stress analysis. Indian J Dent Res 2012;23(5):603-7. Abstract

905. Ozkurt Z, Duygu G, Canpolat C, Kazazoglu E. Reconstruction of edentulous maxillary and mandibular arches with implant-supported fixed restorations using a digital treatment planning technique: a clinical report. J Oral Implantol 2008;34(3):161-8. Abstract

906. Pabst AM, Walter C, Ehbauer S, et al. Analysis of implant-failure predictors in the posterior maxilla: A retrospective study of 1395 implants. J Craniomaxillofac Surg 2015;43(3):414-20. Abstract

907. Packer M, Nikitin V, Coward T, et al. The potential benefits of dental implants on the oral health quality of life of people with Parkinson's disease. Gerodontology 2009;26(1):11-8. Abstract

908. Padial-Molina M, Montalvo-Acosta S, Martin-Morales N, et al. Correlation between inflammasomes and microbiota in peri-implantitis. International Journal of Molecular Sciences 2024;25(2). Abstract

909. Palaska I, Tsaousoglou P, Vouros I, et al. Influence of placement depth and abutment connection pattern on bone remodeling around 1-stage implants: a prospective randomized controlled clinical trial. Clin Oral Implants Res 2016;27(2):e47-56. Abstract

910. Palmer RM, Farkondeh N, Palmer PJ, Wilson RF. Astra Tech single-tooth implants: An audit of patient satisfaction and soft tissue form. J Clin Periodontol 2007;34(7):633-8. Abstract

911. Palmer RM, Howe LC, Palmer PJ. A prospective 3-year study of fixed bridges linking Astra Tech ST implants to natural teeth. Clin Oral Implants Res 2005;16(3):302-7. Abstract

912. Palmer RM, Howe LC, Palmer PJ, Wilson R. A prospective clinical trial of single Astra Tech 4.0 or 5.0 diameter implants used to support two-unit cantilever bridges: results after 3 years. Clin Oral Implants Res 2012;23(1):35-40. Abstract

913. Palmer RM, Palmer PJ, Smith BJ. A 5-year prospective study of Astra single tooth implants. Clin Oral Implants Res 2000;11(2):179-82. Abstract

914. Palmer RM, Smith BJ, Palmer PJ, Floyd PD. A prospective study of Astra single tooth implants. Clin Oral Implants Res 1997;8(3):173-9. Abstract

915. Pan MC, Zhuang HB, Chen CS, et al. A noncontact resonance frequency detection technique for the assessment of the interfacial bone defect around a dental implant. Med Eng Phys 2013;35(12):1825-30. Abstract

916. Paniz G, Bressan E, Stellini E, et al. Correlation between subjective and objective evaluation of peri-implant soft tissue color. Clin Oral Implants Res 2014;25(8):992-6. Abstract

917. Paranque AR, Steve M, Vazquez L, et al. Esthetic and functional reconstruction of the posttumoral interrupted mandible with double-barrel fibular free flap graft: Rationale for a microsurgical and prosthodontic approach. J Oral Implantol 2011;37(5):571-7. Abstract

918. Parbo N, Murra NT, Andersen K, et al. Outcome of partial mandibular reconstruction with fibula grafts and implant-supported prostheses. Int J Oral Maxillofac Surg 2013;42(11):1403-8. Abstract

919. Park C, Raigrodski AJ, Rosen J, et al. Accuracy of implant placement using precision surgical guides with varying occlusogingival heights: An in vitro study. J Prosthet Dent 2009;101(6):372-81. Abstract

920. Park SJ, Ahn K-M. Dental implant fractures: A report of 43 implant fixtures in 33 patients. J Implantology and applied sciences 2024;28(1):1-9.

921. Parpaiola A, Cecchinato D, Toia M, et al. Dimensions of the healthy gingiva and peri-implant mucosa. Clin Oral Implants Res 2015;26(6):657-62. Abstract

922. Parpaiola A, Norton MR, Cecchinato D, et al. Virtual abutment design: a concept for delivery of CAD/CAM customized abutments-- report of a retrospective cohort. Int J Periodontics Restorative Dent 2013;33(1):51-8. Abstract

923. Parpaiola A, Toia M, Norton M, et al. CAD/CAM implant abutments: Peri-implant hard and soft tissue response with up to 4 years of follow-up- A retrospective cohort study evaluation. Int J Periodontics Restorative Dent 2020;40(2):193-201. Abstract

924. Passos SP, Linke B, Larjava H, French D. Performance of zirconia abutments for implant-supported single-tooth crowns in esthetic areas: a retrospective study up to 12-year follow-up. Clin Oral Implants Res 2016;27(1):47-54. Abstract

925. Patel J, Nixon P. Chronic idiopathic pain following implant placement in the anterior maxilla: A case series. Dental Update 2019;45:1043-47.

926. Patel RD, Kan JY, Jonsson LB, Rungcharassaeng K. The use of a dental surgical microscope to aid retrieval of a fractured implant abutment screw: a clinical report. J Prosthodont 2010;19(8):630-3. Abstract

927. Patel S, Lee D, Shiffler K, et al. Resonance frequency analysis of sinus augmentation by osteotome sinus floor elevation and lateral window technique. J Oral Maxillofac Surg 2015;73(10):1920-5. Abstract

928. Patil VA. Retrospective study of risk factors affecting early dental implant survival. Journal of Dental and Medical Science 2021;20(5):34-37.

929. Peng M, Fei W, Hosseini M, Gotfredsen K. Influence of implant position on clinical crown length and peri-implant soft tissue dimensions at implant-supported single crowns replacing maxillary central incisors. Int J Periodontics Restorative Dent 2013;33(6):785-93. Abstract

930. Perez RA, Gargallo J, Altuna P, et al. Fatigue of narrow dental implants: Influence of the hardening method. Materials (Basel) 2020;13(6). Abstract

931. Petersson IU, Loberg JE, Fredriksson AS, Ahlberg EK. Semi-conducting properties of titanium dioxide surfaces on titanium implants. Biomaterials 2009;30(27):4471-9. Abstract

932. Philip J, Laine ML, Wismeijer D. Adjunctive effect of mouthrinse on treatment of peri-implant mucositis using mechanical debridement: A randomized clinical trial. J Clin Periodontol 2020;47(7):883-91. Abstract

933. Pieri F, Aldini NN, Fini M, et al. Immediate fixed implant rehabilitation of the atrophic edentulous maxilla after bilateral sinus floor augmentation: A 12-month pilot study. Clin Implant Dent Relat Res 2012;14 Suppl 1(Suppl 1):e67-82. Abstract

934. Pieri F, Aldini NN, Fini M, et al. Preliminary 2-year report on treatment outcomes for 6-mm-long implants in posterior atrophic mandibles. Int J Prosthodont 2012;25(3):279-89. Abstract

935. Pieri F, Aldini NN, Marchetti C, Corinaldesi G. Esthetic outcome and tissue stability of maxillary anterior single-tooth implants following reconstruction with mandibular block grafts: A 5-year prospective study. Int J Oral Maxillofac Implants 2013;28(1):270-80. Abstract

936. Pieri F, Caselli E, Forlivesi C, Corinaldesi G. Rehabilitation of the atrophic posterior maxilla using splinted short implants or sinus augmentation with standard-length implants: A retrospective cohort study. Int J Oral Maxillofac Implants 2016;31(5):1179-88. Abstract

937. Pieri F, Forlivesi C, Caselli E, Corinaldesi G. Short implants (6mm) vs. vertical bone augmentation and standard-length implants (>/=9mm) in atrophic posterior mandibles: a 5-year retrospective study. Int J Oral Maxillofac Surg 2017;46(12):1607-14. Abstract

938. Pieri F, Siroli L, Forlivesi C, Corinaldesi G. Clinical, esthetic, and radiographic evaluation of small-diameter (3.0-mm) implants supporting single crowns in the anterior region: A 3-year prospective study. Int J Periodontics Restorative Dent 2014;34(6):825-32. Abstract

939. Piermatti J, Yousef H, Luke A, et al. An in vitro analysis of implant screw torque loss with external hex and internal connection implant systems. Implant Dent 2006;15(4):427-35. Abstract

940. Pitchai MS, Ipe DS, Hamlet S. The effect of titanium surface topography on adherent macrophage integrin and cytokine expression. J Funct Biomater 2023;14(4). Abstract

941. Pjetursson BE, Bragger U, Lang NP, Zwahlen M. Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single crowns (SCs). Clin Oral Implants Res 2007;18 Suppl 3:97-113. Abstract

942. Pjetursson BE, Tan K, Lang NP, et al. A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. Clin Oral Implants Res 2004;15(6):667-76. Abstract

943. Pohl S, Salama M, Petrakakis P. Buccal sliding palatal pedicle flap technique for wound closure after ridge augmentation. Int J Periodontics Restorative Dent 2020;40(5):741-47. Abstract

944. Pohl V, Pohl S, Sulzbacher I, et al. Alveolar ridge augmentation using dystopic autogenous yooth: 2-year results of an open prospective study. Int J Oral Maxillofac Implants 2017;32(4):870-79. Abstract

945. Pohl V, Thoma DS, Sporniak-Tutak K, et al. Short dental implants (6 mm) versus long dental implants (11-15 mm) in combination with sinus floor elevation procedures: 3-year results from a multicentre, randomized, controlled clinical trial. J Clin Periodontol 2017;44(4):438-45. Abstract

946. Pons R, Carreno M, Amerio E, et al. Hard tissue dimensional changes following implant removal due to peri-implantitis: A retrospective study. Clin Implant Dent Relat Res 2021;23(3):432-43. Abstract

947. Ponsi J, Lahti S, Rissanen H, Oikarinen K. Change in subjective oral health after single dental implant treatment. Int J Oral Maxillofac Implants 2011;26(3):571-7. Abstract

948. Prasad R, Al-Kheraif AA. Three-dimensional accuracy of CAD/CAM titanium and ceramic superstructures for implant abutments using spiral scan microtomography. Int J Prosthodont 2013;26(5):451-7. Abstract

949. Prasad S, Hambrook C, Reigle E, et al. Implant treatment in the predoctoral clinic: A retrospective database study of 1091 patients. J Prosthodont 2017;26(6):559-67. Abstract

950. Prete B, Silva M, Wong B, Deporter D. A pattern of peri-implantitis affecting middle implants in 3-implant splinted prostheses. Clin Adv Periodontics 2023;E-pub Dec doi:10.1002/cap.10274:1-3. Abstract

951. Prieto-Barrio P, Khoury-Ribas L, Rovira-Lastra B, et al. Variation in dental occlusal schemes two years after placement of single-implant posterior crowns: A preliminary study. J Oral Implantol 2022;48(2):110-16. Abstract

952. Printzell L, Reseland JE, Edin NFJ, Ellingsen JE. Effects of ionizing irradiation and interface backscatter on human mesenchymal stem cells cultured on titanium surfaces. Eur J Oral Sci 2019;127(6):500-07. Abstract

953. Printzell L, Reseland JE, Edin NFJ, et al. The dose-dependent impact of gamma-radiation reinforced with backscatter from titanium on primary human osteoblasts. Biomater Investig Dent 2023;10(1):2209116. Abstract

954. Puchades-Roman L, Palmer RM, Palmer PJ, et al. A clinical, radiographic, and microbiologic comparison of Astra Tech and Brånemark single tooth implants. Clin Implant Dent Relat Res 2000;2(2):78-84. Abstract

955. Pumnil S, Rungsiyakull P, Rungsiyakull C, Elsaka S. Effect of different customized abutment types on stress distribution in implant-supported single crown: A 3D finite element analysis. J Prosthodont 2022;31(5):e2-e11. Abstract

956. Qi M, Deng S, Tan Z. Clinical study to assess influence of immediate provisionalization and various implant morphologies on implant stability: A prospective clinical study. Front Surg 2022;9:1095741. Abstract

957. Quirynen M, Bollen CM, Willems G, van Steenberghe D. Comparison of surface characteristics of six commercially pure titanium abutments. Int J Oral Maxillofac Implants 1994;9(1):71-6. Abstract

958. Rabbani S, Juszczyk AS, Clark RK, Radford DR. Investigation of retentive force reduction and wear of the locator attachment system with different implant angulations. Int J Oral Maxillofac Implants 2015;30(3):556-63. Abstract

959. Raes F, Cooper LF, Tarrida LG, et al. A case-control study assessing oral-health-related quality of life after immediately loaded single implants in healed alveolar ridges or extraction sockets. Clin Oral Implants Res 2012;23(5):602-8. Abstract

960. Raes F, Cosyn J, Crommelinck E, et al. Immediate and conventional single implant treatment in the anterior maxilla: 1-year results of a case series on hard and soft tissue response and aesthetics. J Clin Periodontol 2011;38(4):385-94. Abstract

961. Raes F, Cosyn J, De Bruyn H. Clinical, aesthetic, and patient-related outcome of immediately loaded single implants in the anterior maxilla: A prospective study in extraction sockets, healed ridges, and grafted sites. Clin Implant Dent Relat Res 2013;15(6):819-35. Abstract

962. Raes F, Renckens L, Aps J, et al. Reliability of circumferential bone level assessment around single implants in healed ridges and extraction sockets using cone beam CT. Clin Implant Dent Relat Res 2013;15(5):661-72. Abstract

963. Raes S, Cosyn J, Noyelle A, et al. Clinical outcome after 8 to 10 years of immediately restored single implants placed in extraction sockets and healed ridges. Int J Periodontics Restorative Dent 2018;38(3):337-45. Abstract

964. Raes S, Eghbali A, Chappuis V, et al. A long-term prospective cohort study on immediately restored single tooth implants inserted in extraction sockets and healed ridges: CBCT analyses, soft tissue alterations, aesthetic ratings, and patient-reported outcomes. Clin Implant Dent Relat Res 2018;20(4):522-30. Abstract

965. Raes S, Raes F, Cooper L, et al. Oral health-related quality of life changes after placement of immediately loaded single implants in healed alveolar ridges or extraction sockets: a 5-year prospective follow-up study. Clin Oral Implants Res 2017;28(6):662-67. Abstract

966. Raes S, Rocci A, Raes F, et al. A prospective cohort study on the impact of smoking on soft tissue alterations around single implants. Clin Oral Implants Res 2015;26(9):1086-90. Abstract

967. Rakasevic D, Lazic Z, Soldatovic I, et al. Influence of titanium implant macrodesign on peri-implantitis occurrence: a cross-sectional study. Clin Oral Investig 2022;26(8):5237-46. Abstract

968. Rakic M, Tatic Z, Radovanovic S, et al. Resolution of peri-implant mucositis following standard treatment: A prospective split-mouth study. J Periodontol 2023;E-pub Dec 2 doi:10.1002/JPER.23-0507. Abstract

969. Raoufi-Danner S, Carl S, Jahan A. Oral rehabilitation of patients with ameloblastoma of the mandible. Clinical results in three patients with different bone reconstruction techniques. The Open Dentistry Journal 2018;12(1):1107-12. Abstract

970. Rashedi B, Cooper L. Immediate loading of implants in edentulous mandible maintaining vertical dimension: A clinical report. J Prosthet Dent 2004;91(2):114-8. Abstract

971. Rasmusson L, Kahnberg KE, Tan A. Effects of implant design and surface on bone regeneration and implant stability: An experimental study in the dog mandible. Clin Implant Dent Relat Res 2001;3(1):2-8. Abstract

972. Rasmusson L, Roos J, Bystedt H. A 10-year follow-up study of titanium dioxide-blasted implants. Clin Implant Dent Relat Res 2005;7(1):36-42. Abstract

973. Rasmusson L, Thor A, Sennerby L. Stability evaluation of implants integrated in grafted and nongrafted maxillary bone: a clinical study from implant placement to abutment connection. Clin Implant Dent Relat Res 2012;14(1):61-6. Abstract

974. Ravald N, Dahlgren S, Teiwik A, Grondahl K. Long-term evaluation of Astra Tech and Branemark implants in patients treated with full-arch bridges. Results after 12-15 years. Clin Oral Implants Res 2013;24(10):1144-51. Abstract

975. Razavi T, Palmer RM, Davies J, et al. Accuracy of measuring the cortical bone thickness adjacent to dental implants using cone beam computed tomography. Clin Oral Implants Res 2010;21(7):718-25. Abstract

976. Real-Osuna J, Almendros-Marques N, Gay-Escoda C. Prevalence of complications after the oral rehabilitation with implant-supported hybrid prostheses. Med Oral Patol Oral Cir Bucal 2012;17(1):e116-21. Abstract

977. Renvert S, Aghazadeh A, Hallstrom H, Persson GR. Factors related to peri-implantitis - A retrospective study. Clin Oral Implants Res 2014;25(4):522-9. Abstract

978. Renvert S, Lindahl C, Renvert H, Persson GR. Clinical and microbiological analysis of subjects treated with Brånemark or AstraTech implants: A 7-year follow-up study. Clin Oral Implants Res 2008;19(4):342-7. Abstract

979. Renvert S, Lindahl C, Rutger Persson G. The incidence of peri-implantitis for two different implant systems over a period of thirteen years. J Clin Periodontol 2012;39(12):1191-7. Abstract

980. Renvert S, Polyzois I, Claffey N. How do implant surface characteristics influence peri-implant disease? J Clin Periodontol 2011;38 Suppl 11:214-22. Abstract

981. Renvert S, Roos-Jansaker AM, Persson GR. Surgical treatment of peri-implantitis lesions with or without the use of a bone substitute-a randomized clinical trial. J Clin Periodontol 2018;45(10):1266-74. Abstract

982. Repesa M, Sofic A, Jakupovic S, et al. Comparison of results of measurement of dimensions of the placed dental implants on cone beam computed tomography with dimensions of the producers of the implants. Acta Inform Med 2017;25(2):116-20. Abstract

983. Revilla-Leon M, Barmak AB, Rubenstein J, Ozcan M. Wear at the implant-framework interface between titanium implant platform and the additively manufactured titanium and cobalt-chromium frameworks. J Prosthodont 2024;33(1):77-85. Abstract

984. Riben C, Thor A. Follow-up of the sinus membrane elevation technique for maxillary sinus implants without the use of graft material. Clin Implant Dent Relat Res 2016;18(5):895-905. Abstract

985. Riben Grundstrom C, Lund B, Kampe J, et al. Systemic antibiotics in the surgical treatment of peri-implantitis: A randomized placebo-controlled trial. J Clin Periodontol 2024;E-pub May 3 doi:10.1111/jcpe.13994. Abstract

986. Ricciardi MT, Pizzi P. High-risk esthetically driven restoration: Begin with the end in mind. Compend Contin Educ Dent 2013;34(3):206-10. Abstract

987. Ringeling J, Parvini P, Weinbach C, et al. Discomfort/pain due to pocket probing at teeth and endosseous implants: A cross-sectional study. Clin Oral Implants Res 2016;27(8):1005-9. Abstract

988. Rismanchian M, Fazel A, Rakhshan V, Eblaghian G. One-year clinical and radiographic assessment of fluoride-enhanced implants on immediate non-functional loading in posterior maxilla and mandible: a pilot prospective clinical series study. Clin Oral Implants Res 2011;22(12):1440-5. Abstract

989. Rocci A, Calcaterra R, M DIG, et al. The influence of micro and macro-geometry in term of bone-implant interface in two implant systems: An histomorphometrical study. Oral Implantol (Rome) 2015;8(4):87-95. Abstract

990. Rocci A, Calcaterra R, Rocci M, et al. Different performance of platform switching in equicrestal position implant: An histological study. Oral Implantol (Rome) 2016;9(1):11-16. Abstract

991. Rocci M, Rocci A, Martignoni M, et al. Comparing the TiOblast and Osseospeed surfaces. Histomorphometric and histological analysis in humans. Oral Implantol (Rome) 2008;1(1):34-42. Abstract

992. Roccuzzo A, Jensen SS, Worsaae N, Gotfredsen K. Implant-supported 2-unit cantilevers compared with single crowns on adjacent implants: A comparative retrospective case series. J Prosthet Dent 2020;123(5):717-23. Abstract

993. Rodriguez-Argueta OF, Figueiredo R, Valmaseda-Castellon E, Gay-Escoda C. Postoperative complications in smoking patients treated with implants: A retrospective study. J Oral Maxillofac Surg 2011;69(8):2152-7. Abstract

994. Roe P, Kan JY, Rungcharassaeng K, et al. Horizontal and vertical dimensional changes of peri-implant facial bone following immediate placement and provisionalization of maxillary anterior single implants: A 1-Year cone beam computed tomography study. Int J Oral Maxillofac Implants 2012;27(2):393-400. Abstract

995. Roe P, Kan JY, Rungcharassaeng K, Lozada JL. Immediate loading of unsplinted implants in the anterior mandible for overdentures: 3-year results. Int J Oral Maxillofac Implants 2011;26(6):1296-302. Abstract

996. Roe P, Kan JY, Rungcharassaeng K, et al. Immediate loading of unsplinted implants in the anterior mandible for overdentures: A case series. Int J Oral Maxillofac Implants 2010;25(5):1028-35. Abstract

997. Rojas-Vizcaya F. Full zirconia fixed detachable implant-retained restorations manufactured from monolithic zirconia: Clinical report after two years in service. J Prosthodont 2011;20(7):570-6. Abstract

998. Rojas-Vizcaya F. Rehabilitation of the maxillary arch with implant-supported fixed restorations guided by the most apical buccal bone level in the esthetic zone: a clinical report. J Prosthet Dent 2012;107(4):213-20. Abstract

999. Rojas-Vizcaya F. Biological aspects as a rule for single implant placement. The 3A-2B rule: A clinical report. J Prosthodont 2013;22(7):575-80. Abstract

1000. Rojas-Vizcaya F, Zadeh HH. Minimizing the discrepancy between implant platform and alveolar bone for tilted implants with a sloped implant platform: A clinical report. J Prosthet Dent 2018;119(3):319-24. Abstract

1001. Rokn A, Aslroosta H, Akbari S, et al. Prevalence of peri-implantitis in patients not participating in well-designed supportive periodontal treatments: A cross-sectional study. Clin Oral Implants Res 2017;28(3):314-19. Abstract

1002. Romandini M, Bougas K, Alibegovic L, et al. Long-term outcomes and prognostic factors of surgical treatment of peri-implantitis - A retrospective study. Clin Oral Implants Res 2024;35(3):321-29. Abstract

1003. Romandini M, Lima C, Pedrinaci I, et al. Clinical signs, symptoms, perceptions, and impact on quality of life in patients suffering from peri-implant diseases: A university-representative cross-sectional study. Clin Oral Implants Res 2021;32(1):100-11. Abstract

1004. Romandini M, Lima C, Pedrinaci I, et al. Prevalence and risk/protective indicators of peri-implant diseases: A university-representative cross-sectional study. Clin Oral Implants Res 2021;32(1):112-22. Abstract

1005. Romandini M, Pedrinaci I, Lima C, et al. Prevalence and risk/protective indicators of buccal soft tissue dehiscence around dental implants. J Clin Periodontol 2021;48(3):455-63. Abstract

1006. Romanos G, Damouras M, Veis AA, et al. Comparison of histomorphometry and microradiography of different implant designs to assess primary implant stability. Clin Implant Dent Relat Res 2020;22(3):373-79. Abstract

1007. Romanos GE, Bastardi DJ, Kakar A, et al. In vitro comparison of resonance frequency analysis devices to evaluate implant stability of narrow diameter implants at varying drilling speeds in dense artificial bone blocks. Clin Implant Dent Relat Res 2019;21(5):1023-27. Abstract

1008. Romanos GE, Delgado-Ruiz R. Macroscopic evidence of surface changes of dental implants after insertion and removal in dense bone: In vitro study. Int J Oral Maxillofac Implants 2022;37(2):e41-e49. Abstract

1009. Ronold HJ, Ellingsen JE. Effect of micro-roughness produced by TiO2 blasting--tensile testing of bone attachment by using coin-shaped implants. Biomaterials 2002;23(21):4211-9. Abstract

1010. Ronold HJ, Ellingsen JE. The use of a coin shaped implant for direct in situ measurement of attachment strength for osseointegrating biomaterial surfaces. Biomaterials 2002;23(10):2201-9. Abstract

1011. Roos-Jansaker AM, Almhojd US, Jansson H. Treatment of peri-implantitis: Clinical outcome of chloramine as an adjunctive to non-surgical therapy, a randomized clinical trial. Clin Oral Implants Res 2017;28(1):43-48. Abstract

1012. Roos-Jansaker AM, Persson GR, Lindahl C, Renvert S. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: A 5-year follow-up. J Clin Periodontol 2014;41(11):1108-14. Abstract

1013. Roos-Jansaker AM, Renvert H, Lindahl C, Renvert S. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: A prospective cohort study. J Clin Periodontol 2007;34(7):625-32. Abstract

1014. Rossi AL, Palombo D, Clivio A, Chiapasco M. Three year randomized split mouth clinical trial comparing marginal bone loss around implants with a conical or straight collar design. Global Journal of Oral Science 2020;6:16-24.

1015. Rostetter C, Abazi J, Gander T, et al. Precision of 30 guided implants in complex tumour situations. Br J Oral Maxillofac Surg 2020;58(9):e62-e66. Abstract

1016. Rotenberg SA, Tatakis DN. Recombinant human bone morphogenetic protein-2 for peri-implant bone regeneration: a case report. J Periodontol 2011;82(8):1212-8. Abstract

1017. Rupp F, Scheideler L, Eichler M, Geis-Gerstorfer J. Wetting behavior of dental implants. Int J Oral Maxillofac Implants 2011;26(6):1256-66. Abstract

1018. Saab XE, Griggs JA, Powers JM, Engelmeier RL. Effect of abutment angulation on the strain on the bone around an implant in the anterior maxilla: A finite element study. J Prosthet Dent 2007;97(2):85-92. Abstract

1019. Saaby M, Karring E, Schou S, Isidor F. Factors influencing severity of peri-implantitis. Clin Oral Implants Res 2016;27(1):7-12. Abstract

1020. Sabbah A, Hicks J, MacNeill B, et al. A retrospective analysis of dental implant survival in HIV patients. J Clin Periodontol 2019;46(3):363-72. Abstract

1021. Saboury A, Sadr SJ, Fayaz A, Mahshid M. The effect of aging on the accuracy of new friction-style mechanical torque limiting devices for dental implants. J Dent (Tehran) 2013;10(1):41-50. Abstract

1022. Sagheb K, Kumar VV, Azaripour A, et al. Comparison of conventional twist drill protocol and piezosurgery for implant insertion: An ex vivo study on different bone types. Clin Oral Implants Res 2017;28(2):207-13. Abstract

1023. Saghiri MA, Ghasemi M, Moayer AR, et al. A novel method to evaluate the neurocompatibility of dental implants. Int J Oral Maxillofac Implants 2014;29(1):41-50. Abstract

1024. Sakka S, Al-ani Z, Kasioumis T, et al. Inter-examiner and intra-examiner reliability of the measurement of marginal bone loss around oral implants. Implant Dent 2005;14(4):386-8. Abstract

1025. Sakkas A, Schramm A, Karsten W, et al. A clinical study of the outcomes and complications associated with zygomatic buttress block bone graft for

limited preimplant augmentation procedures. J Craniomaxillofac Surg 2016;44(3):249-56. Abstract

1026. Salkar M, Manjula V, Sharma B, et al. Longitudinal study of dental implants in hiv positive patients-An original research. European Journal of Molecular & Clinical Medicine 2022;9(7):8758-63. Abstract

1027. Salman A, Thacker S, Rubin S, et al. Immediate versus delayed loading of mandibular implant-retained overdentures: A 60-month follow-up of a randomized clinical trial. J Clin Periodontol 2019;46(8):863-71. Abstract

1028. Salomo-Coll O, Lozano-Carrascal N, Lazaro-Abdulkarim A, et al. Do penicillin-allergic patients present a higher rate of implant failure? Int J Oral Maxillofac Implants 2018;33(6):1390-95. Abstract

1029. Sambrook RJ, Judge RB. The cross-pin retained implant supported restoration: A study of gasket placement and leakage. Aust Dent J 2012;57(4):415-20. Abstract

1030. Sampatanukul T, Serichetaphongse P, Pimkhaokham A. Histological evaluations and inflammatory responses of different dental implant abutment materials: A human histology pilot study. Clin Implant Dent Relat Res 2018;20(2):160-69. Abstract

1031. Sancho-Puchades M, Crameri D, Ozcan M, et al. The influence of the emergence profile on the amount of undetected cement excess after delivery of cement-retained implant reconstructions. Clin Oral Implants Res 2017;28(12):1515-22. Abstract

1032. Sani E, Veltri M, Cagidiaco MC, et al. Sinus membrane elevation in combination with placement of blasted implants: A 3-year case report of sinus augmentation without grafting material. Int J Oral Maxillofac Surg 2008;37(10):966-9. Abstract

1033. Sanz M, Cecchinato D, Ferrus J, et al. A prospective, randomized-controlled clinical trial to evaluate bone preservation using implants with different geometry placed into extraction sockets in the maxilla. Clin Oral Implants Res 2010;21(1):13-21. Abstract

1034. Sanz M, Cecchinato D, Ferrus J, et al. Implants placed in fresh extraction sockets in the maxilla: Clinical and radiographic outcomes from a 3-year follow-up examination. Clin Oral Implants Res 2014;25(3):321-27. Abstract

1035. Sanz M, Lindhe J, Alcaraz J, et al. The effect of placing a bone replacement graft in the gap at immediately placed implants: A randomized clinical trial. Clin Oral Implants Res 2017;28(8):902-10. Abstract

1036. Sanz-Martin I, Paeng K, Park H, et al. Significance of implant design on the efficacy of different peri-implantitis decontamination protocols. Clin Oral Investig 2021;25(6):3589-97. Abstract

1037. Sawase T, Wennerberg A, Hallgren C, et al. Chemical and topographical surface analysis of five different implant abutments. Clin Oral Implants Res 2000;11(1):44-50. Abstract

1038. Sawase T, Wennerberg A, Hallgren C, et al. Atomic force microscopic study of commercially available implant abutments. Clin Implant Dent Relat Res 1999;1(2):92-7. Abstract

1039. Schepke U, Gresnigt MMM, Browne WR, et al. Phase transformation and fracture load of stock and CAD/CAM-customized zirconia abutments after 1 year of clinical function. Clin Oral Implants Res 2019;30(6):559-69. Abstract

1040. Schepke U, Lohbauer U, Meijer HJ, Cune MS. Adhesive failure of Lava Ultimate and lithium disilicate crowns bonded to zirconia abutments: A prospective within-patient comparison. Int J Prosthodont 2018;31(3):208-10. Abstract

1041. Schepke U, Meijer HJ, Kerdijk W, Cune MS. Digital versus analog complete-arch impressions for single-unit premolar implant crowns: Operating time and patient preference. J Prosthet Dent 2015;114(3):403-6 e1. Abstract

1042. Schepke U, Meijer HJ, Kerdijk W, et al. Stock versus CAD/CAM customized zirconia implant abutments - clinical and patient-based outcomes in a randomized controlled clinical trial. Clin Implant Dent Relat Res 2017;19(1):74-84. Abstract

1043. Schepke U, Meijer HJ, Vermeulen KM, et al. Clinical bonding of resin nano ceramic restorations to zirconia abutments: A case series within a randomized clinical trial. Clin Implant Dent Relat Res 2016;18(5):984-92. Abstract

1044. Schiegnitz E, Noelken R, Moergel M, et al. Survival and tissue maintenance of an implant with a sloped configurated shoulder in the posterior mandible-a prospective multicenter study. Clin Oral Implants Res 2017;28(6):721-26. Abstract

1045. Schincaglia GP, Rubin S, Thacker S, et al. Marginal bone response around immediate- and delayed-loading implants supporting a locator-retained mandibular overdenture: a randomized controlled study. Int J Oral Maxillofac Implants 2016;31(2):448-58. Abstract

1046. Schincaglia GP, Thoma DS, Haas R, et al. Randomized controlled multicenter study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures. Part 2: Clinical and radiographic outcomes at 1 year of loading. J Clin Periodontol 2015;42(11):1042-51. Abstract

1047. Schliephake H, Rodiger M, Phillips K, et al. Early loading of surface modified implants in the posterior mandible - 5 year results of an open prospective non-controlled study. J Clin Periodontol 2012;39(2):188-95. Abstract

1048. Schmidt P, Goedicke-Padligur G, Schulte AG, et al. Implant-supported prosthetic rehabilitation of a senescent patient with Down syndrome. Quintessence Int 2020;51(2):170-77. Abstract

1049. Schneider D, Marquardt P, Zwahlen M, Jung RE. A systematic review on the accuracy and the clinical outcome of computer-guided template-based implant dentistry. Clin Oral Implants Res 2009;20 Suppl 4:73-86. Abstract

1050. Schneider D, Sancho-Puchades M, Benic GI, et al. A randomized controlled clinical trial comparing conventional and computer-assisted implant planning and placement in partially edentulous patients. Part 1: Clinician-related outcome measures. Int J Periodontics Restorative Dent 2018;38(Suppl):s49-s57. Abstract

1051. Schneider D, Sax C, Sancho-Puchades M, et al. Accuracy of computer-assisted, template-guided implant placement compared with conventional implant placement by hand-An in vitro study. Clin Oral Implants Res 2021;32(9):1052-60. Abstract

1052. Schou S. Implant treatment in periodontitis-susceptible patients: A systematic review. J Oral Rehabil 2008;35 Suppl 1:9-22. Abstract

1053. Schou S, Holmstrup P, Stoltze K, et al. Probing around implants and teeth with healthy or inflamed peri-implant mucosa/gingiva. A histologic comparison in cynomolgus monkeys (Macaca fascicularis). Clin Oral Implants Res 2002;13(2):113-26. Abstract

1054. Schrotenboer J, Tsao YP, Kinariwala V, Wang HL. Effect of microthreads and platform switching on crestal bone stress levels: A finite element analysis. J Periodontol 2008;79(11):2166-72. Abstract

1055. Schwarz F, Hegewald A, John G, et al. Four-year follow-up of combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination. J Clin Periodontol 2013;40(10):962-7. Abstract

1056. Schwarz F, John G, Schmucker A, et al. Combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination: A 7-year follow-up observation. J Clin Periodontol 2017;44(3):337-42. Abstract

1057. Schwarz F, Sahm N, Iglhaut G, Becker J. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: A randomized controlled clinical study. J Clin Periodontol 2011;38(3):276-84. Abstract

1058. Seki K, Hagiwara Y. Implant treatment with 12-year follow-up in a patient with severe chronic periodontitis: A case report and literature review. Case Rep Dent 2019;2019:3715159. Abstract

1059. Seki K, Ikeda T, Urata K, et al. Correlations between implant success rate and personality types in the older people: A preliminary case control study. J Dent Sci 2022;17(3):1266-73. Abstract

1060. Seki K, Namaki S, Kamimoto A, Hagiwara Y. Medication-related osteonecrosis of the jaw subsequent to peri-implantitis: A case report and literature review. J Oral Implantol 2021;47(6):502-10. Abstract

1061. Semper W, Heberer S, Mehrhof J, et al. Effects of repeated manual disassembly and reassembly on the positional stability of various implant-abutment complexes: An experimental study. Int J Oral Maxillofac Implants 2010;25(1):86-94. Abstract

1062. Semper W, Kraft S, Kruger T, Nelson K. Theoretical optimum of implant positional index design. J Dent Res 2009;88(8):731-5. Abstract

1063. Semper W, Kraft S, Kruger T, Nelson K. Theoretical considerations: implant positional index design. J Dent Res 2009;88(8):725-30. Abstract

1064. Semper W, Kraft S, Mehrhof J, Nelson K. Impact of abutment rotation and angulation on marginal fit: theoretical considerations. Int J Oral Maxillofac Implants 2010;25(4):752-8. Abstract

1065. Senna P, Antoninha Del Bel Cury A, Kates S, Meirelles L. Surface damage on dental implants with release of loose particles after insertion into bone. Clin Implant Dent Relat Res 2015;17(4):681-92. Abstract

1066. Serino G, Turri A. Outcome of surgical treatment of peri-implantitis: results from a 2-year prospective clinical study in humans. Clin Oral Implants Res 2011;22(11):1214-20. Abstract

1067. Serino G, Turri A, Lang NP. Probing at implants with peri-implantitis and its relation to clinical peri-implant bone loss. Clin Oral Implants Res 2013;24(1):91-5. Abstract

1068. Serino G, Wada M. Non-surgical mechanical treatment of peri-implant mucositis: the effect of sub-mucosal mechanical instrumentation following supra-mucosal plaque removal. A 7-month prospective single cohort study. Eur J Oral Implantol 2018;11(4):455-66. Abstract

1069. Serino G, Wada M, Mameno T, Renvert S. Two- and ten-year follow-up of patients responding and non-responding to the surgical treatment of peri-implantitis: A retrospective evaluation. Clin Oral Implants Res 2021;32(4):410-21. Abstract

1070. Sewerin IP, Gotfredsen K, Stoltze K. Accuracy of radiographic diagnosis of peri-implant radiolucencies--An in vitro experiment. Clin Oral Implants Res 1997;8(4):299-304. Abstract

1071. Shen X, Yang S, Xu Y, et al. Analysis of implant loss risk factors after simultaneous guided bone regeneration: A retrospective study of 5404 dental implants. Clin Implant Dent Relat Res 2022;24(3):276-86. Abstract

1072. Sherigar SR, Feine JS, Cooper LF, et al. Can patients detect peri-implant mucosal inflammation? Results from a multicentre randomized trial. J Dent 2023;135:104592. Abstract

1073. Shi Y, Tong Z, Zhang Y, et al. Microbial profiles of peri-implant mucositis and peri-implantitis: Submucosal microbial dysbiosis correlates with disease severity. Clin Oral Implants Res 2022;33(2):172-83. Abstract

1074. Shimogishi M, Kawakami S, Tachikawa N. Clinical evaluation of short (6 mm) and longer implants placed side by side in posterior partially edentulous area: A 3-year observational study. Int J Dent 2023;2023:9086628. Abstract

1075. Shin SI, Lee EK, Kim JH, et al. The effect of Er:YAG laser irradiation on hydroxyapatite-coated implants and fluoride-modified TiO2-blasted implant surfaces: a microstructural analysis. Lasers Med Sci 2013;28(3):823-31. Abstract

1076. Shirazi S, Huang CC, Kang M, et al. Evaluation of nanoscale versus hybrid micro/nano surface topographies for endosseous implants. Acta Biomater 2024;173:199-216. Abstract

1077. Simmons DE, Maney P, Teitelbaum AG, et al. Comparative evaluation of the stability of two different dental implant designs and surgical protocols-A pilot study. Int J Implant Dent 2017;3(1):16. Abstract

1078. Simonpieri A, Choukroun J, Del Corso M, et al. Simultaneous sinus-lift and implantation using microthreaded implants and leukocyte- and platelet-rich fibrin as sole grafting material: a six-year experience. Implant Dent 2011;20(1):2-12. Abstract

1079. Simonpieri A, Del Corso M, Sammartino G, Dohan Ehrenfest DM. The relevance of Choukroun's platelet-rich fibrin and metronidazole during complex maxillary rehabilitations using bone allograft. Part II: implant surgery, prosthodontics, and survival. Implant Dent 2009;18(3):220-9. Abstract

1080. Simonpieri A, Del Corso M, Vervelle A, et al. Current knowledge and perspectives for the use of platelet-rich plasma (PRP) and platelet-rich fibrin (PRF) in oral and maxillofacial surgery part 2: Bone graft, implant and reconstructive surgery. Curr Pharm Biotechnol 2012;13(7):1231-56. Abstract

1081. Singer LD. The importance of immediate bone block autograft to successfully restore function and aesthetics of the anterior alveolar process and teeth. J Oral Implantol 2015;41(6):684-91. Abstract

1082. Sirin Y, Horasan S, Yaman D, et al. Detection of crestal radiolucencies around dental implants: An in vitro experimental study. J Oral Maxillofac Surg 2012;70(7):1540-50. Abstract

1083. Sivolella S, Bressan E, Gnocco E, et al. Maxillary sinus augmentation with bovine bone and simultaneous dental implant placement in conditions of severe alveolar atrophy: a retrospective analysis of a consecutively treated case series. Quintessence Int 2011;42(10):851-62. Abstract

1084. Slot W, Raghoebar GM, Cune MS, et al. Maxillary overdentures supported by four or six implants in the anterior region: 5-year results from a randomized controlled trial. J Clin Periodontol 2016;43(12):1180-87. Abstract

1085. Slot W, Raghoebar GM, Cune MS, et al. Maxillary overdentures supported by four or six implants in the anterior region: 10-year randomized controlled trial results. J Clin Periodontol 2023;50(1):36-44. Abstract

1086. Slot W, Raghoebar GM, Vissink A, Meijer HJ. Maxillary overdentures supported by four or six implants in the anterior region; 1-year results from a randomized controlled trial. J Clin Periodontol 2013;40(3):303-10. Abstract

1087. Slot W, Raghoebar GM, Vissink A, Meijer HJ. Maxillary overdentures supported by anteriorly or posteriorly placed implants opposed by a natural dentition in the mandible: a 1-year prospective case series study. Clin Implant Dent Relat Res 2014;16(1):51-61. Abstract

1088. Smolka W, Smolka K. Tertiary bone grafting using calvarial bone transplants in patients with cleft lip and alveolus. Oral Surgery 2011;4(3):135–9. Abstract

1089. Snyder MB. Treatment of a large postextraction buccal wall defect with mineralized allograft, beta-TCP, and rhPDGF-BB: a growth factor-mediated bone regenerative approach. Int J Periodontics Restorative Dent 2012;32(6):705-11. Abstract

1090. Solakoglu O, Ofluoglu D, Schwarzenbach H, et al. A 3-year prospective randomized clinical trial of alveolar bone crest response and clinical parameters through 1, 2, and 3 years of clinical function of implants placed 4 months after alveolar ridge preservation using two different allogeneic bone-grafting materials. Int J Implant Dent 2022;8(1):5. Abstract

1091. Soldatos N, Nelson-Rabe L, Palanker N, et al. Temperature changes during implant osteotomy preparations in fresh human cadaver tibiae, comparing straight with tapered drills. Materials (Basel) 2022;15(7). Abstract

1092. Solow RA. Channel retention for fixed implant superstructures: A clinical report. J Prosthet Dent 2015;114(3):323-7. Abstract

1093. Soncini M, Rodriguez y Baena R, Pietrabissa R, et al. Experimental procedure for the evaluation of the mechanical properties of the bone surrounding dental implants. Biomaterials 2002;23(1):9-17. Abstract

1094. Soo SY, Satterthwaite JD, Ashley M. Initial management and long-term follow up after the rehabilitation of a patient with severe dentoalveolar trauma: A case report. Dent Traumatol 2020;36(1):84-88. Abstract

1095. Soo SY, Silikas N, Satterthwaite J. Measurement of fracture strength of zirconia dental implant abutments with internal and external connections using acoustic emission. Materials (Basel) 2019;12(12). Abstract

1096. Spyrou P, Papaioannou S, Hampson G, et al. Cytokine release by osteoblast-like cells cultured on implant discs of varying alloy compositions. Clin Oral Implants Res 2002;13(6):623-30. Abstract

1097. Staedt H, Palarie V, Staedt A, et al. Primary stability of cylindrical and conical dental implants in relation to insertion torque-a comparative ex vivo evaluation. Implant Dent 2017;26(2):250-55. Abstract

1098. Stanford CM, Johnson G, Fakhry A, et al. Three year post-loading outcomes with MicroThread OsseoSpeed dental implants placed in the posterior-maxilla. Applied Osseointegration Research 2008;7:49-57.

1099. Stanford CM, Wagner W, Rodriguez YBR, et al. Evaluation of the effectiveness of dental implant therapy in a practice-based network (FOCUS). Int J Oral Maxillofac Implants 2010;25(2):367-73. Abstract

1100. Starch-Jensen T, Bruun NH, Spin-Neto R. Maxillary sinus membrane elevation and coagulum compared with maxillary sinus floor augmentation and a composite graft: A 1-year single-blinded randomized controlled trial. Clin Implant Dent Relat Res 2023;25(6):1056-68. Abstract

1101. Stavroullakis A, Brito C, Chen HY, et al. Dental implant surface treatments may modulate cytokine secretion in Porphyromonas gingivalis-stimulated human gingival fibroblasts: A comparative study. J Biomed Mater Res A 2015;103(3):1131-40. Abstract

1102. Stefano T, Paolo T, Ugo C, et al. Specific use of the Implant Stability Quotient as a guide to improve healing for patients who had undergone rehabilitation with fixed implant-supported dental prostheses. J Stomatol Oral Maxillofac Surg 2023;124(5):101528. Abstract

1103. Steiner C, Karl M, Grobecker-Karl T. Insertion and loading characteristics of three different bone-level implants. Int J Oral Maxillofac Implants 2020;35(3):560-65. Abstract

1104. Steveling H, Roos J, Rasmusson L. Maxillary implants loaded at 3 months after insertion: results with Astra Tech implants after up to 5 years. Clin Implant Dent Relat Res 2001;3(3):120-4. Abstract

1105. Streckbein P, Streckbein RG, Wilbrand JF, et al. Non-linear 3D evaluation of different oral implant-abutment connections. J Dent Res 2012;91(12):1184-9. Abstract

1106. Strenzke R, Ratka-Kruger P, Frisch E. Therapy for peri-implantitis: Significant radiographic bone fill after keratinized mucosa augmentation surgery with supportive implant therapy (SIT): A novel approach. J Oral Implantol 2021;47(6):530-34. Abstract

1107. Stricker A, Bergfeldt T, Fretwurst T, et al. Impurities in commercial titanium dental implants - A mass and optical emission spectrometry elemental analysis. Dent Mater 2022;38(8):1395-403. Abstract

1108. Stubinger S, Buitrago-Tellez C, Cantelmi G. Deviations between placed and planned implant positions: An accuracy pilot study of skeletally supported stereolithographic surgical templates. Clin Implant Dent Relat Res 2014;16(4):540-51. Abstract

1109. Støre G, Heyden A, Walaas L. Osseointegration surgery and implant stability in irradiated mandibles. Oral Surgery 2011;4:65-72. Abstract

1110. Suarez-Lopez Del Amo F, Rudek I, Wagner VP, et al. Titanium activates the DNA damage response pathway in oral epithelial cells: A pilot study. Int J Oral Maxillofac Implants 2017;32(6):1413-20. Abstract

1111. Sui H, Tang Z, Zhang X, et al. A prospective, multicentre study of 6-mm short implants in posterior alveolar bone supporting splinted crowns: A 5-year follow-up study. J Clin Periodontol 2022;49(6):537-46. Abstract

1112. Suk-Arj P, Wongchuensoontorn C, Taebunpakul P. Evaluation of bone formation following the osteotome sinus floor elevation technique without grafting using cone beam computed tomography: A preliminary study. Int J Implant Dent 2019;5(1):27. Abstract

1113. Sul YT, Jonsson J, Yoon GS, Johansson C. Resonance frequency measurements in vivo and related surface properties of magnesium-incorporated, micropatterned and magnesium-incorporated TiUnite, Osseotite, SLA and TiOblast implants. Clin Oral Implants Res 2009;20(10):1146-55. Abstract

1114. Sultana N, Bartlett DW, Suleiman M. Retention of implant-supported overdentures at different implant angulations: Comparing Locator and ball attachments. Clin Oral Implants Res 2017;28(11):1406-10. Abstract

1115. Sumi T, Braian M, Shimada A, et al. Characteristics of implant-CAD/CAM abutment connections of two different internal connection systems. J Oral Rehabil 2012;39(5):391-8. Abstract

1116. Sun JS, Liu KC, Hung MC, et al. A cross-sectional study for prevalence and risk factors of peri-implant marginal bone loss. J Prosthet Dent 2023. Abstract

1117. Sun SP, Moon IS, Park KH, Lee DW. Effect of crown to implant ratio and anatomical crown length on clinical conditions in a single implant: A retrospective cohort study. Clin Implant Dent Relat Res 2015;17(4):724-31. Abstract

1118. Svanborg LM, Andersson M, Wennerberg A. Surface characterization of commercial oral implants on the nanometer level. J Biomed Mater Res B Appl Biomater 2010;92(2):462-9. Abstract

1119. Tabrizi R, Arabion H, Aliabadi E, Hasanzadeh F. Does increasing the number of short implants reduce marginal bone loss in the posterior mandible? A prospective study. Br J Oral Maxillofac Surg 2016;54(7):731-5. Abstract

1120. Tabrizi R, Pourdanesh F, Zare S, et al. Do angulated implants increase the amount of bone loss around implants in the anterior maxilla? J Oral Maxillofac Surg 2013;71(2):272-7. Abstract

1121. Takahashi T, Fukuda M, Aiba T, et al. Distraction osteogenesis for reconstruction after mandibular segmental resection. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2002;93(1):21-6. Abstract

1122. Takahashi T, Funaki K, Shintani H, Haruoka T. Use of horizontal alveolar distraction osteogenesis for implant placement in a narrow alveolar ridge: a case report. Int J Oral Maxillofac Implants 2004;19(2):291-4. Abstract

1123. Takeichi K, Kasugai S. Single crown restoration with an implant in posterior molar regions: Comparison with short and standard-length implants after 3 years. Journal of Interdisciplinary Clinical Dentistry 2021;2(2). Abstract

1124. Tanaka K, Sailer I, Iwama R, et al. Relationship between cortical bone thickness and implant stability at the time of surgery and secondary stability after osseointegration measured using resonance frequency analysis. J Periodontal Implant Sci 2018;48(6):360-72. Abstract

1125. Tanaka T, Matsui C, Kim YM, et al. Three cases of successful dental implant insertion using the split crest method after free scapular flap mandibular reconstruction. Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology 2022;34(5):571-79. Abstract

1126. Tanimura R. Widened implant indications. EDI 2010;1:90-2.

1127. Tarica DY, Alvarado VM, Truong ST. Survey of United States dental schools on cementation protocols for implant crown restorations. J Prosthet Dent 2010;103(2):68-79. Abstract

1128. Tarnow DP, Emtiaz S, Classi A. Immediate loading of threaded implants at stage 1 surgery in edentulous arches: ten consecutive case reports with 1- to 5-year data. Int J Oral Maxillofac Implants 1997;12(3):319-24. Abstract

1129. Taylor TD, Klotz MW, Lawton RA. Titanium tattooing associated with zirconia implant abutments: a clinical report of two cases. Int J Oral Maxillofac Implants 2014;29(4):958-60. Abstract

1130. Tchinda AP, Pierson G, Kouitat-Njiwa R, Bravetti P. The surface conditions and composition of titanium alloys in implantology: A comparative study of dental implants of different brands. Materials (Basel) 2022;15(3):1-22. Abstract

1131. Teigen K, Jokstad A. Dental implant suprastructures using cobalt-chromium alloy compared with gold alloy framework veneered with ceramic or acrylic resin: A retrospective cohort study up to 18 years. Clin Oral Implants Res 2012;23(7):853-60. Abstract

1132. Temmerman A, Keestra JA, Coucke W, et al. The outcome of oral implants placed in bone with limited bucco-oral dimensions: a 3-year follow-up study. J Clin Periodontol 2015;42(3):311-8. Abstract

1133. Temmerman A, Rasmusson L, Kubler A, et al. A prospective, controlled, multicenter study to evaluate the clinical outcome of implant treatment in women with osteoporosis/osteopenia: 5-year results. J Dent Res 2019;98(1):84-90. Abstract

1134. Temmerman A, Rasmusson L, Kubler A, et al. An open, prospective, non-randomized, controlled, multicentre study to evaluate the clinical outcome of implant treatment in women over 60 years of age with

osteoporosis/osteopenia: 1-year results. Clin Oral Implants Res 2017;28(1):95-102. Abstract

1135. Temmerman A, Van Dessel J, Cortellini S, et al. Volumetric changes of grafted volumes and the Schneiderian membrane after transcrestal and lateral sinus floor elevation procedures: A clinical, pilot study. J Clin Periodontol 2017;44(6):660-71. Abstract

1136. Tercanli Alkis H, Turker N. Retrospective evaluation of marginal bone loss around implants in a mandibular locator-retained denture using panoramic radiographic images and finite element analysis: A pilot study. Clin Implant Dent Relat Res 2019;21(6):1199-205. Abstract

1137. Teughels W, Merheb J, Quirynen M. Critical horizontal dimensions of interproximal and buccal bone around implants for optimal aesthetic outcomes: A systematic review. Clin Oral Implants Res 2009;20 Suppl 4:134-45. Abstract

1138. Thalji G, Cooper LF, Nares S. Gene expression profiles of early implant adherent cells in smokers and non-smokers. J Oral Implantol 2015;41(6):640-5. Abstract

1139. Thalji G, Gretzer C, Cooper LF. Comparative molecular assessment of early osseointegration in implant-adherent cells. Bone 2013;52(1):444-53. Abstract

1140. Thalji GN, Nares S, Cooper LF. Early molecular assessment of osseointegration in humans. Clin Oral Implants Res 2014;25(11):1273-85. Abstract

1141. Theoharidou A, Petridis HP, Tzannas K, Garefis P. Abutment screw loosening in single-implant restorations: A systematic review. Int J Oral Maxillofac Implants 2008;23(4):681-90. Abstract

1142. Thoma DS, Bienz SP, Payer M, et al. Randomized clinical study using xenograft blocks loaded with bone morphogenetic protein-2 or autogenous bone blocks for ridge augmentation - A three-dimensional analysis. Clin Oral Implants Res 2019;30(9):872-81. Abstract

1143. Thoma DS, Brandenberg F, Fehmer V, et al. Randomized controlled clinical trial of all-ceramic single tooth implant reconstructions using modified zirconia abutments: Radiographic and prosthetic results at 1 year of loading. Clin Implant Dent Relat Res 2016;18(3):462-72. Abstract

1144. Thoma DS, Brandenberg F, Fehmer V, et al. The esthetic effect of veneered zirconia abutments for single-tooth implant reconstructions: A randomized controlled clinical trial. Clin Implant Dent Relat Res 2016;18(6):1210-17. Abstract

1145. Thoma DS, Cha JK, Sapata VM, et al. Localized bone regeneration around dental implants using recombinant bone morphogenetic protein-2 and platelet-derived growth factor-BB in the canine. Clin Oral Implants Res 2017;28(11):1334-41. Abstract

1146. Thoma DS, Haas R, Sporniak-Tutak K, et al. Randomized controlled multicentre study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures: 5-Year data. J Clin Periodontol 2018;45(12):1465-74. Abstract

1147. Thoma DS, Haas R, Sporniak-Tutak K, et al. Randomized controlled multi-centre study comparing shorter dental implants (6 mm) to longer dental implants (11-15 mm) in combination with sinus floor elevation procedures: 10-year data. J Clin Periodontol 2024;51(4):499-509. Abstract

1148. Thoma DS, Haas R, Tutak M, et al. Randomized controlled multicentre study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures. Part 1: Demographics and patient-reported outcomes at 1 year of loading. J Clin Periodontol 2015;42(1):72-80. Abstract

1149. Thoma DS, Payer M, Jakse N, et al. Randomized, controlled clinical two-centre study using xenogeneic block grafts loaded with recombinant human bone morphogenetic protein-2 or autogenous bone blocks for lateral ridge augmentation. J Clin Periodontol 2018;45(2):265-76. Abstract

1150. Thoma DS, Sailer I, Muhlemann S, et al. Randomized controlled clinical study of veneered zirconia abutments for single implant crowns: Clinical, histological, and microbiological outcomes. Clin Implant Dent Relat Res 2018;20(6):988-96. Abstract

1151. Thor A. Reconstruction of the anterior maxilla with platelet gel, autogenous bone, and titanium mesh: a case report. Clin Implant Dent Relat Res 2002;4(3):150-5. Abstract

1152. Thor A, Ekstrand K, Baer RA, Toljanic JA. Three-year follow-up of immediately loaded implants in the edentulous atrophic maxilla: A study in patients with poor bone quantity and quality. Int J Oral Maxillofac Implants 2014;29(3):642-9. Abstract

1153. Thor A, Franke-Stenport V, Johansson CB, Rasmusson L. Early bone formation in human bone grafts treated with platelet-rich plasma: preliminary histomorphometric results. Int J Oral Maxillofac Surg 2007;36(12):1164-71. Abstract

1154. Thor A, Rasmusson L, Wennerberg A, et al. The role of whole blood in thrombin generation in contact with various titanium surfaces. Biomaterials 2007;28(6):966-74. Abstract

1155. Thor A, Sennerby L, Hirsch JM, Rasmusson L. Bone formation at the maxillary sinus floor following simultaneous elevation of the mucosal lining and implant installation without graft material: An evaluation of 20 patients treated with 44 Astra Tech implants. J Oral Maxillofac Surg 2007;65(7 Suppl 1):64-72. Abstract

1156. Thor A, Wannfors K, Sennerby L, Rasmusson L. Reconstruction of the severely resorbed maxilla with autogenous bone, platelet-rich plasma, and implants:

1-year results of a controlled prospective 5-year study. Clin Implant Dent Relat Res 2005;7(4):209-20. Abstract

1157. Thor A, Warfvinge G, Fernandes R. The course of a long-standing glandular odontogenic cyst: marginal resection and reconstruction with particulated bone graft, platelet-rich plasma, and additional vertical alveolar distraction. J Oral Maxillofac Surg 2006;64(7):1121-8. Abstract

1158. Thor AL, Hong J, Kjeller G, et al. Correlation of platelet growth factor release in jawbone defect repair--a study in the dog mandible. Clin Implant Dent Relat Res 2013;15(5):759-68. Abstract

1159. Toia M, Stocchero M, Corra E, et al. Fixed full-arch maxillary prostheses supported by four versus six implants with a titanium CAD/CAM milled framework: 3-year multicentre RCT. Clin Oral Implants Res 2021;32(1):44-59. Abstract

1160. Toia M, Stocchero M, Jinno Y, et al. Effect of misfit at implant-level framework and supporting bone on internal connection implants: Mechanical and finite element analysis. Int J Oral Maxillofac Implants 2019;34(2):320-28. Abstract

1161. Toledano-Osorio M, de Luna-Bertos E, Toledano M, et al. NP-12 peptide functionalized nanoparticles counteract the effect of bacterial lipopolysaccharide on cultured osteoblasts. Dent Mater 2024;E-pub Jun 12 doi:10.1016/j.dental.2024.06.017. Abstract

1162. Toljanic JA, Baer RA, Ekstrand K, Thor A. Implant rehabilitation of the atrophic edentulous maxilla including immediate fixed provisional restoration without the use of bone grafting: A review of 1-year outcome data from a long-term prospective clinical trial. Int J Oral Maxillofac Implants 2009;24(3):518-26. Abstract

1163. Toljanic JA, Ekstrand K, Baer RA, Thor A. Immediate loading of implants in the edentulous maxilla with a fixed provisional restoration without bone augmentation: A report on 5-year outcomes data obtained from a prospective clinical trial. Int J Oral Maxillofac Implants 2016;31(5):1164-70. Abstract

1164. Toljanic JA, Ekstrand K, Baer RA, Thor A. Immediate loading of tilted and axial posterior implants in the edentulous maxillary arch: A retrospective comparison of 5-year outcomes. Int J Oral Maxillofac Implants 2018;33(2):433-38. Abstract

1165. Toljanic JA, Thor A, Baer R, Ekstrand K. Immediate fixed restoration of implants in the atrophic edentulous maxilla. Dent Today 2008;27(6):56, 58, 60 passim; quiz 63. Abstract

1166. Tomasi C, Sanz M, Cecchinato D, et al. Bone dimensional variations at implants placed in fresh extraction sockets: A multilevel multivariate analysis. Clin Oral Implants Res 2010;21(1):30-6. Abstract

1167. Tomasi C, Tessarolo F, Caola I, et al. Early healing of peri-implant mucosa in man. J Clin Periodontol 2016;43(10):816-24. Abstract

1168. Tomasi C, Tessarolo F, Caola I, et al. Morphogenesis of peri-implant mucosa revisited: An experimental study in humans. Clin Oral Implants Res 2014;25(9):997-1003. Abstract

1169. Tomasi C, Wennstrom JL, Berglundh T. Longevity of teeth and implants - A systematic review. J Oral Rehabil 2008;35 Suppl 1:23-32. Abstract

1170. Tomson PL, Butterworth CJ, Walmsley AD. Management of peri-implant bone loss using guided bone regeneration: A clinical report. J Prosthet Dent 2004;92(1):12-6. Abstract

1171. Torkzaban P, Ziaei N, Tootiaee B, et al. Effect of implant-abutment connection type on stress distribution in peri-implant bone and abutment micromovement: A three-dimensional finite element analysis. J Long Term Eff Med Implants 2019;29(2):113-24. Abstract

1172. Torrecillas-Martinez L, Galindo-Moreno P, Avila-Ortiz G, et al. Significance of the immunohistochemical expression of bone morphogenetic protein-4 in bone maturation after maxillary sinus grafting in humans. Clin Implant Dent Relat Res 2016;18(4):717-24. Abstract

1173. Torsten J. Data on implant failures will show different results depending on how patients are compiled and analyzed: A retrospective study on 3902 individual patients treated either with one single implant or implants in the edentulous upper jaw. Clin Implant Dent Relat Res 2020;22(2):226-36. Abstract

1174. Trbakovic A, Toljanic JA, Kumar VV, Thor A. Eight to eleven-year follow-up of immediately loaded implants placed in edentulous maxillae with compromised bone volume and poor bone quality: A prospective cohort study. Clin Implant Dent Relat Res 2020;22(1):69-76. Abstract

1175. Troeltzsch M, Troeltzsch V, Brodine AH, et al. Clinical performance and peri-implant parameters of 132 implants supporting locator-retained overdentures: A case series of 33 patients. Int J Oral Maxillofac Implants 2013;28(4):1132-9. Abstract

1176. Troiano G, Luongo R, Romano DC, et al. Comparison of immediate versus delayed implant placement in a failed implant site: A retrospective analysis of early implant survival. Int J Oral Implantol (Berl) 2021;14(1):67-76. Abstract

1177. Trombelli L, Minenna P, Franceschetti G, et al. Transcrestal sinus floor elevation with a minimally invasive technique. J Periodontol 2010;81(1):158-66. Abstract

1178. Tsigarida A, Chochlidakis K, Fraser D, et al. Peri-implant diseases and biologic complications at implant-supported fixed dental prostheses in partially edentulous patients. J Prosthodont 2020;29(5):429-35. Abstract

1179. Tsoukaki M, Kalpidis CD, Sakellari D, et al. Clinical, radiographic, microbiological, and immunological outcomes of flapped vs. flapless dental implants: A prospective randomized controlled clinical trial. Clin Oral Implants Res 2013;24(9):969-76. Abstract

1180. Tsuda H, Rungcharassaeng K, Kan JY, et al. Peri-implant tissue response following connective tissue and bone grafting in conjunction with immediate single-tooth replacement in the esthetic zone: A case series. Int J Oral Maxillofac Implants 2011;26(2):427-36. Abstract

1181. Turker N, Alkis HT, Sadowsky SJ, Sebnem Buyukkaplan U. Effects of occlusal scheme on all-on-four abutments, screws, and prostheses: A three-dimensional finite element study. J Oral Implantol 2021;47(1):18-24. Abstract

1182. Turker N, Buyukkaplan US, Sadowsky SJ, Ozarslan MM. Finite element stress analysis of applied forces to implants and supporting tissues using the "All-on-Four" concept with different occlusal schemes. J Prosthodont 2019;28(2):185-94. Abstract

1183. Turkyilmaz I. One-year clinical outcome of dental implants placed in patients with type 2 diabetes mellitus: a case series. Implant Dent 2010;19(4):323-9. Abstract

1184. Turkyilmaz I, Patel NS, McGlumphy EA. Oral rehabilitation of a severely resorbed edentulous maxilla with screwed-retained hybrid denture using Cresco system: A case report. Eur J Dent 2008;2(3):220-3. Abstract

1185. Turkyilmaz I, Suarez JC. An alternative method for flapless implant placement and an immediate provisional crown: A case report. J Contemp Dent Pract 2009;10(3):89-95. Abstract

1186. Turunen T, Peltola J, Makkonen T, et al. Bioactive glass granules and polytetrafluoroethylene membrane in the repair of bone defects adjacent to titanium and bioactive glass implants. J Mater Sci Mater Med 1998;9(7):403-7. Abstract

1187. Ueda M, Yamada Y, Ozawa R, Okazaki Y. Clinical case reports of injectable tissue-engineered bone for alveolar augmentation with simultaneous implant placement. Int J Periodontics Restorative Dent 2005;25(2):129-37. Abstract

1188. Umanjec-Korac S, Wu G, Hassan B, et al. A retrospective analysis of the resorption rate of deproteinized bovine bone as maxillary sinus graft material on cone beam computed tomography. Clin Oral Implants Res 2014;25(7):781-5. Abstract

1189. Urban T, Wenzel A. Discomfort experienced after immediate implant placement associated with three different regenerative techniques. Clin Oral Implants Res 2010;21(11):1271-7. Abstract

1190. Uribarri A, Bilbao E, Marichalar-Mendia X, et al. Bone remodeling around implants placed in augmented sinuses in patients with and without history of periodontitis. Clin Implant Dent Relat Res 2017;19(2):268-79. Abstract

1191. Uribarri A, Bilbao-Uriarte E, Segurola A, et al. Marginal and internal fit of CAD/CAM frameworks in multiple implant-supported restorations: Scanning and milling error analysis. Clin Implant Dent Relat Res 2019;21(5):1062-72. Abstract

1192. Ursomanno BL, Cohen RE, Levine MJ, Yerke LM. Effect of proton pump inhibitors on bone loss at dental implants. Int J Oral Maxillofac Implants 2020;35(1):130-34. Abstract

1193. Ustun O, Akar T, Kirmali O. A comparative study of laser irradiation versus sandblasting in improving the bond strength of titanium abutments. Photobiomodul Photomed Laser Surg 2019;37(8):465-72. Abstract

1194. Valencia S, Gretzer C, Cooper LF. Surface nanofeature effects on titanium-adherent human mesenchymal stem cells. Int J Oral Maxillofac Implants 2009;24(1):38-46. Abstract

1195. Valentini P, Abensur D, Albertini JF, Rocchesani M. Immediate provisionalization of single extraction-site implants in the esthetic zone: A clinical evaluation. Int J Periodontics Restorative Dent 2010;30(1):41-51. Abstract

1196. Valentini P, Giovannoli JL, Henry-Savajol O, et al. Radiographic and histologic evaluations of peri-implantitis on the grafted maxillary sinus: A report of two cases. Int J Periodontics Restorative Dent 2023;43(1):57-63. Abstract

1197. Vallee MC, Conrad HJ, Basu S, Seong WJ. Accuracy of friction-style and spring-style mechanical torque limiting devices for dental implants. J Prosthet Dent 2008;100(2):86-92. Abstract

1198. Van Assche N, Collaert B, Coucke W, Quirynen M. Correlation between early perforation of cover screws and marginal bone loss: A retrospective study. J Clin Periodontol 2008;35(1):76-9. Abstract

1199. Van Assche N, Pittayapat P, Jacobs R, et al. Microbiological outcome of two screw-shaped titanium implant systems placed following a split-mouth randomised protocol, at the 12th year of follow-up after loading. Eur J Oral Implantol 2011;4(2):103-16. Abstract

1200. van Brakel R, Cune MS, van Winkelhoff AJ, et al. Early bacterial colonization and soft tissue health around zirconia and titanium abutments: An in vivo study in man. Clin Oral Implants Res 2011;22(6):571-7. Abstract

1201. van Brakel R, Meijer GJ, Verhoeven JW, et al. Soft tissue response to zirconia and titanium implant abutments: An in vivo within-subject comparison. J Clin Periodontol 2012;39(10):995-1001. Abstract

1202. van Brakel R, Noordmans HJ, Frenken J, et al. The effect of zirconia and titanium implant abutments on light reflection of the supporting soft tissues. Clin Oral Implants Res 2011;22(10):1172-78. Abstract

1203. Van de Velde T, Collaert B, Sennerby L, De Bruyn H. Effect of implant design on preservation of marginal bone in the mandible. Clin Implant Dent Relat Res 2010;12(2):134-41. Abstract

1204. Van de Wiele G, Teughels W, Vercruyssen M, et al. The accuracy of guided surgery via mucosa-supported stereolithographic surgical templates in the

hands of surgeons with little experience. Clin Oral Implants Res 2015;26(12):1489-94. Abstract

1205. van der Mark EL, Bierenbroodspot F, Baas EM, de Lange J. Reconstruction of an atrophic maxilla: Comparison of two methods. Br J Oral Maxillofac Surg 2011;49(3):198-202. Abstract

1206. van Dijk LA, Janssen NG, Nurmohamed SJ, et al. Osteoinductive calcium phosphate with submicron topography as bone graft substitute for maxillary sinus floor augmentation: A translational study. Clin Oral Implants Res 2023;34(3):177-95. Abstract

1207. Van Lierde KM, Corthals P, Browaeys H, et al. Impact of anterior single-tooth implants on quality of life, articulation and oromyofunctional behaviour: A pilot study. J Oral Rehabil 2011;38(3):170-5. Abstract

1208. van Steenberghe D, De Mars G, Quirynen M, et al. A prospective split-mouth comparative study of two screw-shaped self-tapping pure titanium implant systems. Clin Oral Implants Res 2000;11(3):202-9. Abstract

1209. Vandamme K, Thevissen K, Mesquita MF, et al. Implant functionalization with mesoporous silica: A promising antibacterial strategy, but does such an implant osseointegrate? Clin Exp Dent Res 2021;7(4):502-11. Abstract

1210. Vanlioglu BA, Ozkan Y, Evren B, Ozkan YK. Experimental custom-made zirconia abutments for narrow implants in esthetically demanding regions: A 5-year follow-up. Int J Oral Maxillofac Implants 2012;27(5):1239-42. Abstract

1211. Vazquez Alvarez R, Perez Sayans M, Gayoso Diz P, Garcia Garcia A. Factors affecting peri-implant bone loss: A post-five-year retrospective study. Clin Oral Implants Res 2015;26(9):1006-14. Abstract

1212. Vazquez-Delgado E, Viaplana-Gutierrez M, Figueiredo R, et al. Prevalence of neuropathic pain and sensory alterations after dental implant placement in a university-based oral surgery department: A retrospective cohort study. Gerodontology 2018;35(2):117-22. Abstract

1213. Veltri M, Ekestubbe A, Abrahamsson I, Wennstrom JL. Three-Dimensional buccal bone anatomy and aesthetic outcome of single dental implants replacing maxillary incisors. Clin Oral Implants Res 2016;27(8):956-63. Abstract

1214. Veltri M, Ferrari M, Balleri P. One-year outcome of narrow diameter blasted implants for rehabilitation of maxillas with knife-edge resorption. Clin Oral Implants Res 2008;19(10):1069-73. Abstract

1215. Veltri M, Ferrari M, Balleri P. Stability values of titanium dioxide-blasted dental implants in edentulous maxillas: a 3-year pilot study. J Oral Rehabil 2010;37(1):63-8. Abstract

1216. Vera C, De Kok IJ, Chen W, et al. Evaluation of post-implant buccal bone resorption using cone beam computed tomography: A clinical pilot study. Int J Oral Maxillofac Implants 2012;27(5):1249-57. Abstract

1217. Vercaigne S, Wolke JG, Naert I, Jansen JA. A histological evaluation of TiO2-gritblasted and Ca-P magnetron sputter coated implants placed into the trabecular bone of the goat: Part 2. Clin Oral Implants Res 2000;11(4):314-24. Abstract

1218. Vercaigne S, Wolke JG, Naert I, Jansen JA. A mechanical evaluation of TiO2-gritblasted and Ca-P magnetron sputter coated implants placed into the trabecular bone of the goat: Part 1. Clin Oral Implants Res 2000;11(4):305-13. Abstract

1219. Vercellotti T, Stacchi C, Russo C, et al. Ultrasonic implant site preparation using piezosurgery: A multicenter case series study analyzing 3,579 implants with a 1- to 3-year follow-up. Int J Periodontics Restorative Dent 2014;34(1):11-8. Abstract

1220. Vercruyssen M, Coucke W, Naert I, et al. Depth and lateral deviations in guided implant surgery: An RCT comparing guided surgery with mental navigation or the use of a pilot-drill template. Clin Oral Implants Res 2015;26(11):1315-20. Abstract

1221. Vercruyssen M, Cox C, Coucke W, et al. A randomized clinical trial comparing guided implant surgery (bone- or mucosa-supported) with mental navigation or the use of a pilot-drill template. J Clin Periodontol 2014;41(7):717-23. Abstract

1222. Vercruyssen M, van de Wiele G, Teughels W, et al. Implant- and patient-centred outcomes of guided surgery, a 1-year follow-up: An RCT comparing guided surgery with conventional implant placement. J Clin Periodontol 2014;41(12):1154-60. Abstract

1223. Verket A, Lyngstadaas SP, Rasmusson L, et al. Maxillary sinus augmentation with porous titanium granules: A microcomputed tomography and histologic evaluation of human biopsy specimens. Int J Oral Maxillofac Implants 2013;28(3):721-8. Abstract

1224. Vervaeke S, Collaert B, Cosyn J, De Bruyn H. A 9-year prospective case series using multivariate analyses to identify predictors of early and late peri-implant bone loss. Clin Implant Dent Relat Res 2016;18(1):30-9. Abstract

1225. Vervaeke S, Collaert B, Cosyn J, et al. A multifactorial analysis to identify predictors of implant failure and peri-implant bone loss. Clin Implant Dent Relat Res 2015;17 Suppl 1:e298-307. Abstract

1226. Vervaeke S, Collaert B, De Bruyn H. Immediate loading of implants in the maxilla: survival and bone loss after at least 2 years in function. Int J Oral Maxillofac Implants 2013;28(1):216-21. Abstract

1227. Vervaeke S, Collaert B, De Bruyn H. The effect of implant surface modifications on survival and bone loss of immediately loaded implants in the edentulous mandible. Int J Oral Maxillofac Implants 2013;28(5):1352-7. Abstract

1228. Vervaeke S, Collaert B, Vandeweghe S, et al. The effect of smoking on survival and bone loss of implants with a fluoride-modified surface: A 2-year retrospective analysis of 1106 implants placed in daily practice. Clin Oral Implants Res 2012;23(6):758-66. Abstract

1229. Vervaeke S, Dierens M, Besseler J, De Bruyn H. The influence of initial soft tissue thickness on peri-implant bone remodeling. Clin Implant Dent Relat Res 2014;16(2):238-47. Abstract

1230. Vervaeke S, Matthys C, Nassar R, et al. Adapting the vertical position of implants with a conical connection in relation to soft tissue thickness prevents early implant surface exposure: A 2-year prospective intra-subject comparison. J Clin Periodontol 2018;45(5):605-12. Abstract

1231. Vignoletti F, Discepoli N, Muller A, et al. Bone modelling at fresh extraction sockets: immediate implant placement versus spontaneous healing. An experimental study in the beagle dog. J Clin Periodontol 2012;39(1):91-7. Abstract

1232. Vigolo P, Gracis S, Carboncini F, Mutinelli S. Internal- vs external-connection single implants: A retrospective study in an italian population treated by certified prosthodontists. Int J Oral Maxillofac Implants 2016;31(6):1385-96. Abstract

1233. Vilhjalmsson VH, Klock KS, Storksen K, Bardsen A. Aesthetics of implant-supported single anterior maxillary crowns evaluated by objective indices and participants' perceptions. Clin Oral Implants Res 2011;22(12):1399-403. Abstract

1234. Vilhjalmsson VH, Klock KS, Storksen K, Bardsen A. Radiological evaluation of single implants in maxillary anterior sites with special emphasis on their relation to adjacent teeth - A 3-year follow-up study. Dent Traumatol 2013;29(1):66-72. Abstract

1235. Viscioni A, Franco M, Rigo L, et al. Implants inserted into homografts bearing fixed restorations. Int J Prosthodont 2009;22(2):148-54. Abstract

1236. Vivan Cardoso M, Vandamme K, Chaudhari A, et al. Dental implant macro-design features can impact the dynamics of osseointegration. Clin Implant Dent Relat Res 2015;17(4):639-45. Abstract

1237. von Wowern N, Gotfredsen K. Implant-supported overdentures, a prevention of bone loss in edentulous mandibles? A 5-year follow-up study. Clin Oral Implants Res 2001;12(1):19-25. Abstract

1238. Vroom MG, Sipos P, de Lange GL, et al. Effect of surface topography of screw-shaped titanium implants in humans on clinical and radiographic parameters: A 12-year prospective study. Clin Oral Implants Res 2009;20(11):1231-9. Abstract

1239. Wahlstrom M, Sagulin GB, Jansson LE. Clinical follow-up of unilateral, fixed dental prosthesis on maxillary implants. Clin Oral Implants Res 2010;21(11):1294-300. Abstract

1240. Walmsley AD, Brady CL, Smith PL, Frame JW. Magnet retained overdentures using the Astra dental implant system. Br Dent J 1993;174(11):399-404. Abstract

1241. Walmsley AD, Frame JW. Implant supported overdentures--the Birmingham experience. J Dent 1997;25 Suppl 1:S43-7. Abstract

1242. Walter P, Pirc M, Ioannidis A, et al. Randomized controlled clinical study comparing two types of two-piece dental implants supporting fixed restorations-Results at 8 years of loading. Clin Oral Implants Res 2022;33(3):333-41. Abstract

1243. Wang SC, Wang JC, Chang CJ, Yuan K. Interdisciplinary treatment with implant-supported two-unit cantilever prosthesis for a patient with hypodontia: A clinical report. J Prosthet Dent 2023;129(5):676-80. Abstract

1244. Wannfors K, Johansson C, Donath K. Augmentation of the mandible via a "tent-pole" procedure and implant treatment in a patient with type III osteogenesis imperfecta: Clinical and histologic considerations. Int J Oral Maxillofac Implants 2009;24(6):1144-8. Abstract

1245. Warren P, Chaffee N, Felton DA, Cooper LF. A retrospective radiographic analysis of bone loss following placement of TiO2 grit-blasted implants in the posterior maxilla and mandible. Int J Oral Maxillofac Implants 2002;17(3):399-404. Abstract

1246. Warrer L, Gotfredsen K, Hjorting-Hansen E, Karring T. Guided tissue regeneration ensures osseointegration of dental implants placed into extraction sockets. An experimental study in monkeys. Clin Oral Implants Res 1991;2(4):166-71. Abstract

1247. Wasiluk G, Chomik E, Gehrke P, et al. Incidence of undetected cement on CAD/CAM monolithic zirconia crowns and customized CAD/CAM implant abutments. A prospective case series. Clin Oral Implants Res 2017;28(7):774-78. Abstract

1248. Watanabe T, Inoue R, Kawamura T, al. e. Influence of implant length and diameter on implant failure: A retrospective study. J Oral Maxillofac Surg Med and Pathol 2024;E-pub Mar 31, doi:10.1016/j.ajoms.2024.03.009.

1249. Weibrich G, Buch RS, Wegener J, Wagner W. Five-year prospective follow-up report of the Astra tech standard dental implant in clinical treatment. Int J Oral Maxillofac Implants 2001;16(4):557-62. Abstract

1250. Welander M, Abrahamsson I, Berglundh T. The mucosal barrier at implant abutments of different materials. Clin Oral Implants Res 2008;19(7):635-41. Abstract

1251. Welander M, Abrahamsson I, Berglundh T. Placement of two-part implants in sites with different buccal and lingual bone heights. J Periodontol 2009;80(2):324-9. Abstract

1252. Welander M, Abrahamsson I, Berglundh T. Subcrestal placement of two-part implants. Clin Oral Implants Res 2009;20(3):226-31. Abstract

1253. Wennerberg A, Albrektsson T. On implant surfaces: a review of current knowledge and opinions. Int J Oral Maxillofac Implants 2010;25(1):63-74. Abstract

1254. Wennerberg A, Albrektsson T. Current challenges in successful rehabilitation with oral implants. J Oral Rehabil 2011;38(4):286-94. Abstract

1255. Wennstrom J, Zurdo J, Karlsson S, et al. Bone level change at implant-supported fixed partial dentures with and without cantilever extension after 5 years in function. J Clin Periodontol 2004;31(12):1077-83. Abstract

1256. Wennstrom JL, Ekestubbe A, Grondahl K, et al. Oral rehabilitation with implant-supported fixed partial dentures in periodontitis-susceptible subjects. A 5-year prospective study. J Clin Periodontol 2004;31(9):713-24. Abstract

1257. Wennstrom JL, Ekestubbe A, Grondahl K, et al. Implant-supported single-tooth restorations: a 5-year prospective study. J Clin Periodontol 2005;32(6):567-74. Abstract

1258. Wetzels JGH, Meijer GJ, Koole R, et al. Costs and clinical outcomes of implant placement during ablative surgery and postponed implant placement in curative oral oncology: A five-year retrospective cohort study. Clin Oral Implants Res 2017;28(11):1433-42. Abstract

1259. Wetzels JW, Koole R, Meijer GJ, et al. Functional benefits of implants placed during ablative surgery: A 5-year prospective study on the prosthodontic rehabilitation of 56 edentulous oral cancer patients. Head Neck 2016;38 Suppl 1:E2103-11. Abstract

1260. Wiest W, Zabler S, Rack A, et al. In situ microradioscopy and microtomography of fatigue-loaded dental two-piece implants. J Synchrotron Radiat 2015;22(6):1492-7. Abstract

1261. Wilhelm R, Hasan I, Keilig L, et al. Biomechanical investigations of the secondary stability of commercial short dental implants in porcine ribs. Biomed Tech (Berl) 2014;59(6):507-13. Abstract

1262. Wiltfang J, Jatschmann N, Hedderich J, et al. Effect of deproteinized bovine bone matrix coverage on the resorption of iliac cortico-spongeous bone grafts - A prospective study of two cohorts. Clin Oral Implants Res 2014;25(2):e127-32. Abstract

1263. Windael S, Collaert B, De Buyser S, et al. Early peri-implant bone loss as a predictor for peri-implantitis: A 10-year prospective cohort study. Clin Implant Dent Relat Res 2021;23(3):298-308. Abstract

1264. Windael S, Vervaeke S, De Buyser S, et al. The long-term effect of smoking on 10 years' survival and success of dental Implants: A prospective analysis of 453 implants in a non-university setting. J Clin Med 2020;9(4). Abstract

1265. Windael S, Vervaeke S, Wijnen L, et al. Ten-year follow-up of dental implants used for immediate loading in the edentulous mandible: A prospective clinical study. Clin Implant Dent Relat Res 2018;20(4):515-21. Abstract

1266. Wohlfahrt JC, Aass AM, Koldsland OC. Treatment of peri-implant mucositis with a chitosan brush-A pilot randomized clinical trial. Int J Dent Hyg 2019;17(2):170-76. Abstract

1267. Wolf F, Spoerl S, Gottsauner M, et al. Significance of site-specific radiation dose and technique for success of implant-based prosthetic rehabilitation in irradiated head and neck cancer patients-A cohort study. Clin Implant Dent Relat Res 2021;23(3):444-55. Abstract

1268. Wolff J, Narra, Antalainen AK, et al. Finite element analysis of bone loss around failing implants. Materials & Design 2014;61:177-84. Abstract

1269. Wolff R, Hsu A, Heo Y, et al. Two-year follow-up comparison of three surgical techniques for implant placement in posterior maxilla with limited alveolar bone height. Int J Oral Maxillofac Implants 2022;37(1):171-80. Abstract

1270. Won C. Restoring Severely Atrophic Edentulous Ridge of Mandible Using Self-Expanding Tissue Expander—A Case Report. MDPI 2024;60(5). Abstract

1271. Wong HH, Pow EH, Choi WW. Management of mandibular rotation after a mandibulectomy: A clinical report. J Prosthet Dent 2013;110(6):532-7. Abstract

1272. Wong JL, Tan KBC, Teoh KH, Sim CPC. Spectrophotometric and visual evaluation of maxillary anterior implant crowns and peri-implant soft tissues: A retrospective study. Int J Prosthodont 2020;33(3):277-84. Abstract

1273. Worsaae N, Jensen BN, Holm B, Holsko J. Treatment of severe hypodontia-oligodontia--an interdisciplinary concept. Int J Oral Maxillofac Surg 2007;36(6):473-80. Abstract

1274. Wu W, Song L. Finite element analysis of the angle range in trans-inferior alveolar nerve implantation at the mandibular second molar. BMC Oral Health 2023;23.

1275. Wu X, Chen S, Ji W, Shi B. The risk factors of early implant failure: A retrospective study of 6113 implants. Clin Implant Dent Relat Res 2021;23(3):280-88. Abstract

1276. Wuwei Y, Yong Y, Zhenzhen W, et al. Influence of implant cover screw loosening on early peri-implant marginal bone loss: A retrsopective evaluation of risk factors. Research Square 2021;E-pub Mar 9, doi: 10.21203/rs.3.rs-223040/v1. Abstract

1277. Xie C, Fang T, Wang Y, Yu H. A digital workflow for the fabrication of an immediate implant-supported interim restoration. J Prosthet Dent 2022;E-pub Mar 9, doi: 10.1016/j.prosdent.2021.12.018:1-7. Abstract

1278. Yalcin S, Aktas I, Emes Y, et al. A technique for atraumatic extraction of teeth before immediate implant placement using implant drills. Implant Dent 2009;18(6):464-72. Abstract

1279. Yamada Y, Nakamura S, Ueda M, Ito K. Osteotome technique with injectable tissue-engineered bone and simultaneous implant placement by cell therapy. Clin Oral Implants Res 2013;24(4):468-74. Abstract

1280. Yamauchi K, Takahashi T, Funaki K, et al. Implant placement for periosteal expansion osteogenesis using beta-tricalcium phosphate block: An experimental study in dogs. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2009;108(6):861-6. Abstract

1281. Yamauchi K, Takahashi T, Nogami S, et al. Horizontal alveolar distraction osteogenesis for dental implant: long-term results. Clin Oral Implants Res 2013;24(5):563-8. Abstract

1282. Yamazaki M, Kanzaki S, Tominaga K, et al. Evaluation of secondary bone grafting of the alveolar cleft in adult cleft lip and palate patients. J Oral Maxillofac Surg Med Path 2012;24:86-89. Abstract

1283. Yeager B, Cakmak G, Zheng F, et al. Error analysis of stages involved in CBCT-guided implant placement with surgical guides when different printing technologies are used. J Prosthet Dent 2023;E-pub Jan 21, doi: 10.1016/j.prosdent.2022.11.018. Abstract

1284. Yi SW, Ericsson I, Kim CK, et al. Implant-supported fixed prostheses for the rehabilitation of periodontally compromised dentitions: A 3-year prospective clinical study. Clin Implant Dent Relat Res 2001;3(3):125-34. Abstract

1285. Yilmaz B, L'Homme-Langlois E, Beck FM, McGlumphy E. Accuracy of mechanical torque-limiting devices for dental implants after clinical service. J Prosthet Dent 2015;114(3):378-82. Abstract

1286. Yilmaz B, L'Homme-Langlois E, Beck FM, McGlumphy E. Effect of long-term steam autoclaving on changes in torque delivery of spring- and friction-type torque wrenches. J Prosthet Dent 2016;115(6):718-21. Abstract

1287. Yilmaz B, McGlumphy E, Purcell B. An alternative direct technique for the fabrication of an implant-supported, screw-retained fixed interim restoration. J Prosthet Dent 2012;107(2):137-9. Abstract

1288. Yilmaz B, McGlumphy E, Turkyilmaz I. A technique to modify the length of an implant healing abutment. J Oral Implantol 2009;35(4):201-3. Abstract

1289. Yilmaz B, Mess J, Seidt J, Clelland NL. Strain comparisons for splinted and nonsplinted cement-retained implant crowns. Int J Prosthodont 2013;26(3):235-8. Abstract

1290. Yilmaz B, Seidt JD, Clelland NL. Displacement of screw-retained splinted and nonsplinted restorations into implants with conical internal connections. Int J Oral Maxillofac Implants 2014;29(6):1289-92. Abstract

1291. Yilmaz B, Seidt JD, McGlumphy EA, Clelland NL. Comparison of strains for splinted and nonsplinted screw-retained prostheses on short implants. Int J Oral Maxillofac Implants 2011;26(6):1176-82. Abstract

1292. Yilmaz B, Seidt JD, McGlumphy EA, Clelland NL. Displacement of screw-retained single crowns into implants with conical internal connections. Int J Oral Maxillofac Implants 2013;28(3):803-6. Abstract

1293. Yoda N, Zheng K, Chen J, et al. Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. J Prosthodont Res 2017;61(4):393-402. Abstract

1294. Yoon WJ, Jeong KI, You JS, et al. Survival rate of Astra Tech implants with maxillary sinus lift. J Korean Assoc Oral Maxillofac Surg 2014;40(1):17-20. Abstract

1295. Yusuf H, Ratra N. Observations on 25 patients treated with ball-retained overdentures using the Astra Tech implant system. Eur J Prosthodont Restor Dent 1996;4(4):181-3. Abstract

1296. Zabler S, Rack T, Rack A, Nelson K. Fatigue induced deformation of taper connections in dental titanium implants. International Journal of Materials Research 2012;103(2):207-16. Abstract

1297. Zadeh HH, Gulje F, Palmer PJ, et al. Marginal bone level and survival of short and standard-length implants after 3 years: An Open Multi-Center Randomized Controlled Clinical Trial. Clin Oral Implants Res 2018;29(8):894-906. Abstract

1298. Zaffe D, Rodriguez YBR, Rizzo S, et al. Behavior of the bone-titanium interface after push-in testing: A morphological study. J Biomed Mater Res A 2003;64(2):365-71. Abstract

1299. Zekiy AO, Makurdumyan DA, capital Em CaCEA, et al. Antiseptic sealant and a nanocoated implant-abutment interface improve the results of dental implantation. Clin Implant Dent Relat Res 2019;21(5):938-45. Abstract

1300. Zeza B, Farina R, Pilloni A, Mongardini C. Clinical outcomes of experimental gingivitis and peri-implant mucositis treatment with professionally administered plaque removal and photodynamic therapy. Int J Dent Hyg 2018;16(2):e58-e64. Abstract

1301. Zheng K, Yoda N, Chen J, et al. Effects of buccal thickness augmentation on bone remodeling after maxillary anterior implantation. Biomech Model Mechanobiol 2020;19(1):133-45. Abstract

1302. Zhou J, Huang Q, Wang X, et al. Early loading of splinted implants in the posterior mandible: A prospective multicentre case series. J Clin Periodontol 2016;43(3):298-304. Abstract

1303. Zhuang H-B, Tu W-S, Pan M-C, et al. Non-contact vibro-acoustic detection technique for dental osseointegration examination. J Med Biol Eng 2013;33(1):35-44. Abstract

1304. Zipprich H, Miatke S, Hmaidouch R, Lauer HC. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: An in vitro study. Int J Oral Maxillofac Implants 2016;31(1):37-44. Abstract

1305. Zipprich H, Weigl P, Lauer H-C, Lange B. Micro-movements at the implant-abutment interface: Measurements, causes and consequenses. Implantologie 2007;15:31-45.

1306. Zipprich H, Weigl P, Ratka C, et al. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. Clin Implant Dent Relat Res 2018;20(5):814-23. Abstract

1307. Zuffetti F, Capelli M, Galli F, et al. Post-extraction implant placement into infected versus non-infected sites: A multicenter retrospective clinical study. Clin Implant Dent Relat Res 2017;19(5):833-40. Abstract

1308. Zurdo J, Romao C, Wennstrom JL. Survival and complication rates of implant-supported fixed partial dentures with cantilevers: a systematic review. Clin Oral Implants Res 2009;20 Suppl 4:59-66. Abstract

1309. Zweifel D, Bredell MG, Lanzer M, et al. Precision of simultaneous guided dental implantation in microvascular fibular flap reconstructions with and without additional guiding splints. J Oral Maxillofac Surg 2019;77(5):971-76. Abstract

1310. Åstrand P. Current implant systems. The Journal of the S.D.A. 1993;85(11-12):651-63.

Astra Tech Implant System EV

1. Maza-Solano S, Baus-Dominguez M, Romero-Ruiz MM, et al. Prospective observational cohort study of the change of the marginal bone crest in relation to the prosthetic abutment height and the peri-implant vertical mucosal thickness at implants positioned subcrestally. Clin Implant Dent Relat Res 2024;E-pub May 29 doi:: 10.1111/cid.13347. Abstract

2. Kuebler A, Noelken R. The influence of connective tissue grafting on the reconstruction of a missing facial bone wall using immediate implant placement and simultaneous bone reconstruction: a retrospective long-term cohort study. Int J Implant Dent 2024;10(1):25. Abstract

3. Dhondt RAL, Lahoud P, Siawasch M, et al. The Socket Shield Technique: Stability of the Buccal Peri-implant Bone after Partial Root Removal - A Prospective Case Series of 20 patients, with 18 Months Follow-up. Int J Periodontics Restorative Dent 2024;E-pub May 3 doi:0.11607/prd.6989(0):1-22. Abstract

4. Strauss FJ, Hammerle CHF, Thoma DS. Short communication: Cemented implant reconstructions are associated with less marginal bone loss than screw-retained reconstructions at 3 and 5 years of loading. Clin Oral Implants Res 2021;32(5):651-56. Abstract

5. Romandini M, Ruales-Carrera E, Sadilina S, et al. Minimal invasiveness at dental implant placement: A systematic review with meta-analyses on flapless fully guided surgery. Periodontol 2000 2023;91(1):89-112. Abstract

6. Levin BP, Rubinstein S. Simultaneous crestal sinus elevation and implant placement using a ribose cross- linked, collagen bone graft material: Case series of 28 consecutive patients. Compend Contin Educ Dent 2020;41(3):156-63. Abstract

7. Laass A, Eisner BM, Hammerle CHF, et al. Histologic outcomes after guided bone regeneration of peri-implant defects comparing individually shaped block versus particulate bone substitutes. Int J Periodontics Restorative Dent 2020;40(4):519-27. Abstract

8. Gehrke P, Burg S, Peters U, et al. Bacterial translocation and microgap formation at a novel conical indexed implant abutment system for single crowns. Clin Oral Investig 2022;26(2):1375-89. Abstract

9. Galindo-Moreno P, Abril-Garcia D, Carrillo-Galvez AB, et al. Maxillary sinus floor augmentation comparing bovine versus porcine bone xenografts mixed with autogenous bone graft. A split-mouth randomized controlled trial. Clin Oral Implants Res 2022;33(5):524-36. Abstract

10. Wessels R, Vervaeke S, Seyssens L, et al. A 5-year cohort study on early implant placement with guided bone regeneration or alveolar ridge preservation with connective tissue graft. Clin Implant Dent Relat Res 2020;22(6):697-705. Abstract

11. Korsch M. Tooth shell technique: A proof of concept with the use of autogenous dentin block grafts. Aust Dent J 2021;66(2):159-68. Abstract

12. Gluckman H, Pohl S, Chen J. Socket Shield Complications: The Management of Internal Shield Exposure. A Multicenter Case Series. Int J Periodontics Restorative Dent 2024;44(2):177-85. Abstract

13. Almasri MA. A 5-year satisfaction outcome study of patients receiving six-implant-supported fixed prosthesis. Clin Pract 2021;11(4):827-34. Abstract

14. D'Haese R, Vervack V, Tytgat M, Vandeweghe S. Fracture resistance of hybrid ceramic abutments with different restoration lengths: A pilot study. Clin Implant Dent Relat Res 2024;26(3):615-20. Abstract

15. Çetin T, Aslan Y. 3D Evaluation of Micro-Gap at The Implant-Abutment Connection Before and After Thermodynamic Cycling. Int J Prosthodont 2024;37(3):99-111. Abstract

16. Poovarodom P, Rungsiyakull C, Suriyawanakul J, et al. Effect of gingival height of a titanium base on the biomechanical behavior of 2-piece custom implant abutments: A 3-dimensional nonlinear finite element study. J Prosthet Dent 2023;130(3). Abstract

17. Zeller S, Guichet D, Kontogiorgos E, Nagy WW. Accuracy of three digital workflows for implant abutment and crown fabrication using a digital measuring technique. J Prosthet Dent 2019;121(2):276-84. Abstract

18. Yilmaz B, Hashemzadeh S, Seidt JD, Clelland NL. Displacement comparison of CAD-CAM titanium and zirconia abutments to implants with different conical connections. J Prosthodont Res 2018;62(2):200-03. Abstract

19. Yilmaz B, Cakmak G, Batak B, Johnston WM. Screw stability of CAD-CAM titanium and zirconia abutments on different implants: An in vitro study. Clin Implant Dent Relat Res 2021;23(3):373-79. Abstract

20. Yi C, Li S, Wen A, et al. Digital versus radiographic evaluation for guided implant surgery: An in vitro study. BMC Oral Health 2022;22(1):540. Abstract

21. Vural S, Evren B, Yildiz C. Evaluation of Stress Distributions in All Ceramic Conometric Single Crown Restorations: 3-Dimensional Finite Element Analysis. Clinical and Experimental Health Sciences 2024;14(1):223-29.

22. Vanderstuyft T, Tarce M, Sanaan B, et al. Inaccuracy of buccal bone thickness estimation on cone-beam CT due to implant blooming: An ex-vivo study. J Clin Periodontol 2019;46(11):1134-43. Abstract

23. Unger S, Penzenstadler M, Husain AA, et al. Comparison of Geometric Accuracy of Low-Dose and Standard-Dose Dental CBCT Imaging Protocols in CAD/CAM-Guided Dental Implant Surgery. Int J Oral Maxillofac Implants 2023;38(2):287-94. Abstract

24. Unger S, Benic GI, Ender A, et al. Computer-assisted bone augmentation, implant planning and placement: An in vitro investigation. Clin Oral Implants Res 2023;34(7):719-26. Abstract

25. Tarce M, de Greef A, Lahoud P, et al. The impact of implant-related characteristics on dental implant blooming: An in vitro study. Clin Oral Implants Res 2022;33(12):1199-211. Abstract

26. Tarce M, Becker K, Lahoud P, et al. Non-invasive oral implant position assessment: An ex vivo study using a 3D industrial scan as the reference model to mimic the clinical situation. Clinical Oral Implants Research 2023;E pub 5 Nov, doi: 10.1111/clr.14206. Abstract

27. Tan LW, Quek C, Leo SJ, et al. Rotational Load Fatigue Performance of an Implant System with an Internal Conical Connection and Microthreads. Int J Oral Maxillofac Implants 2024;39(1):119-26. Abstract

28. Sukegawa S, Yoshii K, Hara T, et al. Deep neural networks for dental implant system classification. Biomolecules 2020;10(7). Abstract

29. Stocchero M, Toia M, Jinno Y, et al. Influence of different drilling preparation on cortical bone: A biomechanical, histological, and micro-CT study on sheep. Clin Oral Implants Res 2018;29(7):707-15. Abstract

30. Stocchero M, Jinno Y, Toia M, et al. In silico multi-scale analysis of remodeling peri-implant cortical bone: A comparison of two types of bone structures following an undersized and non-undersized technique. J Mech Behav Biomed Mater 2020;103:103598. Abstract

31. Stocchero M, Jinno Y, Toia M, et al. Effect of Drilling Preparation on Immediately Loaded Implants: An In Vivo Study in Sheep. Int J Oral Maxillofac Implants 2023;38(3):607-18. Abstract

32. Sittikornpaiboon P, Arunjaroensuk S, Kaboosaya B, et al. Comparison of the accuracy of implant placement using different drilling systems for static computer-assisted implant surgery: A simulation-based experimental study. Clin Implant Dent Relat Res 2021;23(4):635-43. Abstract

33. Sears LM, Wadhwani CPK, Schoenbaum TR, et al. Biologic debris retention in implant impression copings, scan bodies, and laboratory analogs. Int J Oral Maxillofac Implants 2020;35(1):135-40. Abstract

34. Romanos GE, Bastardi DJ, Moore R, et al. In vitro effect of drilling speed on the primary stability of narrow diameter implants with varying thread designs placed in different qualities of simulated bone. Materials (Basel) 2019;12(8). Abstract

35. Revell G, Simon B, Mennito A, et al. Evaluation of complete-arch implant scanning with 5 different intraoral scanners in terms of trueness and operator experience. J Prosthet Dent 2022;128(4):632-38. Abstract

36. Rebeeah HA, Yilmaz B, Seidt JD, et al. Comparison of 3D displacements of screw-retained zirconia implant crowns into implants with different internal connections with respect to screw tightening. J Prosthet Dent 2018;119(1):132-37. Abstract

37. Qian SJ, Tsai YW, Koutouzis T, et al. Impact of surface chemical treatment in surgical regenerative treatment of ligature-induced peri-implantitis: A canine study. J Periodontol 2024;E-pub Jun 16 doi:10.1002/JPER.23-0634. Abstract

38. Poovarodom P, Rungsiyakull C, Suriyawanakul J, et al. Effect of implant placement depth on bone remodeling on implant-supported single zirconia abutment crown: A 3D finite element study. J Prosthodont Res 2023;67(2):278-87. Abstract

39. Pan Y, Heng C, Wu ZJ, et al. Comparison of the virtual techniques in registering single implant position with a universal-coordinate system: An in vitro study. J Dent 2022;117:103925. Abstract

40. Michaud PL, Fokam FY, Kryshtalskyj E, Hamdan N. Comparison of the torque transferred to the implant-bone interface when tightening abutment screws and when torque testing implants: An in vitro study. J Prosthet Dent 2023;130(1):96-100. Abstract

41. Matthes R, Jablonowski L, Pitchika V, et al. Training in the use of the water jet and cold atmospheric plasma jet for the decontamination of dental implants. Clin Oral Investig 2024;28(6):355. Abstract

42. Malmqvist S, Liljeborg A, Qadri T, et al. Using 445 nm and 970 nm lasers on dental implants-An in vitro study on change in temperature and surface alterations. Materials (Basel) 2019;12(23):1-12. Abstract

43. Li-Rodriguez JK, Diaz-Durany M, Romeo-Rubio M, et al. Accuracy of a guided implant system with milled surgical templates. J Oral Sci 2022;64(2):145-50. Abstract

44. Li S, Yi C, Yu Z, et al. Accuracy assessment of implant placement with versus without a CAD/CAM surgical guide by novices versus specialists via the digital registration method: An in vitro randomized crossover study. BMC Oral Health 2023;23(1):426. Abstract

45. Kowalski J, Puszkarz AK, Radwanski M, et al. Micro-CT evaluation of microgaps at implant-abutment connection. Materials (Basel) 2023;16(12):4491. Abstract

46. Kongkiatkamon S, Peampring C. Comparison of regular and speed sintering on low-temperature degradation and fatigue resistance of translucent zirconia crowns for implants: An in vitro study. J Funct Biomater 2022;13(4). Abstract

47. Kofron MD, Carstens M, Fu C, Wen HB. In vitro assessment of connection strength and stability of internal implant-abutment connections. Clin Biomech (Bristol, Avon) 2019;65:92-99. Abstract

48. Ketabi AR, Kastner E, Brenner M, et al. Implant insertion using an orientation template and a full-guiding template - A prospective model analysis in a cohort of dentists participating in an implantology curriculum. Ann Anat 2021;236:151716. Abstract

49. Karl M, Irastorza-Landa A. Does implant design affect primary stability in extraction sites? Quintessence Int 2017;48(3):219-24. Abstract

50. Karasan D, Guncu MB, Ersu B, Canay S. Biomechanical behavior of implants with a sloped marginal configuration. Int J Prosthodont 2018;31(6):587-90. Abstract

51. Kalluri L, Seale B, Satpathy M, et al. Three-dimensional finite element analysis of the veneer—framework thickness in an all-ceramic implant supported fixed partial denture. Ceramics 2021;4(2):199-207. Abstract

52. Johansson H, Hellqvist J. Functionality of a further developed implant system: Mechanical integrity (P339). Clin Oral Implants Res 2013;24((Supplement 9)):166.

53. Jacobs N, Seghi R, Johnston WM, Yilmaz B. Displacement and performance of abutments in narrow-diameter implants with different internal connections. J Prosthet Dent 2022;127(1):100-06. Abstract

54. Ichioka Y, Virto L, Nuevo P, et al. Decontamination of biofilm-contaminated implant surfaces: An in vitro evaluation. Clin Oral Implants Res 2023;34(10):1058-72. Abstract

55. Iatrou P, Chamilos C, Nickles K, et al. In vitro efficacy of three different nonsurgical implant surface decontamination methods in three different defect configurations. Int J Oral Maxillofac Implants 2021;36(2):271-80. Abstract

56. Guentsch A, Bjork J, Saxe R, et al. An in-vitro analysis of the accuracy of different guided surgery systems - They are not all the same. Clin Oral Implants Res 2023;34(5):531-41. Abstract

57. Esteve-Pardo G, Esteve-Colomina L, Fernandez E. A new inertial navigation system for guiding implant placement. An in-vitro proof-of-concept study. PLoS One 2021;16(10):e0255481. Abstract

58. Duddeck DU, Albrektsson T, Wennerberg A, et al. On the cleanliness of different oral implant systems: A pilot study. J Clin Med 2019;8(9). Abstract

59. Degidi M, Daprile G, Piattelli A. Influence of stepped osteotomy on primary stability of implants inserted in low-density bone sites: An in vitro study. Int J Oral Maxillofac Implants 2017;32(1):37-41. Abstract

60. Dahlström M, Hellqvist J. Feasibility testing of a new abutment design (P323). Clin Oral Implants Res 2013;24((Supplement 9)):158.

61. Chauhan S, Gupta B, Sharma M, et al. Evaluation of complete-arch implant scanning with 5 different intraoral scanners in terms of trueness and operator experience. Journal of Pharmaceutical Negative Results 2022;13(10):873-77. Abstract

62. Alshiddi IF, Habib SR, Zafar MS, et al. Fracture load of CAD/CAM fabricated cantilever implant-supported zirconia framework: An in vitro study. Molecules 2021;26(8):2259. Abstract

63. Almohandes A, Lund H, Carcuac O, et al. Accuracy of bone-level assessments following reconstructive surgical treatment of experimental peri-implantitis. Clin Oral Implants Res 2022;33(4):433-40. Abstract

64. Almohandes A, Carcuac O, Abrahamsson I, et al. Re-osseointegration following reconstructive surgical therapy of experimental peri-implantitis. A pre-clinical in vivo study. Clin Oral Implants Res 2019;30(5):447-56. Abstract

65. Almohandes A, Abrahamsson I, Dionigi C, Berglundh T. Surgical treatment of experimental peri-implantitis using mechanical and chemical decontamination procedures: A pre-clinical in vivo study. J Clin Periodontol 2022;49(5):518-25. Abstract

66. Al-Tarawneh SK, Thalji G, Cooper LF. Macrogeometric differentiation of dental implant primary stability: An in vitro study. Int J Oral Maxillofac Implants 2022;37(6):1110-18. Abstract

67. Al Amri MD, Al-Johany SS, Al-Qarni MN, et al. Influence of space size of abutment screw access channel on the amount of extruded excess cement and marginal accuracy of cement-retained single implant restorations. J Prosthet Dent 2018;119(2):263-69. Abstract

68. Abrahamsson I, Almohandes A, Dionigi C, Berglundh T. Early bone healing to implants with different surface characteristics. A pre-clinical in vivo study. Clin Oral Implants Res 2023;34(4):312-19. Abstract

69. Virnik S, Cueni L, Kloss-Brandstatter A. Is one-stage lateral sinus lift and implantation safe in severely atrophic maxillae? Results of a comparative pilot study. Int J Implant Dent 2023;9(1):6. Abstract

70. Mertens C, Busch C, Goldenbaum K, et al. Full block or split block?-Comparison of two different autogenous block grafting techniques for alveolar ridge reconstruction. Clin Implant Dent Relat Res 2023;25(6):1149-63. Abstract

71. Lisa K, Flore D, Gaetan VV, et al. Survival rate of implants following maxillary sinus floor augmentation using freeze-dried allografts vs bovine derived xenografts: A retrospective multicenter study. J Stomatol Oral Maxillofac Surg 2023;124(6):101605. Abstract

72. Chen JT, Kan JYK, Rungcharassaeng K, et al. Inter-implant Papilla Changes Following Anterior Immediate Tooth Replacement with Socket Shields: A 1- to 10-Year Retrospective Study. Int J Periodontics Restorative Dent 2023;43(4):451-60. Abstract

73. Muhlemann S, Lamperti ST, Stucki L, et al. Time efficiency and efficacy of a centralized computer-aided-design/computer-aided-manufacturing workflow for implant crown fabrication: A prospective controlled clinical study. J Dent 2022;127:104332. Abstract

74. Kochanowski M, Barankiewicz A, Sadowska P, Dejak B. Implantoprosthetic treatment based on Simplant Software and Azento System. Prosthodontics 2022;72(1):76-83.

75. Wilk BL. Intraoral digital impressioning for dental implant restorations versus traditional implant impression techniques. Compend Contin Educ Dent 2015;36(7):529-30, 32-3. Abstract

76. Teich S, Bocklet M, Evans Z, et al. 3D printed implant surgical guides with internally routed irrigation for temperature reduction during osteotomy preparation: A pilot study. J Esthet Restor Dent 2021;34(5):796-803. Abstract

77. Tanno T, Hasuike A, Naito K, et al. Staged Approach Involving Orthodontic Implant Site Development with Labial Root Torque and Guided Bone Regeneration; 3-Year Follow-up Case Report. J Oral Implantol 2024;E-pub May 14 doi:10.1563/aaid-joi-D-24-00034. Abstract

78. Soldatos N, Al Ramli R, Nelson-Rabe L, et al. Vertical ridge augmentation (VRA) with the use of a cross-linked resorbable membrane, tenting screws,

and a combination grafting technique: A report of three cases. Quintessence Int 2021;0(0):328-39. Abstract

79. Smielak B, Andruch I. Multistage implantology-orthodontic-prosthetic treatment: A case report. J Am Dent Assoc 2018;149(9):787-93 e3. Abstract

80. Rosen A. Implant success: Planning and impression material selection are key. Compend Contin Educ Dent 2018;39(3):12-14.

81. Ramirez A. Smile without fear: SmartFix® concept for oral rehabilitation. Compend Contin Educ Dent 2018;39(3):8-10.

82. Noelken R. Immediate implant placement in the aesthetic zone using the OsseoSpeed® Profile EV implant. Australasian Dental Practice 2017;28(4):170-74.

83. Mandelaris GA, Stefanelli LV, DeGroot BS. Dynamic navigation for surgical implant placement: Overview of technology, key concepts, and a case report. Compend Contin Educ Dent 2018;39(9):614-21; quiz 22. Abstract

84. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. Compend Contin Educ Dent 2015;36(9):682-8. Abstract

85. Levin BP. The dermal apron technique for immediate implant socket management: A novel technique. J Esthet Restor Dent 2016;28(1):18-28. Abstract

86. Kongkiatkamon S, Rokaya D. Full digital workflow in the esthetic dental restoration. Case Rep Dent 2022;2022:8836068. Abstract

87. Gonzalez D, Olmos G, Cabello G, et al. Extraction of a malpositioned maxillary anterior implant and simultaneous flapless ridge augmentation: A case report. Int J Esthet Dent 2020;15(1):68-91. Abstract

88. Gonzalez D, Cabello G, Olmos G, et al. The three-layer technique for immediate implants on teeth without a buccal bone wall: A case report. Int J Esthet Dent 2018;13(3):358-76. Abstract

89. Del Castillo R, Ata-Ali J. The clinical use of computer aided designed/computer aided manufactured titanium nitride coated implant abutments: Surgical and prosthetic considerations-A case series. J Esthet Restor Dent 2023;35(7):1008-21. Abstract

90. Chen JT. A novel application of dynamic navigation system in socket shield technique. J Oral Implantol 2019;45(5):409-15. Abstract

91. Attanasio F, Pacifici A, Giudice A, et al. Horizontal ridge augmentation and contextual implant placement with a resorbable membrane and particulated anorganic bovine bone-derived mineral. Case Rep Dent 2019;2019:6710340. Abstract

92. Alqahtani AR, Gufran K, Silva F, et al. A clinical case report of a potential acute allergic reaction with titanium dental implant. Case Rep Dent 2021;2021:5592934. Abstract

93. Block MS, Goldenberg BS. Preliminary results using a friction-fit crown to abutment connection. Int J Periodontics Restorative Dent 2021;41(2):217-24. Abstract

94. Baus-Dominguez M, Maza-Solano S, Vazquez-Pachon C, et al. Behaviour of the Peri-Implant Soft Tissue with Different Rehabilitation Materials on Implants. Polymers (Basel) 2023;15(15). Abstract

95. Younes F, Eghbali A, De Bruyckere T, et al. A randomized controlled trial on the efficiency of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. Clin Oral Implants Res 2019;30(2):131-38. Abstract

96. Younes F, Cosyn J, De Bruyckere T, et al. A randomized controlled study on the accuracy of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. J Clin Periodontol 2018;45(6):721-32. Abstract

97. Toia M, Stocchero M, Cecchinato F, et al. Clinical considerations of adapted drilling protocol by bone quality perception. Int J Oral Maxillofac Implants 2017;32(6):1288-95. Abstract

98. Starch-Jensen T, Bruun NH. Patient's perception of recovery after sinus membrane elevation and blood coagulum compared with 1:1 mixture of autogenous bone graft and deproteinized porcine bone mineral. Secondary outcomes from a single-blinded randomized controlled trial. Clin Oral Implants Res 2022;33(1):65-77. Abstract

99. Starch-Jensen T, Bruun NH. Patient's perception of recovery after osteotome-mediated sinus floor elevation with Bio-Oss collagen compared with no grafting material: a randomized single-blinded controlled trial. Int J Implant Dent 2021;7(1):20. Abstract

100. Starch-Jensen T, Ahmad M, Bruun NH, Becktor JP. Patient's perception of recovery after maxillary sinus floor augmentation with autogenous bone graft compared with composite grafts: A single-blinded randomized controlled trial. Int J Implant Dent 2021;7(1):99. Abstract

101. Sondergaard K, Hosseini M, Storgard Jensen S, et al. Fully versus conventionally guided implant placement by dental students: A randomized controlled trial. Clin Oral Implants Res 2021;32(9):1072-84. Abstract

102. Skjerven H, Riis UH, Herlofsson BB, Ellingsen JE. In vivo accuracy of implant placement using a full digital planning modality and stereolithographic guides. Int J Oral Maxillofac Implants 2019;34(1):124-32. Abstract

103. Serichetaphongse P, Chengprapakorn W, Thongmeearkom S, Pimkhaokham A. Immunohistochemical assessment of the peri-implant soft

tissue around different abutment materials: A human study. Clin Implant Dent Relat Res 2020;22(5):638-46. Abstract

104. Norton MR. Resonance frequency analysis: Agreement and correlation of implant stability quotients between three commercially available instruments. Int J Oral Maxillofac Implants 2018;E-pub Oct 3, doi: 10.11607/jomi.6964. Abstract

105. Levin BP, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and Dermis Allograft: A case series of 15 consecutive patients. Int J Periodontics Restorative Dent 2018;38(5):719-27. Abstract

106. Levin BP. The correlation between immediate implant insertion torque and implant stability quotient. Int J Periodontics Restorative Dent 2016;36(6):833-40. Abstract

107. Janyaphadungpong R, Serichetaphongse P, Pimkhaokham A. A clinical resonance frequency analysis of Implants placed at dehiscence-type defects with simultaneous guided bone regeneration during early healing. Int J Oral Maxillofac Implants 2019;34(3):772-77. Abstract

108. Cortellini S, Castro AB, Temmerman A, et al. Leucocyte- and platelet-rich fibrin block for bone augmentation procedure: A proof-of-concept study. J Clin Periodontol 2018;45(5):624-34. Abstract

109. Benic GI, Eisner BM, Jung RE, et al. Hard tissue changes after guided bone regeneration of peri-implant defects comparing block versus particulate bone substitutes: 6-month results of a randomized controlled clinical trial. Clin Oral Implants Res 2019;30(10):1016-26. Abstract

110. Tak On Tse R. Facial analysis for the digital planning of a full-mouth implant rehabilitation. Compend Contin Educ Dent 2021;42(3):128-32. Abstract

111. Sayed ME. An innovative application of pre-medicated collagen sponges with regenerative biomaterials for management of an infected extraction socket: A case report. Niger J Clin Pract 2023;26(2):246-49. Abstract

112. Llansana F, Guirao S, Kois JC, Revilla-Leon M. Calibrated splinting framework for complete arch intraoral implant digital scans manufactured by combining milled and additively manufacturing technologies: A dental technique. J Prosthet Dent 2022;E-pub Dec 17, doi: 10.1016/j.prosdent.2022.08.031. Abstract

113. Fien M, Puterman I, Mesquida J, et al. Guided Bone Regeneration: Novel Use of Fixation Screws as an Alternative to Using the Buccoapical Periosteum for Membrane Stabilization With Sutures-Two Case Reports. Compendium of Continuing Education in Dentistry 2024;45(2):87-92. Abstract

114. Aslan S, Aslan SE. The performance of hydroxyapatite-sugar cross linked collagen matrix during immediate single-tooth implant placement in the aesthetic zone. Int J Dental Biometerials Research 2022;1:41-47.

115. Galindo-Moreno P, Martin-Morales N, Olaechea A, et al. Physico-chemical and biological characterization of a new bovine bone mineral matrix available for human usage. Clin Implant Dent Relat Res 2023;25(2):370-80. Abstract

116. Seth C, Bawa A, Gotfredsen K. Digital versus conventional prosthetic workflow for dental students providing implant-supported single crowns: A randomized crossover study. J Prosthet Dent 2024;131(3):450-56. Abstract

117. Bonifacius S, Rikmasari R, Dirgantara T, et al. A Biomechanical Finite Element Analysis of All-on-Four Concept using Short Implants in Maxilla. J Int Dent Med Res 2024;17(1):93-98.

118. Rodriguez JJ, Gertler A, Bender J, et al. Catastrophic implant failure after immediate loading of full arch implant prosthesis and its association with CPAP therapy: A case report. J Prosthodont 2023;32(9):759-65. Abstract

119. Neiva R, Eliezer M. Correction of a buccal ridge deficiency at a second stage implant surgery using a sugar cross-linked collagen scaffold (#428). 2019;Abstract at Osteology 2019,.

120. Johansson H, Hellqvist J, Johansson S. Credibility of an up-dated implant system: Implant abutment leakage testing (P340). Clin Oral Implants Res 2013;24((Supplement 9)):166-67. Abstract

121. Degidi M, Daprile G. Primary stability evaluation of a novel tapered implant inserted in low-density bone sites: An in vitro study. Int J Oral Maxillofac Implants 2023;38(2):334-37. Abstract

122. Starch-Jensen T, Bruun NH, Spin-Neto R. Outcomes following osteotome-mediated sinus floor elevation with Bio-Oss Collagen or no grafting material: A one-year single-blind randomized controlled trial. Int J Oral Maxillofac Surg 2023;52(9):988-97. Abstract

123. Norton MR. Biologic and mechanical stability of screw-retained layered zirconia crowns bonded to CAD/CAM titanium abutments using angulated screw access: A prospective closed cohort study. Int J Oral Maxillofac Implants 2023;38(1):37-45. Abstract

124. Nielsen HB, Schou S, Bruun NH, Starch-Jensen T. Professional and patient-reported outcomes of two surgical approaches for implant-supported single-crown restoration: 1-year results of a randomized controlled clinical trial. Clin Oral Implants Res 2022;33(2):197-208. Abstract

125. Fernandes D, Nunes S, Lopez-Castro G, et al. Effect of customized healing abutments on the peri-implant linear and volumetric tissue changes at maxillary immediate implant sites: A 1-year prospective randomized clinical trial. Clin Implant Dent Relat Res 2021;23(5):745-57. Abstract

126. Fernandes D, Marques T, Borges T, Montero J. Volumetric analysis on the use of customized healing abutments with or without connective tissue graft at flapless maxillary immediate implant placement: A randomized clinical trial. Clin Oral Implants Res 2023;34(9):934-46. Abstract

127. Del Castillo R, Gutierrez-Garrido L, Padial-Molina M, Galindo-Moreno P. Screw-retained internal connection zirconia CAD-CAM abutments in single implant reconstructions: Results of a 1-year prospective case series study. J Prosthodont 2023;E-pub Mar 7, doi: 10.1111/jopr.13674. Abstract

128. Degidi M, Nardi D, Sighinolfi G, et al. The conometric concept: Definitive rehabilitation of a single posterior implant using a friction retention abutment. A 1-year follow-up report. Int J Prosthodont 2023;36(1):104-12. Abstract

129. Donker VJJ, Raghoebar GM, Jensen-Louwerse C, et al. Monolithic zirconia single tooth implant-supported restorations with CAD/CAM titanium abutments in the posterior region: A 1-year prospective case series study. Clin Implant Dent Relat Res 2022;24(1):125-32. Abstract

130. Siegenthaler M, Strauss FJ, Gamper F, et al. Anterior implant restorations with a convex emergence profile increase the frequency of recession: 12-month results of a randomized controlled clinical trial. J Clin Periodontol 2022;49(11):1145-57. Abstract

131. Younes F, Cosyn J, De Bruyckere T, et al. A 2-year prospective case series on volumetric changes, PROMs, and clinical outcomes following sinus floor elevation using deproteinized bovine bone mineral as filling material. Clin Implant Dent Relat Res 2019;21(2):301-09. Abstract

132. Toia M, Galli S, Cecchinato D, et al. Clinical evidence of osseospeed EV implants: A retrospective study and characterization of the newly introduced system. Int J Periodontics Restorative Dent 2019;39(6):863-74. Abstract

133. Stanford CM, Barwacz C, Raes S, et al. Multicenter clinical randomized controlled trial evaluation of an implant system designed for enhanced primary stability. Int J Oral Maxillofac Implants 2016;31(4):906-15. Abstract

134. Toia M, Stocchero M, Galli S, et al. The use of implant-level connection in screw-retained fixed partial dentures: A 3-year randomised clinical trial. Clin Oral Implants Res 2022;33(1):78-93. Abstract

135. Nielsen HB, Schou S, Bruun NH, Starch-Jensen T. Single-crown restorations supported by short implants (6 mm) compared with standard-length implants (13 mm) in conjunction with maxillary sinus floor augmentation: A randomized, controlled clinical trial. Int J Implant Dent 2021;7(1):66. Abstract

136. Durand R, Kersheh I, Marcotte S, et al. Do postoperative antibiotics influence one-year peri-implant crestal bone remodelling and morbidity? A double-blinded randomized clinical trial. Clin Oral Implants Res 2021;32(11):1318-27. Abstract

137. Borges T, Fernandes D, Almeida B, et al. Correlation between alveolar bone morphology and volumetric dimensional changes in immediate maxillary implant placement: A 1-year prospective cohort study. J Periodontol 2020;91(9):1167-76. Abstract

138. Barbier L, Pottel L, De Ceulaer J, et al. Evaluation of quality of life after mandibular reconstruction using a novel fixed implant-supported dental prosthesis concept: A pilot study. Int J Prosthodont 2019;32(2):162-73. Abstract

139. Toia M, Wennerberg A, Torrisi P, et al. Patient satisfaction and clinical outcomes in implant-supported overdentures retained by milled bars: Two-year follow-up. J Oral Rehabil 2019;46(7):624-33. Abstract

140. Toia M, Stocchero M, Becktor JP, et al. Implant vs abutment level connection in implant supported screw-retained fixed partial dentures with cobalt-chrome framework: 1-year interim results of a randomized clinical study. Clin Implant Dent Relat Res 2019;21(2):238-46. Abstract

141. Borges T, Leitao B, Pereira M, et al. Influence of the abutment height and connection timing in early peri-implant marginal bone changes: A prospective randomized clinical trial. Clin Oral Implants Res 2018;29(9):907-14. Abstract

142. Patel J, Antov H, Nixon P. Implant-supported oral rehabilitation in oncology patients: A retrospective cohort study. Br J Oral Maxillofac Surg 2020;58(8):1003-07. Abstract

143. Noelken R, Pausch T, Wagner W, Al-Nawas B. Peri-implant defect grafting with autogenous bone or bone graft material in immediate implant placement in molar extraction sites-1- to 3-year results of a prospective randomized study. Clin Oral Implants Res 2020;31(11):1138-48. Abstract

144. Borges T, Montero J, Leitao B, et al. Periimplant bone changes in different abutment heights and insertion timing in posterior mandibular areas: Three-year results from a randomized prospective clinical trial. Clin Oral Implants Res 2021;32(2):203-11. Abstract

145. Su YH, Peng BY, Wang PD, Feng SW. Evaluation of the implant stability and the marginal bone level changes during the first three months of dental implant healing process: A prospective clinical study. J Mech Behav Biomed Mater 2020;110:103899. Abstract

146. Tu CC, Wang SH, Hu CY, et al. Comparison of regular- and slope-configured dental implants placed in the edentulous ridge with height discrepancy: A pilot randomized controlled trial. J Formos Med Assoc 2021;120(6):1386-93. Abstract

147. Levin BP, Saito H, Reynolds MA, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and dermis allograft. Part II: A comparative retrospective case series using a subcrestal angle correction implant Design. Int J Periodontics Restorative Dent 2020;40(4):539-47. Abstract

148. Norton MR. The influence of low insertion torque on primary stability, implant survival, and maintenance of marginal bone levels: A closed-cohort prospective study. Int J Oral Maxillofac Implants 2017;32(4):849-57. Abstract

149. Arbelaez-Bonozo L, Maza-Solano S, Baus-Domínguez M, et al. Quantification and Influence by IL-1β of the Pain and Inflammatory Response after

Placement of a Cement-Screw Retained Restoration. J Clin Med 2024;13(6). Abstract

150. Maza-Solano S, Baus-Domínguez M, Romero-Ruíz M-M, et al. Prospective observational cohort study of the change of the marginal bone crest in relation to the prosthetic abutment height and the peri-implant vertical mucosal thickness at implants positioned subcrestally. Clinical Implant Dentistry and Related Research 2024;E pub 9 May, doi:10.1111/cid.13347. Abstract

151. Pietruska M, Pietruski J. Advancement of Marginal Bone and Soft Tissue Aesthetics for Slope-Configured Implants. Coatings 2022;12(9):1295. Abstract

152. Sokolowski A, Sokolowski A, Schwarze U, et al. Phycogenic bone substitutes for sinus floor augmentation: Histomorphometric comparison of hydroxyapatite and biphasic calcium phosphate in a randomised clinical pilot study. International journal of oral implantology (Berlin, Germany) 2020;13(4):387-99. Abstract

153. Starch-Jensen T, Bruun NH, Spin-Neto R. Endo-sinus bone gain following osteotome-mediated sinus floor elevation with Bio-Oss Collagen compared with no grafting material: a one-year single-blind randomized controlled trial. Int J Oral Maxillofac Surg 2023;52(11):1205-15. Abstract

154. Xie R, Liu Y, Wei H, et al. Clinical evaluation of autonomous robotic-assisted full-arch implant surgery: A 1-year prospective clinical study. Clin Oral Implants Res 2024;35(4):443-53. Abstract

155. Starch-Jensen T, Bruun NH, Spin-Neto R. Endo-sinus bone gain following sinus membrane elevation without graft compared with sinus floor augmentation and a composite graft: a one-year single-blind randomized controlled trial. International Journal of Oral and Maxillofacial Surgery 2024;53(4):319-32. Abstract

156. Starch-Jensen T, Ahmad M, Bruun NH, Becktor JP. Maxillary sinus floor augmentation with autogenous bone graft compared with composite grafts: A one-year single-blinded randomized controlled trial. Clin Oral Implants Res 2024;35(6):652-67. Abstract

157. Toia M, Parpaiola A, Stevanello N, et al. Clinical outcomes of implant- versus abutment-level connection in screw-retained fixed dental prostheses: A 5-year randomized controlled trial. Clin Oral Implants Res 2024;35(2):230-41. Abstract

158. Sokolowski A, Theisen K, Arefnia B, et al. A randomized clinical trial of phycogenic materials for sinus grafting with hydroxyapatite versus biphasic calcium phosphate: 2 years clinical outcomes. Clin Oral Implants Res 2024;35(2):155-66. Abstract

159. Zuercher AN, Strauss FJ, Paque PN, et al. Randomized controlled pilot study comparing small buccal defects around dental implants treated with a subepithelial connective tissue graft or with guided bone regeneration. Clin Oral Implants Res 2023;34(10):1094-105. Abstract

160. Esteve-Pardo G, Esteve-Colomina L. Clinical and Radiographic Evaluation of OsseoSpeed EV Implants. Int J Oral Maxillofac Implants 2023;38(5):963-75. Abstract

161. Starch-Jensen T, Bruun NH, Spin-Neto R. Maxillary sinus membrane elevation and coagulum compared with maxillary sinus floor augmentation and a composite graft: A 1-year single-blinded randomized controlled trial. Clin Implant Dent Relat Res 2023;25(6):1056-68. Abstract

162. Lorenz J, Schröder R, Al-Maawi S, et al. Einfluss des Augmentationsmaterials bei „Socket Preservation“ auf den klinischen Implantaterfolg Ergebnisse einer prospektiven randomisierten Studie mit zweijährigem Nachbeobachtungszeitraum. Implantologie 2021;29(4):1-15.

Xive

1. Abdulghani AS, Elhag SB. Shortened dental arch as a solution for maxillary sinus proximity in dental implant restoration. Clin Case Rep 2017;5(6):782-86. Abstract

2. Abu Karaky A. Influence of flap type on early outcomes of dental implants. J Med J 2018;52(4):195-202. Abstract

3. Acil Y, Sievers J, Gulses A, et al. Correlation between resonance frequency, insertion torque and bone-implant contact in self-cutting threaded implants. Odontology 2017;105(3):347-53. Abstract

4. Afazal M, Afreen S, Chanda A. Computational modelling and analysis of hard tissue behavior around 0.5 mm and 0.85 mm platform switched abutment using 3D finite element analysis. Forces in Mechanics 2023;13:100243. Abstract

5. Afazal M, Gupta S, Tevatia A, et al. Computational investigation of dental implant restoration using platform-switched and -matched configurations. Computation 2023;11(79):15. Abstract

6. Ahuja V, Shrivastava S, Shukla A. Immediate dental implant in hypertensive patient. Guident 2018;11(7):10-12.

7. Al Saleh F, AbuZayeda M, Kiat-Amnuay S, Milosevic A. Survey of dental implant and restoration selection by prosthodontists in Dubai. Int J Dent 2021;2021:8815775. Abstract

8. Albaqawi AH. "All-on-4" and "All-on-6" treatment concept applied using computer-guided surgery in a patient: Case report with a 2-year follow-up. Clin Case Rep 2023;11(3):e7101. Abstract

9. Alhammadi SH, Burnside G, Milosevic A. Clinical outcomes of single implant supported crowns versus 3-unit implant-supported fixed dental prostheses in Dubai Health Authority: A retrospective study. BMC Oral Health 2021;21(1):171. Abstract

10. Alqutaibi AY. CAD-CAM surgically-guided oral implant site expansion and implant placement in severely atrophic maxilla. J Taibah Univ Med Sci 2020;15(2):153-59. Abstract

11. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: A clinical report. J Oral Implantol 2010;36(3):209-17. Abstract

12. Antalainen AK, Helminen M, Forss H, et al. Assessment of removed dental implants in Finland from 1994 to 2012. Int J Oral Maxillofac Implants 2013;28(6):1612-8. Abstract

13. Arat Bilhan S, Geckili O, Cilingir A, et al. Evaluation of two interforaminal implants and implant-assisted removable dentures on stress distribution: An in vitro study. J Korean Assoc Oral Maxillofac Surg 2019;45(4):199-206. Abstract

14. Arisan V, Bolukbasi N, Ersanli S, Ozdemir T. Evaluation of 316 narrow diameter implants followed for 5-10 years: A clinical and radiographic retrospective study. Clin Oral Implants Res 2010;21(3):296-307. Abstract

15. Arisan V, Bolukbasi N, Oksuz L. Computer-assisted flapless implant placement reduces the incidence of surgery-related bacteremia. Clin Oral Investig 2013;17(9):1985-93. Abstract

16. Arisan V, Karabuda CZ, Mumcu E, Ozdemir T. Implant positioning errors in freehand and computer-aided placement methods: A single-blind clinical comparative study. Int J Oral Maxillofac Implants 2013;28(1):190-204. Abstract

17. Arisan V, Karabuda CZ, Ozdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: Surgical and post-operative outcomes of computer-aided vs. standard techniques. Clin Oral Implants Res 2010;21(9):980-8. Abstract

18. Arisan V, Karabuda ZC, Ozdemir T. Accuracy of two stereolithographic guide systems for computer-aided implant placement: A computed tomography-based clinical comparative study. J Periodontol 2010;81(1):43-51. Abstract

19. Arnetzl GV, Payer M, Falkensammer F, Arnetzl G. Effect of double conical abutment screw on implant preload. Clin Oral Implants Res 2016;27(5):553-7. Abstract

20. Arshad M, Shirani G, Mahgoli HA, Vaziri N. Rehabilitation of a patient with amelogenesis imperfecta and severe open bite: A multidisciplinary approach. Clin Case Rep 2019;7(2):275-83. Abstract

21. Arvidsson A, Sater BA, Wennerberg A. The role of functional parameters for topographical characterization of bone-anchored implants. Clin Implant Dent Relat Res 2006;8(2):70-6. Abstract

22. Atieh MA, Almutairi Z, Amir-Rad F, et al. A retrospective analysis of biological complications of dental implants. Int J Dent 2022;2022:1545748. Abstract

23. Attia S, Narberhaus C, Schaaf H, et al. Long-term influence of platelet-rich plasma (PRP) on dental implants after maxillary augmentation: Retrospective clinical and radiological outcomes of a randomized controlled clinical trial. J Clin Med 2020;9(2):355. Abstract

24. Attia S, Schaaf H, El Khassawna T, et al. Oral rehabilitation of hypodontia patients using an endosseous dental implant: Functional and aesthetic results. J Clin Med 2019;8(10). Abstract

25. Attia S, Schaper E, Schaaf H, et al. Evaluation of implant success in patients with dental aplasia. Biomed Res Int 2019;2019:1680158. Abstract

26. Attia S, Wiltfang J, Streckbein P, et al. Functional and aesthetic treatment outcomes after immediate jaw reconstruction using a fibula flap and dental implants. J Craniomaxillofac Surg 2019;47(5):786-91. Abstract

27. Ausiello P, Tribst JPM, Ventre M, et al. The role of cortical zone level and prosthetic platform angle in dental implant mechanical response: A 3D finite element analysis. Dent Mater 2021;37(11):1688-97. Abstract

28. Ayubian Markazi N, Akhondi N, Montazeri M. Long-term results of immediate implantation in the maxillary molar area with simultaneous sinus floor elevation by the crestal approach and early loading protocol: A retrospective case series follow-up study. J Adv Periodontol Implant Dent 2018;10(2):68-76. Abstract

29. Baggi L, Di Girolamo M, Mirisola C, Calcaterra R. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. Implant Dent 2013;22(4):344-50. Abstract

30. Baqain ZH, Moqbel WY, Sawair FA. Early dental implant failure: Risk factors. Br J Oral Maxillofac Surg 2012;50(3):239-43. Abstract

31. Barclay C, Foster-Thomas E. Peri-implantitis: An unusual presentation. Dental Update 2020;47(February):115-20.

32. Bataineh AB, Al-Dakes AM. The influence of length of implant on primary stability: An in vitro study using resonance frequency analysis. J Clin Exp Dent 2017;9(1):e1-e6. Abstract

33. Bateli M, Woerner W, Att W. Tilted implants to support a maxillary removable dental prosthesis: A case report. Quintessence Int 2012;43(3):191-5. Abstract

34. Baumer A, Toekan S, Saure D, Korner G. Survival and success of implants in a private periodontal practice: A 10 year retrospective study. BMC Oral Health 2020;20(1):92. Abstract

35. Baumgarten S. Sinus grafting with mineralized allograft and staged implant placement. Quintessence Int 2010;41(3):197-202. Abstract

36. Bhandari S, Aggarwal N, Bakshi S. Ultrasonic oscillations for conservative retrieval of a rare fracture of implant healing abutment. J Oral Implantol 2013;39(4):475-8. Abstract

37. Bilhan H, Mumcu E, Geckili O, Atalay B. The evaluation of the success of immediately placed single implants: A retrospective clinical study. Implant Dent 2011;20(3):215-25. Abstract

38. Blume O, Donkiewicz P, Palkovics D, et al. Volumetric changes of a customized allogeneic bone block measured by two image matching tools: Introduction of a novel assessment technique for graft resorption. Acta Stomatol Croat 2021;55(4):406-17. Abstract

39. Blume O, Schnodt EM, Back M, et al. Long-term efficacy of variable-thread tapered implants-A retrospective, clinical and radiological evaluation. Medicina (Kaunas) 2020;56(11). Abstract

40. Bountaniotis F, Tzerbos F, Tosios K, Melakopoulos I. Reactive fibrous hyperplasia of peri-implant mucosa. J Oral Implantol 2017;43(5):378-79. Abstract

41. Brandtner C, Borumandi F, Krenkel C, Gaggl A. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. Int J Oral Maxillofac Implants 2014;29(5):1164-9. Abstract

42. Burtscher D, Norer B, Dalla Torre D, et al. A 7-year prospective radiographic evaluation of marginal bone level around two different implant systems: A randomized clinical trial. Clin Oral Implants Res 2015;26(11):1244-9. Abstract

43. Cano J, Campo J, Ewers R. Expansion of the alveolar bone crest in two stages: Two clinical cases. Oral Surgery 2011;4(1):30-34. Abstract

44. Canullo L, Penarrocha-Oltra D, Covani U, et al. Clinical and microbiological findings in patients with peri-implantitis: A cross-sectional study. Clin Oral Implants Res 2016;27(3):376-82. Abstract

45. Cha JK, Kim C, Pae HC, et al. Maxillary sinus augmentation using biphasic calcium phosphate: Dimensional stability results after 3-6 years. J Periodontal Implant Sci 2019;49(1):47-57. Abstract

46. Chang H-S, Hsieh Y-D, Hsu M-L. Long-term survival rate of implant-supported overdentures with various attachment systems: A 20-year retrospective study. Journal of Dental Sciences 2015;10(1):55-60. Abstract

47. Chee Y. Vertical ridge augmentation with mandibular ramus block bone for implant surgery. The Korean Academy of Oral and Maxillofacial Implantology 2021;25(1):22-36. Abstract

48. Chen L, Cha J. An 8-year retrospective study: 1,100 patients receiving 1,557 implants using the minimally invasive hydraulic sinus condensing technique. J Periodontol 2005;76(3):482-91. Abstract

49. Chesterman J, Durey K, Chan M. Use of xenograft bone block for staged ridge augmentation prior to dental implant placement in trauma patients. Faculty Dental Journal 2020;11(3):96-101. Abstract

50. Chiapasco M, Colletti G, Coggiola A, et al. Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: Preliminary results of a prospective study. Int J Oral Maxillofac Implants 2015;30(2):450-60. Abstract

51. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Factors influencing early dental implant failures. J Dent Res 2016;95(9):995-1002. Abstract

52. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Impact of different surgeons on dental implant failure. Int J Prosthodont 2017;30(5):445-54. Abstract

53. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Is the intake of selective serotonin reuptake inhibitors associated with an increased risk of dental implant failure? Int J Oral Maxillofac Surg 2017;46(6):782-88. Abstract

54. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Factors influencing the fracture of dental implants. Clin Implant Dent Relat Res 2018;20(1):58-67. Abstract

55. Chrcanovic BR, Kisch J, Larsson C. Retrospective clinical evaluation of implant-supported single crowns: Mean follow-up of 15 years. Clin Oral Implants Res 2019;30(7):691-701. Abstract

56. Cicciu M, Beretta M, Risitano G, Maiorana C. Cemented-retained vs screw-retained implant restorations: An investigation on 1939 dental implants. Minerva Stomatol 2008;57(4):167-79. Abstract

57. Conserva E, Lanuti A, Menini M. Cell behavior related to implant surfaces with different microstructure and chemical composition: An in vitro analysis. Int J Oral Maxillofac Implants 2010;25(6):1099-107. Abstract

58. Corsalini M, Di Venere D, Stefanachi G, et al. Maxillary overdenture retained with an implant support CAD-CAM bar: A 4 years follow up case. Open Dent J 2017;11:247-56. Abstract

59. Cortes AR, Cortes DN. Nontraumatic bone expansion for immediate dental implant placement: An analysis of 21 cases. Implant Dent 2010;19(2):92-7. Abstract

60. Cortes AR, Cortes DN, Arita ES. Correction of buccal dehiscence at the time of implant placement without barrier membranes: A retrospective cone beam computed tomographic study. Int J Oral Maxillofac Implants 2013;28(6):1564-9. Abstract

61. Cortes AR, Cortes DN, No-Cortes J, Arita ES. Transition from failing dentition to full-arch fixed implant-supported prosthesis with a staged approach using removable partial dentures: A case series. J Prosthodont 2014;23(4):328-32. Abstract

62. Cortes AR, Pinheiro LR, Cavalcanti MG, et al. Sinus floor bone failures in maxillary sinus floor augmentation: A case-control study. Clin Implant Dent Relat Res 2015;17(2):335-42. Abstract

63. Cortes AR, Pinheiro LR, Umetsubo OS, et al. Assessment of implant-related treatment with edited three-dimensional reconstructed images from cone-beam computerized tomography: A technical note. J Oral Implantol 2014;40(6):729-32. Abstract

64. Cosyn J, Vandenbulcke E, Browaeys H, et al. Factors associated with failure of surface-modified implants up to four years of function. Clin Implant Dent Relat Res 2012;14(3):347-58. Abstract

65. Creton M, Cune M, Verhoeven W, et al. Implant treatment in patients with severe hypodontia: A retrospective evaluation. J Oral Maxillofac Surg 2010;68(3):530-8. Abstract

66. D'Albis G, D'Albis V, Susca B, et al. Implant-supported zirconia fixed partial dentures cantilevered in the lateral-posterior area: A 4-year clinical results. J Dent Res Dent Clin Dent Prospects 2022;16(4):258-63. Abstract

67. Dai Y, Han XH, Hu LH, et al. Efficacy of concentrated growth factors combined with mineralized collagen on quality of life and bone reconstruction of guided bone regeneration. Regen Biomater 2020;7(3):313-20. Abstract

68. Dai Y, Xu J, Han XH, et al. Clinical efficacy of mineralized collagen (MC) versus anorganic bovine bone (Bio-Oss) for immediate implant placement in esthetic area: A single-center retrospective study. BMC Oral Health 2021;21(1):390. Abstract

69. de Barros RR, Novaes AB, Jr., Korn P, et al. Bone formation in a local defect around dental implants coated with extracellular matrix components. Clin Implant Dent Relat Res 2015;17(4):742-57. Abstract

70. de Oliveira RR, Novaes AB, Jr., Taba M, Jr., et al. The effect of bone condensation and crestal preparation on the bone response to implants designed for immediate loading: A histomorphometric study in dogs. Int J Oral Maxillofac Implants 2007;22(1):63-71. Abstract

71. De Stavola L, Fincato A, Albiero AM. A computer-guided bone block harvesting procedure: A proof-of-principle case report and technical notes. Int J Oral Maxillofac Implants 2015;30(6):1409-13. Abstract

72. De Stavola L, Tunkel J. A new approach to maintenance of regenerated autogenous bone volume: Delayed relining with xenograft and resorbable membrane. Int J Oral Maxillofac Implants 2013;28(4):1062-7. Abstract

73. De Stavola L, Tunkel J. Results of vertical bone augmentation with autogenous bone block grafts and the tunnel technique: A clinical prospective study of 10 consecutively treated patients. Int J Periodontics Restorative Dent 2013;33(5):651-9. Abstract

74. Degidi M, Artese L, Franceschini N, et al. Matrix metalloproteinases 2, 3, 8, 9, and 13 in the peri-implant soft tissues around titanium and zirconium oxide healing caps. Int J Oral Maxillofac Implants 2013;28(6):1546-51. Abstract

75. Degidi M, Artese L, Piattelli A, et al. Histological and immunohistochemical evaluation of the peri-implant soft tissues around machined and acid-etched titanium healing abutments: A prospective randomised study. Clin Oral Investig 2012;16(3):857-66. Abstract

76. Degidi M, Artese L, Rubini C, et al. Microvessel density in sinus augmentation procedures using anorganic bovine bone and autologous bone: 3 months results. Implant Dent 2007;16(3):317-25. Abstract

77. Degidi M, Artese L, Scarano A, et al. Inflammatory infiltrate, microvessel density, nitric oxide synthase expression, vascular endothelial growth factor expression, and proliferative activity in peri-implant soft tissues around titanium and zirconium oxide healing caps. J Periodontol 2006;77(1):73-80. Abstract

78. Degidi M, Daprile G, Piattelli A. RFA values of implants placed in sinus grafted and nongrafted sites after 6 and 12 months. Clin Implant Dent Relat Res 2009;11(3):178-82. Abstract

79. Degidi M, Daprile G, Piattelli A. Determination of primary stability: A comparison of the surgeon's perception and objective measurements. Int J Oral Maxillofac Implants 2010;25(3):558-61. Abstract

80. Degidi M, Daprile G, Piattelli A. Implants inserted with low insertion torque values for intraoral welded full-arch prosthesis: 1-year follow-up. Clin Implant Dent Relat Res 2012;14 Suppl 1(Supplement 1):e39-45. Abstract

81. Degidi M, Daprile G, Piattelli A. Primary stability determination by means of insertion torque and RFA in a sample of 4,135 implants. Clin Implant Dent Relat Res 2012;14(4):501-7. Abstract

82. Degidi M, Daprile G, Piattelli A. Primary stability determination of implants inserted in sinus augmented sites: 1-step versus 2-step procedure. Implant Dent 2013;22(5):530-3. Abstract

83. Degidi M, Daprile G, Piattelli A. Influence of underpreparation on primary stability of implants inserted in poor quality bone sites: An in vitro study. J Oral Maxillofac Surg 2015;73(6):1084-8. Abstract

84. Degidi M, Daprile G, Piattelli A, Carinci F. Evaluation of factors influencing resonance frequency analysis values, at insertion surgery, of implants placed in sinus-augmented and nongrafted sites. Clin Implant Dent Relat Res 2007;9(3):144-9. Abstract

85. Degidi M, Daprile G, Piattelli A, Iezzi G. Development of a new implant primary stability parameter: Insertion torque revisited. Clin Implant Dent Relat Res 2013;15(5):637-44. Abstract

86. Degidi M, Gehrke P, Spanel A, Piattelli A. Syncrystallization: A technique for temporization of immediately loaded implants with metal-reinforced acrylic resin restorations. Clin Implant Dent Relat Res 2006;8(3):123-34. Abstract

87. Degidi M, Iezzi G, Scarano A, Piattelli A. Immediately loaded titanium implant with a tissue-stabilizing/maintaining design ('beyond platform switch') retrieved from man after 4 weeks: A histological and histomorphometrical evaluation. A case report. Clin Oral Implants Res 2008;19(3):276-82. Abstract

88. Degidi M, Nardi D, Piattelli A. Peri-implant tissue and radiographic bone levels in the immediately restored single-tooth implant: A retrospective analysis. J Periodontol 2008;79(2):252-9. Abstract

89. Degidi M, Nardi D, Piattelli A. Immediate loading of the edentulous maxilla with a final restoration supported by an intraoral welded titanium bar: A case series of 20 consecutive cases. J Periodontol 2008;79(11):2207-13. Abstract

90. Degidi M, Nardi D, Piattelli A. Immediate rehabilitation of the edentulous mandible with a definitive prosthesis supported by an intraorally welded titanium bar. Int J Oral Maxillofac Implants 2009;24(2):342-7. Abstract

91. Degidi M, Nardi D, Piattelli A. Immediate versus one-stage restoration of small-diameter implants for a single missing maxillary lateral incisor: A 3-year randomized clinical trial. J Periodontol 2009;80(9):1393-8. Abstract

92. Degidi M, Nardi D, Piattelli A. Immediate restoration of small-diameter implants in cases of partial posterior edentulism: A 4-year case series. J Periodontol 2009;80(6):1006-12. Abstract

93. Degidi M, Nardi D, Piattelli A. Immediate loading of the edentulous maxilla with a definitive restoration supported by an intraorally welded titanium bar and tilted implants. Int J Oral Maxillofac Implants 2010;25(6):1175-82. Abstract

94. Degidi M, Nardi D, Piattelli A. Immediate definitive rehabilitation of the edentulous patient using an intraorally welded titanium framework: A 3-year prospective study. Quintessence Int 2010;41(8):651-59. Abstract

95. Degidi M, Nardi D, Piattelli A. A comparison between immediate loading and immediate restoration in cases of partial posterior mandibular edentulism: A 3-year randomized clinical trial. Clin Oral Implants Res 2010;21(7):682-7. Abstract

96. Degidi M, Nardi D, Piattelli A. Prospective five-year follow-up of immediate definitive rehabilitation of the edentulous patient using an intraoral welded titanium framwork. Z Zahnärztl Impl 2012;28(4):326-37.

97. Degidi M, Nardi D, Piattelli A. A six-year follow-up of full-arch immediate restorations fabricated with an intraoral welding technique. Implant Dent 2013;22(3):224-31. Abstract

98. Degidi M, Nardi D, Piattelli A. 10-year prospective cohort follow-up of immediately restored XiVE implants. Clin Oral Implants Res 2016;27(6):694-700. Abstract

99. Degidi M, Nardi D, Piattelli A, Malevez C. Immediate loading of zygomatic implants using the intraoral welding technique: A 12-month case series. Int J Periodontics Restorative Dent 2012;32(5):e154-61. Abstract

100. Degidi M, Nardi D, Sighinolfi G, et al. The conometric concept: Definitive rehabilitation of a single posterior implant using a friction retention abutment. A 1-year follow-up report. Int J Prosthodont 2023;36(1):104-12. Abstract

101. Degidi M, Nardi D, Sighinolfi G, et al. In vitro infrared thermography assessment of temperature peaks during the intra-oral welding of titatium abutments. Infrared Phys Technol 2012;55:279-83.

102. Degidi M, Novaes AB, Jr., Nardi D, Piattelli A. Outcome analysis of immediately placed, immediately restored implants in the esthetic area: The clinical relevance of different interimplant distances. J Periodontol 2008;79(6):1056-61. Abstract

103. Degidi M, Perrotti V, Piattelli A, Iezzi G. Mineralized bone-implant contact and implant stability quotient in 16 human implants retrieved after early healing periods: A histologic and histomorphometric evaluation. Int J Oral Maxillofac Implants 2010;25(1):45-8. Abstract

104. Degidi M, Perrotti V, Strocchi R, et al. Is insertion torque correlated to bone-implant contact percentage in the early healing period? A histological and histomorphometrical evaluation of 17 human-retrieved dental implants. Clin Oral Implants Res 2009;20(8):778-81. Abstract

105. Degidi M, Petrone G, Lezzi G, Piattelli A. Histologic evaluation of 2 human immediately loaded and 1 titanium implants inserted in the posterior mandible and submerged retrieved after 6 months. J Oral Implantol 2003;29(5):223-9. Abstract

106. Degidi M, Piattelli A. Comparative analysis study of 702 dental implants subjected to immediate functional loading and immediate nonfunctional loading to traditional healing periods with a follow-up of up to 24 months. Int J Oral Maxillofac Implants 2005;20(1):99-107. Abstract

107. Degidi M, Piattelli A, Carinci F. Parallel screw cylinder implants: Comparative analysis between immediate loading and two-stage healing of 1,005 dental implants with a 2-year follow up. Clin Implant Dent Relat Res 2006;8(3):151-60. Abstract

108. Degidi M, Piattelli A, Carinci F. Immediate loaded dental implants: Comparison between fixtures inserted in postextractive and healed bone sites. J Craniofac Surg 2007;18(4):965-71. Abstract

109. Degidi M, Piattelli A, Carinci F. Clinical outcome of narrow diameter implants: A retrospective study of 510 implants. J Periodontol 2008;79(1):49-54. Abstract

110. Degidi M, Piattelli A, Felice P, Carinci F. Immediate functional loading of edentulous maxilla: A 5-year retrospective study of 388 titanium implants. J Periodontol 2005;76(6):1016-24. Abstract

111. Degidi M, Piattelli A, Gehrke P, Carinci F. Clinical outcome of 802 immediately loaded 2-stage submerged implants with a new grit-blasted and acid-etched surface: 12-month follow-up. Int J Oral Maxillofac Implants 2006;21(5):763-8. Abstract

112. Degidi M, Piattelli A, Gehrke P, et al. Five-year outcome of 111 immediate nonfunctional single restorations. J Oral Implantol 2006;32(6):277-85. Abstract

113. Degidi M, Piattelli A, Iezzi G, Carinci F. Wide-diameter implants: Analysis of clinical outcome of 304 fixtures. J Periodontol 2007;78(1):52-8. Abstract

114. Degidi M, Piattelli A, Iezzi G, Carinci F. Do longer implants improve clinical outcome in immediate loading? Int J Oral Maxillofac Surg 2007;36(12):1172-6. Abstract

115. Degidi M, Piattelli A, Iezzi G, Carinci F. Immediately loaded short implants: Analysis of a case series of 133 implants. Quintessence Int 2007;38(3):193-201. Abstract

116. Degidi M, Piattelli A, Iezzi G, Carinci F. Retrospective study of 200 immediately loaded implants retaining 50 mandibular overdentures. Quintessence Int 2007;38(4):281-8. Abstract

117. Degidi M, Piattelli A, Shibli JA, et al. Early bone formation around immediately restored implants with and without occlusal contact: A human histologic and histomorphometric evaluation. Case report. Int J Oral Maxillofac Implants 2009;24(4):734-9. Abstract

118. Degidi M, Piattelli M, Scarano A, et al. Maxillary sinus augmentation with a synthetic cell-binding peptide: Histological and histomorphometrical results in humans. J Oral Implantol 2004;30(6):376-83. Abstract

119. Degidi M, Scarano A, Iezzi G, Piattelli A. Histologic analysis of an immediately loaded implant retrieved after 2 months. J Oral Implantol 2005;31(5):247-54. Abstract

120. Degidi M, Scarano A, Iezzi G, Piattelli A. Histologic and histomorphometric analysis of an immediately loaded implant retrieved from man after 14 months of loading. J Long Term Eff Med Implants 2005;15(5):489-98. Abstract

121. Degidi M, Scarano A, Piattelli M, et al. Bone remodeling in immediately loaded and unloaded titanium dental implants: A histologic and histomorphometric study in humans. J Oral Implantol 2005;31(1):18-24. Abstract

122. Deppe H, Ahrens M, Behr AV, et al. Thermal effect of a 445 nm diode laser on five dental implant systems: An in vitro study. Sci Rep 2021;11(1):20174. Abstract

123. Dhatrak P, Girme V, Shirsat U, et al. Significance of orthotropic material models to predict stress around bone-implant interface using numerical

simulation. Bio Nano Sci 2019;E-pub Jun 27, doi: 10.1007/s12668-019-00649-5. Abstract

124. Dhatrak P, Shirsat U, Sumanth S, Deshmukh V. Influence of cutting flutes on stress distribution for selected dental implants: Numerical studies. Materials Today: Proceedings 2021;38:2680-86. Abstract

125. Di Stefano DA, Greco G, Gherlone E. A preshaped titanium mesh for guided bone regeneration with an equine-derived bone graft in a posterior mandibular bone defect: A case report. Dent J (Basel) 2019;7(3). Abstract

126. Di Stefano DA, Vinci R, Cappare P, Gherlone EF. A retrospective preliminary histomorphometric and clinical investigation on sinus augmentation using enzyme-deantigenic, collagen-preserving equine bone granules and plasma rich in growth factors. Int J Implant Dent 2021;7(1):60. Abstract

127. Dimililer G, Kucukkurt S, Cetiner S. Biomechanical effects of implant number and diameter on stress distributions in maxillary implant-supported overdentures. J Prosthet Dent 2018;119(2):244-49 e6. Abstract

128. Dinh A, Sheets CG, Earthman JC. Analysis of percussion response of dental implants: An in vitro study. Mater Sci Eng C Mater Biol Appl 2013;33(5):2657-63. Abstract

129. Durrani F, Shukla A, Painuly H. Implant therapy in patients with chronic periodontitis: A short follow-up with a successful outcome. J Adv Periodontol Implant Dent 2019;11(1):39-45. Abstract

130. Elemek E, Urgancioglu A, Dincer J, Cilingir A. Does implant-abutment interface affect marginal bone levels around implants? Eur J Dent 2019;13(1):47-52. Abstract

131. Enislidis G, Wittwer G, Ewers R. Preliminary report on a staged ridge splitting technique for implant placement in the mandible: A technical note. Int J Oral Maxillofac Implants 2006;21(3):445-9. Abstract

132. Evian CI, Al-Momani A, Rosenberg ES, Sanavi F. Therapeutic management for immediate implant placement in sites with periapical deficiencies where coronal bone is present: Technique and case report. Int J Oral Maxillofac Implants 2006;21(3):476-80. Abstract

133. Ewers R. Maxilla sinus grafting with marine algae derived bone forming material: A clinical report of long-term results. J Oral Maxillofac Surg 2005;63(12):1712-23. Abstract

134. Fazel A, Aalai S, Rismanchian M. Effect of macro-design of immediately loaded implants on micromotion and stress distribution in surrounding bone using finite element analysis. Implant Dent 2009;18(4):345-52. Abstract

135. Fazel A, Aalai S, Rismanchian M, Sadr-Eshkevari P. Micromotion and stress distribution of immediate loaded implants: A finite element analysis. Clin Implant Dent Relat Res 2009;11(4):267-71. Abstract

136. Felice P, Corinaldesi G, Lizio G, et al. Implant prosthetic rehabilitation of posterior mandible after tumor ablation with inferior alveolar nerve mobilization and inlay bone grafting: A case report. J Oral Maxillofac Surg 2009;67(5):1104-12. Abstract

137. Felice P, Marchetti C, Iezzi G, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional bloc grafts: Bone from the iliac crest vs. bovine anorganic bone. Clinical and histological results up to one year after loading from a randomized-controlled clinical trial. Clin Oral Implants Res 2009;20(12):1386-93. Abstract

138. Felice P, Marchetti C, Piattelli A, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional block grafts: Bone from the iliac crest versus bovine anorganic bone. Eur J Oral Implantol 2008;1(3):183-98. Abstract

139. Feng SW, Chang WJ, Lin CT, et al. Modal damping factor detected with an impulse-forced vibration method provides additional information on osseointegration during dental implant healing. Int J Oral Maxillofac Implants 2015;30(6):1333-40. Abstract

140. Fenner M, Vairaktaris E, Fischer K, et al. Influence of residual alveolar bone height on osseointegration of implants in the maxilla: A pilot study. Clin Oral Implants Res 2009;20(6):555-9. Abstract

141. Fenner M, Vairaktaris E, Stockmann P, et al. Influence of residual alveolar bone height on implant stability in the maxilla: An experimental animal study. Clin Oral Implants Res 2009;20(8):751-5. Abstract

142. Furtsev T, Zeer G. Efficiency of cleaning the various types of dental implants' surfaces (Tiu-Nite, Sla, Rbm) using the air-flow erythritol method. Journal of International Dental and Medical Research 2020;13(2):448-52.

143. Furtsev TV, Koshmanova AA, Zeer GM, et al. Laser cleaning improves stem cell adhesion on the dental implant surface during peri-implantitis treatment. Dent J (Basel) 2023;11(2):30. Abstract

144. Furtsev TV, Zeer GM, Zelenkova EG. Study of the structure of the implant surface and the effectiveness of various methods of implant treatment with peri-implantitis. Journal of International Dental and Medical Research 2021;14(3):910-18.

145. Galibourg A, Dumoncel J, Cormary J, Maret D. Volume of unsupported peri-implant soft tissue over time: A cross-sectional observation study. J Prosthet Dent 2021;125(6):883-89. Abstract

146. Galli S, Jimbo R, Andersson M, et al. Surface characterization and clinical review of two commercially available implants. Implant Dent 2013;22(5):507-18. Abstract

147. Garcia-Morales JM, Tortamano-Neto P, Todescan FF, et al. Stability of dental implants after irradiation with an 830-nm low-level laser: A double-blind randomized clinical study. Lasers Med Sci 2012;27(4):703-11. Abstract

148. Garlini G, Chierichetti V, D'Amato S, Redemagni M. A long term follow-up of single-tooth Xive implant: 15 year results. Dental, Oral and Craniofacial Research 2016;3(1). Abstract

149. Garlini G, D'amato S, Chierichetti V, et al. Clinical and radiological retrospective multicenter analysis on 864 implants with more than 10 Years follow-up. Acta Scientific Dental Sciences 2020;4(8):pp.

150. Garlini G, Redemagni M, Canciani E, Dellavia C. Maxillary sinus floor augmentation with vegetal hydroxyapatite "versus" demineralized bovine bone: A randomized clinical study with a split-mouth design. Journal of Dental Implants 2014;4(2):118-25. Abstract

151. Garlini G, Redemagni M, Donini M, Maiorana C. Maxillary sinus elevation with an alloplastic material and implants: 11 years of clinical and radiologic follow-up. J Oral Maxillofac Surg 2010;68(5):1152-7. Abstract

152. Geckili O, Bilhan H, Geckili E, et al. Evaluation of possible prognostic factors for the success, survival, and failure of dental implants. Implant Dent 2014;23(1):44-50. Abstract

153. Geckili O, Mumcu E, Bilhan H. Radiographic evaluation of narrow diameter implants after 5 years of clinical function: A retrospective study. J Oral Implantol 2011;39(S1):273-79. Abstract

154. Gehrke P, Alius J, Fischer C, et al. Retentive strength of two-piece CAD/CAM zirconia implant abutments. Clin Implant Dent Relat Res 2014;16(6):920-5. Abstract

155. Gehrke P, Burg S, Peters U, et al. Bacterial translocation and microgap formation at a novel conical indexed implant abutment system for single crowns. Clin Oral Investig 2022;26(2):1375-89. Abstract

156. Gehrke P, Degidi M, Lulay-Saad Z, Dhom G. Reproducibility of the implant crown aesthetic index--rating aesthetics of single-implant crowns and adjacent soft tissues with regard to observer dental specialization. Clin Implant Dent Relat Res 2009;11(3):201-13. Abstract

157. Gehrke P, Dhom G, Brunner J, et al. Zirconium implant abutments: Fracture strength and influence of cyclic loading on retaining-screw loosening. Quintessence Int 2006;37(1):19-26. Abstract

158. Gehrke P, Hartjen P, Smeets R, et al. Marginal adaptation and microbial leakage at conometric prosthetic connections for implant-supported single crowns: An in vitro investigation. Int J Mol Sci 2021;22(2). Abstract

159. Gehrke P, Jansen R, Euisenmann E, et al. A two-year follow-up. EDI 2005;1(4).

160. Gehrke P, Johannson D, Fischer C, et al. In vitro fatigue and fracture resistance of one- and two-piece CAD/CAM zirconia implant abutments. Int J Oral Maxillofac Implants 2015;30(3):546-54. Abstract

161. Gehrke P, Lobert M, Dhom G. Reproducibility of the pink esthetic score--rating soft tissue esthetics around single-implant restorations with regard to dental observer specialization. J Esthet Restor Dent 2008;20(6):375-84; discussion 85. Abstract

162. Gierthmuehlen PC, Berger L, Spitznagel FA. Monolithic screw-retained lithium disilicate implant crowns: Preliminary data of a prospective cohort study. Int J Prosthodont 2020;33(3):272-76. Abstract

163. Gjelvold B, Chrcanovic BR, Bagewitz IC, et al. Esthetic and patient-centered outcomes of single implants: A retrospective study. Int J Oral Maxillofac Implants 2017;32(5):1065-73. Abstract

164. Guler B, Uraz A, Cetiner D. The chemical surface evaluation of black and white porous titanium granules and different commercial dental implants with energy-dispersive x-ray spectroscopy analysis. Clin Implant Dent Relat Res 2019;21(2):352-59. Abstract

165. Guler B, Uraz A, Hatipoglu H, Yalim M. Chemical evaluation of energy dispersive x-ray spectroscopy analysis of different failing dental implant surfaces: A comparative clinical trial. Materials (Basel) 2021;14(4). Abstract

166. Guler B, Uraz A, Yalim M, Bozkaya S. The comparison of porous titanium granule and xenograft in the surgical treatment of peri-implantitis: A prospective clinical study. Clin Implant Dent Relat Res 2017;19(2):316-27. Abstract

167. Hadi A, Saboury A. Full mouth reconstruction of a patient with worn dentition: A clinical report. J Dent Sch 2016;34(3):192-201.

168. Hanser T, Khoury F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: A 5-year consecutive clinical study. Int J Periodontics Restorative Dent 2014;34(3):305-12. Abstract

169. Hanser T, Khoury F. Alveolar ridge contouring with free connective tissue graft at implant placement: A 5-year consecutive clinical study. Int J Periodontics Restorative Dent 2016;36(4):465-73. Abstract

170. Happe A, Kunz A. Complex fixed implant-supported restoration in a site compromised by periodontitis: A case report. Int J Esthet Dent 2016;11(2):186-202. Abstract

171. Happe A, Schulte-Mattler V, Fickl S, et al. Spectrophotometric assessment of peri-implant mucosa after restoration with zirconia abutments veneered with fluorescent ceramic: A controlled, retrospective clinical study. Clin Oral Implants Res 2013;24 Suppl A100:28-33. Abstract

172. Happe A, von Glasser GS, Neugebauer J, et al. Clinical performance of zirconia implant abutments luted to a titanium base - A retrospective cross-sectional study. Int J Comput Dent 2022;25(1):37-45. Abstract

173. Henningsen A, Smeets R, Koppen K, et al. Immediate loading of subcrestally placed dental implants in anterior and premolar sites. J Craniomaxillofac Surg 2017;45(11):1898-905. Abstract

174. Hermes M, Lommen J, R Kübler N, et al. Influence of schneiderian membrane perforations on the prognosis and outcomes of lateral window sinus lift operations: A retrospective case series study. Journal of Dentistry, Oral Disorders & Therapy 2018;6(2):1-9. Abstract

175. Heschl A, Payer M, Clar V, et al. Overdentures in the edentulous mandible supported by implants and retained by a Dolder bar: A 5-year prospective study. Clin Implant Dent Relat Res 2013;15(4):589-99. Abstract

176. Heschl A, Payer M, Platzer S, et al. Immediate rehabilitation of the edentulous mandible with screw type implants: Results after up to 10 years of clinical function. Clin Oral Implants Res 2012;23(10):1217-23. Abstract

177. Hessling SA, Wehrhan F, Schmitt CM, et al. Implant-based rehabilitation in oncology patients can be performed with high long-term success. J Oral Maxillofac Surg 2015;73(5):889-96. Abstract

178. Hjerppe J, Lassila LV, Rakkolainen T, et al. Load-bearing capacity of custom-made versus prefabricated commercially available zirconia abutments. Int J Oral Maxillofac Implants 2011;26(1):132-8. Abstract

179. Ho KN, Salamanca E, Lin HK, et al. Marginal bone level evaluation after functional loading around two different dental implant designs. Biomed Res Int 2016;2016:1472090. Abstract

180. Hsu KW, Shen YF, Wei PC. Compatible cad-cam titanium abutments for posterior single-implant tooth replacement: A retrospective case series. J Prosthet Dent 2017;117(3):363-66. Abstract

181. Hu L, Han X, Zhang D, et al. Buccal plate preservation with immediate post-extraction implant placement and provisionalization in anterior maxillary tooth: Preliminary results of a new technique using Teruplug collagen. J Stomatol Oral Maxillofac Surg 2023;124(6):101536. Abstract

182. Hua N, Xu Y, Tang X, et al. Effect of estrogen deficiency on implant osseointegration in dogs. Int J Oral Maxillofac Implants 2014;29(5):1204-7. Abstract

183. Ibrahim TO, Ibrahim RO. Evaluation of two treatment modalities for patients with combination syndrome suffering from narrow anterior maxilla. Life Science Journal 2013;10(2):2199-210.

184. Iezzi G, Degidi M, Scarano A, et al. Bone response to submerged, unloaded implants inserted in poor bone sites: A histological and histomorphometrical study of 8 titanium implants retrieved from man. J Oral Implantol 2005;31(5):225-33. Abstract

185. Isler SC, Soysal F, Ceyhanli T, et al. Regenerative surgical treatment of peri-implantitis using either a collagen membrane or concentrated growth

factor: A 12-month randomized clinical trial. Clin Implant Dent Relat Res 2018;20(5):703-12. Abstract

186. Isler SC, Uraz A, Kaymaz O, Cetiner D. An evaluation of the relationship between peri-implant soft tissue biotype and the severity of peri-implantitis: A cross-sectional study. Int J Oral Maxillofac Implants 2019;34(1):187-96. Abstract

187. Ismaiel MD, Elhadry AA. Influence of platform switching concept on marginal bone alteration around dental implant. J Am Sci 2012;8(11):546-52. Abstract.

188. Jayme SJ, Muglia VA, de Oliveira RR, Novaes AB. Optimization in multi-implant placement for immediate loading in edentulous arches using a modified surgical template and prototyping: A case report. Int J Oral Maxillofac Implants 2008;23(4):759-62. Abstract

189. Ji TJ, Kan JY, Rungcharassaeng K, et al. Immediate loading of maxillary and mandibular implant-supported fixed complete dentures: A 1- to 10-year retrospective study. J Oral Implantol 2012;38 Spec No:469-76. Abstract

190. Kadkhodazadeh M, Moscowchi A, Zamani Z, Amid R. Clinical and radiographic outcomes of a novel transalveolar sinus floor elevation technique. J Maxillofac Oral Surg 2022;21(2):548-56. Abstract

191. Kalt G, Gehrke P. Transfer precision of three-dimensional implant planning with CT assisted offline navigation. Int J Comput Dent 2008;11(3-4):213-25. Abstract

192. Kameda Y, Kobayashi T, Morokuma M, et al. Prevalence and factors related to peri-implant diseases in general practitioners: Part I: Patient level analysis. J Int. Clin Dent 2023;4(2).

193. Karabuda C, Arisan V, Ozyuvaci H. Effects of sinus membrane perforations on the success of dental implants placed in the augmented sinus. J Periodontol 2006;77(12):1991-7. Abstract

194. Karaky AE, Sawair FA, Al-Karadsheh OA, et al. Antibiotic prophylaxis and early dental implant failure: A quasi-random controlled clinical trial. Eur J Oral Implantol 2011;4(1):31-8. Abstract

195. Kastel I, de Quincey G, Neugebauer J, et al. Does the manual insertion torque of smartpegs affect the outcome of implant stability quotients (ISQ) during resonance frequency analysis (RFA)? Int J Implant Dent 2019;5(1):42. Abstract

196. Kataoka T, Amemiya K, Ugdagawa G, et al. Reconstruction of aesthetic stomatognathic function after a high-energy maxillo-orofacial fracture: A case report. Eu J Medical Research 2020;E-pub Dec 28, doi: 10.21203/rs.3.rs-133150/v1. Abstract

197. Katic Z, Jukic T, Stubljar D. Effects of osteotomy lengths on the temperature rise of the crestal bone during implant site preparation. Implant Dent 2018;27(2):213-20. Abstract

198. Kazemi M, Geramipanah F, Negahdari R, Rakhshan V. Active tactile sensibility of single-tooth implants versus natural dentition: A split-mouth double-blind randomized clinical trial. Clin Implant Dent Relat Res 2014;16(6):947-55. Abstract

199. Keeve PL, Khoury F. Long-term results of peri-implant conditions in periodontally compromised patients following lateral bone augmentation. Int J Oral Maxillofac Implants 2017;32(1):137-46. Abstract

200. Khalil MI, Sakr H. Implant surface topography following different laser treatments: An in vitro study. Cureus 2023;15(5):e38731. Abstract

201. Khojasteh A, Hassani A, Motamedian SR, et al. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: A retrospective study and review of literature. Clin Implant Dent Relat Res 2016;18(2):342-59. Abstract

202. Khojasteh A, Motamedian SR, Sharifzadeh N, Zadeh HH. The influence of initial alveolar ridge defect morphology on the outcome of implants in augmented atrophic posterior mandible: An exploratory retrospective study. Clin Oral Implants Res 2017;28(10):e208-e17. Abstract

203. Khoury F, Doliveux R. The bone core technique for the augmentation of limited bony defects: Five-year prospective study with a new minimally invasive technique. Int J Periodontics Restorative Dent 2018;38(2):199-207. Abstract

204. Khoury F, Hanser T. Three-dimensional vertical alveolar ridge augmentation in the posterior maxilla: A 10-year clinical study. Int J Oral Maxillofac Implants 2019;34(2):471-80. Abstract

205. Khoury F, Hanser T. 3D vertical alveolar crest augmentation in the posterior mandible using the tunnel technique: A 10-year clinical study. Int J Oral Implantol (Berl) 2022;15(2):111-26. Abstract

206. Khoury F, Hidajat H. Extensive autogenous bone augmentation and implantation in patients under bisphosphonate treatment: A 15-case series. Int J Periodontics Restorative Dent 2016;36(1):9-18. Abstract

207. Khoury F, Keller P, Keeve PL. Stability of grafted implant placement sites after sinus floor elevation using a layering technique: 10-year clinical and radiographic results. Int J Oral Maxillofac Implants 2017;32(5):1086-96. Abstract

208. Kim BC, Yoon JH, Choi B, Lee J. Mandibular reconstruction with autologous human bone marrow stem cells and autogenous bone graft in a patient with plexiform ameloblastoma. J Craniofac Surg 2013;24(4):e409-11. Abstract

209. Kim S, Jung UW, Lee YK, Choi SH. The effect of calcium phosphate bone substitute on defect resolution around a rough-surfaced dental implants in dogs. J Biomed Mater Res B Appl Biomater 2011;99(1):21-6. Abstract

210. Kim S, Jung UW, Lee YK, Choi SH. Effects of biphasic calcium phosphate bone substitute on circumferential bone defects around dental implants in dogs. Int J Oral Maxillofac Implants 2011;26(2):265-73. Abstract

211. Kim YK, Yun PY, Kim SG, Oh DS. In vitro scanning electron microscopic comparison of inner surface of exposed and unexposed nonresorbable membranes. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2009;107(6):e5-e11. Abstract

212. Kirmeier R, Payer M, Wehrschuetz M, et al. Evaluation of three-dimensional changes after sinus floor augmentation with different grafting materials. Clin Oral Implants Res 2008;19(4):366-72. Abstract

213. Koike H, Kawahara D, Kawahara H. Clinical characterization of several bone grafting materials as a dental implant supporitng tissue. Adv Sci Techn 2006;49:300-05. Abstract

214. Kolbeck C, Behr M, Rosentritt M, Handel G. Fracture force of tooth-tooth- and implant-tooth-supported all-ceramic fixed partial dentures using titanium vs. customised zirconia implant abutments. Clin Oral Implants Res 2008;19(10):1049-53. Abstract

215. Komuro A, Yamada Y, Uesugi S, et al. Accuracy and dimensional reproducibility by model scanning, intraoral scanning, and CBCT imaging for digital implant dentistry. Int J Implant Dent 2021;7(1):63. Abstract

216. Kong HJ. Classification of dental implant systems using cloud-based deep learning algorithm: an experimental study. J Yeungnam Med Sci 2023;40(Suppl):29-36. Abstract

217. Konstantinidis IK, Kotsakis GA, Gerdes S, Walter MH. Cross-sectional study on the prevalence and risk indicators of peri-implant diseases. Eur J Oral Implantol 2015;8(1):75-88. Abstract

218. Konstantinidis IK, Siormpas KD, Kontsiotou-Siormpa E, et al. Long-term esthetic evaluation of the roll flap technique in the implant rehabilitation of patients with agenesis of maxillary lateral incisors: 10-year follow-up. Int J Oral Maxillofac Implants 2016;31(4):820-6. Abstract

219. Kontogiorgos ED, Gharpure P, Iheanacho EO, et al. Preclinical evaluation of a crown-splinted custom root-shaped implant. Int J Oral Maxillofac Implants 2017;32(5):1023-32. Abstract

220. Korpi JT, Kainulainen VT, Sandor GK, Oikarinen KS. Long-term follow-up of severely resorbed mandibles reconstructed using tent pole technique without platelet-rich plasma. J Oral Maxillofac Surg 2012;70(11):2543-8. Abstract

221. Korpi JT, Kainulainen VT, Sandor GK, Oikarinen KS. Tent-pole approach to treat severely atrophic fractured mandibles using immediate or delayed protocols: Preliminary case series. J Oral Maxillofac Surg 2013;71(1):83-9. Abstract

222. Kournetas N, Spintzyk S, Schweizer E, et al. Comparative evaluation of topographical data of dental implant surfaces applying optical interferometry and scanning electron microscopy. Dent Mater 2017;33(8):e317-e27. Abstract

223. Kourtis S, Kokkinos K, Roussou V. Predicting the final result in implant-supported fixed restorations for completely edentulous patients. J Esthet Restor Dent 2014;26(1):40-7. Abstract

224. Kouveliotis G, Dimitriadis K, Kourtis S, Zinelis S. Surface, microstructural and mechanical characterization of contemporary implant abutment screws. Dent Mater 2024;40(2):219-26. Abstract

225. Kouveliotis G, Tasopoulos T, Karoussis I, et al. Complete denture digital workflow: Combining basic principles with a CAD-CAM approach. J Prosthet Dent 2022;127(4):550-55. Abstract

226. Krennmair G, Krainhofner M, Waldenberger O, Piehslinger E. Dental implants as strategic supplementary abutments for implant-tooth-supported telescopic crown-retained maxillary dentures: A retrospective follow-up study for up to 9 years. Int J Prosthodont 2007;20(6):617-22. Abstract

227. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. Clin Oral Implants Res 2005;16(1):89-97. Abstract

228. Kuoppala R, Kainulainen VT, Korpi JT, et al. Outcome of treatment of implant-retained overdenture in patients with extreme mandibular bone resorption treated with bone grafts using a modified tent pole technique. J Oral Maxillofac Surg 2013;71(11):1843-51. Abstract

229. Kusek ER. Immediate implant placement into infected sites: bacterial studies of the Hydroacoustic effects of the YSGG laser. J Oral Implantol 2011;37 Spec No:205-11. Abstract

230. Kwon JH, Han CH, Kim SJ, Chang JS. The change of rotational freedom following different insertion torques in three implant systems with implant driver. J Adv Prosthodont 2009;1(1):37-40. Abstract

231. Lee HW, Lin WS, Morton D. A retrospective study of complications associated with 100 consecutive maxillary sinus augmentations via the lateral window approach. Int J Oral Maxillofac Implants 2013;28(3):860-8. Abstract

232. Lee JH, Kim YT, Lee JB. Identification of dental implant systems from low-quality and distorted dental radiographs using AI trained on a large multi-center dataset. Sci Rep 2024;14(1):12606. Abstract

233. Lee JS, Kim HM, Kim CS, et al. Long-term retrospective study of narrow implants for fixed dental prostheses. Clin Oral Implants Res 2013;24(8):847-52. Abstract

234. Lee KY, Shin KS, Jung JH, et al. Clinical study on screw loosening in dental implant prostheses: A 6-year retrospective study. J Korean Assoc Oral Maxillofac Surg 2020;46(2):133-42. Abstract

235. Lee W-F, Day M-Y, Fang C-Y, et al. Establishing a novel deep learning model for detecting peri-implantitis. Journal of Dental Sciences 2024;19(2):1165-73. Abstract

236. Liang CH, Nien CY, Chen YL, Hsu KW. The prevalence and associated factors of proximal contact loss between implant restoration and adjacent tooth after function: A retrospective study. Clin Implant Dent Relat Res 2020;22(3):351-58. Abstract

237. Lin HK, Lin JC, Pan YH, et al. Peri-implant marginal bone changes around dental implants with platform-switched and platform-matched abutments: A retrospective 5-Year radiographic evaluation. J Pers Med 2022;12(8). Abstract

238. Lin HT, Lin JC, Salamanca E, et al. Marginal bone level evaluation of fixed partial dental prostheses using preformed stock versus CAD/CAM customized abutments. J Pers Med 2022;12(7). Abstract

239. Lin YT, Shen YF, Wei PC, Hsu KW. Clinical evaluation of two-piece zirconia abutments with bonded titanium inserts for implant-supported restorations. J Prosthet Dent 2020;123(3):449-54. Abstract

240. Lizio G, Corinaldesi G, Pieri F, Marchetti C. Problems with dental implants that were placed on vertically distracted fibular free flaps after resection: A report of six cases. Br J Oral Maxillofac Surg 2009;47(6):455-60. Abstract

241. Lizio G, Mazzone N, Corinaldesi G, Marchetti C. Reconstruction of extended and morphologically varied alveolar ridge defects with the titanium mesh technique: Clinical and dental implants outcomes. Int J Periodontics Restorative Dent 2016;36(5):689-97. Abstract

242. Lu SY, Huang CC. Resolution of an active peri-implantitis in a chronic steroid user by bone augmentation with PepGen P-15 and a barrier membrane. J Oral Implantol 2007;33(5):280-7. Abstract

243. Luo Z, Zeng R, Luo Z, Chen Z. Single implants in the esthetic zone: analysis of recent peri-implant soft tissue alterations and patient satisfaction. A photographic study. Int J Oral Maxillofac Implants 2011;26(3):578-86. Abstract

244. Marchetti C, Trasarti S, Corinaldesi G, Felice P. Interpositional bone grafts in the posterior mandibular region: A report on six patients. Int J Periodontics Restorative Dent 2007;27(6):547-55. Abstract

245. Maridati PC, Cremonesi S, Fontana F, et al. Management of d-PTFE membrane exposure for having final clinical success. J Oral Implantol 2016;42(3):289-91. Abstract

246. Massoumi F, Taheri M, Mohammadi A, Amelirad O. Evaluation of the effect of buccolingual and apicocoronal positions of dental implants on stress and

strain in alveolar bone by finite element analysis. J Dent (Tehran) 2018;15(1):10-19. Abstract

247. Mattila V, Wilkman T, Avellan NL, et al. Survival of dental implants and occurrence of mucosal overgrowth in patients with head and neck cancer treated with/without radiotherapy and mucosal graft-two-year follow-up. Clin Oral Investig 2024;28(1):117. Abstract

248. Merli M, Lombardini F, Esposito M. Vertical ridge augmentation with autogenous bone grafts 3 years after loading: resorbable barriers versus titanium-reinforced barriers. A randomized controlled clinical trial. Int J Oral Maxillofac Implants 2010;25(4):801-7. Abstract

249. Merli M, Migani M, Esposito M. Vertical ridge augmentation with autogenous bone grafts: Resorbable barriers supported by ostheosynthesis plates versus titanium-reinforced barriers. A preliminary report of a blinded, randomized controlled clinical trial. Int J Oral Maxillofac Implants 2007;22(3):373-82. Abstract

250. Merli M, Moscatelli M, Mariotti G, et al. Bone level variation after vertical ridge augmentation: resorbable barriers versus titanium-reinforced barriers. A 6-year double-blind randomized clinical trial. Int J Oral Maxillofac Implants 2014;29(4):905-13. Abstract

251. Mijiritsky E, Barone A, Cinar IC, et al. 3D considerations and outcomes of immediate single implant insertion and provisionalization at the maxillary esthetic zone: A long-term retrospective follow-up study of up to 18 years. J Clin Med 2021;10(18). Abstract

252. Moeintaghavi A, Radvar M, Arab HR, et al. Evaluation of 3- to 8-year treatment outcomes and success rates with 6 implant brands in partially edentulous patients. J Oral Implantol 2012;38 Spec No:441-8. Abstract

253. Mylonas P, Shahzad B, Ahmed B. Comparison of implant provision at the Birmingham Dental Hospital with national guidelines. Faculty Dental Journal 2021;12(1):34-37.

254. Naumann M, Hohmann C, Happe A, et al. Are implants more reliable than severely compromised endodontically treated teeth as abutments for zirconia-based FPDs? : In vitro results of long-term preclinical load simulation. Clin Oral Investig 2013;17(7):1685-92. Abstract

255. Neugebauer J. Modified technique for stage 1 indexing using the XiVE system. Dent Implantol Update 2003;14(10):73-9. Abstract

256. Neugebauer J, Iezzi G, Perrotti V, et al. Experimental immediate loading of dental implants in conjunction with grafting procedures. J Biomed Mater Res B Appl Biomater 2009;91(2):604-12. Abstract

257. Neugebauer J, Kistler F, Kistler S, et al. CAD/CAM-produced surgical guides: Optimizing the treatment workflow. Int J Comput Dent 2011;14(2):93-103. Abstract

258. Neugebauer J, Traini T, Thams U, et al. Peri-implant bone organization under immediate loading state. Circularly polarized light analyses: A minipig study. J Periodontol 2006;77(2):152-60. Abstract

259. Neugebauer J, Weinlander M, Lekovic V, et al. Mechanical stability of immediately loaded implants with various surfaces and designs: A pilot study in dogs. Int J Oral Maxillofac Implants 2009;24(6):1083-92. Abstract

260. Nkenke E, Fenner M, Vairaktaris EG, et al. Immediate versus delayed loading of dental implants in the maxillae of minipigs. Part II: Histomorphometric analysis. Int J Oral Maxillofac Implants 2005;20(4):540-6. Abstract

261. Nkenke E, Lehner B, Fenner M, et al. Immediate versus delayed loading of dental implants in the maxillae of minipigs: Follow-up of implant stability and implant failures. Int J Oral Maxillofac Implants 2005;20(1):39-47. Abstract

262. Nkenke E, Lehner B, Weinzierl K, et al. Bone contact, growth, and density around immediately loaded implants in the mandible of mini pigs. Clin Oral Implants Res 2003;14(3):312-21. Abstract

263. Nkenke E, Stelzle F. Clinical outcomes of sinus floor augmentation for implant placement using autogenous bone or bone substitutes: A systematic review. Clin Oral Implants Res 2009;20 Suppl 4:124-33. Abstract

264. Nonhoff J, Moest T, Schmitt CM, et al. Establishment of a new pull-out strength testing method to quantify early osseointegration-An experimental pilot study. J Craniomaxillofac Surg 2015;43(10):1966-73. Abstract

265. Nothdurft F, Pospiech P. Prefabricated zirconium dioxide implant abutments for single-tooth replacement in the posterior region: Evaluation of peri-implant tissues and superstructures after 12 months of function. Clin Oral Implants Res 2010;21(8):857-65. Abstract

266. Nothdurft FP. All-ceramic zirconium dioxide implant abutments for single-tooth replacement in the posterior region: A 5-year outcome report. Int J Prosthodont 2019;32(2):177-81. Abstract

267. Nothdurft FP, Merker S, Pospiech PR. Fracture behaviour of implant-implant- and implant-tooth-supported all-ceramic fixed dental prostheses utilising zirconium dioxide implant abutments. Clin Oral Investig 2011;15(1):89-97. Abstract

268. Nothdurft FP, Nonhoff J, Pospiech PR. Pre-fabricated zirconium dioxide implant abutments for single-tooth replacement in the posterior region: Success and failure after 3 years of function. Acta Odontol Scand 2014;72(5):392-400. Abstract

269. Nothdurft FP, Pospiech PR. Zirconium dioxide implant abutments for posterior single-tooth replacement: First results. J Periodontol 2009;80(12):2065-72. Abstract

270. Novaes AB, Jr., de Oliveira RR, Taba Junior M, et al. Crestal bone loss minimized when following the crestal preparation protocol: A

histomorphometric study in dogs. J Oral Implantol 2005;31(6):276-82. Abstract

271. Okada T, Kawana H. Two-step procedure for the treatment of a maxillary sinus with complex sinus septa: A highly predictive method for sinus floor augmentation after perforation of the maxillary sinus membrane. Int J Periodontics Restorative Dent 2019;39(5):e175-e80. Abstract

272. Orlando F, Foiani S, Dellavia C, et al. Horizontal GBR with anorganic equine bone combined with a customized titanium mesh. Clin Case Rep 2024;12(4):e8780. Abstract

273. Oyama K, Kan JY, Rungcharassaeng K, Lozada J. Immediate provisionalization of 3.0-mm-diameter implants replacing single missing maxillary and mandibular incisors: 1-year prospective study. Int J Oral Maxillofac Implants 2012;27(1):173-80. Abstract

274. Ozden Yuce M, Gunbay T, Guniz Baksi B, et al. Clinical benefits and effectiveness of static computer-aided implant surgery compared with conventional freehand method for single-tooth implant placement. J Stomatol Oral Maxillofac Surg 2020;121(5):534-38. Abstract

275. Pan YH, Lin HK, Lin JC, et al. Evaluation of the peri-implant bone level around platform-switched dental implants: A retrospective 3-year radiographic study. International Journal of Environmental Research and Public Health 2019;16(14). Abstract

276. Papadopoulos I, Pozidi G, Goussias H, Kourtis S. Transferring the emergence profile from the provisional to the final restoration. J Esthet Restor Dent 2014;26(3):154-61. Abstract

277. Papavassiliou H, Kourtis S, Katerelou J, Chronopoulos V. Radiographical evaluation of the gap at the implant-abutment interface. J Esthet Restor Dent 2010;22(4):235-50. Abstract

278. Papazoglou E, Wee AG, Carr AB, et al. Accuracy of complete-arch implant impression made with occlusal registration material. J Prosthet Dent 2020;123(1):143-48. Abstract

279. Pappalardo M, Tsao CK, Tsang ML, et al. Long-term outcome of patients with or without osseointegrated implants after resection of mandibular ameloblastoma and reconstruction with vascularized bone graft: Functional assessment and quality of life. J Plast Reconstr Aesthet Surg 2018;71(7):1076-85. Abstract

280. Park JW, Kim HK, Kim YJ, et al. Enhanced osteoconductivity of micro-structured titanium implants (XiVE S CELLplus) by addition of surface calcium chemistry: A histomorphometric study in the rabbit femur. Clin Oral Implants Res 2009;20(7):684-90. Abstract

281. Park SJ, Lee SW, Leesungbok R, Ahn SJ. Influence of the connection design and titanium grades of the implant complex on resistance under static loading. J Adv Prosthodont 2016;8(5):388-95. Abstract

282. Parnia F, Nourizadeh A, Shafiee E. Effect of implant–abutment connections on abutment screw loosening: An in vitro study. J Dent Res Dent Clin Dent Prospects 2024;18(1):17-22. Abstract

283. Payer M, Heschl A, Wimmer G, et al. Immediate provisional restoration of screw-type implants in the posterior mandible: Results after 5 years of clinical function. Clin Oral Implants Res 2010;21(8):815-21. Abstract

284. Payer M, Kirmeier R, Jakse N, et al. Surgical factors influencing mesiodistal implant angulation. Clin Oral Implants Res 2008;19(3):265-70. Abstract

285. Payer M, Kirmeier R, Jakse N, et al. Immediate provisional restoration of XiVE screw-type implants in the posterior mandible. Clin Oral Implants Res 2008;19(2):160-5. Abstract

286. Philippart P, Daubie V, Pochet R. Sinus grafting using recombinant human tissue factor, platelet-rich plasma gel, autologous bone, and anorganic bovine bone mineral xenograft: Histologic analysis and case reports. Int J Oral Maxillofac Implants 2005;20(2):274-81. Abstract

287. Pieralli S, Gintaute A, Beuer F, Spies BC. Digital and orthodontically driven implant planning: A multidisciplinary case history report. Int J Prosthodont 2019;32(32):214-16. Abstract

288. Pieri F, Aldini NN, Marchetti C, Corinaldesi G. Esthetic outcome and tissue stability of maxillary anterior single-tooth implants following reconstruction with mandibular block grafts: A 5-year prospective study. Int J Oral Maxillofac Implants 2013;28(1):270-80. Abstract

289. Pieri F, Lucarelli E, Corinaldesi G, et al. Mesenchymal stem cells and platelet-rich plasma enhance bone formation in sinus grafting: A histomorphometric study in minipigs. J Clin Periodontol 2008;35(6):539-46. Abstract

290. Podhorsky A, Biscoping S, Rehmann P, et al. Transfer of bacteria into the internal cavity of dental implants after application of disinfectant or sealant agents in vitro. Int J Oral Maxillofac Implants 2016;31(3):563-70. Abstract

291. Redemagni M, Cremonesi S, Garlini G, Maiorana C. Soft tissue stability with immediate implants and concave abutments. Eur J Esthet Dent 2009;4(4):328-37. Abstract

292. Redemagni M, Garlini G, Mascetti T. Post-extractive immediate implant placement and immediate provisionalization at sites requiring buccal bone regeneration: A clinical case series. EC Dental Science 2019;18(6).

293. Restoy-Lozano A, Dominguez-Mompell JL, Infante-Cossio P, et al. Calvarial bone grafting for three-dimensional reconstruction of severe maxillary defects: A case series. Int J Oral Maxillofac Implants 2015;30(4):880-90. Abstract

294. Rinke S, Ziebolz D. Fabrication of an implant-supported overdenture using CAD/CAM technology: A clinical report. Quintessence Int 2013;44(2):127-34. Abstract

295. Rismanchian M, Movahedian B, Khalighinejad N, et al. Comparative evaluation of two types of immediately loaded implants using biomechanical and histomorphometric tests: An animal case study. ISRN Dent 2012;2012:328945. Abstract

296. Rokn A, Aslroosta H, Akbari S, et al. Prevalence of peri-implantitis in patients not participating in well-designed supportive periodontal treatments: A cross-sectional study. Clin Oral Implants Res 2017;28(3):314-19. Abstract

297. Romanos G, Damouras M, Veis AA, et al. Comparison of histomorphometry and microradiography of different implant designs to assess primary implant stability. Clin Implant Dent Relat Res 2020;22(3):373-79. Abstract

298. Romanos GE, Testori T, Degidi M, Piattelli A. Histologic and histomorphometric findings from retrieved, immediately occlusally loaded implants in humans. J Periodontol 2005;76(11):1823-32. Abstract

299. Rugani P, Kirnbauer B, Acham S, et al. Implant placement adjacent to successfully treated bisphosphonate-related osteonecrosis of the jaw (BRONJ). J Oral Implantol 2015;41 Spec No:377-81. Abstract

300. Rugani P, Weingartner K, Jakse N. Influence of the Tube Angle on the Measurement Accuracy of Peri-Implant Bone Defects in Rectangular Intraoral X-ray Imaging. Journal of Clinical Medicine 2024;13(2):391. Abstract

301. Rupp F, Scheideler L, Eichler M, Geis-Gerstorfer J. Wetting behavior of dental implants. Int J Oral Maxillofac Implants 2011;26(6):1256-66. Abstract

302. Rupp F, Scheideler L, Rehbein D, et al. Roughness induced dynamic changes of wettability of acid etched titanium implant modifications. Biomaterials 2004;25(7-8):1429-38. Abstract

303. Saboury A, Hadi A. A new, simple implant-level impression technique for dental implants in limited interproximal space. J Prosthodont 2012;21(4):328-30. Abstract

304. Saboury A, Neshandar Asli H, Vaziri S. The effect of repeated torque in small diameter implants with machined and premachined abutments. Clin Implant Dent Relat Res 2012;14 Suppl 1:e224-30. Abstract

305. Sagirkaya E, Kucukekenci AS, Karasoy D, et al. Comparative assessments, meta-analysis, and recommended guidelines for reporting studies on histomorphometric bone-implant contact in humans. Int J Oral Maxillofac Implants 2013;28(5):1243-53. Abstract

306. Sahabi M, Adibrad M, Mirhashemi FS, Habibzadeh S. Biomechanical effects of platform switching in two different implant systems: A three-dimensional finite element analysis. J Dent (Tehran) 2013;10(4):338-50. Abstract

307. Scarano A, Degidi M, Iezzi G, et al. Correlation between implant stability quotient and bone-implant contact: A retrospective histological and histomorphometrical study of seven titanium implants retrieved from humans. Clin Implant Dent Relat Res 2006;8(4):218-22. Abstract

308. Scarano A, Degidi M, Perrotti V, et al. Sinus augmentation with phycogene hydroxyapatite: Histological and histomorphometrical results after 6 months in humans. A case series. Oral Maxillofac Surg 2012;16(1):41-5. Abstract

309. Schicho K, Kastner J, Klingesberger R, et al. Surface area analysis of dental implants using micro-computed tomography. Clin Oral Implants Res 2007;18(4):459-64. Abstract

310. Schmage P, Thielemann J, Nergiz I, et al. Effects of 10 cleaning instruments on four different implant surfaces. Int J Oral Maxillofac Implants 2012;27(2):308-17. Abstract

311. Schulz MC, Hofmann F, Range U, et al. Pilot-drill guided vs. full-guided implant insertion in artificial mandibles-a prospective laboratory study in fifth-year dental students. Int J Implant Dent 2019;5(1):23. Abstract

312. Schulz MC, Rittmann L, Range U, et al. The use of orientation templates and free-hand implant insertion in artificial mandibles-An experimental laboratory examination in fifth-year dental students. Dent J (Basel) 2018;6(3). Abstract

313. Schulz MC, Tokarski M, Jacoby J, et al. Accuracy of full-guided vs. pilot-guided implant insertion - A prospective laboratory study in fifth-year dental students. Ann Anat 2023;248:152082. Abstract

314. Schwarz F, Hegewald A, John G, et al. Four-year follow-up of combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination. J Clin Periodontol 2013;40(10):962-7. Abstract

315. Schwarz F, John G, Schmucker A, et al. Combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination: A 7-year follow-up observation. J Clin Periodontol 2017;44(3):337-42. Abstract

316. Schwarz F, Sahm N, Iglhaut G, Becker J. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: A randomized controlled clinical study. J Clin Periodontol 2011;38(3):276-84. Abstract

317. Sears LM, Wadhwani CPK, Schoenbaum TR, et al. Biologic debris retention in implant impression copings, scan bodies, and laboratory analogs. Int J Oral Maxillofac Implants 2020;35(1):135-40. Abstract

318. Sethi A, Kaus T, Cawood JI, et al. Onlay bone grafts from iliac crest: A retrospective analysis. Int J Oral Maxillofac Surg 2020;49(2):264-71. Abstract

319. Shabanpour R, Mousavi N, Ghodsi S, Alikhasi M. Comparative evaluation of fracture resistance and mode of failure of zirconia and titanium abutments with different diameters. J Contemp Dent Pract 2015;16(8):613-8. Abstract

320. Shahab N, Sar C, Sarac M, Erverdi N. Reconstruction of premaxilla with alveolar distraction osteogenesis in a patient with complete cleft lip and palate: A case report. Cleft Palate Craniofac J 2019;56(4):534-37. Abstract

321. Shakibaie B, Sabri H, Blatz MB, Barootchi S. Comparison of the minimally-invasive roll-in envelope flap technique to the holding suture technique in implant surgery: A prospective case series. J Esthet Restor Dent 2023;35(4):625-31. Abstract

322. Shivaraman, Visalakshi. Flapless implant placement A clinical case report. Clin Dent 2018;12(11):33-38.

323. Sivolella S, Brunello G, Berengo M, et al. Rehabilitation with implants after bone lid surgery in the posterior mandible. J Oral Maxillofac Surg 2015;73(8):1485-92. Abstract

324. Spagopoulos D, Kaisarlis G, Spagopoulou F, et al. In vitro trueness and precision of intraoral scanners in a four-implant complete-arch model. Dent J (Basel) 2023;11(1). Abstract

325. Stadlinger B, Bierbaum S, Grimmer S, et al. Increased bone formation around coated implants. J Clin Periodontol 2009;36(8):698-704. Abstract

326. Stadlinger B, Hintze V, Bierbaum S, et al. Biological functionalization of dental implants with collagen and glycosaminoglycans-A comparative study. J Biomed Mater Res B Appl Biomater 2012;100(2):331-41. Abstract

327. Stadlinger B, Pilling E, Mai R, et al. Effect of biological implant surface coatings on bone formation, applying collagen, proteoglycans, glycosaminoglycans and growth factors. J Mater Sci Mater Med 2008;19(3):1043-9. Abstract

328. Starr CB, Maksoud MA. Implant treatment in an urban general dentistry residency program: A 7-year retrospective study. J Oral Implantol 2006;32(3):142-7. Abstract

329. Stefano T, Paolo T, Ugo C, et al. Specific use of the Implant Stability Quotient as a guide to improve healing for patients who had undergone rehabilitation with fixed implant-supported dental prostheses. J Stomatol Oral Maxillofac Surg 2023;124(5):101528. Abstract

330. Stern JK, Hansen T, Frankel J, Evian C. Implant-supported fixed prosthesis in a hypohidrotic ectodermal dysplasia patient: A case report with 3 years follow-up and review of the literature. Implant Dent 2014;23(4):394-400. Abstract

331. Streckbein P, Kleis W, Buch RS, et al. Bone healing with or without platelet-rich plasma around four different dental implant surfaces in beagle dogs. Clin Implant Dent Relat Res 2014;16(4):479-86. Abstract

332. Streckbein P, Streckbein RG, Wilbrand JF, et al. Non-linear 3D evaluation of different oral implant-abutment connections. J Dent Res 2012;91(12):1184-9. Abstract

333. Tabrizi R, Pourdanesh F, Zare S, et al. Do angulated implants increase the amount of bone loss around implants in the anterior maxilla? J Oral Maxillofac Surg 2013;71(2):272-7. Abstract

334. Titiz S, Celikkol O, Ates P, et al. Multidisciplinary treatment of two patients with cleft lip and palate using archwise distraction: A case report. J Stomatol Oral Maxillofac Surg 2019;120(1):61-66. Abstract

335. Tomar N, Dahiya S, Kumar Sharma P, et al. A comparative clinical evaluation of effectiveness of platelet-rich plasma, synthetic allograft, and bioresorbable xenograft during immediate implant placement. Cureus 2022;14(12):e32121. Abstract

336. Traini T, Caputi S, Gherlone E, et al. Fibrin clot extension on zirconia surface for dental implants: A quantitative in vitro study. Clin Implant Dent Relat Res 2014;16(5):718-27. Abstract

337. Traini T, Degidi M, Caputi S, et al. Collagen fiber orientation in human peri-implant bone around immediately loaded and unloaded titanium dental implants. J Periodontol 2005;76(1):83-9. Abstract

338. Traini T, Degidi M, Iezzi G, et al. Comparative evaluation of the peri-implant bone tissue mineral density around unloaded titanium dental implants. J Dent 2007;35(1):84-92. Abstract

339. Traini T, Degidi M, Strocchi R, et al. Collagen fiber orientation near dental implants in human bone: Do their organization reflect differences in loading? J Biomed Mater Res B Appl Biomater 2005;74(1):538-46. Abstract

340. Traini T, Neugebauer J, Thams U, et al. Peri-implant bone organization under immediate loading conditions: Collagen fiber orientation and mineral density analyses in the minipig model. Clin Implant Dent Relat Res 2009;11(1):41-51. Abstract

341. Tunkel J, de Stavola L, Khoury F. Changes in soft tissue dimensions following three different techniques of stage-two surgery: A case series report. Int J Periodontics Restorative Dent 2013;33(4):411-8. Abstract

342. Turk AG, Ulusoy M, Toksavul S, et al. Marginal bone loss of two implant systems with three different superstructure materials: A randomised clinical trial. J Oral Rehabil 2013;40(6):457-63. Abstract

343. Ugurel CS, Steiner M, Isik-Ozkol G, et al. Mechanical resistance of screwless morse taper and screw-retained implant-abutment connections. Clin Oral Implants Res 2015;26(2):137-42. Abstract

344. Uraz A, Isler SC, Cula S, et al. Platform-switched implants vs platform-matched implants placed in different implant-abutment interface positions: A prospective randomized clinical and microbiological study. Clin Implant Dent Relat Res 2020;22(1):59-68. Abstract

345. Viscardi D, Carini F, Saggese V, Carini F. Analysis of implant precision in guided surgery: comparison of two methods. Minerva Dent Oral Sci 2024;73(1):27-36. Abstract

346. Viswambaran M, Arora V, Tripathi RC, Dhiman RK. Clinical evaluation of immediate implants using different types of bone augmentation materials. Med J Armed Forces India 2014;70(2):154-62. Abstract

347. Viswambaran M, Kamal V. Assessment of primary stability of immediate implants placed in the maxillary and mandibular anterior region using resonance frequency analysis. CHRISMED: Journal of Health and Research 2020;7(2):122-29. Abstract

Abstract

348. Viswambaran M, Thiruvalluvan N. Prosthodontic rehabilitation protocols for immediate implants. Med J Armed Forces India 2015;71(Suppl 2):S440-3. Abstract

349. Vogl S, Stopper M, Hof M, et al. Immediate occlusal vs nonocclusal loading of implants: A randomized prospective clinical pilot study and patient centered outcome after 36 months. Clin Implant Dent Relat Res 2019;21(4):766-74. Abstract

350. Vogl S, Stopper M, Hof M, et al. Immediate occlusal versus non-occlusal loading of implants: A randomized clinical pilot study. Clin Implant Dent Relat Res 2015;17(3):589-97. Abstract

351. Vyas N, Grewal M, Kuehne SA, et al. High speed imaging of biofilm removal from a dental implant model using ultrasonic cavitation. Dent Mater 2020;36(6):733-43. Abstract

352. Wang Y, Baumer D, Ozga AK, et al. Patient satisfaction and oral health-related quality of life 10 years after implant placement. BMC Oral Health 2021;21(1):30. Abstract

353. Weibrich G, Kleis W, Buch RS, et al. Bone remodeling around dental implant surfaces. Z Zahnärztl Impl 2009;25(3):238-49.

354. Wildburger A, Payer M, Jakse N, et al. Impact of autogenous concentrated bone marrow aspirate on bone regeneration after sinus floor augmentation with a bovine bone substitute--A split-mouth pilot study. Clin Oral Implants Res 2014;25(10):1175-81. Abstract

355. Wostmann B, Rehmann P, Balkenhol M. Influence of impression technique and material on the accuracy of multiple implant impressions. Int J Prosthodont 2008;21(4):299-301. Abstract

356. Wu S, Wu X, Shrestha R, et al. Clinical and radiologic outcomes of submerged and nonsubmerged bone-level implants with internal hexagonal connections in immediate implantation: A 5-year retrospective study. J Prosthodont 2018;27(2):101-07. Abstract

357. Xuemeng Y, Shasha D. Observation of the effect on immediate mandibular implant-supported overdenture of micro implant system of Italy. Bioscience Journal 2020;36(6):2297-3206. Abstract

358. Yadav DD, al. e. Comparative evaluation of hard and soft tissue parameters by using short and standard dental implants for prosthetic rehabilitation of posterior mandible: A split mouth study. J Osseointegration 2019;11(1):38-44. Abstract

359. Yamurkova N, Ivanov S, Mukhametshin R, et al. Sinus lifting surgery with simultaneous sanation of the lower sections of the maxillary sinus. International journal of Innovative Medicine 2022(1):23-27. Abstract

360. Yerit KC, Posch M, Seemann M, et al. Implant survival in mandibles of irradiated oral cancer patients. Clin Oral Implants Res 2006;17(3):337-44. Abstract

361. Yeung R. Surgical management of the partially edentulous atrophic mandibular ridge using a modified sandwich osteotomy: A case report. Int J Oral Maxillofac Implants 2005;20(5):799-803. Abstract

362. Youngdeok C. Implant placement using alveolar ridge split in atrophic maxillary alveolar bone. Implantology 2020;20(4):193-202. Abstract

363. Zaghloul HH, Younis JF. Marginal fit of implant-supported all-ceramic zirconia frameworks. J Oral Implantol 2013;39(4):417-24. Abstract

364. Zarandi A, Novin M. Marginal bone loss around platform-switched and non-platform switched implants after two years of placement: A clinical trial. J Dent Res Dent Clin Dent Prospects 2017;11(1):26-29. Abstract

365. Zeytinoglu M, Ilhan B, Dundar N, Boyacioglu H. Fractal analysis for the assessment of trabecular peri-implant alveolar bone using panoramic radiographs. Clin Oral Investig 2015;19(2):519-24. Abstract

366. Zipprich H, Miatke S, Hmaidouch R, Lauer HC. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: An in vitro study. Int J Oral Maxillofac Implants 2016;31(1):37-44. Abstract

367. Zipprich H, Weigl P, Lauer H-C, Lange B. Micro-movements at the implant-abutment interface: Measurements, causes and consequenses. Implantologie 2007;15:31-45.

368. Zipprich H, Weigl P, Ratka C, et al. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. Clin Implant Dent Relat Res 2018;20(5):814-23. Abstract

Digital implant solutions

Atlantis

1. Adams MW. Computer-designed and milled patient-specific implant abutments. Dent Today 2005;24(6):80-3. Abstract

2. Adbulrahman A, Sourvanos D, Kutkut N, Blatz MB. Facially driven digital workflow for maxillary and mandibular milled implant-retained overdentur using two different unsplinted attachment systems: Case Report. Compendium of Continuing Education in Dentistry 2023;44(10).

3. Ahmed WM, Troczynski T, Stojkova BJ, et al. Dimensional changes of yttria-stabilized zirconia under different preparation designs and sintering protocols. J Prosthodont 2020;29(8):699-706. Abstract

4. Al-Ardah AJ, Alqahtani F, Lozada JL. Three-year follow-up of a single immediate implant placed in an infected area: a new approach for harvesting autogenous symphysis graft. J Oral Implantol 2014;40(2):211-6. Abstract

5. Alhashim A, Kamel M, Brackett WW. Four-year follow-up of the rehabilitation of a mandibular arch with a cementable zirconia-reinforced fixed dental prosthesis: A clinical report. J Prosthet Dent 2012;108(3):138-42. Abstract

6. Almalki A, Sourvanos D, Kutkut N, et al. Facially Driven Digital Workflow for Maxillary and Mandibular Milled Implant- Retained Overdentures Using Two Different Unsplinted Attachment Systems: Case Report. Compend Contin Educ Dent 2023;44(10):574-80. Abstract

7. Alqahtani F. Full-mouth rehabilitation of severely worn dentition due to soda swishing: A clinical report. J Prosthodont 2014;23(1):50-7. Abstract

8. Alsayed HD, Alqahtani NM, Levon JA, Morton D. Prosthodontic rehabilitation of an ectodermal dysplasia patient with implant telescopic crown attachments. J Prosthodont 2017;26(7):622-27. Abstract

9. Alshahrani A. Oral rehabilitation of a patient with worn dentition. A case report. Int J Med Dent 2022;26(2).

10. Aparicio T, D. L. Using Compartis ISUS in conjunction with ANKYLOS. CAD/CAM technology increases predictability in implant prosthetics. Inside Dentistry 2011;7(5).

11. Apicella D, Veltri M, Chieffi N, et al. Implant adaptation of stock abutments versus CAD/CAM abutments: A radiographic and Scanning Electron Microscopy study. Ann Stomatol (Roma) 2010;1(3-4):9-13. Abstract

12. Arbelaez-Bonozo L, Maza-Solano S, Baus-Domínguez M, et al. Quantification and Influence by IL-1β of the Pain and Inflammatory Response after Placement of a Cement-Screw Retained Restoration. J Clin Med 2024;13(6). Abstract

13. Baldassarri M, Hjerppe J, Romeo D, et al. Marginal accuracy of three implant-ceramic abutment configurations. Int J Oral Maxillofac Implants 2012;27(3):537-43. Abstract

14. Barbier L, Abeloos J, De Clercq C, Jacobs R. Peri-implant bone changes following tooth extraction, immediate placement and loading of implants in the edentulous maxilla. Clin Oral Investig 2012;16(4):1061-70. Abstract

15. Barrero CH, Bencharit S, Petrola F. Case report: Screw-retained zirconia implant restoration. J Oral Implantol 2016;42(4):359-62. Abstract

16. Barwacz C, Hernandez MM. Direct extrinsic characterization maximizing esthetics of fixed interim restorations. J Cosmetic Dentistry 2013;29(1):122-31.

17. Barwacz CA, Shah KC, Bittner N, et al. A retrospective, multicenter, cross-sectional case series study evaluating outcomes of CAD/CAM abutments on implants from four manufacturers: 4-year mean follow-up. Int J Oral Maxillofac Implants 2021;36(5):966-76. Abstract

18. Barwacz CA, Stanford CM, Diehl UA, et al. Pink esthetic score outcomes around three implant-abutment configurations: 3-year results. Int J Oral Maxillofac Implants 2018;33(5):1126-35. Abstract

19. Barwacz CA, Stanford CM, Diehl UA, et al. Electronic assessment of peri-implant mucosal esthetics around three implant-abutment configurations: A randomized clinical trial. Clin Oral Implants Res 2016;27(6):707-15. Abstract

20. Baus-Dominguez M, Maza-Solano S, Vazquez-Pachon C, et al. Behaviour of the Peri-Implant Soft Tissue with Different Rehabilitation Materials on Implants. Polymers (Basel) 2023;15(15). Abstract

21. Bencharit S, Allen RK, Whitley D, 3rd. Utilization of demineralized bone matrix to restore missing buccal bone during single implant placement: Clinical report. J Oral Implantol 2016;42(6):490-97. Abstract

22. Bencharit S, Border MB, Mack CR, et al. Full-mouth rehabilitation for a patient with dentinogenesis imperfecta: A clinical report. J Oral Implantol 2014;40(5):593-600. Abstract

23. Bergstresser J. Implant abutment tissue strategies. J Dent Technol 2009;August/September:34-36.

24. Bhumpattarachai S, Kan JYK, Goodacre CJ, et al. Effects of cyclic loading on loss of abutment screw torque of angled screw channel single implant crowns on narrow diameter implants. J Prosthet Dent 2023. Abstract

25. Bompolaki D, Punj A, Fellows C, et al. Clinical performance of CAD/CAM monolithic lithium disilicate implant-supported single crowns using solid or predrilled blocks in a fully digital workflow: A retrospective cohort study with up to 33 months of follow up. J Prosthodont 2022;31(1):38-44. Abstract

26. Boon L, De Mars G, Favril C, et al. Esthetic evaluation of single implant restorations, adjacent single implant restorations, and implant-supported fixed partial dentures: A 1-year prospective study. Clin Implant Dent Relat Res 2020;22(1):128-37. Abstract

27. Borges T, Lima T, Carvalho A, et al. The influence of customized abutments and custom metal abutments on the presence of the interproximal papilla at implants inserted in single-unit gaps: A 1-year prospective clinical study. Clin Oral Implants Res 2014;25(11):1222-27. Abstract

28. Borges T, Lima T, Carvalho AC, Carvalho V. Clinical outcome of inter-proximal papilla between a tooth and a single implant treated with CAD/CAM abutments: A cross-sectional study. J Oral Maxillofac Res 2012;3(3). Abstract

29. Bornemann G, Lemelson S, de San José González J. Reduced need for augmentation using the OsseoSpeed™ Profile EV implant and patient-specific ATLANTIS™ Abutments. Australasian Dental Practice 2016;27(2):158-59. Abstract.

30. Borzabadi-Farahani A, Zadeh HH. Adjunctive orthodontic applications in dental implantology. J Oral Implantol 2015;41(4):501-8. Abstract

31. Brandenberg FD, Sailer I, Fehmer V, et al. Randomized controlled clinical pilot study of all-ceramic single-tooth implant reconstructions: Clinical and microbiological outcomes at one year of loading. Clin Oral Implants Res 2017;28(4):406-13. Abstract

32. Bressan E, Venezze AC, Magaz VR, et al. Fixed conometric retention with CAD/CAM conic coupling abutments and prefabricated syncone caps: A case series. Int J Periodontics Restorative Dent 2018;38(2):277-80. Abstract

33. Buchi DL, Sailer I, Fehmer V, et al. All-ceramic single-tooth implant reconstructions using modified zirconia abutments: A prospective randomized controlled clinical trial of the effect of pink veneering ceramic on the esthetic outcomes. Int J Periodontics Restorative Dent 2014;34(1):29-37. Abstract

34. Cardo VA, Jr., Koschitzki E, Augenbaum N, Polinsky JL. Replacement of an implant and prosthesis in the premaxilla due to a malposition and prosthetic failure: a clinical case letter. J Oral Implantol 2014;40(6):751-4. Abstract

35. Cash J, R. A. Implant suprastructures for the completely endentulous. J Dent Technol 2011;May.

36. Cooper LF, Reside G, DeKok I, et al. A 5-year esthetic RCT assessment of anterior maxillary single-tooth implants with different abutment interfaces. Int J Oral Maxillofac Implants 2021;36(1):165-76. Abstract

37. Cooper LF, Reside G, Stanford C, et al. A multicenter randomized comparative trial of implants with different abutment interfaces to replace anterior maxillary single teeth. Int J Oral Maxillofac Implants 2015;30(3):622-32. Abstract

38. Cooper LF, Reside G, Stanford C, et al. Three-year prospective randomized comparative assessment of anterior maxillary single implants with different abutment interfaces. Int J Oral Maxillofac Implants 2019;34(1):150-58. Abstract

39. Cooper LF, Stanford C, Feine J, McGuire M. Prospective assessment of CAD/CAM zirconia abutment and lithium disilicate crown restorations: 2.4 year results. J Prosthet Dent 2016;116(1):33-9. Abstract

40. Corsalini M, Di Venere D, Stefanachi G, et al. Maxillary overdenture retained with an implant support CAD-CAM bar: A 4 years follow up case. Open Dent J 2017;11:247-56. Abstract

41. De Kok IJ, Thalji G, Bryington M, Cooper LF. Radiographic stents: integrating treatment planning and implant placement. Dent Clin North Am 2014;58(1):181-92. Abstract

42. Degidi M, Caligiana G, Francia D, et al. Strain gauge analysis of implant-supported, screw-retained metal frameworks: Comparison between different manufacturing technologies. Proc Inst Mech Eng H 2016;230(9):840-46. Abstract

43. Del Castillo R, Ata-Ali J. The clinical use of computer aided designed/computer aided manufactured titanium nitride coated implant abutments: Surgical and prosthetic considerations-A case series. J Esthet Restor Dent 2023;35(7):1008-21. Abstract

44. Del Castillo R, Gutierrez-Garrido L, Padial-Molina M, Galindo-Moreno P. Screw-retained internal connection zirconia CAD-CAM abutments in single implant reconstructions: Results of a 1-year prospective case series study. J Prosthodont 2023;E-pub Mar 7, doi: 10.1111/jopr.13674. Abstract

45. Dhingra A, Weiner S, Luke AC, Ricci JL. Analysis of dimensional changes in the screw and the surface topography at the interface of a titanium screw and a zirconia abutment under cyclic loading: an in vitro study. Int J Oral Maxillofac Implants 2013;28(3):661-9. Abstract

46. Diez-Fraile A, Barbier L, Abeloos J. Maxillary bone augmentation with calvarial bone graft for immediate full-arch rehabilitation: Insights from a 10-year proof-of-concept retrospective analysis. Clin Oral Implants Res 2024;35(2):201-19. Abstract

47. Donker VJJ, Raghoebar GM, Jensen-Louwerse C, et al. Monolithic zirconia single tooth implant-supported restorations with CAD/CAM titanium abutments in the posterior region: A 1-year prospective case series study. Clin Implant Dent Relat Res 2022;24(1):125-32. Abstract

48. Eisner B, Naenni N, Husler J, et al. Three-year results of a randomized controlled clinical trial using submucosally veneered and unveneered zirconia abutments supporting all-ceramic single-implant crowns. Int J Periodontics Restorative Dent 2018;38(5):645-52. Abstract

49. Esquivel-Upshaw J, Mehler A, Clark A, et al. Peri-implant complications for posterior endosteal implants. Clin Oral Implants Res 2015;26(12):1390-6. Abstract

50. Esquivel-Upshaw JF, Clark AE, Shuster JJ, Anusavice KJ. Randomized clinical trial of implant-supported ceramic-ceramic and metal-ceramic fixed dental prostheses: preliminary results. J Prosthodont 2014;23(2):73-82. Abstract

51. Esquivel-Upshaw JF, Mecholsky JJ, Jr., Clark AE, et al. Factors influencing the survival of implant-supported ceramic-ceramic prostheses: A randomized, controlled clinical trial. J Dent 2020;103S:100017. Abstract

52. Esquivel-Upshaw JF, Mehler A, Clark AE, et al. Fracture analysis of randomized implant-supported fixed dental prostheses. J Dent 2014;42(10):1335-42. Abstract

53. Fabbri G, Fradeani M, Dellificorelli G, et al. Clinical evaluation of the influence of connection type and restoration height on the reliability of zirconia abutments: A retrospective study on 965 abutments with a mean 6-year follow-up. Int J Periodontics Restorative Dent 2017;37(1):19-31. Abstract

54. Fernandes D, Marques T, Borges T, Montero J. Volumetric analysis on the use of customized healing abutments with or without connective tissue graft at flapless maxillary immediate implant placement: A randomized clinical trial. Clin Oral Implants Res 2023;34(9):934-46. Abstract

55. Fernandes D, Nunes S, Lopez-Castro G, et al. Effect of customized healing abutments on the peri-implant linear and volumetric tissue changes at maxillary immediate implant sites: A 1-year prospective randomized clinical trial. Clin Implant Dent Relat Res 2021;23(5):745-57. Abstract

56. Ferrari M, Cagidiaco MC, Garcia-Godoy F, et al. Effect of different prosthetic abutments on peri-implant soft tissue. A randomized controlled clinical trial. Am J Dent 2015;28(2):85-9. Abstract

57. Ferrari M, Carrabba M, Vichi A, et al. Influence of abutment color and mucosal thickness on soft tissue color. Int J Oral Maxillofac Implants 2017;32(2):393-99. Abstract

58. Ferrari M, Tricarico MG, Cagidiaco MC, et al. 3-year randomized controlled prospective clinical trial on different CAD-CAM implant abutments. Clin Implant Dent Relat Res 2016;18(6):1134-41. Abstract

59. Fokas G, Ma L, Chronopoulos V, et al. Differences in micromorphology of the implant-abutment junction for original and third-party abutments on a representative dental implant. J Prosthet Dent 2019;121(1):143-50. Abstract

60. Fuster-Torres MA, Albalat-Estela S, Alcaniz-Raya M, Penarrocha-Diago M. CAD / CAM dental systems in implant dentistry: Update. Med Oral Patol Oral Cir Bucal 2009;14(3):E141-5. Abstract

61. Ganz S. Computer-milled patient-specific abutments: incredibly quality with unprecedented simplicity. Implantology 2003 2003:37-44.

62. Ganz S. Finally, a 'win-win' solution: Increasing accuracy while saving time, money with computer-milled abutments. Dental Economics 2005;95:64-68.

63. Ganz SD. Use of stereolithographic models as diagnostic and restorative aids for predictable immediate loading of implants. Pract Proced Aesthet Dent 2003;15(10):763-71; quiz 72. Abstract

64. Ganz SD. CT-derived model-based surgery for immediate loading of maxillary anterior implants. Pract Proced Aesthet Dent 2007;19(5):311-8. Abstract

65. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. Compend Contin Educ Dent 2008;29(5):256-8, 60-2, 64-7; quiz 68, 78. Abstract

66. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. Inside Dentistry 2009;Nov/Dec:2-9. Abstract

67. Ganz SD, Desai N, Weiner S. Marginal integrity of direct and indirect castings for implant abutments. Int J Oral Maxillofac Implants 2006;21(4):593-9. Abstract

68. Garg AK. The Atlantis components abutment: simplifying the tooth implant procedure. Dent Implantol Update 2002;13(9):65-70. Abstract

69. Gehrke P, Dinkel J, Fischer C, et al. Surface roughness and necessity of manual refinishing requirements of CAD/CAM-manufactured titanium and cobalt-chrome bars – A pilot study. The Open Dentistry Journal 2019;13(1):316-26. Abstract

70. Gehrke P, Spanos E, Fischer C, et al. Influence of scaling procedures on the integrity of titanium nitride coated CAD/CAM abutments. J Adv Prosthodont 2018;10(3):197-204. Abstract

71. Gehrke P, Tabellion A, Fischer C. Microscopical and chemical surface characterization of CAD/CAM zircona abutments after different cleaning procedures. A qualitative analysis. J Adv Prosthodont 2015;7(2):151-9. Abstract

72. Gigandet M, Bigolin G, Faoro F, et al. Implants with original and non-original abutment connections. Clin Implant Dent Relat Res 2014;16(2):303-11. Abstract

73. Gil MS, Ishikawa-Nagai S, Elani HW, et al. A prospective clinical trial to assess the optical efficacy of pink neck implants and pink abutments on soft tissue esthetics. J Esthet Restor Dent 2017;29(6):409-15. Abstract

74. Gilbert AB, Yilmaz B, Seidt JD, et al. Three-dimensional displacement of nine different abutments for an implant with an internal hexagon platform. Int J Oral Maxillofac Implants 2015;30(4):781-8. Abstract

75. Gulje FL, Raghoebar GM, Erkens WA, Meijer HJ. Impact of crown-implant ratio of single restorations supported by 6-mm implants: A short-term case series study. Int J Oral Maxillofac Implants 2016;31(3):672-5. Abstract

76. Guljé FL, Raghoebar GM, Gareb B, et al. Single crowns in the posterior maxilla supported by either 11-mm long implants with sinus floor augmentation or

by 6-mm long implants: A 10-year randomized controlled trial. Clinical Oral Implants Research 2024;35(1):89-100. Abstract

77. Gulje FL, Raghoebar GM, Gareb B, et al. Single crown restorations supported by 6-mm implants in the resorbed posterior mandible: A 10-year prospective case series. Clin Implant Dent Relat Res 2024;26(3):642-50. Abstract

78. Gulje FL, Raghoebar GM, Vissink A, Meijer HJ. Single crowns in the resorbed posterior maxilla supported by either 6-mm implants or by 11-mm implants combined with sinus floor elevation surgery: a 1-year randomised controlled trial. Eur J Oral Implantol 2014;7(3):247-55. Abstract

79. Gulje FL, Raghoebar GM, Vissink A, Meijer HJ. Single restorations in the resorbed posterior mandible supported by 6-mm implants: a 1-year prospective case series study. Clin Implant Dent Relat Res 2015;17 Suppl 2:e465-71. Abstract

80. Gulje FL, Raghoebar GM, Vissink A, Meijer HJA. Single crowns in the resorbed posterior maxilla supported by either 11-mm implants combined with sinus floor elevation or 6-mm implants:A 5-year randomised controlled trial. Int J Oral Implantol (Berl) 2019;12(3):315-26. Abstract

81. Gulje FL, Raghoebar GM, Vissink A, Meijer HJA. Single crown restorations supported by 6-mm implants in the resorbed posterior mandible: A five-year prospective case series. Clin Implant Dent Relat Res 2019;21(5):1017-22. Abstract

82. Happe A, Kunz A. Complex fixed implant-supported restoration in a site compromised by periodontitis: A case report. Int J Esthet Dent 2016;11(2):186-202. Abstract

83. Hosseini B, Byrd WC, Preisser JS, et al. Effects of antibiotics on bone and soft-tissue healing following immediate single-tooth implant placement into sites with apical pathology. J Oral Implantol 2015;41(5):e202-11. Abstract

84. Ioannidis A, Cathomen E, Jung RE, et al. Discoloration of the mucosa caused by different restorative materials - a spectrophotometric in vitro study. Clin Oral Implants Res 2017;28(9):1133-38. Abstract

85. Jackson BJ, Slavin MR. Treatment of congenitally missing maxillary lateral incisors: An interdisciplinary approach. J Oral Implantol 2013;39(2):187-92. Abstract

86. Jacobs BP, Zadeh HH, De Kok I, Cooper L. A randomized controlled trial evaluating grafting the facial gap at immediately placed implants. Int J Periodontics Restorative Dent 2020;40(3):383-92. Abstract

87. Jarman JM, Hamalian T, Randi AP. Comparing the fracture resistance of alternatively engineered zirconia abutments with original equipment manufactured abutments with different implant connection designs. Int J Oral Maxillofac Implants 2017;32(5):992-1000. Abstract

88. Jensen-Louwerse C, Sikma H, Cune MS, et al. Single implant-supported two-unit cantilever fixed partial dentures in the posterior region: a retrospective case series with a mean follow-up of 6.5 years. Int J Implant Dent 2021;7(1):78. Abstract

89. Joda T, Burki A, Bethge S, et al. Stiffness, strength, and failure modes of implant-supported monolithic lithium disilicate crowns: influence of titanium and zirconia abutments. Int J Oral Maxillofac Implants 2015;30(6):1272-9. Abstract

90. Jones G. Treatment of the edentulous patient using angled implants: Diagnosis to delivery. Australasian Dental Practice 2016;27(4):p170-71.

91. Karl M, Irastorza-Landa A. In vitro characterization of original and nonoriginal implant abutments. Int J Oral Maxillofac Implants 2018;33(6):1229-39. Abstract

92. Keith JD, Jr. Localized ridge augmentation with a block allograft followed by secondary implant placement: a case report. Int J Periodontics Restorative Dent 2004;24(1):11-7. Abstract

93. Kelly JR, Rungruanganunt P. Fatigue behavior of computer-aided design/computer-assisted manufacture ceramic abutments as a function of design and ceramics processing. Int J Oral Maxillofac Implants 2016;31(3):601-9. Abstract

94. Kerstein RB, Castellucci F, Osorio J. Ideal gingival form with computer-generated permanent healing abutments. Compend Contin Educ Dent 2000;21(10):793-7, 800-1. Abstract

95. Kerstein RB, Osorio J. Utilizing computer-generated duplicate titanium custom abutments to facilitate intraoral and laboratory implant prosthesis fabrication. Pract Proced Aesthet Dent 2003;15(4):311-4. Abstract

96. Kerstein RB, Radke J. A comparison of fabrication precision and mechanical reliability of 2 zirconia implant abutments. Int J Oral Maxillofac Implants 2008;23(6):1029-36. Abstract

97. Kim A, Campbell SD, Viana MA, Knoernschild KL. Abutment material effect on peri-implant soft tissue color and perceived esthetics. J Prosthodont 2016;25(8):634-40. Abstract

98. Knobloch LA, Larsen P, McGlumphy E, et al. Prospective cohort study to evaluate narrow diameter implants for restoration of a missing lateral incisor in patients with a cleft palate: One-year results. J Prosthet Dent 2022;128(6):1265-74. Abstract

99. Koch FP, Gotze E, Kumar VV, et al. A bar-retained overdenture as an external fixator device in a three-dimensional CAD/CAM-based surgical reconstruction of the mandible. J Craniomaxillofac Surg 2015;43(8):1447-51. Abstract

100. Kochanowski M, Barankiewicz A, Sadowska P, Dejak B. Implantoprosthetic treatment based on Simplant Software and Azento System. Prosthodontics 2022;72(1):76-83.

101. Kois JC, Kan JY. Predictable peri-implant gingival aesthetics: surgical and prosthodontic rationales. Pract Proced Aesthet Dent 2001;13(9):691-8; quiz 700, 21-2. Abstract

102. Koutouzis T, Adeinat B, Ali A. The influence of abutment macro-design on clinical and radiographic peri-implant tissue changes for guided, placed, and restored implants: A 1-year randomized controlled trial. Clin Oral Implants Res 2019;30(9):882-91. Abstract

103. Koutouzis T, Ali A, AlRubaie M. Clinical and radiographic peri-implant tissue changes for implants restored with convex or concave abutment shapes: A 3-year randomized controlled trial. Clin Oral Implants Res 2023;34(7):675-83. Abstract

104. Kraus RD, Epprecht A, Hammerle CHF, et al. Cemented vs screw-retained zirconia-based single implant reconstructions: A 3-year prospective randomized controlled clinical trial. Clin Implant Dent Relat Res 2019;21(4):578-85. Abstract

105. Kraus RD, Espuelas C, Hammerle CHF, et al. Five-year randomized controlled clinical study comparing cemented and screw-retained zirconia-based implant-supported single crowns. Clin Oral Implants Res 2022;33(5):537-47. Abstract

106. Laass A, Sailer I, Husler J, et al. Randomized controlled clinical trial of all-ceramic single-tooth implant reconstructions using modified zirconia abutments: Results at 5 years after loading. Int J Periodontics Restorative Dent 2019;39(1):17-27. Abstract

107. Laurila M, Mäntynen P, Mauno J, Suojanen J. Prosthetic Oral Rehabilitation with CAD/CAM Suprastructures in Patients with Severe Tissue Deficits: A Case Series. Dentistry Journal 2023;11(12):289. Abstract

108. Levin BP. The dual function of a dermal allograft in immediate implant therapy. Int J Periodontics Restorative Dent 2015;35(4):507-13. Abstract

109. Levin BP. Framing the restorative result: How tissue augmentation and preservation maximizes implant therapy outcomes. Compend Contin Educ Dent 2018;39(7):458-66. Abstract

110. Levin BP, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and Dermis Allograft: A case series of 15 consecutive patients. Int J Periodontics Restorative Dent 2018;38(5):719-27. Abstract

111. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: A prospective case series evaluating implant survival, esthetics, and bone maintenance. Compend Contin Educ Dent 2013;34(5):352-61. Abstract

112. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. Compend Contin Educ Dent 2015;36(9):682-8. Abstract

113. Lops D, Bressan E, Parpaiola A, et al. Soft tissues stability of cad-cam and stock abutments in anterior regions: 2-year prospective multicentric cohort study. Clin Oral Implants Res 2015;26(12):1436-42. Abstract

114. Lops D, Parpaiola A, Paniz G, et al. Interproximal papilla stability around CAD/CAM and stock abutments in anterior regions: A 2-year prospective multicenter cohort study. Int J Periodontics Restorative Dent 2017;37(5):657-65. Abstract

115. Maiorana C, King P, Quaas S, et al. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 3 years follow-up. Clin Oral Implants Res 2015;26(1):77-82. Abstract

116. Mandelaris GA, Vlk SD. Guided implant surgery with placement of a presurgical CAD/CAM patient-specific abutment and provisional in the esthetic zone. Compend Contin Educ Dent 2014;35(7):494-504. Abstract

117. Maridati PC, Cremonesi S, Fontana F, et al. Management of d-PTFE membrane exposure for having final clinical success. J Oral Implantol 2016;42(3):289-91. Abstract

118. Martin R. Astra Tech OsseoSpeed™ 3.0S implant. Inside Dentistry 2010;6(4):2-4.

119. Maza-Solano S, Baus-Domínguez M, Romero-Ruíz M-M, et al. Prospective observational cohort study of the change of the marginal bone crest in relation to the prosthetic abutment height and the peri-implant vertical mucosal thickness at implants positioned subcrestally. Clinical Implant Dentistry and Related Research 2024;E pub 9 May, doi:10.1111/cid.13347. Abstract

120. McGuire MK, Scheyer T, Ho DK, et al. Esthetic outcomes in relation to implant-abutment interface design following a standardized treatment protocol in a multicenter randomized controlled trial--a cohort of 12 cases at 1-year follow-up. Int J Periodontics Restorative Dent 2015;35(2):149-59. Abstract

121. Mertens C, de San Jose Gonzalez J, Freudlsperger C, et al. Implant-prosthetic rehabilitation of hemimaxillectomy defects with CAD/CAM suprastructures. J Craniomaxillofac Surg 2016;44(11):1812-18. Abstract

122. Millen CS, Reuben RL, Ibbetson RJ. The effect of coping/veneer thickness on the fracture toughness and residual stress of implant supported, cement retained zirconia and metal-ceramic crowns. Dent Mater 2012;28(10):e250-8. Abstract

123. Mirzakhanian C, Esken J, Schlegel M, Heydecke G. Treatment of the edentulous mandible with a fixed bridge supported by 4 mm short implants

in the molar region – a case report. Deutsche Zahnärztliche Zeitschrift International | 2022;77. Abstract

124. Mizumoto RM, Malamis D, Mascarenhas F, et al. Titanium implant wear from a zirconia custom abutment: A clinical report. J Prosthet Dent 2020;123(2):201-05. Abstract

125. Mizumoto RM, Yilmaz B, McGlumphy EA, Jr., et al. Accuracy of different digital scanning techniques and scan bodies for complete-arch implant-supported prostheses. J Prosthet Dent 2020;123(1):96-104. Abstract

126. Montana M. Treatment options for the edentulous arch. Implants 2015;3:4-10.

127. Muhlemann S, Lamperti ST, Stucki L, et al. Time efficiency and efficacy of a centralized computer-aided-design/computer-aided-manufacturing workflow for implant crown fabrication: A prospective controlled clinical study. J Dent 2022;127:104332. Abstract

128. Muhlemann S, Truninger TC, Stawarczyk B, et al. Bending moments of zirconia and titanium implant abutments supporting all-ceramic crowns after aging. Clin Oral Implants Res 2014;25(1):74-81. Abstract

129. Mäntynen P, Laurila M, Strausz T, et al. Use of Individually Designed CAD/CAM Suprastructures for Dental Reconstruction in Patients with Cleft Lip and Palate. Dent J (Basel) 2023;11(9). Abstract

130. Nazarian A. Easier implant restoration: CAD/CAM generated implant abutments. Contemporary Esthetics 2007;5:44-48.

131. Neumeier TT, Reddy M, Geurs N, et al. Longitudinal study of dental implants in HIV-Positive patients. J Prosthodont 2022;31(2):115-20. Abstract

132. Noelken R. Immediate implant placement in the aesthetic zone using the OsseoSpeed® Profile EV implant. Australasian Dental Practice 2017;28(4):170-74.

133. Noelken R, Geier J, Kunkel M, et al. Influence of soft tissue grafting, orofacial implant position, and angulation on facial hard and soft tissue thickness at immediately inserted and provisionalized implants in the anterior maxilla. Clin Implant Dent Relat Res 2018;20(5):674-82. Abstract

134. Noelken R, Moergel M, Kunkel M, Wagner W. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. Clin Oral Implants Res 2018;29(3):320-27. Abstract

135. Noelken R, Moergel M, Pausch T, et al. Clinical and esthetic outcome with immediate insertion and provisionalization with or without connective tissue grafting in presence of mucogingival recessions: A retrospective analysis with follow-up between 1 and 8 years. Clin Implant Dent Relat Res 2018;20(3):285-93. Abstract

136. Noelken R, Neffe BA, Kunkel M, Wagner W. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. Clin Oral Implants Res 2014;25(2):214-20. Abstract

137. Noelken R, Pausch T, Wagner W, Al-Nawas B. Peri-implant defect grafting with autogenous bone or bone graft material in immediate implant placement in molar extraction sites-1- to 3-year results of a prospective randomized study. Clin Oral Implants Res 2020;31(11):1138-48. Abstract

138. Norton MR. The influence of low insertion torque on primary stability, implant survival, and maintenance of marginal bone levels: A closed-cohort prospective study. Int J Oral Maxillofac Implants 2017;32(4):849-57. Abstract

139. Norton MR. Biologic and mechanical stability of screw-retained layered zirconia crowns bonded to CAD/CAM titanium abutments using angulated screw access: A prospective closed cohort study. Int J Oral Maxillofac Implants 2023;38(1):37-45. Abstract

140. Ocelik V, Schepke U, Rasoul HH, et al. On the bulk degradation of yttria-stabilized nanocrystalline zirconia dental implant abutments: An electron backscatter diffraction study. J Mater Sci Mater Med 2017;28(8):121. Abstract

141. Osorio J. Use of the Atlantis abutment in restorative practice speeds time to function and aesthetics. [Interview]. Dent Implantol Update 2000;11(8):57-62. Abstract

142. Pan Y, Heng C, Wu ZJ, et al. Comparison of the virtual techniques in registering single implant position with a universal-coordinate system: An in vitro study. J Dent 2022;117:103925. Abstract

143. Paniz G, Stellini E, Meneghello R, et al. The precision of fit of cast and milled full-arch implant-supported restorations. Int J Oral Maxillofac Implants 2013;28(3):687-93. Abstract

144. Parpaiola A, Norton MR, Cecchinato D, et al. Virtual abutment design: a concept for delivery of CAD/CAM customized abutments-- report of a retrospective cohort. Int J Periodontics Restorative Dent 2013;33(1):51-8. Abstract

145. Parpaiola A, Toia M, Norton M, et al. CAD/CAM implant abutments: Peri-implant hard and soft tissue response with up to 4 years of follow-up- A retrospective cohort study evaluation. Int J Periodontics Restorative Dent 2020;40(2):193-201. Abstract

146. Petrungaro P, Smilanich M, Jimenez E. Use of ceramic abutments in the esthetic zone to enhance implant esthetics. Inside Dentistry 2007;3(2):2-5.

147. Pietruska M, Pietruski J. Advancement of Marginal Bone and Soft Tissue Aesthetics for Slope-Configured Implants. Coatings 2022;12(9):1295. Abstract

148. Priest G. Virtual-designed and computer-milled implant abutments. J Oral Maxillofac Surg 2005;63(9 Suppl 2):22-32. Abstract

149. Quirynen T, Quirynen M, Duyck J. Prevention of distal extension cantilever fracture in mandibular overdentures. J Dent 2015;43(9):1140-7. Abstract

150. Raigrodski AJ, Schwedhelm ER, Chen YW. A simplified technique for recording an implant-supported ovate pontic site in the esthetic zone. J Prosthet Dent 2014;111(2):154-8. Abstract

151. Rebeeah HA, Yilmaz B, Seidt JD, et al. Comparison of 3D displacements of screw-retained zirconia implant crowns into implants with different internal connections with respect to screw tightening. J Prosthet Dent 2018;119(1):132-37. Abstract

152. Revell G, Simon B, Mennito A, et al. Evaluation of complete-arch implant scanning with 5 different intraoral scanners in terms of trueness and operator experience. J Prosthet Dent 2022;128(4):632-38. Abstract

153. Revilla-Leon M, Sanchez-Rubio JL, Perez-Lopez J, et al. Discrepancy at the implant abutment-prosthesis interface of complete-arch cobalt-chromium implant frameworks fabricated by additive and subtractive technologies before and after ceramic veneering. J Prosthet Dent 2021;125(5):795-803. Abstract

154. Rinke S, Ziebolz D. Fabrication of an implant-supported overdenture using CAD/CAM technology: A clinical report. Quintessence Int 2013;44(2):127-34. Abstract

155. Rojas-Vizcaya F. Rehabilitation of the maxillary arch with implant-supported fixed restorations guided by the most apical buccal bone level in the esthetic zone: a clinical report. J Prosthet Dent 2012;107(4):213-20. Abstract

156. Rosen A. Implant success: Planning and impression material selection are key. Compend Contin Educ Dent 2018;39(3):12-14.

157. Salaita LG, Yilmaz B, Seidt JD, et al. Strain analysis of 9 different abutments for cement-retained crowns on an internal hexagonal implant. J Prosthet Dent 2017;118(2):166-71. Abstract

158. Sancho-Puchades M, Crameri D, Ozcan M, et al. The influence of the emergence profile on the amount of undetected cement excess after delivery of cement-retained implant reconstructions. Clin Oral Implants Res 2017;28(12):1515-22. Abstract

159. Schepke U, Gresnigt MMM, Browne WR, et al. Phase transformation and fracture load of stock and CAD/CAM-customized zirconia abutments after 1 year of clinical function. Clin Oral Implants Res 2019;30(6):559-69. Abstract

160. Schepke U, Lohbauer U, Meijer HJ, Cune MS. Adhesive failure of Lava Ultimate and lithium disilicate crowns bonded to zirconia abutments: A prospective within-patient comparison. Int J Prosthodont 2018;31(3):208-10. Abstract

161. Schepke U, Meijer HJ, Kerdijk W, et al. Stock versus CAD/CAM customized zirconia implant abutments - clinical and patient-based outcomes in a

randomized controlled clinical trial. Clin Implant Dent Relat Res 2017;19(1):74-84. Abstract

162. Schepke U, Meijer HJ, Vermeulen KM, et al. Clinical bonding of resin nano ceramic restorations to zirconia abutments: A case series within a randomized clinical trial. Clin Implant Dent Relat Res 2016;18(5):984-92. Abstract

163. Schmidt P, Goedicke-Padligur G, Schulte AG, et al. Implant-supported prosthetic rehabilitation of a senescent patient with Down syndrome. Quintessence Int 2020;51(2):170-77. Abstract

164. Schneider A, Kurtzman GM. Computerized milled solid implant abutments utilized at second stage surgery. Gen Dent 2001;49(4):416-20. Abstract

165. Serag M, Ismail H, Zichella J. Correction of a class III malocclusion with All-on-4 concept implant supported full mouth rehabilitation. J Oral Implantol 2021;47(6):525-28. Abstract

166. Sesemann MR. A visual essay. Maxillary arch reconstruction utilizing CAD/CAM Atlantis abutments. Pract Proced Aesthet Dent 2008;20(7):397-9. Abstract

167. Sherigar SR, Feine JS, Cooper LF, et al. Can patients detect peri-implant mucosal inflammation? Results from a multicentre randomized trial. J Dent 2023;135:104592. Abstract

168. Siegenthaler M, Strauss FJ, Gamper F, et al. Anterior implant restorations with a convex emergence profile increase the frequency of recession: 12-month results of a randomized controlled clinical trial. J Clin Periodontol 2022;49(11):1145-57. Abstract

169. Silva F, Neiva R. LASSO GBR for lingual alveolar ridge augmentation. SVOA Dentistry 2021;2(1):10-14.

170. Starch-Jensen T, Ahmad M, Bruun NH, Becktor JP. Maxillary sinus floor augmentation with autogenous bone graft compared with composite grafts: A one-year single-blinded randomized controlled trial. Clin Oral Implants Res 2024;35(6):652-67. Abstract

171. Starch-Jensen T, Bruun NH. Patient's perception of recovery after sinus membrane elevation and blood coagulum compared with 1:1 mixture of autogenous bone graft and deproteinized porcine bone mineral. Secondary outcomes from a single-blinded randomized controlled trial. Clin Oral Implants Res 2022;33(1):65-77. Abstract

172. Starch-Jensen T, Bruun NH, Spin-Neto R. Outcomes following osteotome-mediated sinus floor elevation with Bio-Oss Collagen or no grafting material: A one-year single-blind randomized controlled trial. Int J Oral Maxillofac Surg 2023;52(9):988-97. Abstract

173. Starch-Jensen T, Bruun NH, Spin-Neto R. Maxillary sinus membrane elevation and coagulum compared with maxillary sinus floor augmentation

and a composite graft: A 1-year single-blinded randomized controlled trial. Clin Implant Dent Relat Res 2023;25(6):1056-68. Abstract

174. Starch-Jensen T, Bruun NH, Spin-Neto R. Endo-sinus bone gain following sinus membrane elevation without graft compared with sinus floor augmentation and a composite graft: a one-year single-blind randomized controlled trial. International Journal of Oral and Maxillofacial Surgery 2024;53(4):319-32. Abstract

175. Steveling H, Gonzales JR. Immediate implant placement in extraction socket with an adapted implant the new astra tech implant EV in routine clinical practice. International Journal of Dentistry and Oral Health 2020;6(4):1-9.

176. Sumi T, Braian M, Shimada A, et al. Characteristics of implant-CAD/CAM abutment connections of two different internal connection systems. J Oral Rehabil 2012;39(5):391-8. Abstract

177. Svanborg P, Eliasson A, Stenport V. Additively manufactured titanium and cobalt-chromium implant frameworks: Fit and effect of ceramic veneering. Int J Oral Maxillofac Implants 2018;33(3):590-96. Abstract

178. Svanborg P, Le HH, Sigurethardottir SJ, Barkarmo S. Shear bond strength of the ceramic veneer to additively manufactured titanium. Clin Exp Dent Res 2024;10(1):e820. Abstract

179. Svanborg P, Stenport V, Eliasson A. Fit of cobalt-chromium implant frameworks before and after ceramic veneering in comparison with CNC-milled titanium frameworks. Clin Exp Dent Res 2015;1(2):49-56. Abstract

180. Tahmaseb A, De Clerck R, Wismeijer D. Computer-guided implant placement: 3D planning software, fixed intraoral reference points, and CAD/CAM technology. A case report. Int J Oral Maxillofac Implants 2009;24(3):541-6. Abstract

181. Tarce M, Becker K, Lahoud P, et al. Non-invasive oral implant position assessment: An ex vivo study using a 3D industrial scan as the reference model to mimic the clinical situation. Clinical Oral Implants Research 2023;E pub 5 Nov, doi: 10.1111/clr.14206. Abstract

182. Taylor TD, Klotz MW, Lawton RA. Titanium tattooing associated with zirconia implant abutments: a clinical report of two cases. Int J Oral Maxillofac Implants 2014;29(4):958-60. Abstract

183. Thoma DS, Brandenberg F, Fehmer V, et al. Randomized controlled clinical trial of all-ceramic single tooth implant reconstructions using modified zirconia abutments: Radiographic and prosthetic results at 1 year of loading. Clin Implant Dent Relat Res 2016;18(3):462-72. Abstract

184. Thoma DS, Brandenberg F, Fehmer V, et al. The esthetic effect of veneered zirconia abutments for single-tooth implant reconstructions: A randomized controlled clinical trial. Clin Implant Dent Relat Res 2016;18(6):1210-17. Abstract

185. Thoma DS, Sailer I, Muhlemann S, et al. Randomized controlled clinical study of veneered zirconia abutments for single implant crowns: Clinical, histological, and microbiological outcomes. Clin Implant Dent Relat Res 2018;20(6):988-96. Abstract

186. Toia M, Galli S, Cecchinato D, et al. Clinical evidence of osseospeed EV implants: A retrospective study and characterization of the newly introduced system. Int J Periodontics Restorative Dent 2019;39(6):863-74. Abstract

187. Toia M, Stocchero M, Becktor JP, et al. Implant vs abutment level connection in implant supported screw-retained fixed partial dentures with cobalt-chrome framework: 1-year interim results of a randomized clinical study. Clin Implant Dent Relat Res 2019;21(2):238-46. Abstract

188. Toia M, Stocchero M, Corra E, et al. Fixed full-arch maxillary prostheses supported by four versus six implants with a titanium CAD/CAM milled framework: 3-year multicentre RCT. Clin Oral Implants Res 2021;32(1):44-59. Abstract

189. Toia M, Wennerberg A, Torrisi P, et al. Patient satisfaction and clinical outcomes in implant-supported overdentures retained by milled bars: Two-year follow-up. J Oral Rehabil 2019;46(7):624-33. Abstract

190. Vahnstrom M, Johansson PH, Svanborg P, Stenport VF. Comparison of porcelain veneer fracture in implant-supported fixed full-arch prostheses with a framework of either titanium, cobalt-chromium, or zirconia: An in vitro study. Clin Exp Dent Res 2022;8(2):544-51. Abstract

191. Van Nimwegen WG, Goene RJ, Van Daelen AC, et al. Immediate implant placement and provisionalisation in the aesthetic zone. J Oral Rehabil 2016;43(10):745-52. Abstract

192. Vera C, De Kok IJ, Chen W, et al. Evaluation of post-implant buccal bone resorption using cone beam computed tomography: A clinical pilot study. Int J Oral Maxillofac Implants 2012;27(5):1249-57. Abstract

193. Wadhwani C, Rapoport D, La Rosa S, et al. Radiographic detection and characteristic patterns of residual excess cement associated with cement-retained implant restorations: a clinical report. J Prosthet Dent 2012;107(3):151-7. Abstract

194. Wasiluk G, Chomik E, Gehrke P, et al. Incidence of undetected cement on CAD/CAM monolithic zirconia crowns and customized CAD/CAM implant abutments. A prospective case series. Clin Oral Implants Res 2017;28(7):774-78. Abstract

195. Watkin A, Kerstein RB. Improving darkened anterior peri-implant tissue color with zirconia custom implant abutments. Compend Contin Educ Dent 2008;29(4):238-40, 42. Abstract

196. Whitesides L. Evaluation of the Atlantis abutment in implant restoration. Inside Dentistry 2006;Sept:98-99.

197. Whitesides LM. Solution for the challenging implant. Dent Today 2008;27(2):146, 48. Abstract

198. Wilk BL. Intraoral digital impressioning for dental implant restorations versus traditional implant impression techniques. Compend Contin Educ Dent 2015;36(7):529-30, 32-3. Abstract

199. Yilmaz B, Cakmak G, Batak B, Johnston WM. Screw stability of CAD-CAM titanium and zirconia abutments on different implants: An in vitro study. Clin Implant Dent Relat Res 2021;23(3):373-79. Abstract

200. Yilmaz B, Gilbert AB, Seidt JD, et al. Displacement of implant abutments following initial and repeated torqueing. Int J Oral Maxillofac Implants 2015;30(5):1011-8. Abstract

201. Yilmaz B, Hashemzadeh S, Seidt JD, Clelland NL. Displacement comparison of CAD-CAM titanium and zirconia abutments to implants with different conical connections. J Prosthodont Res 2018;62(2):200-03. Abstract

202. Yilmaz B, Salaita LG, Seidt JD, et al. Load to failure of different titanium abutments for an internal hexagon implant. J Prosthet Dent 2015;114(4):513-6. Abstract

203. Yilmaz B, Salaita LG, Seidt JD, et al. Load to failure of different zirconia abutments for an internal hexagon implant. J Prosthet Dent 2015;114(3):373-7. Abstract

204. Yoda N, Zheng K, Chen J, et al. Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. J Prosthodont Res 2017;61(4):393-402. Abstract

205. Zeller S, Guichet D, Kontogiorgos E, Nagy WW. Accuracy of three digital workflows for implant abutment and crown fabrication using a digital measuring technique. J Prosthet Dent 2019;121(2):276-84. Abstract

Simplant

1. Abboud M, Wahl G, Calvo-Guirado JL, Orentlicher G. Application and success of two stereolithographic surgical guide systems for implant placement with immediate loading. Int J Oral Maxillofac Implants 2012;27(3):634-43. Abstract

2. Abellan D, Barallat L, Vilarrasa J, et al. Ridge preservation in molar sites comparing xenograft versus mineralized freeze-dried bone allograft: A randomized clinical trial. Clin Oral Implants Res 2022;33(5):511-23. Abstract

3. Aboul-Hosn Centenero S, Hernandez-Alfaro F. 3D planning in orthognathic surgery: CAD/CAM surgical splints and prediction of the soft and hard tissues results - our experience in 16 cases. J Craniomaxillofac Surg 2012;40(2):162-8. Abstract

4. Afshari FS, Hallas MB, Knoernschild KL. An alternative approach in fabrication of fixed complete dentures using a duplicate denture. J Prosthodont 2012;21(7):569-72. Abstract

5. Ahmad R, Abu-Hassan MI, Chen J, et al. The relationship of mandibular morphology with residual ridge resorption associated with implant-retained overdentures. Int J Prosthodont 2016;29(6):573-80. Abstract

6. Ahmad R, Abu-Hassan MI, Li Q, Swain MV. Three dimensional quantification of mandibular bone remodeling using standard tessellation language registration based superimposition. Clin Oral Implants Res 2013;24(11):1273-9. Abstract

7. Al-Harbi SA, Sun AY. Implant placement accuracy when using stereolithographic template as a surgical guide: preliminary results. Implant Dent 2009;18(1):46-56. Abstract

8. Al-Harbi SA, Verrett RG. Fabrication of a stable surgical template using staged tooth extraction for immediate implant placement. J Prosthet Dent 2005;94(4):394-7. Abstract

9. Al-Hashedi AA, Taiyeb-Ali TB, Yunus N. Outcomes of placing short implants in the posterior mandible: A preliminary randomized controlled trial. Aust Dent J 2016;61(2):208-18. Abstract

10. Albaqawi AH. "All-on-4" and "All-on-6" treatment concept applied using computer-guided surgery in a patient: Case report with a 2-year follow-up. Clin Case Rep 2023;11(3):e7101. Abstract

11. Albiero AM, Benato R. Computer-assisted surgery and intraoral welding technique for immediate implant-supported rehabilitation of the edentulous maxilla: Case report and technical description. Int J Med Robot 2016;12(3):453-60. Abstract

12. Albiero AM, Benato R, Benato A, Degidi M. Use of intraoral welding to increase the predictability of immediately loaded computer-guided implants. Int J Periodontics Restorative Dent 2017;37(4):591-98. Abstract

13. Albiero AM, Benato R, Benato A, Degidi M. Guided-welded approach planning using digital scanning technology for combined screw- and conometric-retained implant-supported maxillary prosthesis. Int J Comput Dent 2020;23(4):325-33. Abstract

14. Albiero AM, Benato R, Momic S, Degidi M. Implementation of computer-guided implant planning using digital scanning technology for restorations supported by conical abutments: A dental technique. J Prosthet Dent 2018;119(5):720-26. Abstract

15. Albiero AM, Benato R, Momic S, Degidi M. Guided-welded approach planning using a computer-aided designed prosthetic shell for immediately loaded complete-arch rehabilitations supported by conometric abutments. J Prosthet Dent 2019;122(6):510-15. Abstract

16. Alhossan A, Chang YC, Wang TJ, et al. Reliability of Cone Beam Computed Tomography in Predicting Implant Treatment Outcomes in Edentulous Patients. Diagnostics (Basel) 2023;13(17). Abstract

17. Aljunid S, AlSiweedi S, Nambiar P, et al. The management of persistent pain from a branch of the trifid mandibular canal due to implant impingement. J Oral Implantol 2016;42(4):349-52. Abstract

18. Allum SR. Immediately loaded full-arch provisional implant restorations using CAD/CAM and guided placement: maxillary and mandibular case reports. Br Dent J 2008;204(7):377-81. Abstract

19. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: A clinical report. J Oral Implantol 2010;36(3):209-17. Abstract

20. Amet EM, Ganz SD. Implant treatment planning using a patient acceptance prosthesis, radiographic record base, and surgical template. Part 1: Presurgical phase. Implant Dent 1997;6(3):193-7. Abstract

21. Amet EM, Uehlein C. Alveolar nerve repositioning with rescue implants for management of previous treatment. A clinical report. J Prosthodont 2013;22(8):633-40. Abstract

22. Amorfini L, Migliorati M, Signori A, et al. Block allograft technique versus standard guided bone regeneration: a randomized clinical trial. Clin Implant Dent Relat Res 2014;16(5):655-67. Abstract

23. Arisan V, Bolukbasi N, Oksuz L. Computer-assisted flapless implant placement reduces the incidence of surgery-related bacteremia. Clin Oral Investig 2013;17(9):1985-93. Abstract

24. Arisan V, Karabuda CZ, Mumcu E, Ozdemir T. Implant positioning errors in freehand and computer-aided placement methods: A single-blind clinical comparative study. Int J Oral Maxillofac Implants 2013;28(1):190-204. Abstract

25. Arisan V, Karabuda CZ, Ozdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: Surgical and post-operative outcomes of computer-aided vs. standard techniques. Clin Oral Implants Res 2010;21(9):980-8. Abstract

26. Arisan V, Karabuda ZC, Avsever H, Ozdemir T. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-assisted implant placement. Part I: relationship of radiographic gray density and implant stability. Clin Implant Dent Relat Res 2013;15(6):893-906. Abstract

27. Arisan V, Karabuda ZC, Ozdemir T. Accuracy of two stereolithographic guide systems for computer-aided implant placement: A computed tomography-based clinical comparative study. J Periodontol 2010;81(1):43-51. Abstract

28. Arisan V, Karabuda ZC, Piskin B, Ozdemir T. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-aided implant placement. Part II: reliability of mucosa-supported

stereolithographic guides. Clin Implant Dent Relat Res 2013;15(6):907-17. Abstract

29. Ashy LM. Restoration-type Outcome of Freehand Implant Placement in Single Edentulous Gaps: An Observational Study. The journal of contemporary dental practice 2019;20(11):1274-78.

30. Azari A, Nikzad S. Flapless implant surgery: review of the literature and report of 2 cases with computer-guided surgical approach. J Oral Maxillofac Surg 2008;66(5):1015-21. Abstract

31. Azari A, Nikzad S, Kabiri A. Using computer-guided implantology in flapless implant surgery of a maxilla: a clinical report. J Oral Rehabil 2008;35(9):690-4. Abstract

32. Azpiazu-Flores FX, Knobloch LA, Larsen PE. Interdisciplinary management of a patient with dentinogenesis imperfecta type II using a combination of CAD-CAM and analog techniques: A clinical report. J Prosthodont 2022;31(8):647-54. Abstract

33. Baggi L, Cappelloni I, Di Girolamo M, et al. The influence of implant diameter and length on stress distribution of osseointegrated implants related to crestal bone geometry: A three-dimensional finite element analysis. J Prosthet Dent 2008;100(6):422-31. Abstract

34. Bavar T. A new twist on surgical guides. J Oral Implantol 2008;34(6):325-9. Abstract

35. Bencharit S, Allen RK, Whitley D, 3rd. Utilization of demineralized bone matrix to restore missing buccal bone during single implant placement: Clinical report. J Oral Implantol 2016;42(6):490-97. Abstract

36. Bencharit S, Morelli T, Barros S, et al. Comparing initial wound healing and osteogenesis of porous tantalum trabecular metal and titanium alloy materials. J Oral Implantol 2019;45(3):173-80. Abstract

37. Bernard L, Vercruyssen M, Duyck J, et al. A randomized controlled clinical trial comparing guided with nonguided implant placement: A 3-year follow-up of implant-centered outcomes. J Prosthet Dent 2019;121(6):904-10. Abstract

38. Bertos Quilez J, Guijarro-Martinez R, Aboul-Hosn Centenero S, Hernandez-Alfaro F. Virtual quad zygoma implant placement using cone beam computed tomography: sufficiency of malar bone volume, intraosseous implant length, and relationship to the sinus according to the degree of alveolar bone atrophy. Int J Oral Maxillofac Surg 2018;47(2):252-61. Abstract

39. Besimo CE, Lambrecht JT, Guindy JS. Accuracy of implant treatment planning utilizing template-guided reformatted computed tomography. Dentomaxillofac Radiol 2000;29(1):46-51. Abstract

40. Bianchi J, Fiorellini JP, Howell TH, et al. Measuring the efficacy of rhBMP-2 to regenerate bone: a radiographic study using a commercially available

software program. Int J Periodontics Restorative Dent 2004;24(6):579-87. Abstract

41. Bocklage R. Computer analysis of titanium implants in atrophic arch and poor quality bone: A case report. Implant Dent 2001;10(3):162-7. Abstract

42. Boedeker D, Dyer J, Kraut R. Clinical outcome of immediately loaded maxillary implants: A 2-year retrospective study. J Oral Maxillofac Surg 2011;69(5):1335-43. Abstract

43. Bou Serhal C, Jacobs R, Van Cleynenbreugel J, van Steenberghe D. Validation of a 3D-CT based stereolithographic template for implant placement in an ex vivo atrophic mandible. Clin Oral Implants Res 2002;13.

44. Braidy H, Appelbaum M. Alveolar distraction osteogenesis of the severely atrophic anterior maxilla: surgical and prosthetic challenges. J Prosthodont 2011;20(2):139-43. Abstract

45. Buurman DJM, Speksnijder CM, de Groot RJ, et al. Mastication in maxillectomy patients: A comparison between reconstructed maxillae and implant supported obturators: A cross-sectional study. J Oral Rehabil 2020;47(9):1171-77. Abstract

46. Bynum JH. Treatment of a class III malocclusion. J Cosmetic Dentistry 2013;29(2):64-72.

47. Caldwell CS. Practical incorporation of computed tomography into daily implant treatment planning. Tex Dent J 2005;122(4):343-54. Abstract

48. Cassetta M. Immediate loading of implants inserted in edentulous arches using multiple mucosa-supported stereolithographic surgical templates: A 10-year prospective cohort study. Int J Oral Maxillofac Surg 2016;45(4):526-34. Abstract

49. Cassetta M, Di Mambro A, Di Giorgio G, et al. The influence of the tolerance between mechanical components on the accuracy of implants inserted with a stereolithographic surgical guide: A retrospective clinical study. Clin Implant Dent Relat Res 2015;17(3):580-8. Abstract

50. Cassetta M, Di Mambro A, Giansanti M, et al. Is it possible to improve the accuracy of implants inserted with a stereolithographic surgical guide by reducing the tolerance between mechanical components? Int J Oral Maxillofac Surg 2013;42(7):887-90. Abstract

51. Cassetta M, Di Mambro A, Giansanti M, et al. How does an error in positioning the template affect the accuracy of implants inserted using a single fixed mucosa-supported stereolithographic surgical guide? Int J Oral Maxillofac Surg 2014;43(1):85-92. Abstract

52. Cassetta M, Di Mambro A, Giansanti M, et al. The intrinsic error of a stereolithographic surgical template in implant guided surgery. Int J Oral Maxillofac Surg 2013;42(2):264-75. Abstract

53. Cassetta M, Giansanti M, Di Mambro A, et al. Accuracy of two stereolithographic surgical templates: A retrospective study. Clin Implant Dent Relat Res 2013;15(3):448-59. Abstract

54. Cassetta M, Giansanti M, Di Mambro A, Stefanelli LV. Accuracy of positioning of implants inserted using a mucosa-supported stereolithographic surgical guide in the edentulous maxilla and mandible. Int J Oral Maxillofac Implants 2014;29(5):1071-8. Abstract

55. Cassetta M, Stefanelli LV, Giansanti M, et al. Depth deviation and occurrence of early surgical complications or unexpected events using a single stereolithographic surgi-guide. Int J Oral Maxillofac Surg 2011;40(12):1377-87. Abstract

56. Cassetta M, Stefanelli LV, Giansanti M, et al. Accuracy of a computer-aided implant surgical technique. Int J Periodontics Restorative Dent 2013;33(3):317-25. Abstract

57. Chai J, Chau AC, Chu FC, Chow TW. Diagnostic performance of mandibular bone density measurements in assessing osteoporotic status. Int J Oral Maxillofac Implants 2014;29(3):667-74. Abstract

58. Chan CK, Chai JY, Wah CT. In vitro ultrasonographic measurement of jawbone to predict bone quality. Int J Oral Maxillofac Implants 2014;29(5):1042-8. Abstract

59. Chan PW, Chik FF, Pow EH, Chow TW. Stereoscopic technique for conversion of radiographic guide into implant surgical guide. Clin Implant Dent Relat Res 2013;15(4):613-24. Abstract

60. Chang PP, Henegbarth EA, Lang LA. Maxillary zirconia implant fixed partial dentures opposing an acrylic resin implant fixed complete denture: a two-year clinical report. J Prosthet Dent 2007;97(6):321-30. Abstract

61. Chen Y, Zhang X, Wang M, et al. Accuracy of full-guided and half-guided surgical templates in anterior immediate and delayed implantation: A retrospective study. Materials (Basel) 2020;14(1). Abstract

62. Chow J, Hui E, Lee PK, Li W. Zygomatic implants--protocol for immediate occlusal loading: A preliminary report. J Oral Maxillofac Surg 2006;64(5):804-11. Abstract

63. Clelland N, Chaudhry J, Rashid RG, McGlumphy E. Split-mouth comparison of splinted and nonsplinted prostheses on short implants: 3-year results. Int J Oral Maxillofac Implants 2016;31(5):1135-41. Abstract

64. Cushen SE, Turkyilmaz I. Impact of operator experience on the accuracy of implant placement with stereolithographic surgical templates: An in vitro study. J Prosthet Dent 2013;109(4):248-54. Abstract

65. D'Haese J, De Bruyn H. Effect of smoking habits on accuracy of implant placement using mucosally supported stereolithographic surgical guides. Clin Implant Dent Relat Res 2013;15(3):402-11. Abstract

66. D'Haese J, Van De Velde T, Elaut L, De Bruyn H. A prospective study on the accuracy of mucosally supported stereolithographic surgical guides in fully edentulous maxillae. Clin Implant Dent Relat Res 2012;14(2):293-303. Abstract

67. D'Haese J, Van De Velde T, Komiyama A, et al. Accuracy and complications using computer-designed stereolithographic surgical guides for oral rehabilitation by means of dental implants: a review of the literature. Clin Implant Dent Relat Res 2012;14(3):321-35. Abstract

68. D'Haese J, Vervaeke S, Verbanck N, De Bruyn H. Clinical and radiographic outcome of implants placed using stereolithographic guided surgery: A prospective monocenter study. Int J Oral Maxillofac Implants 2013;28(1):205-15. Abstract

69. D'Souza KM, Aras MA. Types of implant surgical guides in dentistry: a review. J Oral Implantol 2012;38(5):643-52. Abstract

70. Damstra J, Fourie Z, De Wit M, Ren Y. A three-dimensional comparison of a morphometric and conventional cephalometric midsagittal planes for craniofacial asymmetry. Clin Oral Investig 2012;16(1):285-94. Abstract

71. Damstra J, Fourie Z, Huddleston Slater JJ, Ren Y. Accuracy of linear measurements from cone-beam computed tomography-derived surface models of different voxel sizes. Am J Orthod Dentofacial Orthop 2010;137(1):16 e1-6; discussion 16-7. Abstract

72. Damstra J, Fourie Z, Huddleston Slater JJ, Ren Y. Reliability and the smallest detectable difference of measurements on 3-dimensional cone-beam computed tomography images. Am J Orthod Dentofacial Orthop 2011;140(3):e107-14. Abstract

73. Damstra J, Fourie Z, Ren Y. Evaluation and comparison of postero-anterior cephalograms and cone-beam computed tomography images for the detection of mandibular asymmetry. Eur J Orthod 2013;35(1):45-50. Abstract

74. Davies J, Johnson B, Drage N. Effective doses from cone beam CT investigation of the jaws. Dentomaxillofac Radiol 2012;41(1):30-6. Abstract

75. De Kok IJ, Thalji G, Bryington M, Cooper LF. Radiographic stents: integrating treatment planning and implant placement. Dent Clin North Am 2014;58(1):181-92. Abstract

76. Deeb G, Antonos L, Tack S, et al. Is cone-beam computed tomography always necessary for dental implant placement? J Oral Maxillofac Surg 2017;75(2):285-89. Abstract

77. Degidi M, Daprile G, Nardi D, Piattelli A. Buccal bone plate in immediately placed and restored implant with Bio-Oss(®) collagen graft: a 1-year follow-up study. Clin Oral Implants Res 2013;24(11):1201-5. Abstract

78. Degidi M, Nardi D, Daprile G, Piattelli A. Buccal bone plate in the immediately placed and restored maxillary single implant: a 7-year retrospective study using computed tomography. Implant Dent 2012;21(1):62-6. Abstract

79. Dene L. Implant supported overdenture for the atrophic mandible. N Y State Dent J 2010;76(3):26-9. Abstract

80. Depprich RA, Ommerborn MA, Handschel JG, et al. Dentin dysplasia type I: A challenge for treatment with dental implants. Head Face Med 2007;3:31. Abstract

81. Di Giacomo GA, Cury PR, de Araujo NS, et al. Clinical application of stereolithographic surgical guides for implant placement: preliminary results. J Periodontol 2005;76(4):503-7. Abstract

82. Dragonas P, Palin C, Khan S, et al. Complications associated with the use of recombinant human bone morphogenic protein-2 in ridge augmentation: A case report. J Oral Implantol 2017;43(5):351-59. Abstract

83. Dunn DB. All-on-4 graftless approach: Not the panacea for all cases. Australasian Dental Practice 2013;24(2):132-38.

84. Edelmann AR, Hosseini B, Byrd WC, et al. Exploring effectiveness of computer-aided planning in implant positioning for a single immediate implant placement. J Oral Implantol 2016;42(3):233-9. Abstract

85. Eftekhar Ashtiani R, Ghasemi Z, Nami M, et al. Accuracy of static digital surgical guides for dental implants based on the guide system: A systematic review. J Stomatol Oral Maxillofac Surg 2021;122(6):600-07. Abstract

86. Elian N, Ehrlich B, Jalbout Z, et al. A restoratively driven ridge categorization, as determined by incorporating ideal restorative positions on radiographic templates utilizing computed tomography scan analysis. Clin Implant Dent Relat Res 2009;11(4):272-8. Abstract

87. Elsyad MA, Mahanna FF, Elshahat MA, Elshoukouki AH. Locators versus magnetic attachment effect on peri-implant tissue health of immediate loaded two implants retaining a mandibular overdenture: a 1-year randomised trial. J Oral Rehabil 2016;43(4):297-305. Abstract

88. Esteve-Pardo G, Esteve-Colomina L, Fernandez E. A new inertial navigation system for guiding implant placement. An in-vitro proof-of-concept study. PLoS One 2021;16(10):e0255481. Abstract

89. Eun-Suk K, Eun-Jin P, Schrott A, Schnitman PA. Immediate loading as a vehicle for interdisciplinary training in implant placement and restoration. Int J Oral Maxillofac Implants 2010;25(4):759-62. Abstract

90. Fourie Z, Damstra J, Gerrits PO, Ren Y. Accuracy and reliability of facial soft tissue depth measurements using cone beam computer tomography. Forensic Sci Int 2010;199(1-3):9-14. Abstract

91. Fourie Z, Damstra J, Schepers RH, et al. Segmentation process significantly influences the accuracy of 3D surface models derived from cone beam computed tomography. Eur J Radiol 2012;81(4):e524-30. Abstract

92. Franchina A, Stefanelli LV, Ferri A, et al. A Plaster Cast Contact Scan Method to Assess the Accuracy of Full-Arch Computer-Aided Implant Surgery. Int J Oral Maxillofac Implants 2022;37(4):756-62. Abstract

93. Frongia G, Piancino MG, Bracco AA, et al. Assessment of the reliability and repeatability of landmarks using 3-D cephalometric software. CRANIO 2012;30(4):255-63. Abstract

94. Froum SJ, Bergamini M, Reis N, et al. A new concept of safety distance to place implants in the area of the inferior alveolar canal to avoid neurosensory disturbance. Int J Periodontics Restorative Dent 2021;41(4):e139-e46.

95. Froum SJ, Cho SC, Cho YS, et al. Narrow-diameter implants: a restorative option for limited interdental space. Int J Periodontics Restorative Dent 2007;27(5):449-55. Abstract

96. Froum SJ, Cho SC, Suzuki T, et al. Epicrestal and subcrestal placement of platform-switched implants: 18 month-result of a randomized, controlled, split-mouth, prospective clinical trial. Clin Oral Implants Res 2018;29(4):353-66. Abstract

97. Froum SJ, Tarnow DP, Wallace SS, et al. Sinus floor elevation using anorganic bovine bone matrix (OsteoGraf/N) with and without autogenous bone: A clinical, histologic, radiographic, and histomorphometric analysis--Part 2 of an ongoing prospective study. Int J Periodontics Restorative Dent 1998;18(6):528-43. Abstract

98. Ganz SD. The triangle of bone--a formula for successful implant placement and restoration. Implant Soc 1995;5(5):2-6. Abstract

99. Ganz SD. Use of stereolithographic models as diagnostic and restorative aids for predictable immediate loading of implants. Pract Proced Aesthet Dent 2003;15(10):763-71; quiz 72. Abstract

100. Ganz SD. Presurgical planning with CT-derived fabrication of surgical guides. J Oral Maxillofac Surg 2005;63(9 Suppl 2):59-71. Abstract

101. Ganz SD. Techniques for the use of CT imaging for the fabrication of surgical guides. Atlas Oral Maxillofac Surg Clin North Am 2006;14(1):75-97. Abstract

102. Ganz SD. CT-derived model-based surgery for immediate loading of maxillary anterior implants. Pract Proced Aesthet Dent 2007;19(5):311-8. Abstract

103. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. Compend Contin Educ Dent 2008;29(5):256-8, 60-2, 64-7; quiz 68, 78. Abstract

104. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. Inside Dentistry 2009;Nov/Dec:2-9. Abstract

105. Ganz SD. Dental implantology: An evolving treatment modality. Compend Contin Educ Dent 2013;34(8):628-9. Abstract

106. Garcia-Denche JT, Wu X, Martinez PP, et al. Membranes over the lateral window in sinus augmentation procedures: a two-arm and split-mouth randomized clinical trials. J Clin Periodontol 2013;40(11):1043-51. Abstract

107. Geng W, Liu C, Su Y, et al. Accuracy of different types of computer-aided design/computer-aided manufacturing surgical guides for dental implant placement. Int J Clin Exp Med 2015;8(6):8442-9. Abstract

108. Gillot L, Cannas B, Buti J, Noharet R. A retrospective cohort study of 113 patients rehabilitated with immediately loaded maxillary cross-arch fixed dental prostheses in combination with immediate implant placement. Eur J Oral Implantol 2012;5(1):71-9. Abstract

109. Gokce SM, Gorgulu S, Gokce HS, et al. Evaluation of pharyngeal airway space changes after bimaxillary orthognathic surgery with a 3-dimensional simulation and modeling program. Am J Orthod Dentofacial Orthop 2014;146(4):477-92. Abstract

110. Gorgulu S, Gokce SM, Olmez H, et al. Nasal cavity volume changes after rapid maxillary expansion in adolescents evaluated with 3-dimensional simulation and modeling programs. Am J Orthod Dentofacial Orthop 2011;140(5):633-40. Abstract

111. Gu Y, Yan C, Yan Z, et al. Evaluation of the clinical efficacy and safety of modified alveolar cleft bone graft with cone-beam CT digital imaging in children. Translational pediatrics 2022;11(7):1140-48. Abstract

112. Guida L, Annunziata M, Esposito U, et al. 6-mm-short and 11-mm-long implants compared in the full-arch rehabilitation of the edentulous mandible: A 3-year multicenter randomized controlled trial. Clin Oral Implants Res 2020;31(1):64-73. Abstract

113. Guida L, Esposito U, Sirignano M, et al. 6 mm short versus 11 mm long inter-foraminal implants in the full-arch rehabilitation of edentulous non-atrophic mandibles: 5-year results from a multicenter randomized controlled trial. Clin Oral Implants Res 2023;34(2):127-36. Abstract

114. Hakim SG, Glanz J, Ofer M, et al. Correlation of cone beam CT-derived bone density parameters with primary implant stability assessed by peak insertion torque and periotest in the maxilla. J Craniomaxillofac Surg 2019;47(3):461-67. Abstract

115. Hall SR. Implant diagnostics utilizing computed tomography imaging. J Okla Dent Assoc 1995;85(3):19-24. Abstract

116. Hara S, Mitsugi M, Kanno T, et al. Endoscopically assisted intraoral modified Le Fort II type midfacial advancement using piezoelectric surgery and an intraoperative RED system. J Oral Maxillofac Surg 2013;71(2):e93-103. Abstract

117. Hara S, Mitsugi M, Kanno T, et al. Three-dimensional virtual operations can facilitate complicated surgical planning for the treatment of patients with jaw deformities associated with facial asymmetry: a case report. Int J Oral Sci 2013;5(3):176-82. Abstract

118. Hernandez-Alfaro F, Guijarro-Martinez R. New protocol for three-dimensional surgical planning and CAD/CAM splint generation in orthognathic surgery: an in vitro and in vivo study. Int J Oral Maxillofac Surg 2013;42(12):1547-56. Abstract

119. Hernandez-Alfaro F, Guijarro-Martinez R, Mareque-Bueno J. Effect of mono- and bimaxillary advancement on pharyngeal airway volume: cone-beam computed tomography evaluation. J Oral Maxillofac Surg 2011;69(11):e395-400. Abstract

120. Hernandez-Alfaro F, Guijarro-Martinez R, Molina-Coral A, Badia-Escriche C. "Surgery first" in bimaxillary orthognathic surgery. J Oral Maxillofac Surg 2011;69(6):e201-7. Abstract

121. Hernandez-Alfaro F, Guijarro-Martinez R, Peiro-Guijarro MA. Surgery first in orthognathic surgery: what have we learned? A comprehensive workflow based on 45 consecutive cases. J Oral Maxillofac Surg 2014;72(2):376-90. Abstract

122. Ho MH, Chiang CP, Liu YF, et al. Highly efficient release of lovastatin from poly(lactic-co-glycolic acid) nanoparticles enhances bone repair in rats. J Orthop Res 2011;29(10):1504-10. Abstract

123. Holmes S, Goldner S, Bridle C, et al. Evaluation of complex craniomaxillofacial fractures by a new three-dimensional planning system. Br J Oral Maxillofac Surg 2006;44(5):416-7. Abstract

124. Horowitz RA. The use of osteotomes for sinus augmentation at the time of implant placement. Compend Contin Educ Dent 1997;18(5):441-7, 50-2; quiz 54. Abstract

125. Hosseini B, Byrd WC, Preisser JS, et al. Effects of antibiotics on bone and soft-tissue healing following immediate single-tooth implant placement into sites with apical pathology. J Oral Implantol 2015;41(5):e202-11. Abstract

126. Hrabak K, Szabo G, Ewers R, Gyulai-Gaal S. 2D and 3D computer tomography and sinus graft analysis with various graft materials. J Long Term Eff Med Implants 1999;9(3):223-33. Abstract

127. Ikumi N, Tsutsumi S. Assessment of correlation between computerized tomography values of the bone and cutting torque values at implant placement: a clinical study. Int J Oral Maxillofac Implants 2005;20(2):253-60. Abstract

128. Ishak MI, Abdul Kadir MR, Sulaiman E, Abu Kasim NH. Finite element analysis of different surgical approaches in various occlusal loading locations for zygomatic implant placement for the treatment of atrophic maxillae. Int J Oral Maxillofac Surg 2012;41(9):1077-89. Abstract

129. Jacobs R. Preoperative radiologic planning of implant surgery in compromised patients. Periodontol 2000 2003;33:12-25. Abstract

130. Jang HY, Kim HC, Lee SC, Lee JY. Choice of graft material in relation to maxillary sinus width in internal sinus floor augmentation. J Oral Maxillofac Surg 2010;68(8):1859-68. Abstract

131. Jensen C, Raghoebar GM, Meijer HJ, et al. Comparing two diagnostic procedures in planning dental implants to support a mandibular free-ending removable partial denture. Clin Implant Dent Relat Res 2016;18(4):678-85. Abstract

132. Jeong SM, Yoo JH, Fang Y, et al. The effect of guided flapless implant procedure on heat generation from implant drilling. J Craniomaxillofac Surg 2014;42(6):725-9. Abstract

133. Jones JL, Knox J, Key SJ. Potential reformatting errors in cone-beam computed tomography for dentoalveolar surgery: a cautionary tale. Br J Oral Maxillofac Surg 2017;55(1):71-73. Abstract

134. Juluri R, Moran M, Suzuki JB, Khocht A. A comparison of computed tomography scans and digital periapical radiographs ridge height measurements. J Oral Implantol 2015;41(2):125-31. Abstract

135. Jung YR, Kim SC, Kang KH, et al. Placement angle effects on the success rate of orthodontic microimplants and other factors with cone-beam computed tomography. Am J Orthod Dentofacial Orthop 2013;143(2):173-81. Abstract

136. Kacer CM, Dyer JD, Kraut RA. Immediate loading of dental implants in the anterior and posterior mandible: A retrospective study of 120 cases. J Oral Maxillofac Surg 2010;68(11):2861-7. Abstract

137. Kalaignan P, Mohan JS, Jayakumar A. Assessment of oral health-related quality of life for complex mandibular defects rehabilitated with computer-guided implant restoration. J Int Soc Prev Community Dent 2018;8(3):277-81. Abstract

138. Kamposiora P, Papavasiliou G, Madianos P. Presentation of two cases of immediate restoration of implants in the esthetic region, using facilitate software and guides with stereolithographic model surgery prior to patient surgery. J Prosthodont 2012;21(2):130-7. Abstract

139. Kaneko T, Masuda I, Horie N, Shimoyama T. New bone formation in nongrafted sinus lifting with space-maintaining management: a novel technique using a titanium bone fixation device. J Oral Maxillofac Surg 2012;70(3):e217-24. Abstract

140. Kang SH, Lee JW, Lim SH, et al. Verification of the usability of a navigation method in dental implant surgery: in vitro comparison with the stereolithographic surgical guide template method. J Craniomaxillofac Surg 2014;42(7):1530-5. Abstract

141. Kang YH, Kim BC, Park KR, et al. Visual pathway-related horizontal reference plane for three-dimensional craniofacial analysis. Orthod Craniofac Res 2012;15(4):245-54. Abstract

142. Kanno T, Mitsugi M, Sukegawa S, et al. Computer-simulated bi-directional alveolar distraction osteogenesis. Clin Oral Implants Res 2008;19(12):1211-8. Abstract

143. Kanno Y, Saijo H, Mori Y, et al. A case of occlusal reconstruction using dental implants after Le Fort I osteotomy simultaneously with maxillary sinus floor augmentation: Require to preserve the maxillary sinus membrane? Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology 2022;34(5):615-21. Abstract

144. Katsumi Y, Tanaka R, Hayashi T, et al. Variation in arterial supply to the floor of the mouth and assessment of relative hemorrhage risk in implant surgery. Clin Oral Implants Res 2013;24(4):434-40. Abstract

145. Kawasaki T, Komatsu K, Tsuchiya R. Tilted placement of tapered implants using a modified surgical template. J Oral Maxillofac Surg 2011;69(6):1642-50. Abstract

146. Kennedy KS, Jones EM, Kim DG, et al. A prospective clinical study to evaluate early success of short implants. Int J Oral Maxillofac Implants 2013;28(1):170-7. Abstract

147. Kernen F, Kramer J, Wanner L, et al. A review of virtual planning software for guided implant surgery - data import and visualization, drill guide design and manufacturing. BMC Oral Health 2020;20(1):251. Abstract

148. Ketabi AR, Kastner E, Brenner M, et al. Implant insertion using an orientation template and a full-guiding template - A prospective model analysis in a cohort of dentists participating in an implantology curriculum. Ann Anat 2021;236:151716. Abstract

149. Kim SJ, Ribeiro AL, Atlas AM, et al. Resonance frequency analysis as a predictor of early implant failure in the partially edentulous posterior maxilla following immediate nonfunctional loading or delayed loading with single unit restorations. Clin Oral Implants Res 2015;26(2):183-90. Abstract

150. Kimura K, Fukase Y, Makino M, et al. Three-dimensional finite element analysis of fixed complete-arch prostheses supported by 4 immediate-loaded implants in the completely edentulous maxilla using clinical computerized tomography data. J Oral Implantol 2011;37 Spec No:96-105. Abstract

151. Kiyomiya H, Nogami S, Yoshiga D, et al. Dento-alveolar reconstruction using titanium mesh and bone grafting followed by dental implants placement for malunion and malocclusion after a maxillo-mandibular fracture. J Oral Maxillofac Surg Med Path 2020;32(5):370-76. Abstract

152. Klein M, Abrams M. Computer-guided surgery utilizing a computer-milled surgical template. Pract Proced Aesthet Dent 2001;13(2):165-9; quiz 70. Abstract

153. Kochanowski M, Barankiewicz A, Sadowska P, Dejak B. Implantoprosthetic treatment based on Simplant Software and Azento System. Prosthodontics 2022;72(1):76-83.

154. Kong N, Hui M, Miao F, et al. Mandibular incisive canal in han chinese using cone beam computed tomography. Int J Oral Maxillofac Surg 2016;45(9):1142-6. Abstract

155. Koop R, Vercruyssen M, Vermeulen K, Quirynen M. Tolerance within the sleeve inserts of different surgical guides for guided implant surgery. Clin Oral Implants Res 2013;24(6):630-4. Abstract

156. Koutouzis T, Adeinat B, Ali A. The influence of abutment macro-design on clinical and radiographic peri-implant tissue changes for guided, placed, and restored implants: A 1-year randomized controlled trial. Clin Oral Implants Res 2019;30(9):882-91. Abstract

157. Koutouzis T, Ali A, AlRubaie M. Clinical and radiographic peri-implant tissue changes for implants restored with convex or concave abutment shapes: A 3-year randomized controlled trial. Clin Oral Implants Res 2023;34(7):675-83. Abstract

158. Kraut RA. A case for routine computed tomography imaging of the dental alveolus before implant placement. J Oral Maxillofac Surg 2001;59(1):64-7. Abstract

159. Kusek ER. Immediate implant placement into infected sites: bacterial studies of the Hydroacoustic effects of the YSGG laser. J Oral Implantol 2011;37 Spec No:205-11. Abstract

160. Lal K, White GS, Morea DN, Wright RF. Use of stereolithographic templates for surgical and prosthodontic implant planning and placement. Part II. A clinical report. J Prosthodont 2006;15(2):117-22. Abstract

161. Lal K, White GS, Morea DN, Wright RF. Use of stereolithographic templates for surgical and prosthodontic implant planning and placement. Part I. The concept. J Prosthodont 2006;15(1):51-8. Abstract

162. Laverty DP, Addison O, Newsum D, Bateman G. Prosthodontic complications during implant-based oral rehabilitation of patients with head and neck cancer. J Prosthet Dent 2023;129(2):366-72. Abstract

163. Laverty DP, Addison O, Wubie BA, et al. Outcomes of implant-based oral rehabilitation in head and neck oncology patients-a retrospective evaluation of a large, single regional service cohort. Int J Implant Dent 2019;5(1):8. Abstract

164. Lee BS, Ohe JY, Kim BK. Differences in bone remodeling using demineralized bone matrix in bilateral sagittal split ramus osteotomy: A study on

volumetric analysis using three-dimensional cone-beam computed tomography. J Oral Maxillofac Surg 2014;72(6):1151-7. Abstract

165. Lee CY. Three-dimensional computer tomography (CT) in the evaluation of placement for dental implants. Hawaii Dent J 1996;27(3):26-9. Abstract

166. Lee CYS, Hasegawa H. Immediate load and esthetic zone considerations to replace maxillary incisor teeth using a new zirconia implant abutment in the bone grafted anterior maxilla. J Oral Implantol 2008;34(5):259-67. Abstract

167. Lemmerman KJ, Lemmerman NE. Osseointegrated dental implants in private practice: a long-term case series study. J Periodontol 2005;76(2):310-9. Abstract

168. Lethaus B, Lie N, de Beer F, et al. Surgical and prosthetic reconsiderations in patients with maxillectomy. J Oral Rehabil 2010;37(2):138-42. Abstract

169. Lethaus B, Poort L, Yamauchi K, et al. Qualitative bone CT as a tool to assess vascularization in irradiated bone: an animal study. Clin Oral Implants Res 2013;24(7):746-9. Abstract

170. Leven J, Ali R, Butterworth CJ. Zygomatic implant-supported prosthodontic rehabilitation of edentulous patients with a history of cleft palate: A clinical report. J Prosthet Dent 2022;127(5):684-88. Abstract

171. Levine MH, Goddard AL, Dodson TB. Inferior alveolar nerve canal position: A clinical and radiographic study. J Oral Maxillofac Surg 2007;65(3):470-4. Abstract

Abstract

172. Li H, Yang Y, Chen Y, et al. Three-dimensional reconstruction of maxillae using spiral computed tomography and its application in postoperative adult patients with unilateral complete cleft lip and palate. J Oral Maxillofac Surg 2011;69(12):e549-57. Abstract

173. Li J, Xuan F, Choi BH, Jeong SM. Minimally invasive ridge augmentation using xenogenous bone blocks in an atrophied posterior mandible: a clinical and histological study. Implant Dent 2013;22(2):112-6. Abstract

174. Li S, Yi C, Yu Z, et al. Accuracy assessment of implant placement with versus without a CAD/CAM surgical guide by novices versus specialists via the digital registration method: An in vitro randomized crossover study. BMC Oral Health 2023;23(1):426. Abstract

175. Lin YK, Yau HT, Wang IC, et al. A novel dental implant guided surgery based on integration of surgical template and augmented reality. Clin Implant Dent Relat Res 2015;17(3):543-53. Abstract

176. Maini A, Durning P, Drage N. Resorption: within or without? The benefit of cone-beam computed tomography when diagnosing a case of an internal/external resorption defect. Br Dent J 2008;204(3):135-7. Abstract

177. Maloney K, Bastidas J, Freeman K, et al. Cone beam computed tomography and SimPlant materialize dental software versus direct measurement of the width and height of the posterior mandible: An anatomic study. J Oral Maxillofac Surg 2011;69(7):1923-9. Abstract

178. Mandelaris GA, Rosenfeld AL. A novel approach to the antral sinus bone graft technique: The use of a prototype cutting guide for precise outlining of the lateral wall. A case report. Int J Periodontics Restorative Dent 2008;28(6):568-75. Abstract

179. Mandelaris GA, Rosenfeld AL. Alternative applications of guided surgery: precise outlining of the lateral window in antral sinus bone grafting. J Oral Maxillofac Surg 2009;67(11 Suppl):23-30. Abstract

180. Mandelaris GA, Rosenfeld AL, King SD, Nevins ML. Computer-guided implant dentistry for precise implant placement: combining specialized stereolithographically generated drilling guides and surgical implant instrumentation. Int J Periodontics Restorative Dent 2010;30(3):275-81. Abstract

181. Mandelaris GA, Vlk SD. Guided implant surgery with placement of a presurgical CAD/CAM patient-specific abutment and provisional in the esthetic zone. Compend Contin Educ Dent 2014;35(7):494-504. Abstract

182. Mangano C, Mangano F, Piatelli A, et al. Single-tooth Morse taper connection implants after 1 year of functional loading: a multicentre study on 302 patients. Eur J Oral Implantol 2008;1(4):305-15. Abstract

183. Mangano C, Mangano F, Piattelli A, et al. Prospective clinical evaluation of 1920 Morse taper connection implants: results after 4 years of functional loading. Clin Oral Implants Res 2009;20(3):254-61. Abstract

184. Mangano C, Mangano F, Piattelli A, et al. Prospective clinical evaluation of 307 single-tooth morse taper-connection implants: a multicenter study. Int J Oral Maxillofac Implants 2010;25(2):394-400. Abstract

185. Mangano C, Mangano F, Shibli JA, et al. Morse taper connection implants supporting "planned" maxillary and mandibular bar-retained overdentures: a 5-year prospective multicenter study. Clin Oral Implants Res 2011;22(10):1117-24. Abstract

186. Mangano C, Piattelli A, Mangano A, et al. Combining scaffolds and osteogenic cells in regenerative bone surgery: A preliminary histological report in human maxillary sinus augmentation. Clin Implant Dent Relat Res 2009;11 Suppl 1:e92-102. Abstract

187. Marei HF, Alshaia A, Alarifi S, et al. Effect of steam heat sterilization on the accuracy of 3D printed surgical guides. Implant Dent 2019;28(4):372-77. Abstract

188. Matsuo A, Chiba H, Takahashi H, et al. Clinical application of a custom-made bioresorbable raw particulate hydroxyapatite/poly-L-lactide mesh tray for mandibular reconstruction. Odontology 2010;98(1):85-8. Abstract

189. Matsuo A, Hamada H, Oba H, Shibata K. Virtual reality head-mounted display for endoscopically-assisted implant surgery. Br J Oral Maxillofac Surg 2018;56(7):636-37. Abstract

190. Matsuo A, Hamada H, Takahashi H, Chikazu D. Long-term structural changes and outcomes of implants in particulate cellular bone and marrow reconstructed jawbone. Clin Implant Dent Relat Res 2019;21(2):360-68. Abstract

191. Matsuo A, Kono M, Toyoda J, et al. Navigation surgery for Le Fort 1 osteotomy in a fibrous dysplasia patient. Odontology 2010;98(2):181-4. Abstract

192. Matsuzaki T, Ayukawa Y, Matsushita Y, et al. Effect of post-osseointegration loading magnitude on the dynamics of peri-implant bone: A finite element analysis and in vivo study. J Prosthodont Res 2019;63(4):453-59. Abstract

193. Mazzocco F, Jimenez D, Barallat L, et al. Bone volume changes after immediate implant placement with or without flap elevation. Clin Oral Implants Res 2017;28(4):495-501. Abstract

194. Mendes R. Computer assisted implant planning - A case report involving severely atrophic edentulous maxillary regions. J Chin Clin Med 2010;5(11):665-7.

195. Mengel R, Candir M, Shiratori K, Flores-de-Jacoby L. Digital volume tomography in the diagnosis of periodontal defects: An in vitro study on native pig and human mandibles. J Periodontol 2005;76(5):665-73. Abstract

196. Merheb J, Temmerman A, Coucke W, et al. Relation between spongy bone density in the maxilla and skeletal bone density. Clin Implant Dent Relat Res 2015;17(6):1180-7. Abstract

197. Merheb J, Temmerman A, Rasmusson L, et al. Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. Clin Implant Dent Relat Res 2016;18(2):253-60. Abstract

198. Merheb J, Van Assche N, Coucke W, et al. Relationship between cortical bone thickness or computerized tomography-derived bone density values and implant stability. Clin Oral Implants Res 2010;21(6):612-7. Abstract

199. Merheb J, Vercruyssen M, Coucke W, et al. The fate of buccal bone around dental implants. A 12-month postloading follow-up study. Clin Oral Implants Res 2017;28(1):103-08. Abstract

200. Merheb J, Vercruyssen M, Coucke W, Quirynen M. Relationship of implant stability and bone density derived from computerized tomography images. Clin Implant Dent Relat Res 2018;20(1):50-57. Abstract

201. Mertens C, Decker C, Engel M, et al. Early bone resorption of free microvascular reanastomized bone grafts for mandibular reconstruction--a comparison of iliac crest and fibula grafts. J Craniomaxillofac Surg 2014;42(5):e217-23. Abstract

202. Mertens C, Freudlsperger C, Bodem J, et al. Reconstruction of the maxilla following hemimaxillectomy defects with scapular tip grafts and dental implants. J Craniomaxillofac Surg 2016;44(11):1806-11. Abstract

203. Miguel-Sánchez A, Vilaplana-Vivo J, Vilaplana-Vivo C, et al. Accuracy of quantitative computed tomography bone mineral density measurements in mandibles: A cadaveric study. Clin Implant Dent Relat Res 2015;17(4):693-9. Abstract

204. Mijiritsky E, Elad A, Krausz R, et al. Clinical performance of full-arch implant-supported fixed restorations made of monolithic zirconia luted to a titanium bar: A retrospective study with a mean follow-up of 16 months. J Dent 2023;137:104675. Abstract

205. Mills EJ. CBCT and implants: Improving patient care, one implant at a time, Part 2. Dental Economics 2011;101(5):30-34.

206. Minamizato T, Koga T, I T, et al. Clinical application of autogenous partially demineralized dentin matrix prepared immediately after extraction for alveolar bone regeneration in implant dentistry: A pilot study. Int J Oral Maxillofac Surg 2017;47(1):125-32. Abstract

207. Mischkowski RA, Zinser MJ, Neugebauer J, et al. Comparison of static and dynamic computer-assisted guidance methods in implantology. Int J Comput Dent 2006;9(1):23-35. Abstract

208. Mol A. Imaging methods in periodontology. Periodontol 2000 2004;34(1):34-48. Abstract

209. Naif N. A, Tanneru N, Marei HF. Alveolar bone density and its clinical implication in the placement of dental implants and orthodontic mini-implants. Saudi Med J 2016;37. Abstract

210. Nart J, Barallat L, Jimenez D, et al. Radiographic and histological evaluation of deproteinized bovine bone mineral vs. deproteinized bovine bone mineral with 10% collagen in ridge preservation. A randomized controlled clinical trial. Clin Oral Implants Res 2017;28(7):840-48. Abstract

211. Neugebauer J, Kistler F, Kistler S, et al. CAD/CAM-produced surgical guides: Optimizing the treatment workflow. Int J Comput Dent 2011;14(2):93-103. Abstract

212. Nijmeh AD, Goodger NM, Hawkes D, et al. Image-guided navigation in oral and maxillofacial surgery. Br J Oral Maxillofac Surg 2005;43(4):294-302. Abstract

213. Nikzad S, Azari A. Computer-assisted implant surgery; a flapless surgical/immediate loaded approach with 1 year follow-up. Int J Med Robot 2008;4(4):348-54. Abstract

214. Nikzad S, Azari A. A novel stereolithographic surgical guide template for planning treatment involving a mandibular dental implant. J Oral Maxillofac Surg 2008;66(7):1446-54. Abstract

215. Nikzad S, Azari A. Custom-made radiographic template, computed tomography, and computer-assisted flapless surgery for treatment planning in partial edentulous patients: A prospective 12-month study. J Oral Maxillofac Surg 2010;68(6):1353-9. Abstract

216. Nilius M, Hölzle F, Lauer MH. Intraosseous venous malformation in an adolescent: Interdisciplinary concept for facial reconstruction after hemimandibulectomy, fibula free flap, and HDPE-chin reconstruction - 10 years follow up. Oral and Maxillofacial Surgery Cases 2021;7.

217. Noh K, Pae A, Lee JW, Kwon YD. Fabricating a tooth- and implant-supported maxillary obturator for a patient after maxillectomy with computer-guided surgery and CAD/CAM technology: A clinical report. J Prosthet Dent 2016;115(5):637-42. Abstract

218. Noharet R, Van Dooren E. Combination of cone beam computed tomography and CAD-CAM techniques for maintaining natural emergence profile in immediate extraction and/or implant placement and restoration of a central incisor: A dental technique. J Prosthet Dent 2019;122(3):193-97. Abstract

219. Nolan PJ, Freeman K, Kraut RA. Correlation between Schneiderian membrane perforation and sinus lift graft outcome: A retrospective evaluation of 359 augmented sinus. J Oral Maxillofac Surg 2014;72(1):47-52. Abstract

220. Norton MR, Gamble C. Bone classification: an objective scale of bone density using the computerized tomography scan. Clin Oral Implants Res 2001;12(1):79-84. Abstract

221. Odin G, Misch CE, Binderman I, Scortecci G. Fixed rehabilitation of severely atrophic jaws using immediately loaded basal disk implants after in situ bone activation. J Oral Implantol 2012;38(5):611-6. Abstract

222. Ogata K, Ohba S, Sumita Y, Ashahina I. Safety and feasibility assessment of biodegradable poly (l-lactic acid/epsilon-caprolactone) membrane for guided bone regeneration: A case series of first-in-human pilot study. J Dent Sci 2022;17(1):368-76. Abstract

223. Okada T, Kawana H. Two-step procedure for the treatment of a maxillary sinus with complex sinus septa: A highly predictive method for sinus floor augmentation after perforation of the maxillary sinus membrane. Int J Periodontics Restorative Dent 2019;39(5):e175-e80. Abstract

224. Orentlicher G, Goldsmith D, Abboud M. Computer-guided planning and placement of dental implants. Atlas Oral Maxillofac Surg Clin North Am 2012;20(1):53-79. Abstract

225. Orentlicher G, Goldsmith D, Horowitz A. Computer-generated implant planning and surgery: Case selection. (cover story). Compend Contin Educ Dent 2009;30(3):162-73. Abstract

226. Orentlicher G, Horowitz A, Abboud M. Computer-guided implant surgery: indications and guidelines for use. Compend Contin Educ Dent 2012;33(10):720-32; quiz 33. Abstract

227. Orentlicher G, Horowitz A, Goldsmith D, et al. Cumulative survival rate of implants placed "fully guided" using CT-guided surgery: A 7-year retrospective study. Compend Contin Educ Dent 2014;35(8):590-98, 600. Abstract

228. Ozden Yuce M, Gunbay T, Guniz Baksi B, et al. Clinical benefits and effectiveness of static computer-aided implant surgery compared with conventional freehand method for single-tooth implant placement. J Stomatol Oral Maxillofac Surg 2020;121(5):534-38. Abstract

229. Ozkurt Z, Duygu G, Canpolat C, Kazazoglu E. Reconstruction of edentulous maxillary and mandibular arches with implant-supported fixed restorations using a digital treatment planning technique: a clinical report. J Oral Implantol 2008;34(3):161-8. Abstract

230. Pace-Balzan A, Shaw RJ, Butterworth C. Oral rehabilitation following treatment for oral cancer. Periodontol 2000 2011;57(1):102-17. Abstract

231. Pancko F, Dyer J, Weisglass S, Kraut RA. Use of tilted implants in treatment of the atrophic posterior mandible: a preliminary report of a novel approach. J Oral Maxillofac Surg 2010;68(2):407-13. Abstract

232. Papadimitriou DE, Salari S, Gannam C, et al. Implant-prosthodontic classification of the edentulous jaw for treatment planning with fixed rehabilitations. Int J Prosthodont 2014;27(4):320-7. Abstract

233. Paranque AR, Steve M, Vazquez L, et al. Esthetic and functional reconstruction of the posttumoral interrupted mandible with double-barrel fibular free flap graft: Rationale for a microsurgical and prosthodontic approach. J Oral Implantol 2011;37(5):571-7. Abstract

234. Park C, Raigrodski AJ, Rosen J, et al. Accuracy of implant placement using precision surgical guides with varying occlusogingival heights: An in vitro study. J Prosthet Dent 2009;101(6):372-81. Abstract

235. Park KR, Park HS, Piao Z, et al. Three-dimensional vector analysis of mandibular structural asymmetry. J Craniomaxillofac Surg 2013;41(4):338-44. Abstract

236. Petschelt F, Millian M, Kraußeneck T. Analysis of the precision of implant templates. Z Zahnärztl Impl 2013;29(1):58-69. Abstract

237. Pieralli S, Gintaute A, Beuer F, Spies BC. Digital and orthodontically driven implant planning: A multidisciplinary case history report. Int J Prosthodont 2019;32(32):214-16. Abstract

238. Platzer S, Bertha G, Heschl A, et al. Three-dimensional accuracy of guided implant placement: indirect assessment of clinical outcomes. Clin Implant Dent Relat Res 2013;15(5):724-34. Abstract

239. Putra RH, Yoda N, Iikubo M, et al. Influence of bone condition on implant placement accuracy with computer-guided surgery. Int J Implant Dent 2020;6(1):62. Abstract

240. Ramaglia L, Toti P, Sbordone C, et al. Implant angulation: 2-year retrospective analysis on the influence of dental implant angle insertion on marginal bone resorption in maxillary and mandibular osseous onlay grafts. Clin Oral Investig 2015;19(4):769-79. Abstract

241. Ramirez A. Smile without fear: SmartFix® concept for oral rehabilitation. Compend Contin Educ Dent 2018;39(3):8-10.

242. Rhoades KA, Leve LD, Harold GT, et al. Drug use trajectories after a randomized controlled trial of MTFC: Associations with partner drug use. J Res Adolesc 2014;24(1):40-54. Abstract

243. Rodriguez A, Anastassov GE, Lee H, et al. Maxillary sinus augmentation with deproteinated bovine bone and platelet rich plasma with simultaneous insertion of endosseous implants. J Oral Maxillofac Surg 2003;61(2):157-63. Abstract

244. Rodriguez-Recio O, Rodriguez-Recio C, Gallego L, Junquera L. Computed tomography and computer-aided design for locating available palatal bone for grafting: two case reports. Int J Oral Maxillofac Implants 2010;25(1):197-200. Abstract

245. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 2: rapid-prototype medical modeling and stereolithographic drilling guides requiring bone exposure. Int J Periodontics Restorative Dent 2006;26(4):347-53. Abstract

246. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 3: stereolithographic drilling guides that do not require bone exposure and the immediate delivery of teeth. Int J Periodontics Restorative Dent 2006;26(5):493-9. Abstract

247. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 1: diagnostics, imaging, and collaborative accountability. Int J Periodontics Restorative Dent 2006;26(3):215-21. Abstract

248. Ruppin J, Popovic A, Strauss M, et al. Evaluation of the accuracy of three different computer-aided surgery systems in dental implantology: optical tracking vs. stereolithographic splint systems. Clin Oral Implants Res 2008;19(7):709-16. Abstract

249. Ryu KH, Min S, You HK, et al. Alveolar ridge dimensional changes following ridge preservation procedure using SocketKAP() : exploratory study of serial cone-beam computed tomography and histologic analysis in canine model. Clin Oral Implants Res 2016;27(9):1144-51. Abstract

250. Salama M, Coachman C, Garber D, et al. Prosthetic gingival reconstruction in the fixed partial restoration. Part 2: diagnosis and treatment planning. Int J Periodontics Restorative Dent 2009;29(6):573-81. Abstract

251. Sancho-Puchades M, Alfaro FH, Naenni N, et al. A Randomized Controlled Clinical Trial Comparing Conventional And Computer-Assisted Implant Planning and Placement in Partially Edentulous Patients. Part 2: Patient Related Outcome Measures. Int J Periodontics Restorative Dent 2019;39(4):e99-e110. Abstract

252. Sarment DP, Al-Shammari K, Kazor CE. Stereolithographic surgical templates for placement of dental implants in complex cases. Int J Periodontics Restorative Dent 2003;23(3):287-95. Abstract

253. Sarment DP, Sukovic P, Clinthorne N. Accuracy of implant placement with a stereolithographic surgical guide. Int J Oral Maxillofac Implants 2003;18(4):571-7. Abstract

254. Sasaki H, Hirano T, Nomoto S, et al. Dental implant treatment with computer-assisted surgery for bilateral agenesis of maxillary lateral incisors: A case report. The Bulletin of Tokyo Dental College 2018;59(1):43-51.

255. Sawada A, Wakabayashi N, Ona M, Suzuki T. Viscoelasticity of human oral mucosa: implications for masticatory biomechanics. J Dent Res 2011;90(5):590-5. Abstract

256. Sbordone C, Sbordone L, Toti P, et al. Volume changes of grafted autogenous bone in sinus augmentation procedure. J Oral Maxillofac Surg 2011;69(6):1633-41. Abstract

257. Sbordone C, Toti P, Guidetti F, et al. Volume changes of autogenous bone after sinus lifting and grafting procedures: a 6-year computerized tomographic follow-up. J Craniomaxillofac Surg 2013;41(3):235-41. Abstract

258. Sbordone C, Toti P, Guidetti F, et al. Volumetric changes after sinus augmentation using blocks of autogenous iliac bone or freeze-dried allogeneic bone. A non-randomized study. J Craniomaxillofac Surg 2014;42(2):113-8. Abstract

259. Sbordone C, Toti P, Guidetti F, et al. Volume changes of iliac crest autogenous bone grafts after vertical and horizontal alveolar ridge augmentation of atrophic maxillas and mandibles: a 6-year computerized tomographic follow-up. J Oral Maxillofac Surg 2012;70(11):2559-65. Abstract

260. Sbordone C, Toti P, Guidetti F, et al. Healing of donor defect after mandibular parasymphyseal block harvesting: A 6-year computerized tomographic follow-up. J Craniomaxillofac Surg 2012;40(5):421-6. Abstract

261. Schepers RH, Raghoebar GM, Vissink A, et al. Fully 3-dimensional digitally planned reconstruction of a mandible with a free vascularized fibula and immediate placement of an implant-supported prosthetic construction. Head Neck 2013;35(4):E109-14. Abstract

262. Schiroli G, Angiero F, Zangerl A, et al. Accuracy of a flapless protocol for computer-guided zygomatic implant placement in human cadavers: Expectations and reality. Int J Med Robot 2016;12(1):102-8. Abstract

263. Schlee M, Rothamel D. Ridge augmentation using customized allogenic bone blocks: proof of concept and histological findings. Implant Dent 2013;22(3):212-8. Abstract

264. Schneider D, Marquardt P, Zwahlen M, Jung RE. A systematic review on the accuracy and the clinical outcome of computer-guided template-based implant dentistry. Clin Oral Implants Res 2009;20 Suppl 4:73-86. Abstract

265. Schneider D, Sancho-Puchades M, Benic GI, et al. A randomized controlled clinical trial comparing conventional and computer-assisted implant planning and placement in partially edentulous patients. Part 1: Clinician-related outcome measures. Int J Periodontics Restorative Dent 2018;38(Suppl):s49-s57. Abstract

266. Schneider D, Sancho-Puchades M, Mir-Marí J, et al. A Randomized Controlled Clinical Trial Comparing Conventional and Computer-Assisted Implant Planning and Placement in Partially Edentulous Patients. Part 4: Accuracy of Implant Placement. The International journal of periodontics & restorative dentistry 2019;39(4):e111-e22.

267. Schneider D, Sancho-Puchades M, Schober F, et al. A Randomized Controlled Clinical Trial Comparing Conventional and Computer-Assisted Implant Planning and Placement in Partially Edentulous Patients. Part 3: Time and Cost Analyses. Int J Periodontics Restorative Dent 2019;39(3):e71-e82. Abstract

268. Schneider D, Schober F, Grohmann P, et al. In-vitro evaluation of the tolerance of surgical instruments in templates for computer-assisted guided implantology produced by 3-D printing. Clin Oral Implants Res 2015;26(3):320-5. Abstract

269. Schnitman PA, Hwang JW. To immediately load, expose, or submerge in partial edentulism: a study of primary stability and treatment outcome. Int J Oral Maxillofac Implants 2011;26(4):850-9. Abstract

270. Schwartz-Arad D, Toti P, Levin L, et al. A comparative volumetric study of symphysis donor defects, unfilled or filled with bone substitute. Clin Implant Dent Relat Res 2013;15(5):684-91. Abstract

271. Sencimen M, Gulses A, Ozen J, et al. Early detection of alterations in the resonance frequency assessment of oral implant stability on various bone types: A clinical study. J Oral Implantol 2011;37(4):411-9. Abstract

272. Serag M, Alnassar T, Rochford C, Alhashim A. Implementation of digital dentistry to rehabilitate a mutilated dentition with implant fixed prostheses: A clinical report. J Oral Implantol 2015;41(2):201-4. Abstract

273. Shahbazian M, Jacobs R, Wyatt J, et al. Validation of the cone beam computed tomography-based stereolithographic surgical guide aiding

autotransplantation of teeth: clinical case-control study. Oral Surg Oral Med Oral Pathol Oral Radiol 2013;115(5):667-75. Abstract

274. Shahbazian M, Jacobs R, Wyatt J, et al. Accuracy and surgical feasibility of a CBCT-based stereolithographic surgical guide aiding autotransplantation of teeth: in vitro validation. J Oral Rehabil 2010;37(11):854-9. Abstract

275. Shaikh A, Chandler B, Reynolds A. Implant dentistry in the digital dental world. Dental Nursing 2010;6(4):18-23. Abstract

276. Shapurian T, Damoulis PD, Reiser GM, et al. Quantitative evaluation of bone density using the Hounsfield index. Int J Oral Maxillofac Implants 2006;21(2):290-97. Abstract

277. Shen P, Zhao J, Fan L, et al. Accuracy evaluation of computer-designed surgical guide template in oral implantology. J Craniomaxillofac Surg 2015;43(10):2189-94. Abstract

278. Shigehara S, Ohba S, Nakashima K, et al. Immediate loading of dental implants inserted in edentulous maxillas and mandibles; 5-year results of a clinical study. J Oral Implantol 2015;41(6):701-5. Abstract

279. Shimizu T, Mizushiri M, Fukunishi K, et al. Full mouth reconstruction with dental implants in the conservative treatment of bilateral condylar fractures: A clinical letter. J Oral Implantol 2015;41(1):89-92. Abstract

280. Solow RA. Channel retention for fixed implant superstructures: A clinical report. J Prosthet Dent 2015;114(3):323-7. Abstract

281. Somogyi-Ganss E, Holmes HI, Jokstad A. Accuracy of a novel prototype dynamic computer-assisted surgery system. Clin Oral Implants Res 2015;26(8):882-90. Abstract

282. Sondergaard K, Hosseini M, Storgard Jensen S, et al. Fully versus conventionally guided implant placement by dental students: A randomized controlled trial. Clin Oral Implants Res 2021;32(9):1072-84. Abstract

283. Song WW, Kim SS, Sandor GK, Kim YD. Maxillary yaw as the primary predictor of maxillary dental midline deviation: 3D analysis using cone-beam computed tomography. J Oral Maxillofac Surg 2013;71(4):752-62. Abstract

284. Star H, Thevissen P, Jacobs R, et al. Human dental age estimation by calculation of pulp-tooth volume ratios yielded on clinically acquired cone beam computed tomography images of monoradicular teeth. J Forensic Sci 2011;56 Suppl 1:S77-82. Abstract

285. Stockham CD. Using CT and SIM/Plant to plan implant therapy. Alpha Omegan 1996;89(4):35-8. Abstract

286. Stokbro K, Aagaard E, Torkov P, et al. Virtual planning in orthognathic surgery. Int J Oral Maxillofac Surg 2014;43(8):957-65. Abstract

287. Stoppie N, Pattijn V, Van Cleynenbreugel T, et al. Structural and radiological parameters for the characterization of jawbone. Clin Oral Implants Res 2006;17(2):124-33. Abstract

288. Stubinger S, Buitrago-Tellez C, Cantelmi G. Deviations between placed and planned implant positions: An accuracy pilot study of skeletally supported stereolithographic surgical templates. Clin Implant Dent Relat Res 2014;16(4):540-51. Abstract

289. Sudbrink SD. Computer-guided implant placement with immediate provisionalization: A case report. J Oral Maxillofac Surg 2005;63(6):771-4. Abstract

290. Tahmaseb A, Wismeijer D, Coucke W, Derksen W. Computer technology applications in surgical implant dentistry: A systematic review. Int J Oral Maxillofac Implants 2014;29 Suppl:25-42. Abstract

291. Tajima N, Ohba S, Sawase T, Asahina I. Evaluation of sinus floor augmentation with simultaneous implant placement using platelet-rich fibrin as sole grafting material. Int J Oral Maxillofac Implants 2013;28(1):77-83. Abstract

292. Takuma T, Oishi K, Manabe T, et al. Buccal bone resorption around posterior implants after surgery: a 1-year prospective study. Int J Oral Maxillofac Implants 2014;29(3):634-41. Abstract

293. Tanaka K, Sailer I, Iwama R, et al. Relationship between cortical bone thickness and implant stability at the time of surgery and secondary stability after osseointegration measured using resonance frequency analysis. J Periodontal Implant Sci 2018;48(6):360-72. Abstract

294. Tang T, Huang Z, Liao L, et al. Factors that influence direction deviation in freehand implant placement. J Prosthodont 2019;28(5):511-18. Abstract

295. Tang T, Liao L, Huang Z, et al. Accuracy of the evaluation of implant position using a completely digital registration method compared with a radiographic method. J Prosthet Dent 2019;122(6):537-42. Abstract

296. Tarce M, Becker K, Lahoud P, et al. Non-invasive oral implant position assessment: An ex vivo study using a 3D industrial scan as the reference model to mimic the clinical situation. Clinical Oral Implants Research 2023;E pub 5 Nov, doi: 10.1111/clr.14206. Abstract

297. Tardieu PB, Vrielinck L, Escolano E, et al. Computer-assisted implant placement: scan template, simplant, surgiguide, and SAFE system. Int J Periodontics Restorative Dent 2007;27(2):141-9. Abstract

298. Temmerman A, Meeus M, Dhondt R, et al. Oral implant placement and restoration by undergraduate students: clinical outcomes and student perceptions. Eur J Dent Educ 2016;20(2):73-83. Abstract

299. Testori T, Robiony M, Parenti A, et al. Evaluation of accuracy and precision of a new guided surgery system: A multicenter clinical study. Int J Periodontics Restorative Dent 2014;34(suppl):s59-s69. Abstract

300. Tischler M. Simplified fixed implant prosthetics. Dent Today 2003;22(9):84-6. Abstract

301. Tischler M. Interactive computerized tomography for dental implants. Treatment planning from the prosthetic end result. Dent Today 2004;23(3):90, 92-3. Abstract

302. Tischler M. Full-arch fixed prosthetics supported by dental implants and natural teeth: planning, provisionalization, treatment sequences: 2 case examples. Dent Today 2004;23(9):86, 88, 90-1. Abstract

303. Tischler M. Dental implant placement in the maxillary anterior region: guidelines for aesthetic success. Dent Today 2005;24(3):72, 74, 76 passim; quiz 78, 61. Abstract

304. Todisco M, Trisi P. Bone mineral density and bone histomorphometry are statistically related. Int J Oral Maxillofac Implants 2005;20(6):898-904. Abstract

305. Todorovic VS, Postma TC, van Zyl AW. Assessment of the anterior loop of the inferior alveolar nerve using reformatted computed tomography: a retrospective study. Br J Oral Maxillofac Surg 2018;56(3):186-91. Abstract

306. Torres J, Tamimi F, Alkhraisat MH, et al. Platelet-rich plasma may prevent titanium-mesh exposure in alveolar ridge augmentation with anorganic bovine bone. J Clin Periodontol 2010;37(10):943-51. Abstract

307. Torres J, Tamimi F, Martinez PP, et al. Effect of platelet-rich plasma on sinus lifting: A randomized-controlled clinical trial. J Clin Periodontol 2009;36(8):677-87. Abstract

308. Tremblay G. Innovative advanced occlusion planning with superimposed CT and optical scans. Compend Contin Educ Dent 2011;32(3):50-2, 54-6, 58. Abstract

309. Tremblay G. Rehabilitation of surgically relocated integrated dental implants with and without bone morphogenesis protein-2. J Oral Implantol 2013;39(4):409-15. Abstract

310. Trikeriotis D, Paravalou E, Diamantopoulos P, Nikolaou D. Anterior mandible canal communications: a potential portal of entry for tumour spread. Dentomaxillofac Radiol 2008;37(3):125-9. Abstract

311. Uchida T, Yoshida T, Kashiwagi K, et al. Clinical, radiographic, and histologic evaluation of localized ridge augmentation using a mandibular bone block. Int J Periodontics Restorative Dent 2008;28(2):180-87. Abstract

312. Unger S, Benic GI, Ender A, et al. Computer-assisted bone augmentation, implant planning and placement: An in vitro investigation. Clin Oral Implants Res 2023;34(7):719-26. Abstract

313. Valente F, Schiroli G, Sbrenna A. Accuracy of computer-aided oral implant surgery: A clinical and radiographic study. Int J Oral Maxillofac Implants 2009;24(2):234-42. Abstract

314. Van Assche N, Quirynen M. Tolerance within a surgical guide. Clin Oral Implants Res 2010;21(4):455-8. Abstract

315. Van de Velde T, Glor F, De Bruyn H. A model study on flapless implant placement by clinicians with a different experience level in implant surgery. Clin Oral Implants Res 2008;19(1):66-72. Abstract

316. Van de Velde T, Sennerby L, De Bruyn H. The clinical and radiographic outcome of implants placed in the posterior maxilla with a guided flapless approach and immediately restored with a provisional rehabilitation: A randomized clinical trial. Clin Oral Implants Res 2010;21(11):1223-33. Abstract

317. Van de Wiele G, Teughels W, Vercruyssen M, et al. The accuracy of guided surgery via mucosa-supported stereolithographic surgical templates in the hands of surgeons with little experience. Clin Oral Implants Res 2015;26(12):1489-94. Abstract

318. Van Steenberghe D, Malevez C, Van Cleynenbreugel J, et al. Accuracy of drilling guides for transfer from three-dimensional CT-based planning to placement of zygoma implants in human cadavers. Clin Oral Implants Res 2003;14(1):131-6. Abstract

319. van Zyl AW, van Heerden WF. A retrospective analysis of maxillary sinus septa on reformatted computerised tomography scans. Clin Oral Implants Res 2009;20(12):1398-401. Abstract

320. Vandenberghe B, Luchsinger S, Hostens J, et al. The influence of exposure parameters on jawbone model accuracy using cone beam CT and multislice CT. Dentomaxillofac Radiol 2012;41(6):466-74. Abstract

321. Varol A, Basa S. The role of computer-aided 3D surgery and stereolithographic modelling for vector orientation in premaxillary and trans-sinusoidal maxillary distraction osteogenesis. Int J Med Robot 2009;5(2):198-206. Abstract

322. Verardi S. CT scans may not be indicated to analyze the distribution of the arteries in the lateral wall of the maxillary sinus. J Evid Based Dent Pract 2006;6(4):276-7. Abstract

323. Vercruyssen M, Coucke W, Naert I, et al. Depth and lateral deviations in guided implant surgery: An RCT comparing guided surgery with mental navigation or the use of a pilot-drill template. Clin Oral Implants Res 2015;26(11):1315-20. Abstract

324. Vercruyssen M, Cox C, Coucke W, et al. A randomized clinical trial comparing guided implant surgery (bone- or mucosa-supported) with mental navigation or the use of a pilot-drill template. J Clin Periodontol 2014;41(7):717-23. Abstract

325. Vercruyssen M, Cox C, Naert I, et al. Accuracy and patient-centered outcome variables in guided implant surgery: A RCT comparing immediate with delayed loading. Clin Oral Implants Res 2016;27(4):427-32. Abstract

326. Vercruyssen M, Jacobs R, Van Assche N, van Steenberghe D. The use of CT scan based planning for oral rehabilitation by means of implants and its transfer to the surgical field: a critical review on accuracy. J Oral Rehabil 2008;35(6):454-74. Abstract

327. Vercruyssen M, van de Wiele G, Teughels W, et al. Implant- and patient-centred outcomes of guided surgery, a 1-year follow-up: An RCT comparing guided surgery with conventional implant placement. J Clin Periodontol 2014;41(12):1154-60. Abstract

328. Verdonck HD, Meijer GJ, Laurin T, et al. Assessment of vascularity in irradiated and nonirradiated maxillary and mandibular minipig alveolar bone using laser doppler flowmetry. Int J Oral Maxillofac Implants 2007;22(5):774-78. Abstract

329. Verdonck HW, Meijer GJ, Laurin T, et al. Implant stability during osseointegration in irradiated and non-irradiated minipig alveolar bone: An experimental study. Clin Oral Implants Res 2008;19(2):201-6. Abstract

330. Verdonck HW, Meijer GJ, Nieman FH, et al. Quantitative computed tomography bone mineral density measurements in irradiated and non-irradiated minipig alveolar bone: an experimental study. Clin Oral Implants Res 2008;19(5):465-8. Abstract

331. Vermeulen J. The accuracy of implant placement by experienced surgeons: Guided vs freehand approach in a simulated plastic model. Int J Oral Maxillofac Implants 2017;32(3):617-24. Abstract

332. Vivek R, Singh A, Chaturvedi TP. Radiographic techniques and advancement for preoperative assessment in dental implant therapy: An overview. Indian Journal of Dental Sciences 2013;5(5):116-20.

333. Vogl S, Stopper M, Hof M, et al. Immediate occlusal vs nonocclusal loading of implants: A randomized prospective clinical pilot study and patient centered outcome after 36 months. Clin Implant Dent Relat Res 2019;21(4):766-74. Abstract

334. Vogl S, Stopper M, Hof M, et al. Immediate occlusal versus non-occlusal loading of implants: A randomized clinical pilot study. Clin Implant Dent Relat Res 2015;17(3):589-97. Abstract

335. Vrielinck L, Politis C, Schepers S, et al. Image-based planning and clinical validation of zygoma and pterygoid implant placement in patients with severe bone atrophy using customized drill guides. Preliminary results from

a prospective clinical follow-up study. Int J Oral Maxillofac Surg 2003;32(1):7-14. Abstract

336. Wakimoto M, Matsumura T, Ueno T, et al. Bone quality and quantity of the anterior maxillary trabecular bone in dental implant sites. Clin Oral Implants Res 2012;23(11):1314-9. Abstract

337. Wang WH, Deng JY, Li M, et al. Preoperative three-dimensional reconstruction in vascularized fibular flap transfer. J Craniomaxillofac Surg 2012;40(7):599-603. Abstract

338. Wang WH, Deng JY, Zhu J, et al. Computer-assisted virtual technology in intracapsular condylar fracture with two resorbable long-screws. Br J Oral Maxillofac Surg 2013;51(2):138-43. Abstract

339. Wang WH, Zhu J, Deng JY, et al. Three-dimensional virtual technology in reconstruction of mandibular defect including condyle using double-barrel vascularized fibula flap. J Craniomaxillofac Surg 2013;41(5):417-22. Abstract

340. Widmann G, Bale RJ. Accuracy in computer-aided implant surgery--a review. Int J Oral Maxillofac Implants 2006;21(2):305-13. Abstract

341. Wildburger A, Payer M, Jakse N, et al. Impact of autogenous concentrated bone marrow aspirate on bone regeneration after sinus floor augmentation with a bovine bone substitute--A split-mouth pilot study. Clin Oral Implants Res 2014;25(10):1175-81. Abstract

342. Witherington T, Cheung A, Nagy L, Brewer L. Enhanced Implant Case Planning Using Dual Scan CBCT of an Existing Prosthesis: Report of a Case. J Oral Implantol 2017;43(5):381-86. Abstract

343. Wong HH, Pow EH, Choi WW. Management of mandibular rotation after a mandibulectomy: A clinical report. J Prosthet Dent 2013;110(6):532-7. Abstract

344. Xiaojun C, Ming Y, Yanping L, et al. Image guided oral implantology and its application in the placement of zygoma implants. Comput Methods Programs Biomed 2009;93(2):162-73. Abstract

345. Yi C, Li S, Wen A, et al. Digital versus radiographic evaluation for guided implant surgery: An in vitro study. BMC Oral Health 2022;22(1):540. Abstract

346. Yoda N, Zheng K, Chen J, et al. Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. J Prosthodont Res 2017;61(4):393-402. Abstract

347. Younes F, Cosyn J, De Bruyckere T, et al. A randomized controlled study on the accuracy of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. J Clin Periodontol 2018;45(6):721-32. Abstract

348. Zeren KJ. Use of bone morphogenetic protein-2 in molar extraction sockets for immediate implant placement: A prospective case series. Int J Periodontics Restorative Dent 2018;38(1):87-93. Abstract

349. Zhang S, Liu X, Xu Y, et al. Application of rapid prototyping for temporomandibular joint reconstruction. J Oral Maxillofac Surg 2011;69(2):432-8. Abstract

350. Zhang W, Shen G, Wang X, et al. Evaluation of alveolar bone grafting using limited cone beam computed tomography. Oral Surg Oral Med Oral Pathol Oral Radiol 2012;113(4):542-8. Abstract

351. Zheng J, Zhang S, Lu E, et al. Systematic modification and evaluation of a canine model for elevation of the floor of the maxillary sinus. Br J Oral Maxillofac Surg 2014;52(9):784-8. Abstract

352. Zinser MJ, Mischkowski RA, Sailer HF, Zoller JE. Computer-assisted orthognathic surgery: feasibility study using multiple CAD/CAM surgical splints. Oral Surg Oral Med Oral Pathol Oral Radiol 2012;113(5):673-87. Abstract

353. Zinser MJ, Sailer HF, Ritter L, et al. A paradigm shift in orthognathic surgery? A comparison of navigation, computer-aided designed/computer-aided manufactured splints, and "classic" intermaxillary splints to surgical transfer of virtual orthognathic planning. J Oral Maxillofac Surg 2013;71(12):2151 e1-21. Abstract

Primescan

1. Abou-Ayash S, Mathey A, Gaumann F, et al. In vitro scan accuracy and time efficiency in various implant-supported fixed partial denture situations. J Dent 2022;127:104358. Abstract

2. Adbulrahman A, Sourvanos D, Kutkut N, Blatz MB. Facially driven digital workflow for maxillary and mandibular milled implant-retained overdentur using two different unsplinted attachment systems: Case Report. Compendium of Continuing Education in Dentistry 2023;44(10).

3. Alpkilic DS, Deger SI. Trueness evaluation of latest generation intraoral scanners on complete arch implant impressions. Int J Prosthodont 2022;E-pub Oct 21, doi: 10.11607/ijp.7824. Abstract

4. Amin SA, Hann S, Elsheikh AK, et al. A complete digital approach for facially generated full arch diagnostic wax up, guided surgery, and implant-supported interim prosthesis by integrating 3D facial scanning, intraoral scan and CBCT. J Prosthodont 2023;32(1):90-93. Abstract

5. Baus-Dominguez M, Maza-Solano S, Vazquez-Pachon C, et al. Behaviour of the Peri-Implant Soft Tissue with Different Rehabilitation Materials on Implants. Polymers (Basel) 2023;15(15). Abstract

6. Bjelica R, Viskic J, Batinjan G, Filipovic Zore I. Implantoprosthetic rehabilitation by computer-guided implant surgery (M-Guide): Case report. Acta Stomatol Croat 2022;56(1):89-94. Abstract

7. Cakmak G, Donmez MB, Akay C, et al. Effect of measurement techniques and operators on measured deviations in digital implant scans. J Dent 2023;130:104388. Abstract

8. Cakmak G, Donmez MB, Atalay S, et al. Accuracy of single implant scans with a combined healing abutment-scan body system and different intraoral scanners: An in vitro study. J Dent 2021;113:103773. Abstract

9. Chauhan S, Gupta B, Sharma M, et al. Evaluation of complete-arch implant scanning with 5 different intraoral scanners in terms of trueness and operator experience. Journal of Pharmaceutical Negative Results 2022;13(10):873-77. Abstract

10. Chen Y, Zhai Z, Li H, et al. Influence of liquid on the tooth surface on the accuracy of intraoral scanners: An in vitro study. J Prosthodont 2022;31(1):59-64. Abstract

11. Conejo J, Han S, Atria PJ, et al. Full digital workflow to resolve angled adjacent dental implants: A dental technique. J Prosthet Dent 2022;E-pub, Sep 13 doi: 10.1016/j.prosdent.2022.07.012. Abstract

12. D'Haese R, Vrombaut T, Hommez G, et al. Accuracy of guided implant surgery in the edentulous jaw using desktop 3D-printed mucosal supported guides. J Clin Med 2021;10(3). Abstract

13. D'Haese R, Vrombaut T, Roeykens H, Vandeweghe S. In vitro accuracy of digital and conventional impressions for full-arch implant-supported prostheses. J Clin Med 2022;11(3):1-10. Abstract

14. Denneulin T, Rignon-Bret C, Ravalec G, et al. Accuracy of complete-arch digital scans: Effect of scanning protocol, number of implants and scan body splinting. Int J Prosthodont 2022;E-pub Oct 21, doi:10.11607/7332. Abstract

15. Donmez MB, Marques VR, Cakmak G, et al. Congruence between the meshes of a combined healing abutment-scan body system acquired with four different intraoral scanners and the corresponding library file: An in vitro analysis. J Dent 2022;118:103938. Abstract

16. Dupagne L, Mawussi B, Tapie L, Lebon N. Comparison of the measurement error of optical impressions obtained with four intraoral and one extra-oral dental scanners of post and core preparations. Heliyon 2023;9(2):e13235. Abstract

17. Ebeid K, Sabet A, Della Bona A. Accuracy and repeatability of different intraoral scanners on shade determination. J Esthet Restor Dent 2021;33(6):844-48. Abstract

18. Ebid DH, Abdelhakim AA, Rady NA. Accuracy of conventional versus digital impression techniques in construction of digitally printed surgical guide (in vitro study). Alexandria Dental Journal 2022;47(x3 Section B).

19. Espona J, Vidal-Ponsoda C, Quintana P, et al. A fully digital protocol to provide a fixed interim complete denture for immediate loading for a

completely edentulous patient: A dental technique. J Prosthet Dent 2021;E-pub Oct 26, doi: 10.1016/j.prosdent.2021.09.011. Abstract

20. Falih MY, Majeed MA. Trueness and Precision of Eight Intraoral Scanners with Different Finishing Line Designs: A Comparative In Vitro Study. Eur J Dent 2022;E-pub Dec 13, doi: 10.1055/s-0042-1757568. Abstract

21. Graf T, Guth JF, Diegritz C, et al. Efficiency of occlusal and interproximal adjustments in CAD-CAM manufactured single implant crowns - cast-free vs 3D printed cast-based. J Adv Prosthodont 2021;13(6):351-60. Abstract

22. Gutmacher Z, Kelly A, Renne W, et al. Evaluation of the accuracy of multiple digital impression systems on a fully edentulous maxilla. Quintessence Int 2021;52(6):488-95. Abstract

23. Holken F, Dietrich H. Restoring teeth with an advanced lithium disilicate ceramic: A case report and 1-Year follow-up. Case Rep Dent 2022;2022:6872542. Abstract

24. Jorquera GJ, Sampaio CS, Bozzalla A, et al. Evaluation of trueness and precision of two intraoral scanners and a conventional impression: An in vivo clinical study. Quintessence Int 2021;52(10):904-10. Abstract

25. Jurado CA, Lederman R, Cohen J, Tsujimoto A. Intraoral scanning with rubber dam isolation in place for fabrication of a chairside computer-assisted design and computer-assisted manufacture ceramic restoration. J Contemp Dent Pract 2021;22(8):943-46. Abstract

26. Kaya G, Bilmenoglu C. Accuracy of 14 intraoral scanners for the All-on-4 treatment concept: A comparative in vitro study. J Adv Prosthodont 2022;14(6):388-98. Abstract

27. Kim JH, Son SA, Lee H, et al. In vitro analysis of intraoral digital impression of inlay preparation according to tooth location and cavity type. J Prosthodont Res 2021;65(3):400-06. Abstract

28. Kongkiatkamon S, Rokaya D. Full digital workflow in the esthetic dental restoration. Case Rep Dent 2022;2022:8836068. Abstract

29. Kontis P, Guth JF, Keul C. Accuracy of full-arch digitalization for partially edentulous jaws - A laboratory study on basis of coordinate-based data analysis. Clin Oral Investig 2022;26(4):3651-62. Abstract

30. Kontis P, Guth JF, Schubert O, Keul C. Accuracy of intraoral scans of edentulous jaws with different generations of intraoral scanners compared to laboratory scans. J Adv Prosthodont 2021;13(5):316-26. Abstract

31. Kosago P, Ungurawasaporn C, Kukiattrakoon B. Comparison of the accuracy between conventional and various digital implant impressions for an implant-supported mandibular complete arch-fixed prosthesis: An in vitro study. J Prosthodont 2023;32(7):616-24. Abstract

32. Lee JH, Bae JH, Lee SY. Trueness of digital implant impressions based on implant angulation and scan body materials. Sci Rep 2021;11(1):21892. Abstract

33. Llansana F, Guirao S, Kois JC, Revilla-Leon M. Calibrated splinting framework for complete arch intraoral implant digital scans manufactured by combining milled and additively manufacturing technologies: A dental technique. J Prosthet Dent 2022;E-pub Dec 17, doi: 10.1016/j.prosdent.2022.08.031. Abstract

34. Mangano FG, Admakin O, Bonacina M, et al. Trueness of 12 intraoral scanners in the full-arch implant impression: A comparative in vitro study. BMC Oral Health 2020;20(1):263. Abstract

35. Masu R, Tanaka S, Sanda M, et al. Effect of assistive devices on the precision of digital impressions for implants placed in edentulous maxilla: An in vitro study. Int J Implant Dent 2021;7(1):116. Abstract

36. Ozal C, Ulusoy M. In-vitro evaluation of marginal and internal fit of 3-unit monolithic zirconia restorations fabricated using digital scanning technologies. J Adv Prosthodont 2021;13(6):373-84. Abstract

37. Pan Y, Heng C, Wu ZJ, et al. Comparison of the virtual techniques in registering single implant position with a universal-coordinate system: An in vitro study. J Dent 2022;117:103925. Abstract

38. Passos L, Meiga S, Brigagao V, et al. Digital impressions' accuracy through "cut-out-rescan" and "data exchange by over scanning" techniques in complete arches of two intraoral scanners and CAD/CAM software. J Prosthodont Res 2022;66(3):509-13. Abstract

39. Revell G, Simon B, Mennito A, et al. Evaluation of complete-arch implant scanning with 5 different intraoral scanners in terms of trueness and operator experience. J Prosthet Dent 2022;128(4):632-38. Abstract

40. Rutkunas V, Gedrimiene A, Al-Haj Husain N, et al. Effect of additional reference objects on accuracy of five intraoral scanners in partially and completely edentulous jaws: An in vitro study. J Prosthet Dent 2023;130(1):111-18. Abstract

41. Schimmel M, Akino N, Srinivasan M, et al. Accuracy of intraoral scanning in completely and partially edentulous maxillary and mandibular jaws: An in vitro analysis. Clin Oral Investig 2021;25(4):1839-47. Abstract

42. Schlenz MA, Klaus K, Schmidt A, et al. The transfer accuracy of digital and conventional full-arch impressions influenced by fixed orthodontic appliances: A reference aid-based in vitro study. Clin Oral Investig 2023;27(1):273-83. Abstract

43. Shaikh M, Lakha T, Kheur S, et al. Do digital impressions have a greater accuracy for full-arch implant-supported reconstructions compared to conventional impressions? An in vitro study. J Indian Prosthodont Soc 2022;22(4):398-404. Abstract

44. Shusterman A, Nashef R, Tecco S, et al. Accuracy of implant placement using a mixed reality-based dynamic navigation system versus static computer-assisted and freehand surgery: An in Vitro study. J Dent 2024;146:105052. Abstract

45. Spagopoulos D, Kaisarlis G, Spagopoulou F, et al. In vitro trueness and precision of intraoral scanners in a four-implant complete-arch model. Dent J (Basel) 2023;11(1). Abstract

46. Unger S, Penzenstadler M, Husain AA, et al. Comparison of Geometric Accuracy of Low-Dose and Standard-Dose Dental CBCT Imaging Protocols in CAD/CAM-Guided Dental Implant Surgery. Int J Oral Maxillofac Implants 2023;38(2):287-94. Abstract

47. Unkovskiy A, Spintzyk S, Beuer F, et al. Accuracy of capturing nasal, orbital, and auricular defects with extra- and intraoral optical scanners and smartphone: An in vitro study. J Dent 2022;117:103916. Abstract

48. Waldecker M, Bomicke W, Awounvo Awounvo S, et al. Influence of artificial landmarks on the accuracy of complete arch scans in the partially edentulous maxilla: An in vitro study. J Prosthet Dent 2022;E-pub Nov 24, doi: 10.1016/j.prosdent.2022.08.011. Abstract

49. Waldecker M, Bomicke W, Behnisch R, et al. In-vitro accuracy of complete arch scans of the fully dentate and the partially edentulous maxilla. J Prosthodont Res 2022;66(4):538-45. Abstract

50. Waldecker M, Rues S, Behnisch R, et al. Effect of scan-path length on the scanning accuracy of completely dentate and partially edentulous maxillae. J Prosthet Dent 2022;E-pub Mar 30, doi: 10.1016/j.prosdent.2022.02.016. Abstract

51. Yatmaz BB, Raith S, Reich S. Accuracy of four recent intraoral scanners with respect to two different ceramic surfaces. J Dent 2023;130:104414. Abstract

52. Zingari F, Meglioli M, Gallo F, et al. Predictability of intraoral scanner error for full-arch implant-supported rehabilitation. Research Square 2022;E-pub Nov 9, doi: 10.21203/rs.3.rs-2227211/v1. Abstract

53. Zuercher AN, Ioannidis A, Husler J, et al. Randomized controlled pilot study assessing efficacy, efficiency, and patient-reported outcomes measures of chairside and labside single-tooth restorations. J Esthet Restor Dent 2023;35(1):74-83. Abstract

Regenerative solutions

Symbios OSSIX

1. Abundo R, Di Domenico A, Perelli M. Buccal tissue augmentation with a sugar cross-linked collagen matrix: A case series study. Clin Oral Implants Res 2020;31(S20):151-51. Abstract

2. Adornato MC, Morcos I, Rozanski J. The treatment of bisphosphonate-associated osteonecrosis of the jaws with bone resection and autologous platelet-derived growth factors. J Am Dent Assoc 2007;138(7):971-7. Abstract

3. Anzalone JV, Vastardis S. Oroantral communication as an osteotome sinus elevation complication. J Oral Implantol 2010;36(3):231-7. Abstract

4. Artzi Z, Weinreb M, Carmeli G, et al. Histomorphometric assessment of bone formation in sinus augmentation utilizing a combination of autogenous and hydroxyapatite/biphasic tricalcium phosphate graft materials: At 6 and 9 months in humans. Clin Oral Implants Res 2008;19(7):686-92. Abstract

5. Aslan S, Aslan SE. The performance of hydroxyapatite-sugar cross linked collagen matrix during immediate single-tooth implant placement in the aesthetic zone. Int J Dental Biometerials Research 2022;1:41-47.

6. Bach L, Borzabadi-Farahani A. Treatment of labial mucosal recession around maxillary anterior implants with tenting screws, particulate allograft, and xenogenic membrane: A case report. J Oral Implantol 2016;42(5):427-31. Abstract

7. Barack D, Lin YE, Wang Y, Neiva R. Immediate single-tooth replacement with acellular dermal matrix allogeneic bone and ossifying collagen scaffold: A case series. Int J Oral Implantol (Berl) 2024;17(1):105-17. Abstract

8. Beitlitum I, Artzi Z, Nemcovsky CE. Clinical evaluation of particulate allogeneic with and without autogenous bone grafts and resorbable collagen membranes for bone augmentation of atrophic alveolar ridges. Clin Oral Implants Res 2010;21(11):1242-50. Abstract

9. Canullo L, Del Fabbro M, Colantonio F, et al. Sinus floor augmentation using crestal approach in conjunction with hydroxyapatite/cross-linked collagen sponge: A pilot study. Clin Implant Dent Relat Res 2023;25(5):974-83. Abstract

10. Capri D, Smukler H, Landi L. A less invasive approach to mandibular horizontal ridge augmentation using autogenous bone: A human histological case series. The Journal of Implant & Advanced Clinical Dentistry 2012;4(5):27-36.

11. Casarez-Quintana A, Mealey BL, Kotsakis G, Palaiologou A. Comparing the histological assessment following ridge preservation using a composite bovine-derived xenograft versus an alloplast hydroxyapatite-sugar cross-linked collagen matrix. J Periodontol 2022;93(11):1691-700. Abstract

12. Castillo R. Horizontal ridge augmentation before placing implants using a double-bone, double resorbable membrane technique: Two clinical cases. Eur J Esthet Dent 2010;5(4):340-56. Abstract

13. Chackartchi T, Gleis R, Sculean A, Nevins M. A novel surgical approach to modify the periodontal phenotype for the prevention of mucogingival complications related to orthodontic treatment. Int J Periodontics Restorative Dent 2021;41(6):811-17. Abstract

14. Chacon G, Saleh MHA, Decker A, et al. Vertical Ridge Augmentation Using Collagen Membrane and Tenting Screws in the Esthetic Zone: A Case Series. Int J Periodontics Restorative Dent 2024;44(1):81-89. Abstract

15. Chaushu L, Chaushu G, Vered M, et al. The Use of Cancellous Block Allografts for Reconstruction and Following Implant Failure Associated with Severe Bone Loss: A Prospective Survival and Histomorphometric Study. Int J Periodontics Restorative Dent 2023;43(1):87-93. Abstract

16. Chia-Lai PJ, Orlowska A, Al-Maawi S, et al. Sugar-based collagen membrane cross-linking increases barrier capacity of membranes. Clin Oral Investig 2018;22(4):1851-63. Abstract

17. Chiang T, Roca AL, Rostkowski S, et al. Reconstruction of the narrow ridge using combined ridge split and guided bone regeneration with rhPDGF-BB growth factor-enhanced allograft. Int J Periodontics Restorative Dent 2014;34(1):123-30. Abstract

18. Clem DS, Hinds KF. The team approach to replacing the congenitally missing lateral incisor: Restorative and periodontal considerations. Clinical Advances in Periodontics 2013;3(2):106-14. Abstract

19. Cook DC, Mealey BL. Histologic comparison of healing following tooth extraction with ridge preservation using two different xenograft protocols. J Periodontol 2013;84(5):585-94. Abstract

20. Corrado F, Marconcini S, Cosola S, et al. Immediate implant and customized healing abutment promotes tissues regeneration: A 5-year clinical report. J Oral Implantol 2023;E-Pub manuscript Draft. Abstract

21. D'Souza NL, Bhide VM. Prognosis of implant in previously failed surgical sites. Oral Health Group 2021;8.

22. Do JH. Peri-implantitis and concomitant perigraftitis of an implant placed in a site that had alveolar ridge preservation three decades earlier: A case report with human histology. Clin Adv Periodontics 2022;12(1):44-50. Abstract

23. Dogan Kaplan A, Cinar IC, Gultekin BA, et al. The Effect of Different Types of Collagen Membranes on Peri-Implant Dehiscence Defects. J Craniofac Surg 2023;34(8):2479-84. Abstract

24. Dowlatshahi S, Chen CY, Zigdon-Giladi H, et al. Volumetric assessment of changes in the alveolar ridge dimension following guided bone regeneration using a combination freeze-dried bone allograft with collagen membrane or novel resorbable scaffold: A prospective two-center clinical trial. J Periodontol 2022;93(3):343-53. Abstract

25. Eliezer M, Friedmann A. Bone regeneration around immediate implant placement using only GLYMATRIX technology P429. 2019;Abstract at Osteology,.

26. Fagan MC, Owens H, Smaha J, Kao RT. Simultaneous hard and soft tissue augmentation for implants in the esthetic zone: report of 37 consecutive cases. J Periodontol 2008;79(9):1782-8. Abstract

27. Fathima KH, Harish VS, Jayavely P, Harinath P. Perforated schneiderian membrane repair during sinus augmentation in conjunction with immediate implant placement. J Pharm Bioallied Sci 2014;6(Suppl 1):S174-7. Abstract

28. Fien M, Puterman I, Mesquida J, et al. The Ribroast Technique: An Alternative Method to Stabilize a Resorbable Collagen Membrane for Guided Bone Regeneration. Compend Contin Educ Dent 2023;44(7):408-14. Abstract

29. Fien M, Puterman I, Mesquida J, et al. Guided Bone Regeneration: Novel Use of Fixation Screws as an Alternative to Using the Buccoapical Periosteum for Membrane Stabilization With Sutures-Two Case Reports. Compendium of Continuing Education in Dentistry 2024;45(2):87-92. Abstract

30. Friedmann A, Dard M, Kleber BM, et al. Ridge augmentation and maxillary sinus grafting with a biphasic calcium phosphate: histologic and histomorphometric observations. Clin Oral Implants Res 2009;20(7):708-14. Abstract

31. Friedmann A, Dehnhardt J, Kleber BM, Bernimoulin JP. Cytobiocompatibility of collagen and ePTFE membranes on osteoblast-like cells in vitro. J Biomed Mater Res A 2008;86(4):935-41. Abstract

32. Friedmann A, Gissel K, Konermann A, Gotz W. Tissue reactions after simultaneous alveolar ridge augmentation with biphasic calcium phosphate and implant insertion--histological and immunohistochemical evaluation in humans. Clin Oral Investig 2015;19(7):1595-603. Abstract

33. Friedmann A, Gissel K, Soudan M, et al. Randomized controlled trial on lateral augmentation using two collagen membranes: morphometric results on mineralized tissue compound. J Clin Periodontol 2011;38(7):677-85. Abstract

34. Friedmann A, Goetz W. Composite block sponge proved facilitating bone augmentation (e-poster). Clin Oral Implants Res 2020;31(S20):159-59. Abstract

35. Friedmann A, Strietzel FP, Maretzki B, et al. Observations on a new collagen barrier membrane in 16 consecutively treated patients. Clinical and histological findings. J Periodontol 2001;72(11):1616-23. Abstract

36. Friedmann A, Strietzel FP, Maretzki B, et al. Histological assessment of augmented jaw bone utilizing a new collagen barrier membrane compared to a standard barrier membrane to protect a granular bone substitute material. Clin Oral Implants Res 2002;13(6):587-94. Abstract

37. Froum SJ. Regenerative treatment for a peri-implantitis-affected implant: A case report. Clinical Advances in Periodontics 2013;3(3):140-46. Abstract

38. Froum SJ, Froum SH, Rosen PS. Successful management of peri-implantitis with a regenerative approach: A consecutive series of 51 treated implants

with 3- to 7.5-year follow-up. Int J Periodontics Restorative Dent 2012;32(1):11-20. Abstract

39. Froum SJ, Froum SH, Rosen PS. A regenerative approach to the successful treatment of peri-implantitis: A consecutive series of 170 implants in 100 patients with 2- to 10-year follow-up. Int J Periodontics Restorative Dent 2015;35(6):857-63. Abstract

40. Froum SJ, Rosen PS. Reentry evaluation following treatment of peri-implantitis with a regenerative approach. Int J Periodontics Restorative Dent 2014;34(1):47-59. Abstract

41. Funato A, Ishikura C, Naito K, Hasuike A. Resorbable membrane pouch technique for single-implant placement in the esthetic zone: A preliminary technical case report. Bioengineering (Basel) 2022;9(11). Abstract

42. Funato A, Katayama A, Moroi H. Novel Synthetic Carbonate Apatite as a Bone Substitute in Implant Treatments: Case Reports. Int J Periodontics Restorative Dent 2024;44(3):257-66. Abstract

43. Funato A, Tonotsuka R, Murabe H, et al. A novel strategy for bone integration and regeneration: Case studies. Journal of Cosmetic Dentistry 2014;29(4).

44. Ghaly M, Kerns DG, Hallmon WW, et al. Comparison of guided bone regeneration using a bovine collagen membrane vs a calcium sulfate barrier. Journal of Contemporary Dentistry 2013;3(3):138. Abstract

45. Griffin TJ, Cheung WS. Guided tissue regeneration-based root coverage with a platelet concentrate graft: A 3-year follow-up case series. J Periodontol 2009;80(7):1192-9. Abstract

46. Hameed F, Harrish VS. Immediate implant placement with GBR A proven method for dehiscence correction - A 5-years follow-up Case Report. International Journal of Current Research 2015;7(8):19667-70.

47. Hoang TN, Mealey BL. Histologic comparison of healing after ridge preservation using human demineralized bone matrix putty with one versus two different-sized bone particles. J Periodontol 2012;83(2):174-81. Abstract

48. Hong HR, Chen CY, Kim DM, Machtei EE. Ridge preservation procedures revisited: A randomized controlled trial to evaluate dimensional changes with two different surgical protocols. J Periodontol 2019;90(4):331-38. Abstract

49. Hur Y, Tsukiyama T, Yoon TH, Griffin T. Double flap incision design for guided bone regeneration: A novel technique and clinical considerations. J Periodontol 2010;81(6):945-52. Abstract

50. Hurzeler MB, von Mohrenschildt S, Zuhr O. Stage-two implant surgery in the esthetic zone: a new technique. Int J Periodontics Restorative Dent 2010;30(2):187-93. Abstract

51. Jeong KI, Lee J, Um IW, Kim YK. Alveolar cleft restoration using autogenous tooth bone graft material for implant placement: A case report. J Oral Implantol 2015;41(4):487-90. Abstract

52. Jun CM, Yun JH. Three-dimensional bone regeneration of alveolar ridge defects using corticocancellous allogeneic block grafts: Histologic and immunohistochemical analysis. Int J Periodontics Restorative Dent 2016;36(1):75-81. Abstract

53. Kang DW, Kim SH, Choi YH, Kim YK. Repeated failure of implants at the same site: a retrospective clinical study. Maxillofac Plast Reconstr Surg 2019;41(1):27. Abstract

54. Kim HS, Park JC, Yun PY, Kim YK. Evaluation of bone healing using rhBMP-2 soaked hydroxyapatite in ridge augmentation: A prospective observational study. Maxillofac Plast Reconstr Surg 2017;39(1):40. Abstract

55. Kim JH, Kim YK, Bae JH. Retrospective clinical study on sinus bone graft and tapered-body implant placement. J Korean Assoc Oral Maxillofac Surg 2013;39(2):77-84. Abstract

56. Kim SY, Kim YK, Kim HS, et al. Extraction socket sealing using palatal gingival grafts and resorbable collagen membranes. Maxillofac Plast Reconstr Surg 2017;39(1):39. Abstract

57. Kim YK, Kim SG, Lim SC. Familial tooth bone graft for ridge and sinus augmentation: A report of two cases. J Korean Assoc Oral Maxillofac Surg 2014;40(1):37-42. Abstract

58. Kim YK, Kim SG, Lim SC, et al. A clinical study on bone formation using a demineralized bone matrix and resorbable membrane. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2010;109(6):e6-11. Abstract

59. Kim YK, Kim SG, Um IW, Kim KW. Bone grafts using autogenous tooth blocks: a case series. Implant Dent 2013;22(6):584-9. Abstract

60. Kim YK, Lee JY, Kim SG, Lim SC. Guided bone regeneration using demineralized allogenic bone matrix with calcium sulfate: case series. J Adv Prosthodont 2013;5(2):167-71. Abstract

61. Kim YK, Yun PY, Lim SC, et al. Clinical evaluations of OSTEON as a new alloplastic material in sinus bone grafting and its effect on bone healing. J Biomed Mater Res B Appl Biomater 2008;86(1):270-7. Abstract

62. Kim YK, Yun PY, Oh JS, Kim SG. Prognosis of closure of large sinus membrane perforations using pedicled buccal fat pads and a resorbable collagen membrane: case series study. J Korean Assoc Oral Maxillofac Surg 2014;40(4):188-94. Abstract

63. Klinger A, Asad R, Shapira L, Zubery Y. In vivo degradation of collagen barrier membranes exposed to the oral cavity. Clin Oral Implants Res 2010;21(8):873-6. Abstract

64. Koleilat A, Mansour A, Alkassimi FM, et al. A combination of platelet-rich fibrin and collagen membranes for sinus membrane repair: A case report (Repair of sinus membrane perforation). Dent J (Basel) 2023;11(3). Abstract

65. Kontovazainitis G, Griffin TJ, Cheung WS. Treatment of gingival recession using platelet concentrate with a bioabsorbable membrane and coronally advanced flap: a report of two cases. Int J Periodontics Restorative Dent 2008;28(3):301-7. Abstract

66. Kumar S, Singh K, Shill M. A solution to regain bone-loss around immediately loaded short implant: A clinical report. Journal of Orofacial Rehabilitation 2021;1(2):140-44.

67. Landsberg C. Use of bovine bone mineral, titanium mesh, and a cross-linked collagen membrane in single implant site development at a maxillary central incisor tooth site: A 3-year follow-up case report. Int J Esthet Dent 2019;14(2):182-97. Abstract

68. Landsberg C, Sawdayee E. Overcoming surgical and prosthetic challenges. Journal of Cosmetic Dentistry 2015;31(1):58-73.

69. Le B. Minimally invasive particlulate grafting for esthetic implant site development. Int J Oral Implantol Clin Res 2010;1(2):113-15.

70. Le B, Burstein J, Sedghizadeh PP. Cortical tenting grafting technique in the severely atrophic alveolar ridge for implant site preparation. Implant Dent 2008;17(1):40-50. Abstract

71. Le B, Rohrer MD, Prasad HS. Screw "tent-pole" grafting technique for reconstruction of large vertical alveolar ridge defects using human mineralized allograft for implant site preparation. J Oral Maxillofac Surg 2010;68(2):428-35. Abstract

72. Le BT, Borzabadi-Farahani A. Simultaneous implant placement and bone grafting with particulate mineralized allograft in sites with buccal wall defects, a three-year follow-up and review of literature. J Craniomaxillofac Surg 2014;42(5):552-9. Abstract

73. Lee DW, Kim KT, Joo YS, et al. The role of two different collagen membranes for dehiscence defect around implants in humans. J Oral Implantol 2015;41(4):445-8. Abstract

74. Lee J-Y, Kim Y-K. Implant placement using various surgical techniques: Case Report. J Kor Dent Sci 2015;3(2):50-59.

75. Lee JH, Jung EH, Jeong SN. Profilometric, volumetric, and esthetic analysis of guided bone regeneration with L-shaped collagenated bone substitute and connective tissue graft in the maxillary esthetic zone: A case series with 1-year observational study. Clin Implant Dent Relat Res 2022;24(5):655-63. Abstract

76. Lee JY, Kim YK, Yi YJ, Choi JH. Clinical evaluation of ridge augmentation using autogenous tooth bone graft material: case series study. J Korean Assoc Oral Maxillofac Surg 2013;39(4):156-60. Abstract

77. Levin BP. Framing the restorative result: How tissue augmentation and preservation maximizes implant therapy outcomes. Compend Contin Educ Dent 2018;39(7):458-66. Abstract

78. Levin BP, Rubinstein S. Simultaneous crestal sinus elevation and implant placement using a ribose cross- linked, collagen bone graft material: Case series of 28 consecutive patients. Compend Contin Educ Dent 2020;41(3):156-63. Abstract

79. Levin BP, Wilk BL. Rehabilitation of an esthetic compromise in a patient previously treated with maxillary anterior implants. Compend Contin Educ Dent 2021;42(4):158-62. Abstract

80. Levin BP, Zubery Y. Use of a sugar cross-linked collagen membrane offers cell exclusion and ossification. Compend Contin Educ Dent 2018;39(1):44-48. Abstract

81. Llambes F, Silvestre FJ, Caffesse R. Vertical guided bone regeneration with bioabsorbable barriers. J Periodontol 2007;78(10):2036-42. Abstract

82. Lorenc ZP, Nir E, Azachi M. Characterization of physical properties and histologic evaluation of injectable Dermicol-p35 porcine-collagen dermal filler. Plast Reconstr Surg 2010;125(6):1805-13. Abstract

83. Meenakshi RP, Kiruba R, Arun KV, et al. Cell-based therapy in the management of Class III Miller's recession - A case report with 45-month follow-up. J Indian Soc Periodontol 2023;27(4):437-42. Abstract

84. Mendoza-Azpur G, Ortiz J, Valdivia E, et al. Cyanoacrylate tissue adhesive as a membrane in socket preservation: In vitro cytotoxicity and clinical evaluation. J Osseointegr 2021;13(4):220-26.

85. Morr T. Achieving optimal esthetic outcome with previously placed, compromised implants. Compend Contin Educ Dent 2019;40(7):454-65. Abstract

86. Moses O, Pitaru S, Artzi Z, Nemcovsky CE. Healing of dehiscence-type defects in implants placed together with different barrier membranes: A comparative clinical study. Clin Oral Implants Res 2005;16(2):210-9. Abstract

87. Moses O, Shemesh A, Aboodi G, et al. Systemic tetracycline delays degradation of three different collagen membranes in rat calvaria. Clin Oral Implants Res 2009;20(2):189-95. Abstract

88. Moses O, Vitrial D, Aboodi G, et al. Biodegradation of three different collagen membranes in the rat calvarium: a comparative study. J Periodontol 2008;79(5):905-11. Abstract

89. Narayan S, Kaarthikeyan G. Three-Dimensional Collagen Membranes Challenging the Gold Standard in Gingival Recession. Contemporary Clinical Dentistry 2023;14(1):79-80. Abstract

90. Nart J, de Tapia B, Pujol A, et al. Vancomycin and tobramycin impregnated mineralized allograft for the surgical regenerative treatment of peri-implantitis: a 1-year follow-up case series. Clin Oral Investig 2018;22(6):2199-207. Abstract

91. Nart J, Gagari E, Kahn MA, Griffin TJ. Use of guided tissue regeneration in the treatment of a lateral periodontal cyst with a 7-month reentry. J Periodontol 2007;78(7):1360-4. Abstract

92. Neiva R, Eliezer M. Correction of a buccal ridge deficiency at a second stage implant surgery using a sugar cross-linked collagen scaffold (#428). 2019;Abstract at Osteology 2019,.

93. Neiva R, Pagni G, Duarte F, et al. Analysis of tissue neogenesis in extraction sockets treated with guided bone regeneration: clinical, histologic, and micro-CT results. Int J Periodontics Restorative Dent 2011;31(5):457-69. Abstract

94. Nevins M, Mendoza-Azpur G, De Angelis N, Kim DM. The biocompatibility of cyanoacrylate tissue adhesive in conjunction with a collagen membrane for providing soft and hard tissue regeneration in extraction socket preservation procedures. Int J Periodontics Restorative Dent 2018;38(Suppl):s37-s42. Abstract

95. Nishimura G, Hadaya D, Pi-anfruns J, et al. Osseous healing of rat calvarial defects augmented with PRF sticky bone (Poster). Abstract at Academy of Osseointegration 2019 annual Meeting, Washington March 13-16 2019 2019.

96. Nissan J, Ghelfan O, Mardinger O, et al. Efficacy of cancellous block allograft augmentation prior to implant placement in the posterior atrophic mandible. Clin Implant Dent Relat Res 2011;13(4):279-85. Abstract

97. Nissan J, Mardinger O, Calderon S, et al. Cancellous bone block allografts for the augmentation of the anterior atrophic maxilla. Clin Implant Dent Relat Res 2011;13(2):104-11. Abstract

98. Nissan J, Mardinger O, Strauss M, et al. Implant-supported restoration of congenitally missing teeth using cancellous bone block-allografts. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2011;111(3):286-91. Abstract

99. O'Neill R, Al-Hezaimi K. Identification of an odontogenic keratocyst and treatment with guided tissue regeneration: case report. J Can Dent Assoc 2011;77:b6. Abstract

100. Ogawa T, Saruwatari L, Takeuchi K, et al. Ti nano-nodular structuring for bone integration and regeneration. J Dent Res 2008;87(8):751-6. Abstract

101. Oh JS, Seo YS, Lee GJ, et al. A comparative study with biphasic calcium phosphate to deproteinized bovine bone in maxillary sinus augmentation: A

prospective randomized and controlled clinical trial. Int J Oral Maxillofac Implants 2019;34(1):233-42. Abstract

102. Ottenbacher N, Alkildani S, Korzinskas T, et al. Novel histomorphometrical approach to evaluate the integration pattern and functionality of barrier membranes. Dent J (Basel) 2021;9(11):127. Abstract

103. Park JK, Yeom J, Oh EJ, et al. Guided bone regeneration by poly(lactic-co-glycolic acid) grafted hyaluronic acid bi-layer films for periodontal barrier applications. Acta Biomater 2009;5(9):3394-403. Abstract

104. Pesce P, Zubery Y, Goldlust A, et al. Ossification and Bone Regeneration in a Canine GBR Model, Part 1: Thick vs Thin Glycated Cross-Linked Collagen Devices. Int J Oral Maxillofac Implants 2023;38(4):801-10. Abstract

105. Pesce P, Zubery Y, Goldlust A, et al. Ossification and Bone Regeneration in a Canine GBR Model, Part 2: Glycated Cross-Linked Collagenated Alloplastic Hydroxyapatite Scaffold vs Non-Cross-Linked Collagenated Xenographic Bone Hydroxyapatite. Int J Oral Maxillofac Implants 2023;38(5):923-32. Abstract

106. Raz P, Brosh T, Ronen G, Tal H. Tensile properties of three selected collagen membranes. Biomed Res Int 2019;2019:5163603. Abstract

107. Rothamel D, Schwarz F, Sager M, et al. Biodegradation of differently cross-linked collagen membranes: an experimental study in the rat. Clin Oral Implants Res 2005;16(3):369-78. Abstract

108. Rothamel D, Schwarz F, Sculean A, et al. Biocompatibility of various collagen membranes in cultures of human PDL fibroblasts and human osteoblast-like cells. Clin Oral Implants Res 2004;15(4):443-9. Abstract

109. Scala M, Gipponi M, Pasetti S, et al. Clinical applications of autologous cryoplatelet gel for the reconstruction of the maxillary sinus. A new approach for the treatment of chronic oro-sinusal fistula. In Vivo 2007;21(3):541-7. Abstract

110. Scheyer ET, McGuire MK. Evaluation of premature membrane exposure and early healing in guided bone regeneration of peri-implant dehiscence and fenestration defects with a slowly resorbing porcine collagen ribose cross-linked membrane: A consecutive case series. Clin Adv Periodontics 2015;5(3):165-70. Abstract

111. Schwarz F, Rothamel D, Herten M, et al. Angiogenesis pattern of native and cross-linked collagen membranes: an immunohistochemical study in the rat. Clin Oral Implants Res 2006;17(4):403-9. Abstract

112. Schwarz F, Rothamel D, Herten M, et al. Immunohistochemical characterization of guided bone regeneration at a dehiscence-type defect using different barrier membranes: An experimental study in dogs. Clin Oral Implants Res 2008;19(4):402-15. Abstract

113. Sela MN, Babitski E, Steinberg D, et al. Degradation of collagen-guided tissue regeneration membranes by proteolytic enzymes of Porphyromonas gingivalis and its inhibition by antibacterial agents. Clin Oral Implants Res 2009;20(5):496-502. Abstract

114. Shoshani D, Markovitz E, Cohen Y, et al. Skin test hypersensitivity study of a cross-linked, porcine collagen implant for aesthetic surgery. Dermatol Surg 2007;33 Suppl 2:S152-8. Abstract

115. Silva F, Neiva R. LASSO GBR for lingual alveolar ridge augmentation. SVOA Dentistry 2021;2(1):10-14.

116. Smidt A, Gutmacher Z, Sharon E. A nouveau collagen scaffold to simplify lateral augmentation of deficient ridges between natural teeth. Quintessence Int 2019;50(7):576-82. Abstract

117. Smukler H, Capri D, Landi L. Harvesting bone in the recipient sites for ridge augmentation. Int J Periodontics Restorative Dent 2008;28(4):411-9. Abstract

118. Subramanya AP, Prabhuji MLV. Synthetic mineral collagen composite bone graft with ribose cross linked collagen membrane for lateral ridge augmentation. J Indian Soc Periodontol 2023;27(3):332-35. Abstract

119. Takai Y, Ouhara K, Movila A, Kawai T. Retrospective case series analysis to evaluate ridge augmentation procedure applied to immediate implant placement in the esthetic zone: Five-year longitudinal evaluation using cone beam computed tomography. Int J Periodontics Restorative Dent 2017;37(4):521-30. Abstract

120. Tal H, Kozlovsky A, Artzi Z, et al. Long-term bio-degradation of cross-linked and non-cross-linked collagen barriers in human guided bone regeneration. Clin Oral Implants Res 2008;19(3):295-302. Abstract

121. Tal H, Kozlovsky A, Artzi Z, et al. Cross-linked and non-cross-linked collagen barrier membranes disintegrate following surgical exposure to the oral environment: A histological study in the cat. Clin Oral Implants Res 2008;19(8):760-6. Abstract

122. Tanaka S, Avigad G, Brodsky B, Eikenberry EF. Glycation induces expansion of the molecular packing of collagen. J Mol Biol 1988;203(2):495-505. Abstract

123. Tanaka S, Avigad G, Eikenberry EF, Brodsky B. Isolation and partial characterization of collagen chains dimerized by sugar-derived cross-links. J Biol Chem 1988;263(33):17650-7. Abstract

124. Tavelli L, Barootchi S, Rodriguez MV, et al. Volumetric Outcomes of Peri-implant Soft Tissue Augmentation with a Xenogeneic Cross-Linked Collagen Scaffold: A Comparative Clinical Study. Int J Periodontics Restorative Dent 2023;43(4):415-22. Abstract

125. Tavelli L, Barootchi S, Vera Rodriguez M, et al. Early soft tissue changes following implant placement with or without soft tissue augmentation using

a xenogeneic cross-link collagen scaffold: A volumetric comparative study. J Esthet Restor Dent 2022;34(1):181-87. Abstract

126. Testori T, Bianchi F, Del Fabbro M, et al. Implant aesthetic score for evaluating the outcome: immediate loading in the aesthetic zone. Pract Proced Aesthet Dent 2005;17(2):123-30; quiz 32. Abstract

127. Toscano N, Holtzclaw D, Mazor Z, et al. Horizontal ridge augmentation utilizing a composite graft of demineralized freeze-dried allograft, mineralized cortical cancellous chips, and a biologically degradable thermoplastic carrier combined with a resorbable membrane: A retrospective evaluation of 73 consecutively treated cases from private practices. J Oral Implantol 2010;36(6):467-74. Abstract

128. Urban T, Kostopoulos L, Wenzel A. Immediate implant placement in molar regions: risk factors for early failure. Clin Oral Implants Res 2012;23(2):220-27. Abstract

129. Urban T, Wenzel A. Discomfort experienced after immediate implant placement associated with three different regenerative techniques. Clin Oral Implants Res 2010;21(11):1271-7. Abstract

130. Veis AA, Dabarakis NN, Parisis NA, et al. Bone regeneration around implants using spherical and granular forms of bioactive glass particles. Implant Dent 2006;15(4):386-94. Abstract

131. Virnik S, Cueni L, Kloss-Brandstatter A. Is one-stage lateral sinus lift and implantation safe in severely atrophic maxillae? Results of a comparative pilot study. Int J Implant Dent 2023;9(1):6. Abstract

132. Wallace S, Gellin R. Clinical evaluation of freeze-dried cancellous block allografts for ridge augmentation and implant placement in the maxilla. Implant Dent 2010;19(4):272-9. Abstract

133. Warnke PH, Douglas T, Sivananthan S, et al. Tissue engineering of periosteal cell membranes in vitro. Clin Oral Implants Res 2009;20(8):761-6. Abstract

134. Weinberg E, Artzi Z, Eliezer M. Correction of alveolar ridge deficiency using a hydroxyapatite and sugar cross-linked collagen sponge – a clinical and histological analyses (e-poster P-CI-008). Clin Oral Implants Res 2019;30:222-24.

135. Zubery Y, Goldlust A, Alves A, Nir E. Ossification of a novel cross-linked porcine collagen barrier in guided bone regeneration in dogs. J Periodontol 2007;78(1):112-21. Abstract

136. Zubery Y, Nir E, Goldlust A. Ossification of a collagen membrane cross-linked by sugar: A human case series. J Periodontol 2008;79(6):1101-7. Abstract

Symbios other products and instruments

1. Abbas Alhussaini HA, Lateef Hassan TA, Mohammed HB. Evaluation of implant stability following sinus augmentation utilizing bovine bone mixed with platelet-rich fibrin. Indian Journal of Forensic Medicine & Toxicology 2021;15(4):390-99. Abstract

2. Ahmed M, Salah MK, Khairy N. Computer-aided design/computer-aided manufacturing cutting guides for odontectomy of deeply impacted mandibular third molars. Open Access Maced J Med Sci 2018;6(12):2395-401. Abstract

3. al Ruhaimi KA. Effect of adding resorbable calcium sulfate to grafting materials on early bone regeneration in osseous defects in rabbits. Int J Oral Maxillofac Implants 2000;15(6):859-64. Abstract

4. Al Ruhaimi KA. Bone graft substitutes: A comparative qualitative histologic review of current osteoconductive grafting materials. Int J Oral Maxillofac Implants 2001;16(1):105-14. Abstract

5. Al-Hezaimi K, Iezzi G, Rudek I, et al. Histomorphometric analysis of bone regeneration using a dual layer of membranes (dPTFE placed over collagen) in fresh extraction sites: A canine model. J Oral Implantol 2015;41(2):188-95. Abstract

6. Al-Hezaimi K, Rudek I, Al-Hamdan KS, et al. Efficacy of using a dual layer of membrane (dPTFE placed over collagen) for ridge preservation in fresh extraction sites: A micro-computed tomographic study in dogs. Clin Oral Implants Res 2013;24(10):1152-7. Abstract

7. Al-Maawi S, Vorakulpipat C, Orlowska A, et al. In vivo implantation of a bovine-derived collagen membrane leads to changes in the physiological cellular pattern of wound healing by the induction of multinucleated giant cells: An adverse reaction? Front Bioeng Biotechnol 2018;6(104):104. Abstract

8. Almohandes A, Carcuac O, Abrahamsson I, et al. Re-osseointegration following reconstructive surgical therapy of experimental peri-implantitis. A pre-clinical in vivo study. Clin Oral Implants Res 2019;30(5):447-56. Abstract

9. Aludden H, Mordenfeld A, Cederlund A, et al. Radiographic changes in height and volume after lateral GBR procedures with different ratios of deproteinized bovine bone mineral and autogenous bone at different time points. An experimental study. Clin Oral Implants Res 2021;32(2):167-79. Abstract

10. Aludden H, Mordenfeld A, Dahlin C, et al. Histological and histomorphometrical outcome after lateral guided bone regeneration augmentation of the mandible with different ratios of deproteinized bovine bone mineral and autogenous bone. A preclinical in vivo study. Clin Oral Implants Res 2020;31(10):1025-36. Abstract

11. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: A clinical report. J Oral Implantol 2010;36(3):209-17. Abstract

12. Arpak MN, Alkan A, Nergiz I. A case of localized ridge augmentation from using a titanium membrane: A pilot study. J Oral Sci 2000;42(3):133-8. Abstract

13. Badr M, Coulthard P, Alissa R, Oliver R. The efficacy of platelet-rich plasma in grafted maxillae. A randomised clinical trial. Eur J Oral Implantol 2010;3(3):233-44. Abstract

14. Bahat O, Fontanessi RV. Efficacy of implant placement after bone grafting for three-dimensional reconstruction of the posterior jaw. Int J Periodontics Restorative Dent 2001;21(3):220-31. Abstract

15. Barros RR, Novaes AB, Jr., Roriz VM, et al. Anorganic bovine matrix/p-15 "flow" in the treatment of periodontal defects: Case series with 12 months of follow-up. J Periodontol 2006;77(7):1280-7. Abstract

16. Basler T, Naenni N, Schneider D, et al. Randomized controlled clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: 3-year results. Clin Oral Implants Res 2018;29(5):499-507. Abstract

17. Behfarnia P, Khorasani MM, Birang R, Abbas FM. Histological and histomorphometric analysis of animal experimental dehiscence defect treated with three bio absorbable GTR collagen membrane. Dent Res J (Isfahan) 2012;9(5):574-81. Abstract

18. Bhongade ML, Tiwari IR. A comparative evaluation of the effectiveness of an anorganic bone matrix/cell binding peptide with an open flap debridement in human infrabony defects: A clinical and radiographic study. J Contemp Dent Pract 2007;8(6):25-34. Abstract

19. Borges T, Fernandes D, Almeida B, et al. Correlation between alveolar bone morphology and volumetric dimensional changes in immediate maxillary implant placement: A 1-year prospective cohort study. J Periodontol 2020;91(9):1167-76. Abstract

20. Botros M, Kamal Adbel Gaber H, Abbas E, et al. Split-block graft versus cortico-cancellous block graft for horizontal ridge augmentation: Cone beam computed tomography and histomorphometric study. Brazilian Dental Science 2021;24(3). Abstract

21. Brawn PR, Kwong-Hing A. Histologic comparison of light emitting diode phototherapy-treated hydroxyapatite-grafted extraction sockets: A same-mouth case study. Implant Dent 2007;16(2):204-11. Abstract

22. Butz F, Bachle M, Ofer M, et al. Sinus augmentation with bovine hydroxyapatite/synthetic peptide in a sodium hyaluronate carrier (PepGen P-15 Putty): A clinical investigation of different healing times. Int J Oral Maxillofac Implants 2011;26(6):1317-23. Abstract

23. Cede J, Graf A, Zeitlinger J, et al. Evaluation of facial aesthetics by laypersons in patients undergoing intraoral quadrangular Le Fort II osteotomy compared with conventional Le Fort I osteotomy. Int J Oral Maxillofac Surg 2021;50(9):1210-18. Abstract

24. Chee Y. Vertical ridge augmentation with mandibular ramus block bone for implant surgery. The Korean Academy of Oral and Maxillofacial Implantology 2021;25(1):22-36. Abstract

25. Chen L, Cha J. An 8-year retrospective study: 1,100 patients receiving 1,557 implants using the minimally invasive hydraulic sinus condensing technique. J Periodontol 2005;76(3):482-91. Abstract

26. Cheung HS, Tofe AJ. Mechanism of cell growth on calcium phosphate particles: Role of cell-mediated dissolution of calcium phosphate matrix. S.T.P. Pharma Sciences 1993;3(1):51-55.

27. Chu SJ, Levin BP, Egbert N, et al. Use of a novel implant with an inverted body-shift and prosthetic angle correction design for immediate tooth replacement in the esthetic zone: A clinical case series. Int J Periodontics Restorative Dent 2021;41(2):195-204. Abstract

28. Cortellini S, Castro AB, Temmerman A, et al. Leucocyte- and platelet-rich fibrin block for bone augmentation procedure: A proof-of-concept study. J Clin Periodontol 2018;45(5):624-34. Abstract

29. Cortes AR, Cortes DN. Nontraumatic bone expansion for immediate dental implant placement: An analysis of 21 cases. Implant Dent 2010;19(2):92-7. Abstract

30. Cortes AR, Cortes DN, Arita ES. Effectiveness of piezoelectric surgery in preparing the lateral window for maxillary sinus augmentation in patients with sinus anatomical variations: A case series. Int J Oral Maxillofac Implants 2012;27(5):1211-5. Abstract

31. Cullum D, Lucas M. Minimally invasive extraction site management with dehydrated amnion/chorion membrane (dHACM): Open-socket grafting. Compend Contin Educ Dent 2019;40(3):178-83. Abstract

32. Dahlet JC, Boukari A, Collavini M, Hemmerle J. Ultrastructure and analytical features of the sinus floor augmentation with osteograph and pepgen P-15. J Biomater Nanobiotechnol 2013;4(1):64-73. Abstract

33. De Stavola L, Tunkel J. A new approach to maintenance of regenerated autogenous bone volume: Delayed relining with xenograft and resorbable membrane. Int J Oral Maxillofac Implants 2013;28(4):1062-7. Abstract

34. De Stavola L, Tunkel J. Results of vertical bone augmentation with autogenous bone block grafts and the tunnel technique: A clinical prospective study of 10 consecutively treated patients. Int J Periodontics Restorative Dent 2013;33(5):651-9. Abstract

35. Degidi M, Daprile G, Piattelli A. Primary stability determination of implants inserted in sinus augmented sites: 1-step versus 2-step procedure. Implant Dent 2013;22(5):530-3. Abstract

36. Degidi M, Nardi D, Daprile G, Piattelli A. Nonremoval of immediate abutments in cases involving subcrestally placed postextractive tapered single implants: A randomized controlled clinical study. Clin Implant Dent Relat Res 2014;16(6):794-805. Abstract

37. Degidi M, Piattelli M, Scarano A, et al. Maxillary sinus augmentation with a synthetic cell-binding peptide: Histological and histomorphometrical results in humans. J Oral Implantol 2004;30(6):376-83. Abstract

38. Donovan R, Fetner A, Koutouzis T, Lundgren T. Crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: A 1-year radiographic evaluation. J Periodontol 2010;81(3):428-34. Abstract

39. Durrani F, Singh P, Pandey A, et al. Tent screws: Predictable guided bone regeneration. J Indian Soc Periodontol 2023;27(1):104-12. Abstract

40. Emam H, Beheiri G, Elsalanty M, Sharawy M. Microcomputed tomographic and histologic analysis of anorganic bone matrix coupled with cell-binding peptide suspended in sodium hyaluronate carrier after sinus augmentation: A clinical study. Int J Oral Maxillofac Implants 2011;26(3):561-70. Abstract

41. Emam HA, Behiri G, El-Alaily M, Sharawy M. The efficacy of a tissue-engineered xenograft in conjunction with sodium hyaluronate carrier in maxillary sinus augmentation: A clinical study. Int J Oral Maxillofac Surg 2015;44(10):1287-94. Abstract

42. Engler-Hamm D, Cheung WS, Yen A, et al. Ridge preservation using a composite bone graft and a bioabsorbable membrane with and without primary wound closure: A comparative clinical trial. J Periodontol 2011;82(3):377-87. Abstract

43. Eto AL, Joly JC, Jeffcoat M, et al. Use of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment of class II furcation defects: A clinical and radiographic study in humans. J Periodontol 2007;78(12):2277-83. Abstract

44. Evian CI, Al-Momani A, Rosenberg ES, Sanavi F. Therapeutic management for immediate implant placement in sites with periapical deficiencies where coronal bone is present: Technique and case report. Int J Oral Maxillofac Implants 2006;21(3):476-80. Abstract

45. Fernandes D, Marques T, Borges T, Montero J. Volumetric analysis on the use of customized healing abutments with or without connective tissue graft at flapless maxillary immediate implant placement: A randomized clinical trial. Clin Oral Implants Res 2023;34(9):934-46. Abstract

46. Fernandes D, Nunes S, Lopez-Castro G, et al. Effect of customized healing abutments on the peri-implant linear and volumetric tissue changes at

maxillary immediate implant sites: A 1-year prospective randomized clinical trial. Clin Implant Dent Relat Res 2021;23(5):745-57. Abstract

47. Figueiredo M, Henriques J, Martins G, et al. Physicochemical characterization of biomaterials commonly used in dentistry as bone substitutes--comparison with human bone. J Biomed Mater Res B 2010;92(2):409-19. Abstract

48. Froum SJ, Tarnow DP, Wallace SS, et al. Sinus floor elevation using anorganic bovine bone matrix (OsteoGraf/N) with and without autogenous bone: A clinical, histologic, radiographic, and histomorphometric analysis--Part 2 of an ongoing prospective study. Int J Periodontics Restorative Dent 1998;18(6):528-43. Abstract

49. Galindo-Moreno P, Abril-Garcia D, Carrillo-Galvez AB, et al. Maxillary sinus floor augmentation comparing bovine versus porcine bone xenografts mixed with autogenous bone graft. A split-mouth randomized controlled trial. Clin Oral Implants Res 2022;33(5):524-36. Abstract

50. Galindo-Moreno P, Padial-Molina M, Lopez-Chaichio L, et al. Algae-derived hydroxyapatite behavior as bone biomaterial in comparison with anorganic bovine bone: A split-mouth clinical, radiological, and histologic randomized study in humans. Clin Oral Implants Res 2020;31(6):536-48. Abstract

51. Ghivari S, Patil AC, Patil S, et al. Interdisciplinary management of an isolated intrabony defect. Case Rep Dent 2014;2014:672152. Abstract

52. Gluckman H, Du Toit J, Salama M. The palatal bone block graft for onlay grafting combined with maxillary implant placement: A case series. Int J Periodontics Restorative Dent 2016;36(4):517-23. Abstract

53. Grizas E, Kourtis S, Andrikopoulou E, Romanos GE. A detailed decision tree to create, preserve, transfer, and support the emergence profile in anterior maxillary implants using custom abutments. Quintessence Int 2018;49(5):349-64. Abstract

54. Guda T, Walker JA, Singleton BM, et al. Guided bone regeneration in long-bone defects with a structural hydroxyapatite graft and collagen membrane. Tissue Eng Part A 2013;19(17-18):1879-88. Abstract

55. Hahn J. 8-year onlay bone graft and ridge augmentation with PepGen P-15: A clinical and radiographic case study. Implant Dent 2004;13(3):228-31. Abstract

56. Hahn J, Rohrer MD, Tofe AJ. Clinical, radiographic, histologic, and histomorphometric comparison of PepGen P-15 particulate and PepGen P-15 flow in extraction sockets: A same-mouth case study. Implant Dent 2003;12(2):170-4. Abstract

57. Hammerle CH, Olah AJ, Schmid J, et al. The biological effect of natural bone mineral on bone neoformation on the rabbit skull. Clin Oral Implants Res 1997;8(3):198-207. Abstract

58. Hanser T, Doliveux R. MicroSaw and Piezosurgery in harvesting mandibular bone blocks from the retromolar region: A randomized split-mouth

prospective clinical trial. Int J Oral Maxillofac Implants 2018;33(2):365-72. Abstract

59. Hanser T, Khoury F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: A 5-year consecutive clinical study. Int J Periodontics Restorative Dent 2014;34(3):305-12. Abstract

60. Hasegawa H, Masui S, Ishihata H, et al. Evaluation of a Newly Designed Microperforated Pure Titanium Membrane for Guided Bone Regeneration. Int J Oral Maxillofac Implants 2019;34(2):411-22. Abstract

61. Hoffmann O, Beaumont C, Zafiropoulos GG. Immediate implant placement: A case series. J Oral Implantol 2006;32(4):182-9. Abstract

62. Hole BB, Schwarz JA, Gilbert JL, Atkinson BL. A study of biologically active peptide sequences (P-15) on the surface of an ABM scaffold (PepGen P-15) using AFM and FTIR. J Biomed Mater Res A 2005;74(4):712-21. Abstract

63. Hwang SH, Moon K, Du W, et al. Effect of Porcine- and Bovine-Derived Xenografts with Hydroxypropyl Methylcellulose for Bone Formation in Rabbit Calvaria Defects. Materials (Basel) 2023;16(5). Abstract

64. Jakse N, Payer M, Tangl S, et al. Influence of low-level laser treatment on bone regeneration and osseointegration of dental implants following sinus augmentation: An experimental study on sheep. Clin Oral Implants Res 2007;18(4):517-24. Abstract

65. Javed F, Lau J, Delgado-Ruiz R, Romanos GE. In-vitro evaluation of the primary stability of multiple condensing thread designed implants placed by novice and experienced clinicians. Surgery in Practice and Science 2020;2. Abstract

66. Jimbo R, Jinno Y, Vennerberg A. Bone regenerative properties of biphasic bone substitutes. A critical size defect study in the rabbit calvaria (P255). Clin Oral Implants Res 2015;26(Supplement S12):84. Abstract

67. Johansson LA, Isaksson S, Lindh C, et al. Maxillary sinus floor augmentation and simultaneous implant placement using locally harvested autogenous bone chips and bone debris: A prospective clinical study. J Oral Maxillofac Surg 2010;68(4):837-44. Abstract

68. Juarez Broon N, Bello Hernandez C, Ruiz Montanez OI, et al. Autotransplantation, surgical repositioning of retained canine, and apical filling of two incisors with root resorption. Iran Endod J 2018;13(2):267-70. Abstract

69. Jung SR, Bashutski JD, Linebaugh ML. Application of modified bony lid technique to remove or replace compromised implants: Case series. Implant Dent 2013;22(3):206-11. Abstract

70. Kablan F. The use of cortical bone wedges from the mandibular ramus “wedge technique”: For 3-dimensional bone augmentation of the atrophic

ridges. technique presentation and report of case series. Open Journal of Stomatology 2018;8(06):217. Abstract

71. Kahnberg KE, Wallstrom M, Rasmusson L. Local sinus lift for single-tooth implant. I. Clinical and radiographic follow-up. Clin Implant Dent Relat Res 2011;13(3):231-7. Abstract

72. Kainulainen V, Oikarinen K. Comparison of four bone collectors designed for oral and maxillofacial surgery--an in vitro study. Clin Oral Implants Res 1998;9(5):327-32. Abstract

73. Kainulainen VT, Kainulainen TJ, Oikarinen KS, et al. Performance of six bone collectors designed for dental implant surgery. Clin Oral Implants Res 2006;17(3):282-7. Abstract

74. Kamel H, A. Moneem s, Askar N. Effect of biphasic bone graft material (BGM) in combination with autologous platelet-rich fibrin (PRF) on bone regeneration in an odontogenic maxillary cyst: A randomized controlled clinical trial. Egyptian Dental Journal 2020;66(2):829-36. Abstract

75. Kasaj A, Rohrig B, Reichert C, Willershausen B. Clinical evaluation of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment of human infrabony defects. Clin Oral Investig 2008;12(3):241-7. Abstract

76. Keeve PL, Khoury F. Long-term results of peri-implant conditions in periodontally compromised patients following lateral bone augmentation. Int J Oral Maxillofac Implants 2017;32(1):137-46. Abstract

77. Khashu H, Vandana KL. Clinical and radiographic evaluation of human periodontal osseous defect (mandibular grade II furcation) treated with PepGen P-15 and a bioresorbable membrane (Atrisorb). J Indian Soc Periodontol 2012;16(4):569-76. Abstract

78. Khoury F. The bony lid approach in pre-implant and implant surgery: A prospective study. Eur J Oral Implantol 2013;6(4):375-84. Abstract

79. Khoury F, Hanser T. Mandibular bone block harvesting from the retromolar region: A 10-year prospective clinical study. Int J Oral Maxillofac Implants 2015;30(3):688-397. Abstract

80. Khoury F, Hanser T. 3D vertical alveolar crest augmentation in the posterior mandible using the tunnel technique: A 10-year clinical study. Int J Oral Implantol (Berl) 2022;15(2):111-26. Abstract

81. Kim YK, Yun PY, Kim SG, Oh DS. In vitro scanning electron microscopic comparison of inner surface of exposed and unexposed nonresorbable membranes. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2009;107(6):e5-e11. Abstract

82. Klug C, Cede J. Technical modifications for intraoral quadrangular Le Fort II osteotomy. J Oral Maxillofac Surg 2017;75(2):402 e1-02 e16. Abstract

83. Kohal RJ, Straub LM, Wolkewitz M, et al. Evaluation of guided bone regeneration around oral implants over different healing times using two different bovine bone materials: A randomized, controlled clinical and histological investigation. Clin Implant Dent Relat Res 2015;17(5):957-71. Abstract

84. Kolk A, Boskov M, Haidari S, et al. Comparative analysis of bone regeneration behavior using recombinant human BMP-2 versus plasmid DNA of BMP-2. J Biomed Mater Res A 2019;107(1):163-73. Abstract

85. Korsch M. Tooth shell technique: A proof of concept with the use of autogenous dentin block grafts. Aust Dent J 2021;66(2):159-68. Abstract

86. Koutouzis T, Fetner M, Fetner A, Lundgren T. Retrospective evaluation of crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: The effect of bone grafting at implant placement. J Periodontol 2011;82(2):234-42. Abstract

87. Kratz F, Müller C, Körber N, et al. Characterization of protein films on dental materials: Bicinchoninic acid assay (BCA) studies on loosely and firmly adsorbed protein layers. physica status solidi (a) 2013;210(5):964-67. Abstract

88. Krauser JT, Rohrer MD, Wallace SS. Human histologic and histomorphometric analysis comparing OsteoGraf/N with PepGen P-15 in the maxillary sinus elevation procedure: A case report. Implant Dent 2000;9(4):298-302. Abstract

89. Krennmair S, Hunger S, Forstner T, et al. Implant health and factors affecting peri-implant marginal bone alteration for implants placed in staged maxillary sinus augmentation: A 5-year prospective study. Clin Implant Dent Relat Res 2019;21(1):32-41. Abstract

90. Landi L, Pretel RW, Jr., Hakimi NM, Setayesh R. Maxillary sinus floor elevation using a combination of DFDBA and bovine-derived porous hydroxyapatite: A preliminary histologic and histomorphometric report. Int J Periodontics Restorative Dent 2000;20(6):574-83. Abstract

91. Levin BP. Immediate temporization of immediate implants in the esthetic zone: Evaluating survival and bone maintenance. Compend Contin Educ Dent 2011;32(4):52-6, 58-60, 62. Abstract

92. Levin BP. The dermal apron technique for immediate implant socket management: A novel technique. J Esthet Restor Dent 2016;28(1):18-28. Abstract

93. Levin BP, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and Dermis Allograft: A case series of 15 consecutive patients. Int J Periodontics Restorative Dent 2018;38(5):719-27. Abstract

94. Levin BP, Chu SJ, Saito H, et al. A novel implant design for immediate extraction sites: Determining primary stability. Int J Periodontics Restorative Dent 2021;41(3):357-64. Abstract

95. Levin BP, Saito H, Reynolds MA, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and dermis allograft. Part II: A comparative retrospective case series using a subcrestal angle correction implant Design. Int J Periodontics Restorative Dent 2020;40(4):539-47. Abstract

96. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: A prospective case series evaluating implant survival, esthetics, and bone maintenance. Compend Contin Educ Dent 2013;34(5):352-61. Abstract

97. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. Compend Contin Educ Dent 2015;36(9):682-8. Abstract

98. Lu SY, Huang CC. Resolution of an active peri-implantitis in a chronic steroid user by bone augmentation with PepGen P-15 and a barrier membrane. J Oral Implantol 2007;33(5):280-7. Abstract

99. Lutz R, Prechtl C, Nonhoff J, et al. Biofunctionalization of the implant surface with different concentrations of a synthetic peptide (P-15). Clin Oral Implants Res 2013;24(7):781-6. Abstract

100. Mahesh L, Lahori M, Bali P, Choudary S. Lateral ridge augmentation by titanium membrane using autografts and alloplast: A case report with 3 years radiological follow-up. Int J Oral Implantol Clin Res 2010;1(1):e37-42.

101. Mardas N, Stavropoulos A, Karring T. Calvarial bone regeneration by a combination of natural anorganic bovine-derived hydroxyapatite matrix coupled with a synthetic cell-binding peptide (PepGen): An experimental study in rats. Clin Oral Implants Res 2008;19(10):1010-5. Abstract

102. Matos S, Guerra F, Krauser JT, et al. Evaluation of an anorganic bovine-derived mineral with P-15 hydrogel bone graft: Preliminary study in a rabbit cranial bone model. Clin Oral Implants Res 2012;23(6):698-705. Abstract

103. Matos SM, Guerra FA, Krauser J, et al. Clinical evaluation of the combination of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in particulate and hydrogel form as a bone replacement graft material in human periodontal osseous defects: 6-month reentry controlled clinical study. J Periodontol 2007;78(10):1855-63. Abstract

104. Melker DJ. The use of PerioDerm for root covarage and correction of insufficiently attached gingiva. CHAIRSIDE magazine 2013;8(2):47-59. Abstract

105. Mir-Mari J, Benic GI, Valmaseda-Castellon E, et al. Influence of wound closure on the volume stability of particulate and non-particulate GBR materials: An in vitro cone-beam computed tomographic examination. Part II. Clin Oral Implants Res 2017;28(6):631-39. Abstract

106. Mir-Mari J, Wui H, Jung RE, et al. Influence of blinded wound closure on the volume stability of different GBR materials: An in vitro cone-beam computed tomographic examination. Clin Oral Implants Res 2016;27(2):258-65. Abstract

107. Mohanram Y, Zhang J, Tsiridis E, Yang XB. Comparing bone tissue engineering efficacy of HDPSCs, HBMSCs on 3D biomimetic ABM-P-15 scaffolds in vitro and in vivo. Cytotechnology 2020;72(5):715-30. Abstract

108. Molnar B, Deutsch T, Marton R, et al. Demonstration of radiographic bone fill in postextraction sockets using a novel implant-site development technique: A retrospective comparative case series. Int J Periodontics Restorative Dent 2019;39(6):845-52. Abstract

109. Möller B, Acil Y, Birkenfeld F, et al. Highly porous hydroxyapatite with and without local harvested bone in sinus floor augmentation: A histometric study in pigs. Clin Oral Implants Res 2014;25(7):871-8. Abstract

110. Naenni N, Schneider D, Jung RE, et al. Randomized clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: Clinical and histological outcomes at 6 months. Clin Oral Implants Res 2017;28(10):1309-17. Abstract

111. Naenni N, Stucki L, Husler J, et al. Implants sites with concomitant bone regeneration using a resorbable or non-resorbable membrane result in stable marginal bone levels and similar profilometric outcomes over 5 years. Clin Oral Implants Res 2021;32(8):893-904. Abstract

112. Najafi B, Kheirieh P, Torabi A, Cappetta EG. Periodontal regenerative treatment of intrabony defects in the esthetic zone using modified vestibular incision subperiosteal tunnel access (M-VISTA). Int J Periodontics Restorative Dent 2018;38(Suppl):e9-e16. Abstract

113. Nazareth CA, Cury PR. Use of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment isolated Class I gingival recession of defects: A pilot study. J Periodontol 2011;82(5):700-7. Abstract

114. Noelken R, Moergel M, Kunkel M, Wagner W. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. Clin Oral Implants Res 2018;29(3):320-27. Abstract

115. Noelken R, Neffe BA, Kunkel M, Wagner W. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. Clin Oral Implants Res 2014;25(2):214-20. Abstract

116. Noelken R, Oberhansl F, Kunkel M, Wagner W. Immediately provisionalized OsseoSpeed() Profile implants inserted into extraction sockets: 3-year results. Clin Oral Implants Res 2016;27(6):744-9. Abstract

117. Noelken R, Pausch T, Wagner W, Al-Nawas B. Peri-implant defect grafting with autogenous bone or bone graft material in immediate implant placement in molar extraction sites-1- to 3-year results of a prospective randomized study. Clin Oral Implants Res 2020;31(11):1138-48. Abstract

118. Nomura T, Katz JL, Powers MP, Saito C. Evaluation of the micromechanical elastic properties of potential bone-grafting materials. J Biomed Mater Res B Appl Biomater 2005;73(1):29-34. Abstract

119. Ogutcen-Toller M, Sener I, Kasap V, Cakir-Ozkan N. Maxillary myxoma: surgical treatment and reconstruction with buccal fat pad flap: A case report. J Contemp Dent Pract 2006;7(1):107-16. Abstract

120. Ommerborn MA, John G, Becker J, et al. Forty-five-months follow-up of a minimally invasive, interdisciplinary treated hemangioma of the mandible with a high risk of severe bleeding - a case report. Head Face Med 2023;19(1):1. Abstract

121. Ortiz-Vigon A, Suarez I, Martinez-Villa S, et al. Safety and performance of a novel collagenated xenogeneic bone block for lateral alveolar crest augmentation for staged implant placement. Clin Oral Implants Res 2017;29(1):36-45. Abstract

122. Otto K, Schopper C, Ewers R, Lambrecht JT. [Guided bone regeneration beneath titanium foils]. Schweiz Monatsschr Zahnmed 2004;114(10):996-1002. Abstract

123. Pereira KK, Alves OC, Novaes AB, Jr., et al. Progression of osteogenic cell cultures grown on microtopographic titanium coated with calcium phosphate and functionalized with a type I collagen-derived peptide. J Periodontol 2013;84(8):1199-210. Abstract

124. Pettinicchio M, Traini T, Murmura G, et al. Histologic and histomorphometric results of three bone graft substitutes after sinus augmentation in humans. Clin Oral Investig 2012;16(1):45-53. Abstract

125. Pinho MN, Roriz VL, Novaes AB, Jr., et al. Titanium membranes in prevention of alveolar collapse after tooth extraction. Implant Dent 2006;15(1):53-61. Abstract

126. Pistilli R, Felice P, Piatelli M, et al. Blocks of autogenous bone versus xenografts for the rehabilitation of atrophic jaws with dental implants: Preliminary data from a pilot randomised controlled trial. Eur J Oral Implantol 2014;7(2):153-71. Abstract

127. Pohl V, Pohl S, Sulzbacher I, et al. Alveolar ridge augmentation using dystopic autogenous yooth: 2-year results of an open prospective study. Int J Oral Maxillofac Implants 2017;32(4):870-79. Abstract

128. Possamai V, Scott A, Neil W. Bone pate collection: A simple solution. Clin Otolaryngol 2008;33(2):199. Abstract

129. Qian SJ, Tsai YW, Koutouzis T, et al. Impact of surface chemical treatment in surgical regenerative treatment of ligature-induced peri-implantitis: A canine study. J Periodontol 2024;E-pub Jun 16 doi:10.1002/JPER.23-0634. Abstract

130. Quirynen M, Lahoud P, Teughels W, et al. Individual "alveolar phenotype" limits dimensions of lateral bone augmentation. J Clin Periodontol 2023;50(4):500-10. Abstract

131. Radhakrishnan S, Anusuya CN. Comparative clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) and open flap debridement (DEBR) in human periodontal osseous defects: A 6 month pilot study. J Int Acad Periodontol 2004;6(3):101-7. Abstract

132. Recica B, Bukleta D, Popovska M, et al. Comparative analysis of the effect of 4MATRIX with and without PRF on regeneration of infrabony periodontal pockets. Saudi Dent J 2023;35(3):244-50. Abstract

133. Restoy-Lozano A, Dominguez-Mompell JL, Infante-Cossio P, et al. Calvarial bone grafting for three-dimensional reconstruction of severe maxillary defects: A case series. Int J Oral Maxillofac Implants 2015;30(4):880-90. Abstract

134. Romanos GE, Gaertner K, Nentwig GH. Long-term evaluation of immediately loaded implants in the edentulous mandible using fixed bridges and platform shifting. Clin Implant Dent Relat Res 2014;16(4):601-8. Abstract

135. Romanos GE, Nentwig GH. Regenerative therapy of deep peri-implant infrabony defects after CO2 laser implant surface decontamination. Int J Periodontics Restorative Dent 2008;28(3):245-55. Abstract

136. Rosen PS, Summers R, Mellado JR, et al. The bone-added osteotome sinus floor elevation technique: Multicenter retrospective report of consecutively treated patients. Int J Oral Maxillofac Implants 1999;14(6):853-8. Abstract

137. Rosen VB, Hobbs LW, Spector M. The ultrastructure of anorganic bovine bone and selected synthetic hyroxyapatites used as bone graft substitute materials. Biomaterials 2002;23(3):921-8. Abstract

138. Salgar N. Osseodensified crestal sinus window augmentation: An alternative procedure to the lateral window technique. J Oral Implantol 2021;47(1):45-55. Abstract

139. Sanz M, Ferrantino L, Vignoletti F, et al. Guided bone regeneration of non-contained mandibular buccal bone defects using deproteinized bovine bone mineral and a collagen membrane: An experimental in vivo investigation. Clin Oral Implants Res 2017;28(11):1466-76. Abstract

140. Sanz-Esporrin J, Blanco J, Sanz-Casado JV, et al. The adjunctive effect of rhBMP-2 on the regeneration of peri-implant bone defects after experimental peri-implantitis. Clin Oral Implants Res 2019;30(12):1209-19. Abstract

141. Schmid J, Hammerle CH, Fluckiger L, et al. Blood-filled spaces with and without filler materials in guided bone regeneration. A comparative experimental study in the rabbit using bioresorbable membranes. Clin Oral Implants Res 1997;8(2):75-81. Abstract

142. Schopper C, Moser D, Spassova E, et al. Bone regeneration using a naturally grown HA/TCP carrier loaded with rh BMP-2 is independent of barrier-membrane effects. J Biomed Mater Res A 2008;85(4):954-63. Abstract

143. Schopper C, Moser D, Spassova-Tzekova E, et al. Mineral apposition rates provide significant information on long-term effects in BMP-induced bone regeneration. J Biomed Mater Res A 2009;89(3):679-86. Abstract

144. Schopper C, Ziya-Ghazvini F, Goriwoda W, et al. HA/TCP compounding of a porous CaP biomaterial improves bone formation and scaffold degradation--a long-term histological study. J Biomed Mater Res B 2005;74(1):458-67. Abstract

145. Shuman IE. Long-term provisionalization following tooth extraction. An innovative approach. Dent Today 2003;22(6):60-3. Abstract

146. Simion M, Ferrantino L, Idotta E, Maglione M. The association of guided bone regeneration and enamel matrix derivative for suprabony reconstruction in the esthetic area: A case report. Int J Periodontics Restorative Dent 2015;35(6):767-72. Abstract

147. Sirin Y, Yildirimturk S, Aytugar E, et al. A comparison of panoramic radiography and cone beam computed tomography in the detection of osteosynthesis complications in sheep mandibular angle fractures. Oral Surg Oral Med Oral Pathol Oral Radiol 2019;127(2):167-74. Abstract

148. Sokolowski A, Sokolowski A, Schwarze U, et al. Phycogenic bone substitutes for sinus floor augmentation: Histomorphometric comparison of hydroxyapatite and biphasic calcium phosphate in a randomised clinical pilot study. International journal of oral implantology (Berlin, Germany) 2020;13(4):387-99. Abstract

149. Sorour N, Fahd A, Kamel H. Evaluation of bone healing of odontogenic maxillary cystic defects grafted with hemihydrated calcium sulphate granules versus biphasic calcium phosphate granules: A randomized controlled clinical trial. Egyptian Dental Journal 2020;66(4):2091-100. Abstract

150. Starch-Jensen T, Ahmad M, Bruun NH, Becktor JP. Patient's perception of recovery after maxillary sinus floor augmentation with autogenous bone graft compared with composite grafts: A single-blinded randomized controlled trial. Int J Implant Dent 2021;7(1):99. Abstract

151. Starch-Jensen T, Ahmad M, Bruun NH, Becktor JP. Maxillary sinus floor augmentation with autogenous bone graft compared with composite grafts: A one-year single-blinded randomized controlled trial. Clin Oral Implants Res 2024;35(6):652-67. Abstract

152. Starch-Jensen T, Bruun NH. Patient's perception of recovery after sinus membrane elevation and blood coagulum compared with 1:1 mixture of autogenous bone graft and deproteinized porcine bone mineral. Secondary outcomes from a single-blinded randomized controlled trial. Clin Oral Implants Res 2022;33(1):65-77. Abstract

153. Starch-Jensen T, Bruun NH, Spin-Neto R. Maxillary sinus membrane elevation and coagulum compared with maxillary sinus floor augmentation and a composite graft: A 1-year single-blinded randomized controlled trial. Clin Implant Dent Relat Res 2023;25(6):1056-68. Abstract

154. Starch-Jensen T, Bruun NH, Spin-Neto R. Endo-sinus bone gain following sinus membrane elevation without graft compared with sinus floor augmentation and a composite graft: a one-year single-blind randomized controlled trial. International Journal of Oral and Maxillofacial Surgery 2024;53(4):319-32. Abstract

155. Suh JJ, Shelemay A, Choi SH, Chai JK. Alveolar ridge splitting: A new microsaw technique. Int J Periodontics Restorative Dent 2005;25(2):165-71. Abstract

156. Sullivan JP. Implant placement in the aesthetic zone following an autogenous bone graft from an intraoral site: A case study. Prim Dent J 2013;2(4):49-55. Abstract

157. Takamoto M, Takechi M, Ohta K, et al. Risk of bacterial contamination of bone harvesting devices used for autogenous bone graft in implant surgery. Head Face Med 2013;9:3. Abstract

158. Tarce M, Merheb J, Meeus M, et al. Surgical guides for guided bone augmentation: An in vitro study. Clin Oral Implants Res 2022;33(5):558-67. Abstract

159. Taylor JC, Cuff SE, Leger JP, et al. In vitro osteoclast resorption of bone substitute biomaterials used for implant site augmentation: A pilot study. Int J Oral Maxillofac Implants 2002;17(3):321-30. Abstract

160. Tezulas E, Dilek OC, Topcuoglu N, Kulekci G. Decontamination of autogenous bone grafts collected during dental implant site preparation: A pilot study. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2009;107(5):656-60. Abstract

161. Thoma DS, Weber FE, Bienz SP, et al. Biodegradation and tissue integration of various polyethylene glycol matrices: A comparative study in rabbits. Clin Oral Implants Res 2017;28(11):e244-e51. Abstract

162. Thorwarth M, Schultze-Mosgau S, Wehrhan F, et al. Bioactivation of an anorganic bone matrix by P-15 peptide for the promotion of early bone formation. Biomaterials 2005;26(28):5648-57. Abstract

163. Tiefengraber J, Diedrich P, Fritz U, Lantos P. Orthodontic space closure in combination with membrane supported healing of extraction sockets (MHE) a pilot study. J Orofac Orthop 2002;63(5):422-8. Abstract

164. Tischler M. Multi-modality anterior extraction site grafting. Increased predictability for aesthetics. Dent Today 2003;22(3):94-6, 98. Abstract

165. Toledano-Osorio M, de Luna-Bertos E, Toledano M, et al. Doxycycline-doped collagen membranes accelerate in vitro osteoblast proliferation and differentiation. J Periodontal Res 2023;58(2):296-307. Abstract

166. Tovar N, Jimbo R, Gangolli R, et al. Evaluation of bone response to various anorganic bovine bone xenografts: An experimental calvaria defect study. Int J Oral Maxillofac Surg 2014;43(2):251-60. Abstract

167. Trasatti C, Spears R, Gutmann JL, Opperman LA. Increased Tgf-beta1 production by rat osteoblasts in the presence of PepGen P-15 in vitro. J Endod 2004;30(4):213-7. Abstract

168. Tseng K-F, Shiu S-T, Hung C-Y, et al. Osseointegration potential assessment of bone graft materials loaded with mesenchymal stem cells in peri-implant bone defects. Int. J. Mol. Sci. 2024;25(2).

169. Tunkel J, de Stavola L, Kloss-Brandstatter A. Alveolar ridge augmentation using the shell technique with allogeneic and autogenous bone plates in a split-mouth design-A retrospective case report from five patients. Clin Case Rep 2021;9(2):947-59. Abstract

170. Tunkel J, Wurdinger R, de Stavola L. Vertical 3D bone reconstruction with simultaneous implantation: A case series report. Int J Periodontics Restorative Dent 2018;38(3):413-21. Abstract

171. Uludag H, D'Augusta D, Golden J, et al. Implantation of recombinant human bone morphogenetic proteins with biomaterial carriers: A correlation between protein pharmacokinetics and osteoinduction in the rat ectopic model. J Biomed Mater Res 2000;50(2):227-38. Abstract

172. Urban IA, Klokkevold PR, Takei HH. Abutment-supported papilla: A combined surgical and prosthetic approach to papilla reformation. Int J Periodontics Restorative Dent 2016;36(5):665-71. Abstract

173. Valentini P, Abensur D, Albertini JF, Rocchesani M. Immediate provisionalization of single extraction-site implants in the esthetic zone: A clinical evaluation. Int J Periodontics Restorative Dent 2010;30(1):41-51. Abstract

174. Velazquez OI, Tresguerres FGF, Berrocal IL, et al. Split bone block technique: 4-month results of a randomised clinical trial comparing clinical and radiographic outcomes between autogenous and xenogeneic cortical plates. Int J Oral Implantol (Berl) 2021;14(1):41-52. Abstract

175. Verardi S, Pastagia J. Obliteration of the nasopalatine canal in conjunction with horizontal ridge augmentation. Compend Contin Educ Dent 2012;33(2):116-20, 22. Abstract

176. Wenz B, Oesch B, Horst M. Analysis of the risk of transmitting bovine spongiform encephalopathy through bone grafts derived from bovine bone. Biomaterials 2001;22(12):1599-606. Abstract

177. Widmark G, Ivanoff CJ. Augmentation of exposed implant threads with autogenous bone chips: Prospective clinical study. Clin Implant Dent Relat Res 2000;2(4):178-83. Abstract

178. Windisch P, Orban K, Salvi GE, et al. Vertical-guided bone regeneration with a titanium-reinforced d-PTFE membrane utilizing a novel split-thickness flap design: A prospective case series. Clin Oral Investig 2021;25(5):2969-80. Abstract

179. Wong DH, Kendrick S. Peptide-enhanced bovine xenograft to treat severe recession. Dent Today 2010;29(11):174, 76, 78-9. Abstract

180. Young MP, Carter DH, Worthington H, et al. Microbial analysis of bone collected during implant surgery: A clinical and laboratory study. Clin Oral Implants Res 2001;12(2):95-103. Abstract

181. Young MP, Korachi M, Carter DH, et al. The effects of an immediately pre-surgical chlorhexidine oral rinse on the bacterial contaminants of bone debris collected during dental implant surgery. Clin Oral Implants Res 2002;13(1):20-9. Abstract

182. Young MP, Worthington HV, Lloyd RE, et al. Bone collected during dental implant surgery: A clinical and histological study. Clin Oral Implants Res 2002;13(3):298-303. Abstract

183. Yu H, Qiu L. A prospective randomized controlled trial of two-window versus solo-window technique by lateral sinus floor elevation in atrophic posterior maxilla: Results from a 1-year observational phase. Clin Implant Dent Relat Res 2017;19(5):783-92. Abstract

184. Yu HS, Noh WC, Park JW, et al. Comparative study on the cellular activities of osteoblast-like cells and new bone formation of anorganic bone mineral coated with tetra-cell adhesion molecules and synthetic cell binding peptide. J Periodontal Implant Sci 2011;41(6):293-301. Abstract

185. Yukna R, Salinas TJ, Carr RF. Periodontal regeneration following use of ABM/P-1 5: A case report. Int J Periodontics Restorative Dent 2002;22(2):146-55. Abstract

186. Yukna RA, Callan DP, Krauser JT, et al. Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. J Periodontol 1998;69(6):655-63. Abstract

187. Yukna RA, Krauser JT, Callan DP, et al. Multi-center clinical comparison of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) and ABM in human periodontal osseous defects. 6-month results. J Periodontol 2000;71(11):1671-9. Abstract

188. Yukna RA, Krauser JT, Callan DP, et al. Thirty-six month follow-up of 25 patients treated with combination anorganic bovine-derived hydroxyapatite

matrix (ABM)/cell-binding peptide (P-15) bone replacement grafts in human infrabony defects. I. Clinical findings. J Periodontol 2002;73(1):123-8. Abstract

189. Zechner W, Trinkl N, Watzak G, et al. Radiologic follow-up of peri-implant bone loss around machine-surfaced and rough-surfaced interforaminal implants in the mandible functionally loaded for 3 to 7 years. Int J Oral Maxillofac Implants 2004;19(2):216-21. Abstract

190. Zhou AJ, Clokie CM, Peel SA. Bone formation in algae-derived and synthetic calcium phosphates with or without poloxamer. J Craniofac Surg 2013;24(2):354-9. Abstract