



Cercon® Multilayer:

Zirconia all-ceramic excellence delivered through seamless digital teamwork

Learn more >









Zirconia: A leading material in all-ceramic restorations


Restoring a patient's smile is a complex task. Whether they require an all-ceramic crown or bridge, the results need to be reproducible, reliable and robust. With over 20 years of experience worldwide, our Zirconia Cercon Solution has been expertly designed to deliver proven quality for long-term safety and success.

At Dentsply Sirona, we have now developed an excellent Zirconia Multilayer Solution that enables confidence and patient satisfaction in the final restoration.

Benefits of our Zirconia Cercon Multilayer Solution:







Cercon Multilayer: Esthetics meets strength

The Zirconia Multilayer Solution that delivers **esthetics**, **safety and flexibility** even for widespan bridges.



Approved color accuracy

Excellent color matching for all 16 VITA® shades.



Lifelike gradient

Four shade layers to create a seamless gradient from incisal to dentin, just like a natural tooth.



Time-saving and efficient

Easy to nest and the same sintering programs (including speed sintering in 90 minutes for up to 4-unit bridges) for all Cercon Zirconia discs. Just glaze and go.



Over 20 years of zirconia experience

Pioneers in pre-colored and pre-sintered zirconia.

VITA is a trademark of VITA WORLD LLC.

Two Cercon ML discs, one Zirconia Multilayer Solution.



Extra translucent multilayer zirconia for 3-unit bridges up to the 2nd premolar.



Cercon ht ML

High translucent hybrid multilayer zirconia for a wide range of applications, up to 14-unit bridges. Cercon ht ML

Cercon xt ML

Applications





Cercon Multilayer: Esthetics meets strength

The Zirconia Multilayer Solution that delivers **esthetics**, **safety and flexibility** even for widespan bridges.



Approved color accuracy

Excellent color matching for all 16 VITA® shades.



Lifelike gradient

Four shade layers to create a seamless gradient from incisal to dentin, just like a natural tooth.



Time-saving and efficient

Easy to nest and the same sintering programs (including speed sintering in 90 minutes for up to 4-unit bridges) for all Cercon Zirconia discs. Just glaze and go.



Over 20 years of zirconia experience

Pioneers in pre-colored and pre-sintered zirconia.

VITA is a trademark of VITA WORLD LLC.

Two Cercon
ML discs –
one Zirconia
Multilayer
Solution

Cercon ht ML


High translucent hybrid multilayer zirconia combining high strength and natural esthetics. For a wide range of indications.



From a single crown to 14-unit bridge. No nesting restrictions even for widespan bridges.

Covering discolored dies

Especially in the anterior region, depending on the degree of discoloration and wall thickness of the restoration.



Cercon xt ML

Applications







< Return to benefits

Cercon Multilayer: Esthetics meets strength

The Zirconia Multilayer Solution that delivers **esthetics**, **safety and flexibility** even for widespan bridges.



Approved color accuracy

Excellent color matching for all 16 VITA® shades.



Lifelike gradient

Four shade layers to create a seamless gradient from incisal to dentin, just like a natural tooth.



Time-saving and efficient

Easy to nest and the same sintering programs (including speed sintering in 90 minutes for up to 4-unit bridges) for all Cercon Zirconia discs. Just glaze and go.



Over 20 years of zirconia experience

Pioneers in pre-colored and pre-sintered zirconia.

VITA is a trademark of VITA WORLD LLC.

Two Cercon
ML discs one Zirconia
Multilayer
Solution

Cercon ht ML

Cercon xt ML

Extra translucent multilayer zirconia for natural anterior esthetics.



High translucency and unparalleled shade accuracy, resulting in lifelike esthetics especially in the anterior region.

Up to 3-unit bridges

In the anterior region up to the 2nd premolar.



>

>

Applications



< Return to benefits

Cercon Multilayer: Esthetics meets strength

The Zirconia Multilayer Solution that delivers **esthetics**, **safety and flexibility** even for widespan bridges.



Approved color accuracy

Excellent color matching for all 16 VITA® shades.



Lifelike gradient

Four shade layers to create a seamless gradient from incisal to dentin, just like a natural tooth.



Time-saving and efficient

Full round house (with no more than 2 pontics between the abutment crowns)

Easy to nest and the same sintering programs (including speed sintering in 90 minutes for up to 4-unit bridges) for all Cercon Zirconia discs. Just glaze and go.



Over 20 years of zirconia experience

Pioneers in pre-colored and pre-sintered zirconia.

VITA is a trademark of VITA WORLD LLC.

Cercon ht ML Cercon xt ML Two Cercon **Applications** ML discs one Zirconia **Crowns** in the anterior region Multilayer Solution **Crowns** in the posterior region **Primary telescope crowns** Two-piece abutments¹ **3-unit bridges** in the anterior region (up to 2nd premolar) **3-unit bridges** in the posterior region ≥4-unit bridges in the anterior region ≥4-unit bridges in the posterior region

1. Not valid for USA.





A benchmark in zirconia color accuracy

Color accuracy is a key success factor for all-ceramic restorations. Our True Color Technology provides confidence in reproducing the desired tooth color and minimizes the risk of remakes.

- Developed through decades of experience in ceramic shade reproduction
- Approved color-matching for all 16 VITA shades
- Consistent quality for every batch ensured by our production process and in-process control




Highly Rated

in terms of color accuracy for all classic 16 VITA shades. Based on internal tests and ratings with dental technicians from Europe and the USA.

"For me Dentsply Sirona's Cercon Multilayers are the new benchmark against which all other multilayers will be measured against. It is my belief that you will be as equally delighted with this material as I am. Just try it and happy milling."

Devaughn Fraser, Highland Dental Laboratory, Canada¹



"The most important feature of Cercon ht ML is the simplicity with which it is possible to obtain a very faithful result for the classic V-shades. The product allows an easy finishing of the restorations with glazing and staining. For monolithic restorations, it represents a turning point, not only for small bridges, but also for more extensive restorations and the anterior region."

Massimo Merli, Laboratorio Odontotecnico, Italy¹

< Return to benefits





Disc structure created to combine esthetics and safety

With Cercon, you can trust in over **20 years of zirconia experience**.

Cercon ht ML

High bending strength and lifelike esthetics for a broad indication

Hybrid zirconia multilayer material to combine high flexural strength and natural tooth esthetics in one disc. Gradient from 1200 MPa in the dentin area (3Y-TZP) up to 750 MPa in the incisal area (5Y-TZP).

Translucency 41-49%.




It is recommended to nest the crown or bridge in the upper part of the disc to achieve the optimum esthetic result.


Cercon xt ML


High esthetics for monolithic restorations


Matching natural tooth esthetics without the need to veneer or stain, especially for the anterior region (flexural strength 750 MPa).

Translucency 49%.















When you choose Cercon Multilayer for your restorations, consider our other solutions too. Our digital solutions work better together, so that you can do the same in the lab, creating one efficient and validated digital workflow that results in reproducible, reliable and robust restorations each time.



6. Finishing²



Universal Stain & Glaze®

Cercon Multilayer can be finished with only a single glaze (Glaze) or by an individual characterization with stains (Universal Stain).



The core


Multimat Cube®

Pre-installed firing programs and precise control of the furnace and firing parameters ensure reproducible results in combination with Cercon Multilayer and Universal Stain & Glaze.

7. Cementation



2. Celtra® Ceram is especially for veneering all-ceramic frameworks and expands the opportunities in the daily application of esthetics and indications



CEREC TesseraTM: Esthetics for every need

Need flexibility? The selection of materials for all-ceramic restorations often requires a balance between strength and esthetics. CEREC Tessera combines esthetics, strength and speed, and helps to avoid compromises. Together with Cercon Multilayer, CEREC Tessera provides you with flexibility for all-ceramic solutions.

CEREC Tessera blocks achieve exceptional three-way performance through a unique chemistry that incorporates two complementary crystal structures - lithium disilicate and virgilite - within a glassy zirconia matrix.





Tooth-like esthetics

The interaction of the dual crystal structure with the visible light spectrum produces outstanding translucency, fluorescence and opalescence properties.



High-strength glass-ceramic block

The highest strength of the glass-ceramic blocks currently available on the market - up to 32% higher than the competition,1 with a biaxial strength of over 700 MPa.




Fast total processing time

Restorations require only a short glaze firing for processing efficiency.


1. Internal data on file. For more information, contact Consumables-Data-Requests@dentsplysirona.com

"Particularly important for me is the fast processing in combination with the excellent marginal stability of the restorations."


Sabine Mayer, MDT, Germany²



2. The physicians and technicians may have been compensated for the use of their experience.




need



Esthetic level 2

Esthetic level 3

Esthetic level 4


















CEREC Tessera™: Esthetics for every need

Need flexibility? The selection of materials for all-ceramic restorations often requires a balance between strength and esthetics. CEREC Tessera combines **esthetics**, **strength and speed**, and helps to avoid compromises. Together with Cercon Multilayer, CEREC Tessera provides you with flexibility for all-ceramic solutions.

CEREC Tessera blocks achieve exceptional three-way performance through a unique chemistry that incorporates two complementary crystal structures – lithium disilicate and virgilite – within a glassy zirconia matrix.



level 3

Esthetics, strength and speed

For every need

Whether simply glazed, characterized with stains or individualized with veneering ceramics, CEREC Tessera offers the flexibility you need.

"Minimal effort, excellent results — CEREC Tessera enables me to meet the various requirements of my dentists in the best possible way."

Lino Adolf, CDT, UK¹

Learn more >

level 1



level 2





level 4



level 5





CEREC Tessera™: Esthetics for every need

Need flexibility? The selection of materials for all-ceramic restorations often requires a balance between strength and esthetics. CEREC Tessera combines **esthetics**, **strength and speed**, and helps to avoid compromises. Together with Cercon Multilayer, CEREC Tessera provides you with flexibility for all-ceramic solutions.

CEREC Tessera blocks achieve exceptional three-way performance through a unique chemistry that incorporates two complementary crystal structures – lithium disilicate and virgilite – within a glassy zirconia matrix.

Esthetics, strength and speed

For every need

Esthetic level 1




A glaze with a fire.









Esthetic level 2 Esthetic level 3

Esthetic level 4

Esthetic level 5










$\longleftarrow \ \, \longrightarrow \ \, \,$



CEREC Tessera™: Esthetics for every need

Need flexibility? The selection of materials for all-ceramic restorations often requires a balance between strength and esthetics. CEREC Tessera combines **esthetics**, **strength and speed**, and helps to avoid compromises. Together with Cercon Multilayer, CEREC Tessera provides you with flexibility for all-ceramic solutions.

CEREC Tessera blocks achieve exceptional three-way performance through a unique chemistry that incorporates two complementary crystal structures – lithium disilicate and virgilite – within a glassy zirconia matrix.



Esthetics, strength and speed

For every need

Esthetic level 1

Esthetic level 2



Stain and glaze in one fire.



Esthetic level 3

Esthetic level 4

Esthetic level 5
















CEREC Tessera™: Esthetics for every need

Need flexibility? The selection of materials for all-ceramic restorations often requires a balance between strength and esthetics. CEREC Tessera combines **esthetics**, **strength and speed**, and helps to avoid compromises. Together with Cercon Multilayer, CEREC Tessera provides you with flexibility for all-ceramic solutions.

CEREC Tessera blocks achieve exceptional three-way performance through a unique chemistry that incorporates two complementary crystal structures – lithium disilicate and virgilite – within a glassy zirconia matrix.



Esthetics, strength and speed

For every need

Esthetic level 1

Esthetic level 2

Esthetic level 3



Stain and glaze in two firings.







Esthetic


level 5












\leftarrow \rightarrow



CEREC Tessera™: Esthetics for every need

Need flexibility? The selection of materials for all-ceramic restorations often requires a balance between strength and esthetics. CEREC Tessera combines **esthetics**, **strength and speed**, and helps to avoid compromises. Together with Cercon Multilayer, CEREC Tessera provides you with flexibility for all-ceramic solutions.

CEREC Tessera blocks achieve exceptional three-way performance through a unique chemistry that incorporates two complementary crystal structures – lithium disilicate and virgilite – within a glassy zirconia matrix.



Esthetics, strength and speed

For every need

Esthetic level 1

Esthetic level 2

Esthetic level 3

Esthetic level 4



One Celtra Ceram enamel mass; one stain and glaze. Esthetic level 5



















CEREC Tessera™: Esthetics for every need

Need flexibility? The selection of materials for all-ceramic restorations often requires a balance between strength and esthetics. CEREC Tessera combines **esthetics**, **strength and speed**, and helps to avoid compromises. Together with Cercon Multilayer, CEREC Tessera provides you with flexibility for all-ceramic solutions.

CEREC Tessera blocks achieve exceptional three-way performance through a unique chemistry that incorporates two complementary crystal structures – lithium disilicate and virgilite – within a glassy zirconia matrix.



Esthetics, strength and speed

For every need

Esthetic level 1

Esthetic level 2 Esthetic level 3

Esthetic level 4

Esthetic level 5

Three Celtra Ceram enamel masses; one stain and glaze.















Universal Stain & Glaze and Celtra Ceram: Finishing and individualization for nearly every esthetics need

Universal Stain & Glaze

The Universal Stain & Glaze is specially formulated with maximum compatibility to satisfy all of your needs in a single finishing system.

Compatible with:

CTE 25-500°C: 7.5 ± 0.5 x 10⁻⁶ K⁻¹

Ultimate efficiency

Universal material compatibility eliminates multiple finishing systems in your lab.

Easy to use

Preferred paste format simplifies training and makes it easier to achieve a consistent outcome.

Versatile performance

Can be used internally and externally to achieve highly individualized effects.



Celtra Ceram

Compatible customization options



Universal Stain & Glaze and Celtra Ceram: Finishing and individualization for nearly every esthetics need

Universal Stain & Glaze

Celtra Ceram

Celtra Ceram introduces the versatility of a single veneering system designed exclusively for all-ceramic substructures including lithium silicates and zirconium oxides.

Compatible with:

CTE 25-500°C: 9.0 x 10⁻⁶ K⁻¹



Smart veneering concept suitable for both esthetic and production environments utilizing core masses and multiple effect powders for all-ceramic restorations.

Premium esthetics

Smart collection of core masses for high efficiency, and yet a multitude of highly esthetic effect porcelains satisfy the most creative minds in your dental laboratory.

Consistent performance

Shade-accurate, stable and forgiveness achieved using a proprietary mineral ore source with seamless blending to all-ceramic substructures.




Compatible customization options



< Return to workflow

Universal Stain & Glaze and Celtra Ceram: Finishing and individualization for nearly every esthetics need





Atlantis: A customized base for natural esthetics

One size does not fit all. With **Atlantis® CustomBase** and **Atlantis BridgeBase**, your screw-retained restorations can be uniquely designed for each patient. Combine with Cercon Multilayer to build your restoration on a strong foundation for predictable outcomes.

With **Atlantis Core File** you can work completely digital. You can start designing in your preferred software immediately, without waiting for the physical Atlantis solution to arrive.





Atlantis CustomBase

The first true patient-specific, two-piece, screw-retained, single-tooth solution. Safe, accurate and convenient. Compatible with your choice of implant systems.


- For extraoral cementation
- Avoids potential complications caused by excess cement.
- Flexible choice of abutment material

Titanium or gold-shaded titanium.

Customized emergence profile

Supports optimal function and esthetic outcomes.

Learn more >



Atlantis BridgeBase





Atlantis: A customized base for natural esthetics

One size does not fit all. With **Atlantis® CustomBase** and **Atlantis BridgeBase**, your screw-retained restorations can be uniquely designed for each patient. Combine with Cercon Multilayer to build your restoration on a strong foundation for predictable outcomes.

With **Atlantis Core File** you can work completely digital. You can start designing in your preferred software immediately, without waiting for the physical Atlantis solution to arrive.



Atlantis CustomBase

Atlantis BridgeBase


All the benefits of the patient-specific **CustomBase Solution** available for multiple unit cases.

Atlantis BridgeBase provides a splinted framework for digital restorations.

- Available in titanium
- Surface with no undercuts
- Angulated screw access
- Final restoration is screw retained

Learn more >

Optimal positioning of the screw access channel up to 30°.









DS Signature Workflows™: Simpler procedures. Better care. Happier patients

Digital Implant Dentistry with Dentsply Sirona is here and so is a simpler, better approach to every implant treatment. **DS Signature Workflows** showcase how to use our Cercon Multilayer and Atlantis solutions together to achieve long-lasting results in fewer steps and with less complexity.

DS Signature Workflows



Promote better care and give your patients the smiles they want, easier and quicker than ever.



Comprised of one ecosystem for products and services for better care. Each workflow is built around your procedures - from scan to crown, bridge or restoration.



Designed for exceptional diagnostic and surgical support to optimize accuracy, efficiency, esthetics and longevity. Offer safe, convenient and individualized treatments for single-tooth, partial and full-arch cases, with fewer visits and shorter chair time.

Discover DS Signature Workflows >



Single-Tooth DS Signature Workflow

Helps overcome:

- Low patient acceptance
- Treatment complexity
- Lack of predictability
- Profitability issues

Learn more >



Partial DS Signature Workflow

Helps overcome:

- Increased complexity
- Lack of predictability
- Esthetic issues
- Profitability issues

Learn more >



Full-Arch DS Signature Workflow

Helps overcome:

- Low patient inflow and satisfaction
- Procedural difficulties
- Passive fit

Learn more >





Making digital teamwork seamless

The success of a crown or bridge placement is determined by every step of the workflow, from the impression to the cementation. That means the collaboration between dentist and dental technician needs to be seamless.

At Dentsply Sirona, we live by the motto "United for better dentistry." That's why we've pioneered digital solutions that overcome the analog hurdles and break the silos between practice and lab, making it easier for everyone to work together as one digital team.

Combine Cercon Multilayer with our other available digital solutions for:



Accurate scan data through our patented, high-resolution scan technology.





Easy and seamless file transfers between practice and lab.





A streamlined workflow to create reproducible, reliable and robust restorations.





< Return to workflow

< Return to digital teamwork






Every outstanding restoration starts with an accurate impression. The Primescan intraoral scanner ensures high fitting accuracy for your final restorations. With the innovative Smart Pixel Sensor, Primescan creates 3D models in real colors at an unsurpassed resolution.

Provide an excellent treatment experience as a digital team.

Learn more >





Benefits for dental technicians



Deliver great treatment results

Set your restorations up for success with the great scan quality of our most accurate scanner.



Collaborate more efficiently

Benefit from the seamless interplay between Primescan and DS Core for efficient collaboration and great treatment outcomes.



Digitize your workflows more easily

Primescan makes it easy for dentists to adopt digital impressions — and easier for you to digitize your practice-to-lab collaboration.

Benefits for dentists



Increase case acceptance

Offer a better patient experience to increase treatment acceptance and thus, profitability.



Enhance your practice image

Stay competitive in the market by setting apart your practice.

"My case acceptance has gone up tremendously and anxiety is not an issue anymore. Patients can see what I see. When I show them where the crack is, where the missing filling is, that builds that trust factor much easier, much better."

Dr. Isaa Bina, USA¹

Benefits for patients



Enhance patient experience

Provide your patients with a fast and comfortable treatment experience.



Educate your patients

Share information with your patients to help them decide on the treatment possibilities.





Setting new standards for practice-lab-collaboration

Spending more time searching for the right order, file or message than working on patient appliances? Dedicating too much staff time to checking and managing several different portals for new orders all day? Receiving an order via email, the shade color via messenger and discussing the deadline via telephone? Gone are these days with DS Core.¹

DS Core is an open, interconnected, digital cloud-based platform created to support you throughout the entire lab workflow, from first contact with a practice partner to delivering the finished appliance.



Open to scan data from every intraoral scanner and to all design software Use DS Core to work with all your digital practices.




All digital customer interactions in one place

One overview of all orders, files and messages.



No registration cost for the lab


Simply sign up and start working with your practices.



< Return to workflow

< Return to digital teamwork

1. DS Core is not a medical device software. It is not intended to diagnose, treat, cure or prevent any disease or health condition. Use only for information, education or sharing purposes. Service is subject to country availability. Please contact your local DS representative for more details.




Grow your business with DS Core

Offer your services to all customers registered on the platform. Create your lab profile within a few minutes at no registration cost, expand your customer base and start receiving new orders.

DS CORE

Easy, direct collaboration and communication

One channel to share messages and all kinds of files (images, x-rays, reports, etc.) in a HIPAA- and GDPR-compliant way. Streamline your communication with your customers and have all information at a glance.



Always on top of digital dentistry

No more updates, upgrades, software licenses or incompatibilities – with the cloud-based platform DS Core, you always have the latest version after logging in. New features and applications are immediately available for you.





Giving patients back their smile

Choose Dentsply Sirona as your partner for restorations to achieve:

Reproducible, reliable and robust results

Cercon Multilayer combines strength with lifelike esthetics to provide you with confidence in every restoration — and the patient a smile they can be proud of. Supported by over 20 years of zirconia experience.


Greater efficiency in the lab

Combine Cercon Multilayer with our DS Solutions for a seamless workflow that can help you deliver long-term safety and success in fewer steps and with less complexity.

Seamless collaborations between you and dentists

DS Core is our integrated cloud storage and file sharing solution that makes it easier than ever for you to collaborate with dentists.

Set a high standard for your restorations — the zirconia multilayer standard.






Technical information

>	Class of material	Cercon®ht ML True Color Technology Multilayer	Cercon®xt ML True color Technology Multilayer	Cercon® ht True Color Technology	Cercon®xt True Color Technology	Cercon® base
>	Flexural strength	Shade: All Buildiayer Shade: All Buildiayer Height: Brinn Did Hookey Shade: 1938 The Manage Shade: All Buildiayer Shade: All Buildiayer Height: Brinn Did Hookey Shade: 1938 The Manage Shade: All Buildiayer Shade: All Buildiayer Height: Buildiayer Shade: All Buildiayer Height: Buildiayer Shade: All Buildiayer Height: Buildiayer Shade: All Buildiayer	Cercon xt ML	Shade: Al REE SAGOODIB Height: Wirm DZD 19020902 Scale C 1336 (1336) The shade: Al REE SAGOODIB Scale C 1336 (1336) The shad	Shade: Al BEE SASITIONS Hoops: Start For 1987 Hoops: Start For 1987 Hoops: Start For 1987 Start For 1987 Strong	Shade: White BEST SECONDS Scale \$\frac{1.1369}{1.1350}\$ Height: Barm IDS WOODS Scale \$\frac{1.1369}{1.1350}\$ To Pentsoly Siron of Siron
>	Translucency ¹	Gradient blank from 3Y-TZP in the dentin up to 5Y-TZP in the incisal area	5Y-TZP	3Y-TZP	5Y-TZP	3Y -TZP
>	CTE (coefficient of thermal expansion, K ⁻¹ · 10 ⁻⁶)					
>	Indications for use					
>	Preferred applications					
>	Sintering temperature					
>	Adapter ring					
>	True Color Technology					
>	Shades					
>	Staining and overglaze					
>	Veneering ceramic					
>	Cementation					



Technical information




^{1.} Translucency measured on a white disc with haze meter.

^{3.} Not valid for USA.

^{2.} For Canada only (for the products mentioned above, please observe the corresponding instructions for use).

Dentsply Sirona

Technical information



^{1.} Translucency measured on a white disc with haze meter.

^{2.} For Canada only (for the products mentioned above, please observe the corresponding instructions for use).

^{3.} Not valid for USA.

^{4.} VITA is a registered brand of VITA Zahnfabrik.


Shade: White REF 5366021018
Height: 18mm T 18026982


Scale [1,236 21,240 21,24

Dentsply Sirona



Technical information







 $10.1 \, \mu \text{m/m} \cdot \text{K}$ (25-500°C)



10.5 µm/m·K (25-500°C)



Cercon xt

10.1 µm/m·K (25-500°C)



Cercon base




Staining and overglaze

Veneering ceramic

True Color Technology

Cementation

Shades



2. For Canada only (for the products mentioned above, please observe the corresponding instructions for use).

Cercon® ht

hade: A1 REF 5366091018 Height: 18mm LOT 18026982 Scale [*1,236 V1,336 V1,336

Dentsply Sirona

Cercon® xt

Dentsply Sirona

Technical information

- Class of material
- Flexural strength
- Translucency¹
- CTE (coefficient of thermal expansion, K⁻¹ · 10⁻⁶)
 - Indications for use
- Preferred applications
- Sintering temperature
- Adapter ring
- True Color Technology
- Shades
- Staining and overglaze
- Veneering ceramic
- Cementation



Indications:

Cercon ht ML is indicated in the anterior and posterior segments for:

- Crowns
- Telescopic primary crowns
- Multi-unit bridges (with no more than 2 pontics between abutment crowns; with no more than 6 units²)
- Two-piece abutments³

Cercon ht ML can be used as a substructure (framework) which is then veneered with a dental veneering ceramic or can be used for full-contour application (without veneering) as well. In the case of telescopic primary crowns, the substructure is not veneered.



Indications:

Cercon xt ML is indicated for all ceramic restorations for anterior and posterior locations:

- Crowns
- 3-unit bridges with 1 pontic up to the 2nd pre-molar



Indications:

Cercon ht is indicated in the anterior and posterior segments for:

- Crowns
- Telescopic primary crowns
- Multi-unit bridges (with no more than two pontics between abutment crowns; with no more than 6 units²)
- Two-piece abutments³

Cercon ht can be used as a substructure (framework) which is then veneered with a dental veneering ceramic or can be used for fullcontour application (without veneering) as well. In the case of telescopic primary crowns, the substructure is not veneered.



Indications:

Cercon xt is indicated for all-ceramic restorations for anterior and posterior

Crowns

locations:

 3-unit bridges with 1 ponti cup to the 2nd pre-molar



Cercon base

Cercon base is indicated for crowns, multi-unit bridges and inlay bridges. Applications include both anterior and posterior regions.

3. Not valid for USA.

Shade: White HEE 5366021018 Height: 18mm LOT 18026982 Scale $\begin{bmatrix} \times 1,236 \\ y:1,236 \\ y:1,236 \end{bmatrix}$

Dentsply



Technical information

- Class of material
- Flexural strength
- Translucency¹
- CTE (coefficient of thermal expansion, K⁻¹ · 10⁻⁶)
- Indications for use
- **Preferred applications**
- Sintering temperature
- Adapter ring
- True Color Technology
- Shades
- Staining and overglaze
- Veneering ceramic
- Cementation



Used for multi-unit bridges in anterior and posterior regions, mostly stained. Also used for larger esthetic cases in the anterior region.

Cercon xt ML

Perfect for the anterior region, just glazed. No staining and veneering necessary.



Used for multi-unit bridges in anterior and posterior regions, mostly veneered, excellent as cut back in the anterior region.

Cercon ht




Cercon xt

Perfect for the anterior region. Just stained and glazed.



Cercon base

Used to hide dark stumps or titanium abutments, mostly veneered.



2. For Canada only (for the products mentioned above, please observe the corresponding instructions for use).

Dentsply Sirona





Technical information

- Class of material
- Flexural strength
- Translucency¹
- CTE (coefficient of thermal expansion, K⁻¹ · 10⁻⁶)
- Indications for use
- Preferred applications
- **Sintering temperature**
- Adapter ring
- True Color Technology
- Shades
- Staining and overglaze
- Veneering ceramic
- Cementation



1,500°C

Same firing program as for all Cercon Zirconia products.

Superspeed sintering in 90 minutes for up to 4-unit bridges.

Cercon xt ML

1,500°C

Same firing program as for all Cercon Zirconia products.

Superspeed sintering in 90 minutes for up to 3-unit bridges.



Cercon ht

1,500°C

Same firing program as for all Cercon Zirconia products.

Superspeed sintering in 90 minutes for up to 4-unit bridges.



1,500°C

Same firing program as for all Cercon Zirconia products.


Superspeed sintering in 90 minutes for up to 3-unit bridges.



1,500°C

Same firing program as for all Cercon Zirconia products.

Superspeed sintering in 90 minutes for up to 4-unit bridges.





- 2. For Canada only (for the products mentioned above, please observe the corresponding instructions for use).
- 3. Not valid for USA.
- 4. VITA is a registered brand of VITA Zahnfabrik.





Technical information







Cercon base




Light blue


^{1.} Translucency measured on a white disc with haze meter.

Dentsply Sirona



Technical information







Cercon base

No

Cementation

^{1.} Translucency measured on a white disc with haze meter.





Technical information

- Class of material Flexural strength Translucency¹ CTE (coefficient of thermal expansion, K⁻¹ · 10⁻⁶) Indications for use Preferred applications
- Sintering temperature
- Adapter ring
- True Color Technology
- **Shades**
- Staining and overglaze
- Veneering ceramic
- Cementation



Ø 98, all 16 VITA⁴ shades + BL2



Ø 98, all 16 VITA⁴ shades + BL2



Ø 98, Ø 105, all 16 VITA⁴ shades + BL2

Cercon ht




Cercon xt

Ø 98, Ø 105, all 16 VITA⁴ shades + BL2




Cercon base

colored



Ø 105, white, light medium,



2. For Canada only (for the products mentioned above, please observe the corresponding instructions for use).

Dentsply Sirona



Technical information

- Class of material Flexural strength Translucency¹ CTE (coefficient of thermal expansion, K⁻¹ · 10⁻⁶) Indications for use
- Sintering temperature

Preferred applications

- Adapter ring
- True Color Technology
- Shades
- Staining and overglaze
- Veneering ceramic
- Cementation



DS Universal Stain & Glaze



DS Universal Stain & Glaze



DS Universal Stain & Glaze

Cercon ht




Cercon xt

DS Universal Stain & Glaze



Cercon base

DS Universal Stain & Glaze



2. For Canada only (for the products mentioned above, please observe the corresponding instructions for use).

Dentsply Sirona





Technical information

- Class of material Flexural strength Translucency¹ CTE (coefficient of thermal expansion, K⁻¹ · 10⁻⁶) Indications for use Preferred applications
- Sintering temperature
- Adapter ring
- True Color Technology
- Shades
- Staining and overglaze
- **Veneering ceramic**
- Cementation



Celtra Ceram, Cercon Ceram Kiss



Celtra Ceram, Cercon Ceram Kiss



Cercon ht

Celtra Ceram, Cercon Ceram Kiss

Dentsply Sirona




Celtra Ceram, Cercon Ceram Kiss



Cercon base

Celtra Ceram, Cercon Ceram Kiss




^{1.} Translucency measured on a white disc with haze meter. 2. For Canada only (for the products mentioned above, please observe the corresponding instructions for use).





Technical information

Class of material Flexural strength Translucency¹ CTE (coefficient of thermal expansion, K⁻¹ · 10⁻⁶) Indications for use Preferred applications Sintering temperature Adapter ring True Color Technology Shades







See indicated cement of Calibra family



See indicated cement of Calibra family

Cercon xt



See indicated cement of Calibra family

Cementation



Staining and overglaze

Veneering ceramic

- 1. Translucency measured on a white disc with haze meter. 2. For Canada only (for the products mentioned above, please observe the corresponding instructions for use).
- 3. Not valid for USA.





DeguDent GmbH Rodenbacher Chaussee 4, 63457 Hanau-Wolfgang, Germany SIRONA Dental Systems GmbH

Fabrikstraße 31, 64625 Bensheim, Germany

dentsplysirona.com

Subject to technical changes and errors in the text.

Registered trademarks, trade names and logos are used. Even if these are not identified as such in the respective places, the corresponding legal provisions apply. Unless otherwise stated, all comparative statements in this document refer to a comparison of Dentsply Sirona products with each other.

THE DENTAL SOLUTIONS COMPANY™

