

California Proposition 65 Warning List

**WARNING. Cancer – www.P65Warnings.ca.gov**

| *DS Product Group SKUs | Dentsply Sirona Product(s) | Warning |
|--|--|---|
| *L 160105, 160106, 160116 | Ceramco® Universal Sculpting Liquid | ⚠ WARNING: This product can expose you to chemicals including Nitrilotriacetic acid, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov . |
| *L 615126, 650126 | Dentsply Sirona Modeling Liquid DU | ⚠ WARNING: This product can expose you to chemicals including nitrilotriacetic acid which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov . |
| *L 9996102, 9996103, 9996120, | Ney® Aluminum Oxide | ⚠ WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov . |
| *P 21132, 21135 | Purevac SC Evacuation System Cleaner | ⚠ WARNING: This product can expose you to chemicals including 1,4-dioxane and propylene oxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov . |
| *L N022665 | Vitallium® 2000 Investment | ⚠ WARNING: This product can expose you to chemicals including Crystalline Silica, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov . |
| *L N001035, N001830, N001930 | Vitallium, Vitallium 2000 and Vitallium 2000 Plus Alloys | ⚠ WARNING: This product contains the following substances known to the state of California to cause cancer: Cobalt (as Cobalt metal powder) <70%, Nickel 0-0.1%. |
| *L 5355730001–5355730002, 5355740001–53557400014 | Vulcan Furnaces | ⚠ WARNING: |

California Proposition 65 Warning List

**WARNING. Cancer and Reproductive Harm – www.P65Warnings.ca.gov**

| *DS Product Group SKUs | Dentsply Sirona Product(s) | Warning |
|---|---------------------------------------|---|
| *L 600601, 600602, 600604 | Celtra® Ceram Kits | ⚠ WARNING: This product can expose you to chemicals including nitrilotriacetic acid which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov . |
| *L 5365400113 | Celtra® Press Starter Kit | ⚠ WARNING: |
| *L 906399 | Lucitone Digital Fuse™ Sealer 2.0 | ⚠ WARNING: This product can expose you to chemicals including Styrene, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *L 906381, 906382, 906383, 906384, 906385, 906386, 906387, 906388, 906389, 906390, 906391, 906392, 906393, 906394, 906395, 906396, 906397, 906398 | Lucitone Digital IPN 3D Premium Tooth | ⚠ WARNING: This product can expose you to chemicals including Styrene, which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *L 682012, 682014, 682015 | Lucitone® HIPA Denture Base Liquid | ⚠ WARNING: This product can expose you to chemicals including 1,3-Butadiene, which is known to the State of California to cause cancer, and Toluene and 1,3-Butadiene which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *L 905922–905929, 905932– 905939, 905942–905949, 905952, 905954, 905956, 906018–906022 | Lucitone® HIPA Denture Base Powder | ⚠ WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |

California Proposition 65 Warning List


WARNING. Cancer and Reproductive Harm – www.P65Warnings.ca.gov

| *DS Product Group SKUs | Dentsply Sirona Product(s) | Warning |
|------------------------|---|--|
| *L 905900, 905960 | Lucitone® HIPA Trial Kits | ⚠ WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *L 5460280002 | Multimat Cube, 115V | ⚠ WARNING: |
| *L 5460280012 | Multimat Cube Press, 115V | ⚠ WARNING: |
| *P 658010 | Seal & Protect Sealant for Exposed Dentin | ⚠ WARNING: This product can expose you to chemicals including Propylene Oxide, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *P 75156 | Sporox II Sterilizing & Disinfecting Solution | ⚠ WARNING: This product can expose you to chemicals including 1,4-Dioxane, Propylene oxide, Ethylene oxide, Formaldehyde, and Diethanolamine, which are known to the State of California to cause cancer, and Ethylene oxide and Methanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *L N022608 | Vitallium® 2000 Liquid A and B Set | ⚠ WARNING: This product contains the following substances known to the state of California to cause cancer and/or reproductive toxicity: 1,4-Dioxane (≤ 8 PPM). For more information go to www.P65Warnings.ca.gov . |
| *L N022601 | Vitallium® 2000 Liquid B | ⚠ WARNING: This product contains the following substances known to the State of California to cause cancer and/or reproductive toxicity: 1,4-Dioxane (≤ 8 PPM). For more information go to www.P65Warnings.ca.gov . |

California Proposition 65 Warning List

**WARNING. Reproductive Harm – www.P65Warnings.ca.gov**

| *DS Product Group SKUs | Dentsply Sirona Product(s) | Warning |
|--------------------------------------|--|--|
| *L 671400 | Ceramco® Non-Greening Liquid | ⚠ WARNING: This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *P 2695, 2696 | DELTON Light Cure Sealant | ⚠ WARNING: This product can expose you to chemicals including Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *P 614062 | Gingival Dam - NUPRO White Gold & Captivate by NUPRO | ⚠ WARNING: This product can expose you to a chemical including Toluene which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *L N906185 | Lucitone Digital Fuse™ Step 1 - 3D Tooth Conditioning Agent | ⚠ WARNING: This product can expose you to chemicals including which are Methanol, Toluene, and Tetrahydrofurfuryl Methacrylate, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *L 906186–906192 | Lucitone Digital Fuse™ Step 2 - 3D Denture Bonding Resin | ⚠ WARNING: This product can expose you to chemicals including Styrene, which is known to the State of California to cause cancer, and toluene and methanol, which are known to the State of California to cause birth defects or other reproductive harm For more information go to www.P65Warnings.ca.gov . |
| *L 906399 | Lucitone Digital Fuse™ Step 3 Total | ⚠ WARNING: This product can expose you to chemicals including Styrene, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| *L 906195 | Lucitone Digital Fuse™ Step 3 - 3D Sealer | ⚠ WARNING: This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |
| *L 906200–906206 906401-906404 | Lucitone Digital Print™ 3D Denture Resin / Primeprint Lucitone Digital Print 3D Denture Resin | ⚠ WARNING: This product can expose you to chemicals including styrene, which is known to the State of California to cause cancer, and toluene, which is known to the State of California to cause birth defects or other reproductive harm For more information go to www.P65Warnings.ca.gov . |
| *L 906220–906225 and 906405 | Lucitone Digital Value™ 3D Economy Tooth & Trial Placement and Primeprint Lucitone Digital Value™ 3D Economy Tooth & Trial Placement | ⚠ WARNING . This product can expose you to chemicals including styrene, which is known to the State of California to cause cancer, and toluene, which is known to the State of California to cause birth defects or other reproductive harm For more information go to www.P65Warnings.ca.gov . |
| *P 75195 | Sporox II Test Vials | ⚠ WARNING: This product can expose you to chemicals including Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov . |

Please feel free to contact the appropriate Customer Service Product Group (see below), if you have any questions or require additional information for the products

*L – Identifies Lab Products listed above. DS Lab Customer Service 800-243-1942

*P – Identified Preventive Products listed above. DS Preventive Customer Service 800-989-8826