

California Proposition 65 Warning List

**WARNING. Cancer – www.P65Warnings.ca.gov**

*DS Product Group SKUs	Dentsply Sirona Product(s)	Warning
*L 160105, 160106, 160116	Ceramco® Universal Sculpting Liquid	⚠ WARNING: This product can expose you to chemicals including Nitrilotriacetic acid, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov .
*L 615126, 650126	Dentsply Sirona Modeling Liquid DU	⚠ WARNING: This product can expose you to chemicals including nitrilotriacetic acid which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov .
*L 9996102, 9996103, 9996120, 9996150	Ney® Aluminum Oxide	⚠ WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov .
*P 21351	Pro-Sonic® General Purpose Ultrasonic Cleaning Solution	⚠ WARNING: This product can expose you to chemicals including formaldehyde, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov .
*P 21132, 21135	Purevac SC Evacuation System Cleaner	⚠ WARNING: This product can expose you to chemicals including 1,4-dioxane and propylene oxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov .
*L N022665	Vitallium® 2000 Investment	⚠ WARNING: This product can expose you to chemicals including Crystalline Silica, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov .
*L N001035, N001830, N001930	Vitallium, Vitallium 2000 and Vitallium 2000 Plus Alloys	⚠ WARNING: This product contains the following substances known to the state of California to cause cancer: Cobalt (as Cobalt metal powder) <70%, Nickel 0-0.1%.
*L 5355730001–5355730002, 5355740001–53557400014	Vulcan Furnaces	⚠ WARNING:

California Proposition 65 Warning List

**WARNING. Cancer and Reproductive Harm – www.P65Warnings.ca.gov**

*DS Product Group SKUs	Dentsply Sirona Product(s)	Warning
*L 600601, 600602, 600604	Celtra® Ceram Kits	⚠ WARNING: This product can expose you to chemicals including nitrilotriacetic acid which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov .
*L 5365400113	Celtra® Press Starter Kit	⚠ WARNING:
*L 906399	Lucitone Digital Fuse™ Sealer 2.0	⚠ WARNING: This product can expose you to chemicals including Styrene, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L 906381, 906382, 906383, 906384, 906385, 906386, 906387, 906388, 906389, 906390, 906391, 906392, 906393, 906394, 906395, 906396, 906397, 906398	Lucitone Digital IPN 3D Premium Tooth	⚠ WARNING: This product can expose you to chemicals including Styrene, which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L 682012, 682014, 682015	Lucitone® HIPA Denture Base Liquid	⚠ WARNING: This product can expose you to chemicals including 1,3-Butadiene, which is known to the State of California to cause cancer, and Toluene and 1,3-Butadiene which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .

California Proposition 65 Warning List


WARNING. Cancer and Reproductive Harm – www.P65Warnings.ca.gov

*DS Product Group SKUs	Dentsply Sirona Product(s)	Warning
*L 905922–905929, 905932– 905939, 905942–905949, 905952, 905954, 905956, 906018–906022	Lucitone® HIPA Denture Base Powder	⚠ WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L 905900, 905960	Lucitone® HIPA Trial Kits	⚠ WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L 5460280002	Multimat Cube, 115V	⚠ WARNING:
*L 5460280012	Multimat Cube Press, 115V	⚠ WARNING:
*P 658010	Seal & Protect Sealant for Exposed Dentin	⚠ WARNING: This product can expose you to chemicals including Propylene Oxide, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*P A900300, A90060	SofScale Calculus Scaling Gel	⚠ WARNING: This product can expose you to chemicals including Acetaldehyde, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*P 75156	Sporox II Sterilizing & Disinfecting Solution	⚠ WARNING: This product can expose you to chemicals including 1,4-Dioxane, Propylene oxide, Ethylene oxide, Formaldehyde, and Diethanolamine, which are known to the State of California to cause cancer, and Ethylene oxide and Methanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L N022608	Vitallium® 2000 Liquid A and B Set	⚠ WARNING: This product contains the following substances known to the state of California to cause cancer and/or reproductive toxicity: 1,4-Dioxane (≤ 8 PPM). For more information go to www.P65Warnings.ca.gov .
*L N022601	Vitallium® 2000 Liquid B	⚠ WARNING: This product contains the following substances known to the State of California to cause cancer and/or reproductive toxicity: 1,4-Dioxane (≤ 8 PPM). For more information go to www.P65Warnings.ca.gov .

California Proposition 65 Warning List

**WARNING. Reproductive Harm – www.P65Warnings.ca.gov**

*DS Product Group SKUs	Dentsply Sirona Product(s)	Warning
*L 671400	Ceramco® Non-Greening Liquid	⚠ WARNING: This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*P 2695, 2696	DELTON Light Cure Sealant	⚠ WARNING: This product can expose you to chemicals including Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*P 614062	Gingival Dam - NUPRO White Gold & Captivate by NUPRO	⚠ WARNING: This product can expose you to a chemical including Toluene which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L N906185	Lucitone Digital Fuse™ Step 1 - 3D Tooth Conditioning Agent	⚠ WARNING: This product can expose you to chemicals including which are Methanol, Toluene, and Tetrahydrofurfuryl Methacrylate, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L 906186–906192	Lucitone Digital Fuse™ Step 2 - 3D Denture Bonding Resin	⚠ WARNING: This product can expose you to chemicals including Toluene and Methanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L 906195	Lucitone Digital Fuse™ Step 3 - 3D Sealer	⚠ WARNING: This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L 906200–906206	Lucitone Digital Print™ 3D Denture Resin	⚠ WARNING: This product can expose you to a chemical including Toluene which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
*L 906220–906225	Lucitone Digital Print™ Try-In 3D Trial Placement Resin	⚠ WARNING: This product can expose you to a chemical including Toluene which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .

Please feel free to contact the appropriate Customer Service Product Group (see below), if you have any questions or require additional information for the products

*L – Identifies Lab Products listed above. DS Lab Customer Service 800-243-1942

*P – Identified Preventive Products listed above. DS Preventive Customer Service 800-989-8826